

ALIS





NEW



CEILING LAMPS | ILUMINACIÓN TECHO





CEILING LAMPS | ILUMINACION TECHO

	FINISH	WATT	LUM (Real)	SLIDE SWITCH (K)	ON/OFF	TRIAC	DALI/PUSH
 	100mm						
	<input type="checkbox"/> <input checked="" type="checkbox"/>	9W	1408	2700 - 4000	P3998070B P3998070N	P3998070BDT P3998070NDT	P3998070BDP P3998070NDP
 	150mm						
	<input type="checkbox"/> <input checked="" type="checkbox"/>	18W	2420	2700 - 4000	P3998170B P3998170N	P3998170BDT P3998170NDT	P3998170BDP P3998170NDP
 	200mm						
	<input type="checkbox"/> <input checked="" type="checkbox"/>	25W	3300	2700 - 4000	P3998270B P3998270N	P3998270BDT P3998270NDT	P3998270BDP P3998270NDP

FINISH | TEXTURED WHITE | BLANCO TEXTURADO TEXTURED BLACK | NEGRO TEXTURADO MINIMUM QTY REQUIRED 10 UNITS - CANTIDAD MÍNIMA REQUERIDA 10 UDS.

IP44 IK06 CRI>90 incl 120° NCS REAL COMPATIBLE CASAMBI MacAdam Step3 **L80B10 ≥60.000h** UGR<19 SLIDE SWITCH ALUMINIUM | ALUMINIO

PENDANT KIT FOR ANY SIZE | KIT COLGANTE PARA CUALQUIER TAMAÑO

EASY LINK SYSTEM
Pag. 24-33

	FINISH	ON/OFF - TRIAC	DALI/PUSH
	<input type="checkbox"/>	K1002540B	K1002540BDP
	<input checked="" type="checkbox"/>	K1002540N	K1002540NDP

FINISH | TEXTURED WHITE | BLANCO TEXTURADO TEXTURED BLACK | NEGRO TEXTURADO

IP20 incl Any colour available, MOQ of 10 Units | Cualquier color disponible, cantidad mínima 10 Uds. ALUMINIUM | ALUMINIO






CEILING LAMPS | ILUMINACIÓN TECHO





CEILING LAMPS | ILLUMINACION TECHO





PRISMATIC DIFUSER

CEILING LAMPS | ILUMINACION TECHO

	FINISH	WATT	LUM (Real)	SLIDE SWITCH (K)	ON/OFF	TRIAC	DALI/PUSH
100mm							
 Ø100 85 14	□	9W	1380	▶ 3000 - 4000	P3987070B	P3987070BDT	P3987070BDP
	■				P3987070N	P3987070NDT	P3987070NDP
150mm							
 Ø150 90 17	□	18W	2370	▶ 3000 - 4000	P3987170B	P3987170BDT	P3987170BDP
	■				P3987170N	P3987170NDT	P3987170NDP
200mm							
 Ø200 95 17	□	25W	3200	▶ 3000 - 4000	P3987270B	P3987270BDT	P3987270BDP
	■				P3987270N	P3987270NDT	P3987270NDP

MINIMUM QTY REQUIRED 10 UNITS - CANTIDAD MÍNIMA REQUERIDA 10 UDS.


FINISH | □ TEXTURED WHITE | BLANCO TEXTURADO ■ TEXTURED BLACK | NEGRO TEXTURADO



IP44 IK06 CRI>90
COMPATIBLE CASAMBI
L80B10 ≥60.000h
ALUMINIUM | ALUMINIO

PENDANT KIT FOR ANY SIZE | KIT COLGANTE PARA CUALQUIER TAMAÑO

EASY LINK SYSTEM
Pag. 24-33



FINISH	ON/OFF - TRIAC	DALI/PUSH
□	K1002540B	K1002540BDP
■	K1002540N	K1002540NDP

FINISH | □ TEXTURED WHITE | BLANCO TEXTURADO ■ TEXTURED BLACK | NEGRO TEXTURADO

IP20
Any colour available, MOQ of 10 Units | Cualquier color disponible, cantidad mínima 10 Uds.
ALUMINIUM | ALUMINIO



NEW




RECESSED · EMPOTRABLES





RECESSED · EMPOTRABLES

Any colour available, MOQ of 10 Units
Cualquier color disponible, cantidad mínima 10 Uds.



		FINISH	WATT	LUM (Real)	SLIDE SWITCH (K)	ON/OFF	TRIAC	DALI/PUSH
NEW								
RECESSED								
	100mm							
		□				E3987070B	E3987070BDT	E3987070BDP
		■	11W	1560	3000 - 4000	E3987070N	E3987070NDT	E3987070NDP
	165mm							
		□				E3987170B	E3987170BDT	E3987170BDP
		■	25W	3050	3000 - 4000	E3987170N	E3987170NDT	E3987170NDP
	210mm							
		□				E3987270B	E3987270BDT	E3987270BDP
		■	32,5W	3880	3000 - 4000	E3987270N	E3987270NDT	E3987270NDP

FINISH | □ TEXTURED WHITE | BLANCO TEXTURADO ■ TEXTURED BLACK | NEGRO TEXTURADO



IP20 IP65 IK06 CRI>90



Incl



120°



MacAdam Steps 3

L80B10 ≥60.000h



UGR<19



SLIDE SWITCH



Color

ALUMINIUM | ALUMINIO