

Braytron

LIGHTING & ELECTRICAL PRODUCT CATALOGUE

www.braytron.com

2025

Solar Lighting



Indoor
Outdoor Lighting

Rechargeables



Decorative



Bulbs & Tubes





BRAYTRON GLOBAL Head Office



BRAYTRON GLOBAL Head Office

Braytron

A B O U T U S

Welcome to Braytron – Illuminating Excellence in Lighting and Electrical Solutions!

For 18 years, Braytron has been at the forefront of the lighting and electrical industry, dedicating itself to providing top-notch products that illuminate spaces and power connections with unmatched precision and reliability. Our journey began with a commitment to quality, and today, we stand proud as a global leader in the field.

With a rich legacy spanning nearly two decades, Braytron has been exporting its superior lighting and electrical products to more than 40 countries, with a primary focus on the European market. Our extensive catalog boasts over 1500 different products, each meticulously designed and crafted to meet the diverse needs of our discerning customers.

At Braytron, quality is not just a promise; it's a standard that defines us. Our products adhere to the rigorous standards set by Europe, ensuring that every item bearing the Braytron name is synonymous with excellence. We take pride in our unwavering commitment to delivering high-quality solutions that illuminate spaces and power connections seamlessly.

As we look ahead, Braytron remains dedicated to innovation, sustainability, and customer satisfaction. Our journey is illuminated by the trust and loyalty of our customers, and we continue to strive for excellence in every product we create.

Discover the brilliance of Braytron – where quality, innovation, and reliability converge to light up your world.

HEAD OFFICE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

EUROPE WAREHOUSE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

BALKAN WAREHOUSE

BRAYTRON BALKAN DOO
Dimitrija Tucovica bb, 36300
Novi Pazar, Serbia
info@braytron.com

FACTORY

Eksioglu Mah. Saray Cad. No.7
Cekmekoy, Istanbul, Turkey
info@braytron.com

• Distribution network:

In order to provide the best service to its customers BRAYTRON set up its own warehouses and companies at different locations:
For more specific details please visit website; www.braytron.com




BRAYTRON ROMANIA



EUROPE WAREHOUSE













291



292



294



295



297



298



299

TECHNICAL LIGHTING






LNR300	BD60-00301	BD60-00311	BD60-00381
10W 3000K	10W 4000K	3CCT 10W	
950lm Black	950lm Black	950lm Black	
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	




LNR600	BD60-00601	BD60-00611	BD60-00681
18W 3000K	18W 4000K	3CCT 18W	
1850lm Black	1850lm Black	1850lm Black	
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



LNR900	BD60-00901	BD60-00911	BD60-00981
36W 3000K	36W 4000K	36W 3CCT	
3890lm Black	3890lm Black	3890lm Black	
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




LNS110 BD60-01101 BD60-01111 BD60-01181

6W 3000K	6W 4000K	6W 3CCT
440lm Black	440lm Black	440lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium




LNS220 BD60-01201 BD60-01211 BD60-01281

12W 3000K	12W 4000K	12W 3CCT
1020lm Black	1020lm Black	1020lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



LNS330 BD60-01301 BD60-01311 BD60-01381


18W 3000K	18W 4000K	18W 3CCT
1580lm Black	1580lm Black	1580lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



NEW

LNS440 BD60-01401 BD60-01411 BD60-01481

24W 3000K	24W 4000K	24W 3CCT
2040lm Black	2040lm Black	2040lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium




3CCT - Color Temperature Changeable

3000K

4000K


6000K




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



WSL110	BD60-03101	BD60-03111	BD60-03181
LED	6W 3000K	6W 4000K	6W 3CCT
	440lm Black	440lm Black	440lm Black
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



WSL250	BD60-03201	BD60-03211	BD60-03281
LED	12W 3000K	12W 4000K	12W 3CCT
	1020lm Black	1020lm Black	1020lm Black
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6000K

CCT Switch

4000K 3000K 6000K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



TRC035	BD61-00101	BD61-00111	BD61-00181	
	6W 3000K	6W 4000K	6W 3CCT	
	440lm Black	440lm Black	440lm Black	
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



TRC045	BD61-00201	BD61-00211	BD61-00281	
	10W 3000K	10W 4000K	10W 3CCT	
	810lm Black	810lm Black	810lm Black	
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



TRC060	BD61-00301	BD61-00311	BD61-00381	
	18W 3000K	18W 4000K	18W 3CCT	
	1580lm Black	1580lm Black	1580lm Black	
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



PDT030	BD62-00201	BD62-00211	BD62-00281	
	7W 3000K	7W 4000K	7W 3CCT	
	520lm Black	520lm Black	520lm Black	
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



PDT100	BD62-00401	BD62-00481	
	7W 3000K	7W 3CCT	
	610lm Black	610lm Black	
	48VDC CRI>90	48VDC CRI>90	
	IP20 Aluminium	IP20 Aluminium	



3CCT - Color Temperature Changeable

3000K

4000K

6000K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

	BY41-00111 TR01-1M Black Voltage 48VDC IP20 Aluminium		BY41-00211 SR01-1M Black Voltage 48VDC IP20 Aluminium		BY41-00421 RC01-2M Black Voltage 48VDC IP20 Aluminium
	BY41-10101 Trimless Corner CRC01 Black Voltage 48VDC IP20 Aluminium		BY41-10111 Trimless Corner CRC02 Black Voltage 48VDC IP20 Aluminium		BY41-10121 Trimless Corner CRC03 Black Voltage 48VDC IP20 Aluminium
	BY41-10201 Surface Corner SRC01 Black Voltage 48VDC IP20 Aluminium		BY41-10211 Surface Corner SRC02 Black Voltage 48VDC IP20 Aluminium		BY41-10221 Surface Corner SRC03 Black Voltage 48VDC IP20 Aluminium
	BY41-10401 Recessed Corner CRC04 Black Voltage 48VDC IP20 Aluminium		BY41-90011 Straight Connector ST01 Black Voltage 48VDC IP20 PC		BY41-90021 Corner Connector CR01 Black Voltage 48VDC IP20 PC
	BY41-90031 Power Socket SC01 Black Voltage 48VDC IP20 PC		BY41-90041 Pendant PD01 Black IP20 Metal		BY41-90081 Steel Connector For Surface Silver IP20 Metal
	BY03-21001 2A 100W 48VDC 220-240V IP20 PC		BY03-22001 4A 200W 48VDC 220-240V IP20 PC		Driver



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



LNR300	BD60-10301	BD60-10311	BD60-20381		BD60-1
	10W 3000K	10W 4000K	10W 3CCT		BD60-2
	950lm Black	950lm Black	950lm Black		
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90		
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium		

NEW



LNR600	BD60-10601	BD60-10611	BD60-20681		BD60-1
	18W 3000K	18W 4000K	18W 3CCT		BD60-2
	1850lm Black	1850lm Black	1850lm Black		
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90		
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium		

NEW



LNR900	BD60-10901	BD60-10911	BD60-20981		BD60-1
	36W 3000K	36W 4000K	36W 3CCT		BD60-2
	3890lm Black	3890lm Black	3890lm Black		
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90		
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium		



3CCT - Color Temperature Changeable

3000K

4000K

6000K


CCT Switch

4000K 3000K 6000K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



LNS110	BD60-11101	BD60-11111	BD60-21181		BD60-1
	6W 3000K	6W 4000K	6W 3CCT		
	440lm Black	440lm Black	440lm Black		BD60-2
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90		
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium		

NEW



LNS220	BD60-11201	BD60-11211	BD60-21281		BD60-1
	12W 3000K	12W 4000K	12W 3CCT		
	1020lm Black	1020lm Black	1020lm Black		BD60-2
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90		
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium		

NEW




LNS330	BD60-11301	BD60-11311	BD60-21381		BD60-1
	18W 3000K	18W 4000K	18W 3CCT		
	1580lm Black	1580lm Black	1580lm Black		BD60-2
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90		
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium		

NEW



SRC035	BD60-14001	BD60-14011	BD60-24081		
	7W 3000K	7W 4000K	7W 3CCT		
	630lm Black	630lm Black	630lm Black		
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90		
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium		




*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

NEW




WSL110	BD60-13101	BD60-13111	BD60-23181
6W 3000K	6W 4000K	6W 3000K	6W 3000K
440lm Black	440lm Black	440lm Black	440lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



NEW



WSL250	BD60-13201	BD60-13211	BD60-23281
12W 3000K	12W 4000K	12W 3000K	12W 3000K
1020lm Black	1020lm Black	1020lm Black	1020lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium





NEW



TRC035	BD61-10101	BD61-10111	BD61-20181
6W 3000K	6W 4000K	6W 3000K	6W 3000K
440lm Black	440lm Black	440lm Black	440lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium





NEW



TRC045	BD61-10201	BD61-10211	BD61-20281
10W 3000K	10W 4000K	10W 3000K	10W 3000K
810lm Black	810lm Black	810lm Black	810lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



NEW



TRC060	BD61-10301	BD61-10311	BD61-20381
18W 3000K	18W 4000K	18W 3000K	18W 3000K
1580lm Black	1580lm Black	1580lm Black	1580lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium




3CCT - Color Temperature Changeable

3000K


4000K

6000K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




BY41-02011
TR02-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-02021
TR02-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-02031
TR02-3M Black
Voltage 48VDC
IP20 Aluminium

For CCT

NEW



BY41-02111
SR02-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-02121
SR02-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-02131
SR02-3M Black
Voltage 48VDC
IP20 Aluminium

For CCT

NEW




BY41-02211
SR03-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-02221
SR03-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-02231
SR03-3M Black
Voltage 48VDC
IP20 Aluminium

For CCT

NEW




BY41-02311
RC02-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-02321
RC02-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-02331
RC02-3M Black
Voltage 48VDC
IP20 Aluminium

For CCT

NEW




BY41-01011
TR02-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-01021
TR02-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-01031
TR02-3M Black
Voltage 48VDC
IP20 Aluminium

NEW



BY41-01111
SR02-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-01121
SR02-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-01131
SR02-3M Black
Voltage 48VDC
IP20 Aluminium

NEW




BY41-01211
SR03-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-01221
SR03-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-01231
SR03-3M Black
Voltage 48VDC
IP20 Aluminium

NEW




BY41-01311
RC02-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-01321
RC02-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-01331
RC02-3M Black
Voltage 48VDC
IP20 Aluminium


NEW



BY41-20511 for CCT
Trimless Corner
TRC02 Black
Voltage 48VDC
IP20 Aluminium

For CCT


NEW



BY41-20611 for CCT
Surface Corner
SRC03 Black
Voltage 48VDC
IP20 Aluminium

For CCT

NEW




BY41-20711 for CCT
Recessed Corner
RCC02 Black
Voltage 48VDC
IP20 Aluminium

For CCT


*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




BY41-10511
Trimless Corner
TRC02 Black
Voltage 48VDC
IP20 Aluminium

NEW




BY41-10611
Surface Corner
SRC03 Black
Voltage 48VDC
IP20 Aluminium

NEW




BY41-10711
Recessed Corner
RCC02 Black
Voltage 48VDC
IP20 Aluminium

NEW



BY41-80011
BY41-81011 for CCT
Straight Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW




BY41-80021
BY41-81021 for CCT
L Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW




BY41-80031
BY41-81031 for CCT
L Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW




BY41-80041
BY41-81041 for CCT
T Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW



BY41-80051
BY41-81051 for CCT
Cross Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW



BY41-80061
BY41-81061 for CCT
Straight Connector
SC01 Black
Voltage 48VDC
IP20 PC

NEW




BY41-80071
BY41-81071 for CCT
Corner Connector
SC01 Black
Voltage 48VDC
IP20 PC

NEW




BY41-80081
BY41-81081 for CCT
Power Cord
SC01 Black
Voltage 48VDC
IP20 PC

NEW




BY41-90101
BY41-81111 for CCT
Blind Cover
2M Black
IP20 PC

NEW



BY41-80091
BY41-81091 for CCT
End Socket
SC01 Black
Voltage 48VDC
IP20 PC

NEW



BY41-80101
BY41-81101 for CCT
Pendant
SD01 Black
Voltage 48VDC
IP20 Metal

NEW



BY41-90301
BY41-81121 for CCT
Spring
CR04
IP20 Metal

NEW



BY03-21101
BY03-32101 for CCT
2A 100W 48VDC
220-240V
IP20 PC

NEW



BY03-22101
3.1A 150W 48VDC
220-240V
IP20 PC

NEW



BY03-32201 for CCT
3.1A 200W 48VDC
220-240V
IP20 PC

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW





LNR300	BD60-10300	BD60-10310	BD60-20380
LED	10W 3000K 950lm White 48VDC CRI>90 IP20 Aluminium	10W 4000K 950lm White 48VDC CRI>90 IP20 Aluminium	10W 3CCT 950lm White 48VDC CRI>90 IP20 Aluminium



NEW



LNR600	BD60-10600	BD60-10610	BD60-20680
LED	18W 3000K 1850lm White 48VDC CRI>90 IP20 Aluminium	18W 4000K 1850lm White 48VDC CRI>90 IP20 Aluminium	18W 3CCT 1850lm White 48VDC CRI>90 IP20 Aluminium




NEW



LNR900	BD60-10900	BD60-10910	BD60-20980
LED	36W 3000K 3890lm White 48VDC CRI>90 IP20 Aluminium	36W 4000K 3890lm White 48VDC CRI>90 IP20 Aluminium	36W 3CCT 3890lm White 48VDC CRI>90 IP20 Aluminium



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



3 CCT

LNS110	BD60-11100	BD60-11110	BD60-21180		
	6W 3000K	6W 4000K	6W 3CCT		
	440lm White	440lm White	440lm White		
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90		
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium		

NEW



3 CCT

LNS220	BD60-11200	BD60-11210	BD60-21280		
	12W 3000K	12W 4000K	12W 3CCT		
	1020lm White	1020lm White	1020lm White		
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90		
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium		

NEW



3 CCT

LNS330	BD60-11300	BD60-11310	BD60-21380		
	18W 3000K	18W 4000K	18W 3CCT		
	1580lm White	1580lm White	1580lm White		
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90		
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium		

NEW



SRC035	BD60-14000	BD60-14010	BD60-24080		
	7W 3000K	7W 4000K	7W 3CCT		
	630lm White	630lm White	630lm White		
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90		
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium		

3CCT - Color Temperature Changeable

3000K

4000K


6000K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW




WSL110	BD60-13100	BD60-13110	BD60-23180
6W 3000K 440lm White 48VDC CRI>90 IP20 Aluminium	6W 4000K 440lm White 48VDC CRI>90 IP20 Aluminium	6W 3CCT 440lm White 48VDC CRI>90 IP20 Aluminium	



NEW



WSL250	BD60-13200	BD60-13210	BD60-23280
12W 3000K 1020lm White 48VDC CRI>90 IP20 Aluminium	12W 4000K 1020lm White 48VDC CRI>90 IP20 Aluminium	12W 3CCT 1020lm White 48VDC CRI>90 IP20 Aluminium	





NEW



TRC035	BD61-10100	BD61-10110	BD61-20180
7W 3000K 440lm White 48VDC CRI>90 IP20 Aluminium	7W 4000K 440lm White 48VDC CRI>90 IP20 Aluminium	7W 3CCT 440lm White 48VDC CRI>90 IP20 Aluminium	





NEW



TRC045	BD61-10200	BD61-10210	BD61-20280
10W 3000K 810lm White 48VDC CRI>90 IP20 Aluminium	10W 4000K 810lm White 48VDC CRI>90 IP20 Aluminium	10W 3CCT 810lm White 48VDC CRI>90 IP20 Aluminium	



NEW



TRC060	BD61-10300	BD61-10310	BD61-20380
18W 3000K 1580lm White 48VDC CRI>90 IP20 Aluminium	18W 4000K 1580lm White 48VDC CRI>90 IP20 Aluminium	18W 3CCT 1580lm White 48VDC CRI>90 IP20 Aluminium	




3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




BY41-02010
TR02-1M White
Voltage 48VDC
IP20 Aluminium

BY41-02020
TR02-2M White
Voltage 48VDC
IP20 Aluminium

BY41-02030
TR02-3M White
Voltage 48VDC
IP20 Aluminium

For CCT

NEW



BY41-02110
SR02-1M White
Voltage 48VDC
IP20 Aluminium

BY41-02120
SR02-2M White
Voltage 48VDC
IP20 Aluminium

BY41-02130
SR02-3M White
Voltage 48VDC
IP20 Aluminium

For CCT

NEW



BY41-02210
SR03-1M White
Voltage 48VDC
IP20 Aluminium

BY41-02220
SR03-2M White
Voltage 48VDC
IP20 Aluminium

BY41-02230
SR03-3M White
Voltage 48VDC
IP20 Aluminium

For CCT

NEW



BY41-02310
RC02-1M White
Voltage 48VDC
IP20 Aluminium

BY41-02320
RC02-2M White
Voltage 48VDC
IP20 Aluminium

BY41-02330
RC02-3M White
Voltage 48VDC
IP20 Aluminium

For CCT

NEW




BY41-01010
TR02-1M White
Voltage 48VDC
IP20 Aluminium

BY41-01020
TR02-2M White
Voltage 48VDC
IP20 Aluminium

BY41-01030
TR02-3M White
Voltage 48VDC
IP20 Aluminium

NEW



BY41-01110
SR02-1M White
Voltage 48VDC
IP20 Aluminium

BY41-01120
SR02-2M White
Voltage 48VDC
IP20 Aluminium

BY41-01130
SR02-3M White
Voltage 48VDC
IP20 Aluminium

NEW



BY41-01210
SR03-1M White
Voltage 48VDC
IP20 Aluminium

BY41-01220
SR03-2M White
Voltage 48VDC
IP20 Aluminium

BY41-01230
SR03-3M White
Voltage 48VDC
IP20 Aluminium

NEW




BY41-01310
RC02-1M White
Voltage 48VDC
IP20 Aluminium

BY41-01320
RC02-2M White
Voltage 48VDC
IP20 Aluminium

BY41-01330
RC02-3M White
Voltage 48VDC
IP20 Aluminium


NEW



BY41-20510
Trimless Corner
TRC02 White
Voltage 48VDC
IP20 Aluminium

For CCT

NEW



BY41-20610
Surface Corner
SRC03 White
Voltage 48VDC
IP20 Aluminium

For CCT

NEW




BY41-20710
Recessed Corner
RCC02 White
Voltage 48VDC
IP20 Aluminium

For CCT




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




BY41-10510
Trimless Corner
TRC02 White
Voltage 48VDC
IP20 Aluminium

NEW




BY41-10610
Surface Corner
SRC03 White
Voltage 48VDC
IP20 Aluminium

NEW




BY41-10710
Recessed Corner
RCC02 White
Voltage 48VDC
IP20 Aluminium

NEW



BY41-80010
BY41-81010 for CCT
Straight Connector
SR02 White
Voltage 48VDC
IP20 PC

NEW




BY41-80020
BY41-81020 for CCT
L Connector
SR02 White
Voltage 48VDC
IP20 PC

NEW




BY41-80030
BY41-81030 for CCT
L Connector
SR02 White
Voltage 48VDC
IP20 PC

NEW




BY41-80040
BY41-81040 for CCT
T Connector
SR02 White
Voltage 48VDC
IP20 PC

NEW



BY41-80050
BY41-81050 for CCT
Cross Connector
SR02 White
Voltage 48VDC
IP20 PC

NEW



BY41-80060
BY41-81060 for CCT
Straight Connector
SC01 White
Voltage 48VDC
IP20 PC

NEW




BY41-80070
BY41-81070 for CCT
Corner Connector
SC01 White
Voltage 48VDC
IP20 PC

NEW



BY41-80080
BY41-81080 for CCT
Power Cord
Voltage 48VDC
White IP20 PC

NEW



BY41-90101
BY41-81110 for CCT
Blind Cover
White
IP20 PC

NEW



BY41-80090
BY41-81090 for CCT
End Socket
SC01 White
Voltage 48VDC
IP20 PC

NEW



BY41-90401
BY41-81120
Spring
CRC04
IP20 Metal

NEW



BY03-21100
BY03-32100 for CCT
2A 100W 48VDC
220-240V
IP20 PC

NEW





BY03-22100
3.1A 150W 48VDC
220-240V
IP20 PC

NEW




BY03-32200 for CCT
3.1A 200W 48VDC
220-240V
IP20 PC


*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




BY39-00121
SR1707-2M Black
IP20 Aluminium




BY39-00123
SR1707-2M Silver
IP20 Aluminium




BY39-00621
RC1707-2M Black
IP20 Aluminium




BY39-00623
RC1707-2M Silver
IP20 Aluminium



BY39-01123
CR1818-2M Silver
IP20 Aluminium



BY39-01423
TR15-2M Silver
IP20 Aluminium




BY39-01523
TR20-2M Silver
IP20 Aluminium




Suitable Models:
BY39-00121
BY39-00123
BY39-00621
BY39-00623
BY39-01123
BY39-01423


BY39-99901
Diffuser 2M Black
IP20 PC




BY39-00223
Diffuser 2M Black
IP20 PC



BY39-00221
Diffuser 2M Black
IP20 PC



BY39-00723
Diffuser 2M Black
IP20 PC



BY39-00721
Diffuser 2M Black
IP20 PC

Premium Series Led Tracklight

5 YEARS
WARRANTY

NEW



10°-60° Degree
Adjustable
Beam
Angle



Shopline BD40-01080

LED

36W 3CCT
3600lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD40-01081

36W 3CCT
3600lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



NEW



Shopline BD40-01180

LED

36W 3CCT
3600lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD40-01181

36W 3CCT
3600lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



3CCT - Color Temperature Changeable

3000K

4000K

6000K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Shopline BD40-00480



15W 3CCT
1560lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD40-00481

15W 3CCT
1560lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



NEW



Shopline BD40-00580



15W 3CCT
1560lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD40-00581

15W 3CCT
1560lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



NEW



Shopline BD40-00680



30W 3CCT
2960lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD40-00681

30W 3CCT
2960lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



NEW



Shopline BD40-00780



30W 3CCT
2960lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD40-00781

30W 3CCT
2960lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



3CCT - Color Temperature Changeable

3000K




4000K

6000K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Linex
BD37-00180
10W 3CCT
1150lm White
220-240V CRI>90
IP20 Aluminium



Linex
BD37-00181
10W 3CCT
1150lm Black
220-240V CRI>90
IP20 Aluminium



LED DOWNLIGHT




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




Linex BD37-00280
 20W 3CCT
 2200lm White
 220-240V CRI>90
 IP20 Aluminium



NEW




Linex BD37-00281
 20W 3CCT
 2200lm Black
 220-240V CRI>90
 IP20 Aluminium



NEW




Linex BD37-00380
 30W 3CCT
 2650lm White
 220-240V CRI>90
 IP20 Aluminium



NEW



Linex BD37-00381
 30W 3CCT
 2650lm Black
 220-240V CRI>90
 IP20 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K


*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Linex BD63-00280 BD63-00281
 9W 3CCT 9W 3CCT
650lm White 650lm Black
220-240V CRI>90 220-240V CRI>90
 IP20 Aluminium IP20 Aluminium




3CCT



Linex BD63-00380 BD63-00381
 18W 3CCT 18W 3CCT
1300lm White 1300lm Black
220-240V CRI>90 220-240V CRI>90
 IP20 Aluminium IP20 Aluminium



3CCT



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Premium

NEW




Premium BA13-00880

8.5W 5 CCT
880lm A60 E27
220-240V CRI>80
IP20 Thermoplastic



5CCT

25,000 HOURS
5 YEARS WARRANTY



Premium

NEW



Premium BA13-01080

10.5W 5 CCT
1160lm A60 E27
220-240V CRI>80
IP20 Thermoplastic



5CCT

25,000 HOURS
5 YEARS WARRANTY



Patent

5 YEARS WARRANTY

HIGH LUMEN OUTPUT

5 in 1

2700K
3000K
4000K
5000K
6500K

Premium

NEW



Premium BA13-01380

13.5W 5 CCT
1520lm A65 E27
220-240V CRI>80
IP20 Thermoplastic



5CCT

25,000 HOURS
5 YEARS WARRANTY



5CCT - Color Temperature Changeable

2700K

3000K

4000K

5000K

6500K

CCT Switch

2700K 3000K 4000K 5000K 6500K


*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54

Spotled BD01-00780


LED 7W 3CCT
630lm White
220-240V CRI>80
IP54 PC



IP54


Spotled BD01-00781

LED 7W 3CCT
630lm Black
220-240V CRI>80
IP54 PC



Minispot BH06-00289

LED 3W 3CCT
210lm 3 Color
220-240V CRI>80
IP54 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW

IP54

Downlight BD01-10180



9W 3CCT
820lm White
220-240V CRI>80
IP54 Aluminium+PC



NEW

IP54

Downlight BD01-10181



9W 3CCT
820lm Black
220-240V CRI>80
IP54 Aluminium+PC




NEW

IP54

Downlight BD01-10280



14W 3CCT
1200lm White
220-240V CRI>80
IP54 Aluminium+PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Spotted	BD02-00300	BD02-00310	BD02-00330	BD02-00380	
	3W 3000K 200lm White 220-240V CRI>80 IP20 PC	3W 4000K 200lm White 220-240V CRI>80 IP20 PC	3W 6500K 200lm White 220-240V CRI>80 IP20 PC	3W 3CCT 200lm White 220-240V CRI>80 IP20 PC	


Spotted	BD02-00301	BD02-00311	BD02-00331	BD02-00381	
	3W 3000K 200lm Black 220-240V CRI>80 IP20 PC	3W 4000K 200lm Black 220-240V CRI>80 IP20 PC	3W 6500K 200lm Black 220-240V CRI>80 IP20 PC	3W 3CCT 200lm Black 220-240V CRI>80 IP20 PC	



Spotted	BD02-00500	BD02-00510	BD02-00530	BD02-00580	
	5W 3000K 400lm White 220-240V CRI>80 IP20 PC	5W 4000K 400lm White 220-240V CRI>80 IP20 PC	5W 6500K 400lm White 220-240V CRI>80 IP20 PC	5W 3CCT 400lm White 220-240V CRI>80 IP20 PC	

Spotted	BD02-00501	BD02-00511	BD02-00531	BD02-00581	
	5W 3000K 400lm Black 220-240V CRI>80 IP20 PC	5W 4000K 400lm Black 220-240V CRI>80 IP20 PC	5W 6500K 400lm Black 220-240V CRI>80 IP20 PC	5W 3CCT 400lm Black 220-240V CRI>80 IP20 PC	

3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Spotted	BD02-00700	BD02-00710	BD02-00730	BD02-00680	
	7W 3000K	7W 4000K	7W 6500K	7W 3CCT	
	630lm White	630lm White	630lm White	630lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 PC	IP20 PC	IP20 PC	IP20 PC	

Spotted	BD02-00701	BD02-00711	BD02-00731	BD02-00681	
	7W 3000K	7W 4000K	7W 6500K	7W 3CCT	
	630lm Black	630lm Black	630lm Black	630lm Black	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 PC	IP20 PC	IP20 PC	IP20 PC	



Spotted	BD02-01030	BD02-01080	
	10W 6500K	10W 3CCT	
	770lm White	770lm White	
	220-240V CRI>80	220-240V CRI>80	
	IP20 PC	IP20 PC	

Spotted	BD02-01081	
	10W 3CCT	
	770lm Black	
	220-240V CRI>80	
	IP20 PC	



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

NEW



Spotted BD02-10500

5W 3000K
400lm White
220-240V CRI>80
IP20 PC

BD02-10510


5W 4000K
400lm White
220-240V CRI>80
IP20 PC

BD02-10530

5W 6500K
400lm White
220-240V CRI>80
IP20 PC

BD02-10580

5W 3CCT
400lm White
220-240V CRI>80
IP20 PC



Spotted BD02-10501

5W 3000K
400lm Black
220-240V CRI>80
IP20 PC

BD02-10511


5W 4000K
400lm Black
220-240V CRI>80
IP20 PC

BD02-10531

5W 6500K
400lm Black
220-240V CRI>80
IP20 PC

BD02-10581

5W 3CCT
400lm Black
220-240V CRI>80
IP20 PC



NEW

Spotted BD02-10700

7W 3000K
630lm White
220-240V CRI>80
IP20 PC

BD02-10710


7W 4000K
630lm White
220-240V CRI>80
IP20 PC

BD02-10730

7W 6500K
630lm White
220-240V CRI>80
IP20 PC

BD02-10680

7W 3CCT
630lm White
220-240V CRI>80
IP20 PC



Spotted BD02-10701

7W 3000K
630lm Black
220-240V CRI>80
IP20 PC

BD02-10711


7W 4000K
630lm Black
220-240V CRI>80
IP20 PC

BD02-10731


7W 6500K
630lm Black
220-240V CRI>80
IP20 PC

BD02-10681

7W 3CCT
630lm Black
220-240V CRI>80
IP20 PC



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



3 CCT




Dimmable

Spotled BD02-00780

3 CCT
7W 630lm White
220-240V CRI>80
IP20 PC

BD02-60780

3 CCT - Dimmable
7W 630lm White
220-240V CRI>80
IP20 PC



3 CCT




Dimmable

Spotled BD02-00781

3 CCT
7W 630lm Black
220-240V CRI>80
IP20 PC

BD02-60781


3 CCT - Dimmable
7W 630lm Black
220-240V CRI>80
IP20 PC



3 CCT

Spotled BD02-00783

3 CCT
7W 630lm Silver
220-240V CRI>80
IP20 PC



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



3 CCT



Dimmable


Spotted BD02-10780

BD02-70780



3 CCT
7W 630lm White
220-240V CRI>80
IP20 PC

3 CCT - Dimmable
7W 630lm White
220-240V CRI>80
IP20 PC



3 CCT



Dimmable


Spotted BD02-10781

BD02-70781



3 CCT
7W 630lm Black
220-240V CRI>80
IP20 PC

3 CCT - Dimmable
7W 630lm Black
220-240V CRI>80
IP20 PC




3 CCT

Spotted BD02-10783



3 CCT
7W 630lm Silver
220-240V CRI>80
IP20 PC



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



LED PANEL LIGHT



Panelled	BP15-36610	BP15-36630	BP15-36680	
	40W 4000K	40W 6500K	3CCT	30W - 3000K - 3300lm
	4200lm White	4200lm White	White	30W - 4000K - 3500lm
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	30W - 6500K - 3300lm
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	40W - 3000K - 4100lm
				40W - 4000K - 4400lm
				40W - 6500K - 4100lm
				45W - 3000K - 4500lm
				45W - 4000K - 5000lm
				45W - 6500K - 4500lm



Panelled	BP15-56610	BP15-56630	BP15-56680	
	48W 4000K	48W 6500K	48W 3CCT	30W - 3000K - 3400lm
	5000lm White	5000lm White	5000lm White	30W - 4000K - 3600lm
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	30W - 6500K - 3400lm
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	40W - 3000K - 4200lm
				40W - 4000K - 4400lm
				40W - 6500K - 4200lm
				48W - 3000K - 4600lm
				48W - 4000K - 5000lm
				48W - 6500K - 4600lm




Panelled	BP16-46280	
	28W 3000K - 3350lm	
	28W 4000K - 3550lm	
	28W 6500K - 3450lm	
	36W 3000K - 4000lm	
	36W 4000K - 4320lm	
	36W 6500K - 4200lm	
	40W 3000K - 4400lm	
	40W 4000K - 4800lm	
	40W 6500K - 4600lm	



Panelled	BP16-33110	BP16-33130	BP16-33180	
	40W 4000K	40W 6500K	3CCT	30W - 3000K - 3300lm
	4400lm White	4400lm White	White	30W - 4000K - 3500lm
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	30W - 6500K - 3300lm
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	40W - 3000K - 4100lm
				40W - 4000K - 4400lm
				40W - 6500K - 4100lm
				45W - 3000K - 4500lm
				45W - 4000K - 5000lm
				45W - 6500K - 4500lm

3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



IP40



Panelled BP27-26680 27W - 3000K - 2800lm
 27W - 4000K - 3150lm
 27W - 6500K - 3000lm
 33W - 3000K - 3200lm
 33W - 4000K - 3650lm
 33W - 6500K - 3500lm
 38W - 3000K - 3800lm
 38W - 4000K - 4400lm
 38W - 6500K - 4000lm




NEW



IP40



Panelled BP27-36280 28W - 3000K - 3200lm
 28W - 4000K - 3640lm
 28W - 6500K - 3360lm
 36W - 3000K - 4100lm
 36W - 4000K - 4680lm
 36W - 6500K - 4320lm
 40W - 3000K - 4600lm
 40W - 4000K - 5200lm
 40W - 6500K - 4600lm



NEW



IP40



Panelled BP27-36610 40W 4000K
 4200lm White
 220-240V CRI>80
 IP40 Aluminium




BP27-36630 40W 6500K
 4200lm White
 220-240V CRI>80
 IP40 Aluminium

BP27-46680 3CCT
 White
 220-240V
 CRI>80
 IP40
 Aluminium



28W - 3000K - 3200lm
 28W - 4000K - 3640lm
 28W - 6500K - 3360lm
 36W - 3000K - 4100lm
 36W - 4000K - 4680lm
 36W - 6500K - 4320lm
 40W - 3000K - 4600lm
 40W - 4000K - 5200lm
 40W - 6500K - 4600lm



NEW



IP40




Backlite BP28-56600 50W 3000K
 5200lm White
 220-240V CRI>80
 IP40 Aluminium



BP28-56610 50W 4000K
 5200lm White
 220-240V CRI>80
 IP40 Aluminium

BP28-56630 50W 6500K
 5200lm White
 220-240V CRI>80
 IP40 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K


6500K


CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



 	Panelled BP21-06600	BP21-06610	BP21-06630	
	50W 3000K	50W 4000K	50W 6500K	
	5300lm White	5300lm White	5300lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Metal	IP20 Metal	IP20 Metal	


 	Panelled BP22-06610	BP22-06630	
	40W 4000K	40W 6500K	
	4000lm White	4000lm White	
	220-240V CRI>80	220-240V CRI>80	
	IP20 Metal	IP20 Metal	



 	Panelled BP21-03110	BP21-03130	
	50W 4000K	50W 6500K	
	5300lm White	5300lm White	
	220-240V CRI>80	220-240V CRI>80	
	IP20 Metal	IP20 Metal	



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



NEW

IP40 Panelled BP25-56680 30W - 3000K - 3400lm
30W - 4000K - 3900lm
30W - 6500K - 3700lm
3CCT White
220-240V
CRI>80
IP40
Aluminium
130 lm/W

ADJUSTABLE POWER 3CCT

IP40 Panelled BP25-53180 30W - 3000K - 3400lm
30W - 4000K - 3900lm
30W - 6500K - 3700lm
3CCT White
220-240V
CRI>80
IP40
Aluminium
130 lm/W

ADJUSTABLE POWER 3CCT



3CCT - Color Temperature Changeable

3000K

4000K

6500K


CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BP16-99040
60x60 Surface Frame
White
Aluminium
Pcs/Ctn 20



BP16-99070
62x62 Surface Frame
White
Aluminium
Pcs/Ctn 20



BP16-99030
30x120 Surface Frame
White
Aluminium
Pcs/Ctn 20



BP16-99060
Adjustable Suspension Wire
Metal-Steel
Pcs/Ctn 100



BP16-99050
Recessed Apparatus
Metal
Pcs/Ctn 125




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP40

SMD-CRB BP03-72080
 20W 3CCT
 2000lm White
 220-240V CRI>80
 IP40 PC




IP40

SMD-CRB BP03-72081
 20W 3CCT
 2000lm Black
 220-240V CRI>80
 IP40 PC




IP40

SMD-CRB BP04-72080
 20W 3CCT
 2000lm White
 220-240V CRI>80
 IP40 PC




IP40

SMD-CRB BP04-72081
 20W 3CCT
 2000lm Black
 220-240V CRI>80
 IP40 PC



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW

NEW

NEW



JADE	BP07-00280	BP07-00281	BP07-00287
LED	20W 3CCT	20W 3CCT	20W 3CCT
	1980lm White	1980lm Black	1980lm Wooden
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 ABS	IP40 ABS	IP40 ABS



NEW

NEW


NEW



JADE	BP07-00380	BP07-00381	BP07-00387
LED	26W 3CCT	26W 3CCT	26W 3CCT
	2640lm White	2640lm Black	2640lm Wooden
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 ABS	IP40 ABS	IP40 ABS



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW

NEW

NEW



JADE

BP07-00480

BP07-00481

BP07-00487




IP40



36W 3CCT
3960lm White
220-240V CRI>80
IP40 ABS

36W 3CCT
3960lm Black
220-240V CRI>80
IP40 ABS


36W 3CCT
3960lm Wooden
220-240V CRI>80
IP40 ABS



NEW

NEW

NEW



JADE

BP07-00580

BP07-00581

BP07-00587



IP40



45W 3CCT
5280lm White
220-240V CRI>80
IP40 ABS

45W 3CCT
5280lm Black
220-240V CRI>80
IP40 ABS

45W 3CCT
5280lm Wooden
220-240V CRI>80
IP40 ABS



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW

NEW

NEW



JADE

BP07-10280

BP07-10281

BP07-10287



20W 3CCT
1980lm White
220-240V CRI>80
IP40 ABS

20W 3CCT
1980lm Black
220-240V CRI>80
IP40 ABS


20W 3CCT
1980lm Wooden
220-240V CRI>80
IP40 ABS



3CCT



IP40



NEW

NEW

NEW



JADE

BP07-10380

BP07-10381

BP07-10387



26W 3CCT
2640lm White
220-240V CRI>80
IP40 ABS

26W 3CCT
2640lm Black
220-240V CRI>80
IP40 ABS


26W 3CCT
2640lm Wooden
220-240V CRI>80
IP40 ABS



3CCT



IP40



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BP07-10480
36W 3CCT
3960lm White
220-240V CRI>80
IP40 ABS

BP07-10481
36W 3CCT
3960lm Black
220-240V CRI>80
IP40 ABS

BP07-10487
36W 3CCT
3960lm Wooden
220-240V CRI>80
IP40 ABS



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP40



SMD	BP01-60310	BP01-60330	BP01-60380	BP01-60381
LED	3W 4000K	3W 6500K	3W 3CCT	3W 3CCT
	220lm White	220lm White	220lm White	220lm Black
FA	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC



IP40



SMD	BP01-60600	BP01-60610	BP01-60630	BP01-60680
LED	6W 3000K	6W 4000K	6W 6500K	6W 3CCT
	470lm White	470lm White	470lm White	470lm White
FA	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC



IP40



SMD	BP01-60900	BP01-60910	BP01-60930	BP01-60980
LED	9W 3000K	9W 4000K	9W 6500K	9W 3CCT
	790lm White	790lm White	790lm White	790lm White
FA	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K


CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP40




3CCT

SMD	BP01-61200	BP01-61210	BP01-61230	BP01-61280
	12W 3000K 1120lm White	12W 4000K 1120lm White	12W 6500K 1120lm White	12W 3CCT 1120lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



IP40




3CCT

SMD	BP01-61500	BP01-61510	BP01-61530	BP01-61580
	15W 3000K 1440lm White	15W 4000K 1440lm White	15W 6500K 1440lm White	15W 3CCT 1440lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



IP40




3CCT

SMD	BP01-61800	BP01-61810	BP01-61830	BP01-61880
	18W 3000K 1760lm White	18W 4000K 1760lm White	18W 6500K 1760lm White	18W 3CCT 1760lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



IP40



3CCT

SMD	BP01-62400	BP01-62410	BP01-62430	BP01-62480
	24W 3000K 2400lm White	24W 4000K 2400lm White	24W 6500K 2400lm White	24W 3CCT 2400lm White
	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



3 CCT



Dimmable

IP40



SMD BP01-90480 - Dimmable



4W 3CCT
280lm White
220-240V CRI>80
IP40 PC



NEW



3 CCT



Dimmable


IP40



SMD BP01-90680 - Dimmable



6W 3CCT
470lm White
220-240V CRI>80
IP40 PC



NEW



3 CCT



Dimmable

IP40



SMD BP01-91280 - Dimmable



12W 3CCT
1120lm White
220-240V CRI>80
IP40 PC



NEW



3 CCT



Dimmable


IP40



SMD BP01-91880 - Dimmable



18W 3CCT
1800lm White
220-240V CRI>80
IP40 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



-20°C
+40°C

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



3CCT



Dimmable

IP40

SMD BP01-90481 - Dimmable



4W 3CCT
280lm Black
220-240V CRI>80
IP40 PC



NEW



3CCT



Dimmable

IP40

SMD BP01-90681 - Dimmable



6W 3CCT
470lm Black
220-240V CRI>80
IP40 PC



NEW



3CCT



Dimmable

IP40

SMD BP01-91281 - Dimmable



12W 3CCT
1120lm Black
220-240V CRI>80
IP40 PC



NEW



3CCT



Dimmable

IP40

SMD BP01-91881 - Dimmable



18W 3CCT
1800lm Black
220-240V CRI>80
IP40 PC



3CCT - Color Temperature Changeable

3000K

4000K


6500K

CCT Switch

4000K 3000K 6500K


*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




SMD	BP02-90480 - Dimmable	BP02-90481 - Dimmable	BP02-60380	BP02-60381	3CCT
LED	4W 3CCT 280lm White 220-240V CRI>80 IP40 PC	4W 3CCT 280lm Black 220-240V CRI>80 IP40 PC	3W 3CCT 220lm White 220-240V CRI>80 IP40 PC	3W 3CCT 220lm Black 220-240V CRI>80 IP40 PC	

NEW



SMD	BP02-60600	BP02-60610	BP02-60630	BP02-60680	3CCT
LED	6W 3000K 470lm White 220-240V CRI>80 IP40 PC	6W 4000K 470lm White 220-240V CRI>80 IP40 PC	6W 6500K 470lm White 220-240V CRI>80 IP40 PC	6W 3CCT 470lm White 220-240V CRI>80 IP40 PC	


NEW



SMD	BP02-61200	BP02-61210	BP02-61230	BP02-61280	3CCT
LED	12W 3000K 1120lm White 220-240V CRI>80 IP40 PC	12W 4000K 1120lm White 220-240V CRI>80 IP40 PC	12W 6500K 1120lm White 220-240V CRI>80 IP40 PC	12W 3CCT 1120lm White 220-240V CRI>80 IP40 PC	




NEW



SMD	BP02-61800	BP02-61810	BP02-61830	BP02-61880	3CCT
LED	18W 3000K 1760lm White 220-240V CRI>80 IP40 PC	18W 4000K 1760lm White 220-240V CRI>80 IP40 PC	18W 6500K 1760lm White 220-240V CRI>80 IP40 PC	18W 3CCT 1760lm White 220-240V CRI>80 IP40 PC	

3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP40



SMD	BP03-61200	BP03-61210	BP03-61230	BP03-61280	
LED	12W 3000K 1120lm White	12W 4000K 1120lm White	12W 6500K 1120lm White	12W 3CCT 1120lm White	3CCT
FA	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	


NEW



IP40



SMD	BP03-61800	BP03-61810	BP03-61830	BP03-61880	
LED	18W 3000K 1760lm White	18W 4000K 1760lm White	18W 6500K 1760lm White	18W 3CCT 1760lm White	3CCT
FA	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	



NEW




IP40



SMD	BP03-62400	BP03-62410	BP03-62430	BP03-62480	
LED	24W 3000K 2400lm White	24W 4000K 2400lm White	24W 6500K 2400lm White	24W 3CCT 2400lm White	3CCT
FA	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	




3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




IP40




SMD	BP04-61200	BP04-61210	BP04-61230	BP04-61280
LED	12W 3000K 1120lm White 220-240V CRI>80 IP40 PC	12W 4000K 1120lm White 220-240V CRI>80 IP40 PC	12W 6500K 1120lm White 220-240V CRI>80 IP40 PC	12W 3CCT 1120lm White 220-240V CRI>80 IP40 PC

NEW




IP40




SMD	BP04-61800	BP04-61810	BP04-61830	BP04-61880
LED	18W 3000K 1760lm White 220-240V CRI>80 IP40 PC	18W 4000K 1760lm White 220-240V CRI>80 IP40 PC	18W 6500K 1760lm White 220-240V CRI>80 IP40 PC	18W 3CCT 1760lm White 220-240V CRI>80 IP40 PC

NEW




IP40



SMD	BP04-62400	BP04-62410	BP04-62430	BP04-62480
LED	24W 3000K 2400lm White 220-240V CRI>80 IP40 PC	24W 4000K 2400lm White 220-240V CRI>80 IP40 PC	24W 6500K 2400lm White 220-240V CRI>80 IP40 PC	24W 3CCT 2400lm White 220-240V CRI>80 IP40 PC



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

SPOTLIGHT FIXTURE






NEW

Modul BA23-00580



3CCT 110°
5W 430lm White
220-240V CRI>80
IP20 PC




NEW

Modul BA23-10580



3CCT 45°
5W 380lm White
220-240V CRI>80
IP20 PC



NEW

Modul BA23-31081



3CCT 38°
10W 1000lm Black
220-240V CRI>80
IP20 PC




NEW

Modul BD03-81581



3CCT 38°
15W 1420lm Black
220-240V CRI>80
IP25 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
—50mm—

BH04-00400
Beta
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
—50mm—

BH04-00401
Beta
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
—50mm—

BH04-00406
Beta
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00100
Beta
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00101
Beta
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00110
Beta
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00111
Beta
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30100
Beta
White 1xGU10
Max. 1x35W
220-240V
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30101
Beta
Black 1xGU10
Max. 1x35W
220-240V
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30110
Beta
White 1xGU10
Max. 1x35W
220-240V
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30111
Beta
Black 1xGU10
Max. 1x35W
220-240V
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
L=50mm

BH04-00200
Gama
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
L=50mm

BH04-00201
Gama
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
L=50mm

BH04-00210
Gama
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
L=50mm

BH04-00211
Gama
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BH04-00300
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00301
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00306
Gama
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



BH04-00310
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00311
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00316
Gama
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30300
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

80x80 100



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30301
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

80x80 100



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30310
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

80x80 100



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30311
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

80x80 100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00500
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

102
55



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00501
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

102
55




Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00506
Gama
Golden 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

102
55



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



BH04-00900
Beta
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



NEW



BH04-00901
Beta
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



NEW




BH04-00906
Beta
Golden 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



NEW




BH04-00800
Beta
White 1xGU10
Max.1x35W
220-240VAC
IP20 Aluminium



NEW




BH04-00801
Beta
Black 1xGU10
Max.1x35W
220-240VAC
IP20 Aluminium




NEW




BH04-00806
Beta
Golden 1xGU10
Max.1x35W
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




BH04-00810
Beta
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium




BH04-00811
Beta
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium




BH04-00816
Beta
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



BH04-00880
Beta
White 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium



BH04-00881
Beta
Black 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium



BH04-00886
Beta
Golden 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Bulb not included.
Suitable For
GU10 BULB
L=50mm

BH04-00820
Beta
White 2xGU10
Max.2x35w
220-240VAC
IP20 Aluminium




NEW



Bulb not included.
Suitable For
GU10 BULB
L=50mm

BH04-00830
Beta
White 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium




NEW



Bulb not included.
Suitable For
GU10 BULB
L=50mm

BH04-00821
Beta
Black 2xGU10
Max.2x35w
220-240VAC
IP20 Aluminium




NEW



Bulb not included.
Suitable For
GU10 BULB
L=50mm

BH04-00831
Beta
Black 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium




NEW



Bulb not included.
Suitable For
GU10 BULB
L=50mm

BH04-00826
Beta
Golden 2xGU10
Max.2x35w
220-240VAC
IP20 Aluminium




NEW



Bulb not included.
Suitable For
GU10 BULB
L=50mm

BH04-00836
Beta
Golden 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



Bulb not included.
Suitable For
GU10 BULB
50mm



BH04-00840
Beta
White 4xGU10
Max.4x35w
220-240VAC
IP20 Aluminium




NEW



Bulb not included.
Suitable For
GU10 BULB
50mm



BH04-00860
Beta
White 6xGU10
Max.6x35w
220-240VAC
IP20 Aluminium




NEW



Bulb not included.
Suitable For
GU10 BULB
50mm



BH04-00841
Beta
Black 4xGU10
Max.4x35w
220-240VAC
IP20 Aluminium




NEW



Bulb not included.
Suitable For
GU10 BULB
50mm



BH04-00861
Beta
Black 6xGU10
Max.6x35w
220-240VAC
IP20 Aluminium




NEW




Bulb not included.
Suitable For
GU10 BULB
50mm



BH04-00846
Beta
Golden 4xGU10
Max.4x35w
220-240VAC
IP20 Aluminium




NEW



Bulb not included.
Suitable For
GU10 BULB
50mm



BH04-00866
Beta
Golden 6xGU10
Max.6x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
50mm
BH03-06030
Alfa
White+Golden 1xMR16
Max.1x35W
220-240V
IP20 Aluminium
Suitable For
MR16 BULB




Bulb not included.
50mm
BH03-06031
Alfa
Black+Golden 1xMR16
Max.1x35W
220-240V
IP20 Aluminium
Suitable For
MR16 BULB




Bulb not included.
50mm
BH03-06032
Alfa
White+White 1xMR16
Max.1x35W
220-240V
IP20 Aluminium
Suitable For
MR16 BULB





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




BH03-06040
Alfa
White+White
1xMR16
Max.1x35W
220-240V
IP20 Aluminium




BH03-06041
Alfa
Black+Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium



BH03-06042
Alfa
Black+White 1xMR16
Max.1x35W
220-240V
IP20 Aluminium



BH03-06043
Alfa
White+Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bulb not included.
50mm
Suitable For
MR16 BULB

BH03-05110
Beta
White+Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
50mm
Suitable For
MR16 BULB

BH03-05112
Beta
White+White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
50mm
Suitable For
MR16 BULB

BH03-05111
Beta
Black+Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
50mm
Suitable For
MR16 BULB

BH03-05116
Beta
Black+Golden 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
50mm
Suitable For
MR16 BULB

BH03-00810
Gata
White+Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium



Bulb not included.
50mm
Suitable For
MR16 BULB



BH03-00820
Gata
White+Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium




*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com




BH03-05010
Beta
White 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium




BH03-05011
Beta
Black 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium



BH03-05020
Beta
White 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium




BH03-05021
Beta
Black 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com





BH03-05030
Beta
White 2xMR16
Max.2x35w
220-240VAC
IP20 Aluminium




BH03-05031
Beta
Black 2xMR16
Max.2x35w
220-240VAC
IP20 Aluminium




BH03-05040
Beta
White 3xMR16
Max.3x35w
220-240VAC
IP20 Aluminium



BH03-05041
Beta
Black 3xMR16
Max.3x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com




Bulb not included.
50mm
BH03-04120
Tetra
White 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium
Suitable For
MR16 BULB





Bulb not included.
50mm
BH03-04121
Tetra
Black 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium
Suitable For
MR16 BULB




Bulb not included.
50mm
BH03-04130
Tetra
White 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium
Suitable For
MR16 BULB



Bulb not included.
50mm
BH03-04131
Tetra
Black 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium
Suitable For
MR16 BULB




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com





BH03-04050
Tetra
White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium




BH03-04051
Tetra
Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium



BH03-04040
Tetra
White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium




BH03-04041
Tetra
Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium






*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com





BH03-00161
Spotti
Black Silver 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium




BH03-00163
Spotti
Brushed Silver 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium




BH03-00111
Spotti
Black Silver 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium



BH03-00113
Spotti
Brushed Silver 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BH03-00121
Spotli
Black Silver 2xMR16
Max.2x35w
220-240VAC
IP20 Aluminium



BH03-00123
Spotli
Brushed Silver 2xMR16
Max.2x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
H=50mm

BH03-02070
Mitto
White 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium

Suitable For
MR16 BULB



Bulb not included.
H=50mm

BH03-02074
Mitto
Nickel 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium

Suitable For
MR16 BULB



Bulb not included.
H=50mm

BH03-02040
Mitto
White 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium

Suitable For
MR16 BULB



Bulb not included.
H=50mm

BH03-02044
Mitto
Nickel 1xMR16
Max. 1x35w
220-240VAC
IP20 Aluminium

Suitable For
MR16 BULB




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54




Bulb not included
50mm
BH03-02100
Tetra
White 1xMR16
Max.1x35W
220-240V
IP54 Aluminium
Suitable For
MR16 BULB



IP54




Bulb not included
50mm
BH03-02101
Tetra
Black 1xMR16
Max.1x35W
220-240V
IP54 Aluminium
Suitable For
MR16 BULB



IP54




Bulb not included
50mm
BH03-02110
Tetra
White 1xMR16
Max.1x35W
220-240V
IP54 Aluminium
Suitable For
MR16 BULB



IP54



Bulb not included
50mm
BH03-02111
Tetra
Black 1xMR16
Max.1x35W
220-240V
IP54 Aluminium
Suitable For
MR16 BULB



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

DESK LAMP





LB124 BK01-00516
 4.5W 5000K
 350lm White
 13.2V DC CRI>80
 IP20 ABS




LB125 BK01-00710
 5W 5000K
 400lm White
 5V DC CRI>80
 IP20 ABS



LB131 BK01-01310
 7W 5000K
 580lm White
 12V DC CRI>80
 IP20 ABS



LB132 BK01-01411
 7W 5000K
 580lm Black
 12V DC CRI>80
 IP20 ABS



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



LB145 BK01-02680
 5W CCT TUNABLE
 500lm White
 5V DC CRI>80
 IP20 ABS



LB145 BK01-02681
 5W CCT TUNABLE
 500lm Black
 5V DC CRI>80
 IP20 ABS



LB146 BK01-02781
 5W CCT TUNABLE
 500lm Black
 5V DC CRI>80
 IP20 ABS



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Tower BK06-00080
3W 3000K
200lm White
5V DC CRI>80
IP44 Metal+PC



Tower BK06-00081
3W 3000K
200lm Black
5V DC CRI>80
IP44 Metal+PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Tower BK06-00090
3W 3CCT
200lm White
5V DC CRI>80
IP44 Metal+PC



Tower BK06-00092
3W 3CCT
200lm Green
5V DC CRI>80
IP44 Metal+PC



Tower BK06-00091
3W 3CCT
200lm Black
5V DC CRI>80
IP44 Metal+PC



Tower BK06-00093
3W 3CCT
200lm Coffee
5V DC CRI>80
IP44 Metal+PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



3CCT - Color Temperature Changeable

2200K

3000K

6500K

CCT Switch

3000K 2200K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

DECORATIVE LIGHTING







Lina BH16-09180
 LED 3CCT
 35W 3500lm White
 220-240V CRI>80
 IP20 Aluminium




Lina BH16-09181
 LED 3CCT
 35W 3500lm Black
 220-240V CRI>80
 IP20 Aluminium



Lina BH16-09186
 LED 3CCT
 35W 3500lm Golden
 220-240V CRI>80
 IP20 Aluminium



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Lina BH16-09280
 3CCT
 45W 4520lm White
 220-240V CRI>80
 IP20 Aluminium



Lina BH16-09281
 3CCT
 45W 4520lm Black
 220-240V CRI>80
 IP20 Aluminium



Lina BH16-09286
 3CCT
 45W 4520lm Golden
 220-240V CRI>80
 IP20 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Lina BH16-09680
 3CCT
 65W 6500lm White
 220-240V CRI>80
 IP20 Aluminium




Lina BH16-09681
 3CCT
 65W 6500lm Black
 220-240V CRI>80
 IP20 Aluminium





Lina BH16-09686
 3CCT
 65W 6500lm Golden
 220-240V CRI>80
 IP20 Aluminium





*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com




Lina BH16-09980
 3CCT
 30W 3000lm White
 220-240V CRI>80
 IP20 Aluminium



Lina BH16-09981
 3CCT
 30W 3000lm Black
 220-240V CRI>80
 IP20 Aluminium



Lina BH16-09986
 3CCT
 30W 3000lm Golden
 220-240V CRI>80
 IP20 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

BELLA






Bella BH17-00280
 3CCT
 36W 4260lm White
 220-240V CRI>80
 IP20 Aluminium






Bella BH17-00281
 3CCT
 36W 4260lm Black
 220-240V CRI>80
 IP20 Aluminium





Bella BH17-00286
 3CCT
 36W 4260lm Golden
 220-240V CRI>80
 IP20 Aluminium





3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bella BH17-00780
 3CCT
 36W 4260lm White
 220-240V CRI>80
 IP20 Aluminium
 480x480



Bella BH17-00781
 3CCT
 36W 4260lm Black
 220-240V CRI>80
 IP20 Aluminium
 480x480




Bella BH17-00786
 3CCT
 36W 4260lm Golden
 220-240V CRI>80
 IP20 Aluminium
 480x480




*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com




Bella BH17-02380
3CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium




Bella BH17-02381
3CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



Bella BH17-02880
3CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-02881
3CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium




3CCT - Color Temperature Changeable

3000K

4000K

6500K



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bella BH17-01280
 3CCT
 36W 4260lm White
 220-240V CRI>80
 IP20 Aluminium

3CCT



Bella BH17-01281
 3CCT
 36W 4260lm Black
 220-240V CRI>80
 IP20 Aluminium

3CCT




Bella BH17-01286
 3CCT
 36W 4260lm Golden
 220-240V CRI>80
 IP20 Aluminium

3CCT




3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bella BH17-01380
 LED 3CCT
 46W 5200lm White
 220-240V CRI>80
 IP20 Aluminium



Bella BH17-01381
 LED 3CCT
 46W 5200lm Black
 220-240V CRI>80
 IP20 Aluminium



Bella BH17-01386
 LED 3CCT
 46W 5200lm Golden
 220-240V CRI>80
 IP20 Aluminium



3CCT - Color Temperature Changeable

3000K


4000K

6500K


CCT Switch





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bella BH17-03480
 LED 3CCT
 46W 5200lm White
 220-240V CRI>80
 IP20 Aluminium 3CCT





Bella BH17-03481
 LED 3CCT
 46W 5200lm Black
 220-240V CRI>80
 IP20 Aluminium 3CCT





Bella BH17-03486
 LED 3CCT
 46W 5200lm Golden
 220-240V CRI>80
 IP20 Aluminium 3CCT





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bella BH17-03980
 3CCT
 46W 5200lm White
 220-240V CRI>80
 IP20 Aluminium 3CCT



Bella BH17-03981
 3CCT
 46W 5200lm Black
 220-240V CRI>80
 IP20 Aluminium 3CCT



Bella BH17-03986
 3CCT
 46W 5200lm Golden
 220-240V CRI>80
 IP20 Aluminium 3CCT



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bella BH17-01780

LED 3CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-01781

LED 3CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bella BH17-01980
 3CCT
 46W 5200lm White
 220-240V CRI>80
 IP20 Aluminium
 3CCT



Bella BH17-01981
 3CCT
 46W 5200lm Black
 220-240V CRI>80
 IP20 Aluminium
 3CCT



Bella BH17-01986
 3CCT
 46W 5200lm Golden
 220-240V CRI>80
 IP20 Aluminium
 3CCT



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

ARCANA





NEW

Arcana BH18-01101

3000K
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium

BH18-01191

3CCT - With Remote
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium




NEW

Arcana BH18-01201

3000K
32W 3520lm Black
220-240V CRI>80
IP20 Aluminium

BH18-01291

3CCT - With Remote
32W 3520lm Black
220-240V CRI>80
IP20 Aluminium




NEW

Arcana BH18-01301

3000K
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium

BH18-01391

3CCT - With Remote
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Crystal BH17-04890

LED 3CCT - With Remote
55W 6050lm White
220-240V CRI>80
IP20 Aluminium



NEW




Crystal BH17-04891

LED 3CCT - With Remote
55W 6050lm Black
220-240V CRI>80
IP20 Aluminium



NEW




Crystal BH17-04990

LED 3CCT - With Remote
80W 8800lm White
220-240V CRI>80
IP20 Aluminium



NEW




Crystal BH17-04991

LED 3CCT - With Remote
80W 8800lm Black
220-240V CRI>80
IP20 Aluminium



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Crystal BH17-05090

3CCT - With Remote
40W 4400lm White
220-240V CRI>80
IP20 Aluminium




Crystal BH17-05091

3CCT - With Remote
40W 4400lm Black
220-240V CRI>80
IP20 Aluminium




Crystal BH17-05190

3CCT - With Remote
55W 6050lm White
220-240V CRI>80
IP20 Aluminium



Crystal BH17-05191

3CCT - With Remote
55W 6050lm Black
220-240V CRI>80
IP20 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




Nela BH17-04090
 3CCT - With Remote
 60W 6050lm White
 220-240V CRI>80
 IP20 Aluminium



NEW




Nela BH17-04091
 3CCT - With Remote
 60W 6050lm Black
 220-240V CRI>80
 IP20 Aluminium



NEW




Nela BH17-04190
 3CCT - With Remote
 60W 6050lm White
 220-240V CRI>80
 IP20 Aluminium



NEW



Nela BH17-04191
 3CCT - With Remote
 60W 6050lm Black
 220-240V CRI>80
 IP20 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K


6500K

CCT Switch


4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




Nela BH17-04490
 3CCT - With Remote
 40W 4400lm White
 220-240V CRI>80
 IP20 Aluminium




NEW




Nela BH17-04491
 3CCT - With Remote
 40W 4400lm Black
 220-240V CRI>80
 IP20 Aluminium



NEW




Nela BH17-04590
 3CCT - With Remote
 65W 7150lm White
 220-240V CRI>80
 IP20 Aluminium



NEW



Nela BH17-04591
 3CCT - With Remote
 65W 7150lm Black
 220-240V CRI>80
 IP20 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K


CCT Switch

4000K 3000K 6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Nela BH17-04691
 3CCT - With Remote
 80W 8800lm Black
 220-240V CRI>80
 IP20 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Blade BH16-04180



3CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal



Blade BH16-04181




3CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal



Blade BH16-04187



3CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05001

PENDANT KIT • BLADE
Black • SH16-05002

PENDANT KIT • BLADE
Wooden • SH16-05003



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Blade BH16-04290

LED 3CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal



Dimmable



3CCT




Blade BH16-04291

LED 3CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal



Dimmable



3CCT


PENDANT KIT • BLADE
White • SH16-05001PENDANT KIT • BLADE
Black • SH16-05002PENDANT KIT • BLADE
Wooden • SH16-05003

Blade BH16-04297

LED 3CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



Dimmable



3CCT



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch


4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Blade BH16-05180

3CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal




Blade BH16-05181

3CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal



Blade BH16-05187

3CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05004

PENDANT KIT • BLADE
Black • SH16-05005

PENDANT KIT • BLADE
Wooden • SH16-05006



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Blade BH16-05290
 3 CCT - With Remote
 45W 4650lm White
 220-240V CRI>80
 IP20 Metal



Blade BH16-05291
 3 CCT - With Remote
 45W 4650lm Black
 220-240V CRI>80
 IP20 Metal




PENDANT KIT • BLADE
 White • SH16-05004

PENDANT KIT • BLADE
 Black • SH16-05005

PENDANT KIT • BLADE
 Wooden • SH16-05006




Blade BH16-05297
 3 CCT - With Remote
 45W 4650lm Wooden
 220-240V CRI>80
 IP20 Metal




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Blade BH16-06180
 3CCT
 36W 3680lm White
 220-240V CRI>80
 IP20 Metal



Blade BH16-06181
 3CCT
 36W 3680lm Black
 220-240V CRI>80
 IP20 Metal



Blade BH16-06187
 3CCT
 36W 3680lm Wooden
 220-240V CRI>80
 IP20 Metal



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Blade BH16-06290
 3CCT - With Remote
 45W 4650lm White
 220-240V CRI>80
 IP20 Metal



Blade BH16-06291
 3CCT - With Remote
 45W 4650lm Black
 220-240V CRI>80
 IP20 Metal



Blade BH16-06297
 3CCT - With Remote
 45W 4650lm Wooden
 220-240V CRI>80
 IP20 Metal



3CCT - Color Temperature Changeable




CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Blade BH16-07180
 3CCT
 36W 3680lm White
 220-240V CRI>80
 IP20 Metal



Blade BH16-07181
 3CCT
 36W 3680lm Black
 220-240V CRI>80
 IP20 Metal



Blade BH16-07187
 3CCT
 36W 3680lm Wooden
 220-240V CRI>80
 IP20 Metal



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Blade BH16-07290
 3CCT - With Remote
 45W 4650lm White
 220-240V CRI>80
 IP20 Metal




Blade BH16-07291
 3CCT - With Remote
 45W 4650lm Black
 220-240V CRI>80
 IP20 Metal



Blade BH16-07297
 3CCT - With Remote
 45W 4650lm Wooden
 220-240V CRI>80
 IP20 Metal




3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Blade BH16-08280
3CCT
45W 4650lm White
220-240V CRI>80
IP20 Metal



Blade BH16-08281
3CCT
45W 4650lm Black
220-240V CRI>80
IP20 Metal



Blade BH16-08287
3CCT
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05007

PENDANT KIT • BLADE
Black • SH16-05008

PENDANT KIT • BLADE
Wooden • SH16-05009



3CCT - Color Temperature Changeable

3000K




4000K

6500K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Jade BH16-20380
3CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal




Jade BH16-20480
3CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal

BH16-20490
3CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20580
3CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal

BH16-20590
3CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal



3CCT - Color Temperature Changeable

3000K





4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Jade BH16-21080

3CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal




Jade BH16-21180

3CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



BH16-21190

3CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-21280

3CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal



BH16-21290

3CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Jade BH16-22130

6500K White
18W 1760lm
220-240V CRI>80
IP20 Metal



Jade BH16-22230


6500K White
24W 2450lm
220-240V CRI>80
IP20 Metal

BH16-22280

3CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal

BH16-22290

3CCT - With Remote
24W 2450lm White
220-240V CRI>80
IP20 Metal




Jade BH16-22380

3CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal

BH16-22390

3CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal




Jade BH16-22480


3CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal

BH16-22490

3CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Jade BH16-23130
LED 6500K White
18W 1760lm
220-240V CRI>80
IP20 Metal



Jade BH16-23280
LED 3CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal

BH16-23290
3CCT - With Remote
24W 2450lm White
220-240V CRI>80
IP20 Metal



Jade BH16-23380
LED 3CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal

BH16-23390
3CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-23480
LED 3CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal

BH16-23490
3CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg

RoHS


RoHS

RoHS

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

PENDANT LIGHT





Bulb not included.
Suitable For
G9 BULB

BV01-00010
S001R
Golden 1xG9
Max.1x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00011
S001R
Golden 3xG9
Max.3x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00012
S001R
Golden 5xG9
Max.5x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00020
S002R
Golden 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00021
S002R
Golden 1xG9
Max.1x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00022
S002R
Golden 3xG9
Max.3x10w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
G9 BULB

BV01-00023
S002R
Golden 5xG9
Max.5x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00024
S002S
Golden 5xG9
Max.5x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00013
S001C
Golden 1xG9
Max.1x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00014
S001W
Golden 1xG9
Max.1x10w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BV01-00030
S003R
Smoky 1xG9
Max.1x10w
220-240VAC
IP20 Metal



BV01-00031
S003R
Smoky 3xG9
Max.3x10w
220-240VAC
IP20 Metal



BV01-00032
S003R
Smoky 6xG9
Max.6x10w
220-240VAC
IP20 Metal



BV01-00033
S003S
Smoky 4xG9
Max.4x10w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
G9 BULB



BV01-00034
S003R
Amber 1xG9
Max.1x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB



BV01-00035
S003R
Amber 3xG9
Max.3x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB



BV01-00036
S003R
Amber 6xG9
Max.6x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB



BV01-00037
S003S
Amber 4xG9
Max.4x10w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV01-00040
S004R
Smoky 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00041
S004R
Smoky 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00042
S004S
Smoky 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00043
S004W
Smoky 1xE27
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV01-00044
S004R
Amber 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00045
S004R
Amber 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00046
S004S
Amber 3xE27
Max.3x23w
220-240VAC
IP20 Metal







Bulb not included.
Suitable For
E27 BULB

BV01-00047
S004W
Amber 1xE27
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
G9 BULB

BV01-00060
S006R
Opal+Golden
1xG9
Max. 1x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00061
S006R
Opal+Golden
3xG9
Max. 3x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00062
S006W
Opal+Golden
1xG9
Max. 1x10w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV01-00070
S007R
Smoky 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00071
S007R
Smoky 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00072
S007S
Smoky 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00073
S007W
Smoky 1xE27
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E14 BULB

BV01-00080
S008R
Cooper 1xE14
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E14 BULB

BV01-00081
S008R
Cooper 3xE14
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E14 BULB

BV01-00082
S008S
Cooper 4xE14
Max.4x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E14 BULB

BV01-00083
S008W
Cooper 1xE14
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E14 BULB

BV01-00084
S008T
Cooper 1xE14
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV01-00090
S009R
Opal+Black
1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00091
S009R
Opal+Black
3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00092
S009S
Opal+Black
3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00093
S009T
Opal+Black
1xE27
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV01-00100
S011R
Opal+Black
1xE27
Max. 1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00101
S011R
Opal+Black
1xE27
Max. 1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV01-00102
S011R
Opal+Black
1xE27
Max. 1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E14 BULB

BV01-00103
S011R
Opal+Black
1xE14
Max. 1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E14 BULB

BV01-00104
S011R
Opal+Black
1xE14
Max. 1x23w
220-240VAC
IP20 Metal




Bulb not included.
Suitable For
E14 BULB

BV01-00105
S011R
Opal+Black
1xE14
Max. 1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E14 BULB

BV01-00106
S011R
Opal+Black
3xE14
Max. 3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00107
S012C
Opal+Black
3xG9
Max. 3x10w
220-240VAC
IP20 Metal




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bulb not included.
Suitable For
G9 BULB

BV01-00110
S012R
Opal+Golden
4xG9
Max.6x10w
220-240VAC
IP20 Metal




Bulb not included.
Suitable For
G9 BULB

BV01-00111
S012R
Opal+Golden
6xG9
Max.6x10w
220-240VAC
IP20 Metal




Bulb not included.
Suitable For
G9 BULB

BV01-00112
S012C
Opal+Black
6xG9
Max.6x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00113
S012C
Opal+Black
6xG9
Max.6x10w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV01-00114
S013R
Opal+Black
1x E27
Max. 1x 23W
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00115
S013S
Opal+Black
4x G9
Max. 4x 10W
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00116
S013R
Opal+Black
3x G9
Max. 3x 10W
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00117
S013W
Opal+Black
1x G9
Max. 1x 10W
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00118
S013T
Opal+Black
1x G9
Max. 1x 10W
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00119
S013T
Opal+Black
1x G9
Max. 1x 10W
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
G9 BULB

BV01-00120
S014R
Clear+Black
5xG9
Max. 5x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00121
S011S
Clear+Black
6xG9
Max. 6x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00122
S011R
Clear+Black
11xG9
Max. 11x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00123
S011W
Clear+Black
1xG9
Max. 1x10w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
G9 BULB

BV01-00124
S014R
Amber+Golden
5xG9
Max.5x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00125
S011S
Amber+Golden
6xG9
Max.6x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00126
S011R
Amber+Golden
11xG9
Max.11x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
G9 BULB

BV01-00127
S011W
Amber+Golden
1xG9
Max.1x10w
220-240VAC
IP20 Metal




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bulb not included.
Suitable For
E27 BULB

BV02-00010
D001S
Black 4xE27
Max.4x23w
220-240VAC
IP20
Metal+Wooden




Bulb not included.
Suitable For
E27 BULB

BV02-00011
D001S
Black 3xE27
Max.3x23w
220-240VAC
IP20
Metal+Wooden




Bulb not included.
Suitable For
E27 BULB

BV02-00012
D001C
Black 4xE27
Max.4x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For
E27 BULB

BV02-00013
D001T
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For
E27 BULB

BV02-00014
D001T
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Wooden




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bulb not included.
Suitable For
E27 BULB

BV02-00020
D002S
Black 4xE27
Max.4x23w
220-240VAC
IP20
Metal+Wooden




Bulb not included.
Suitable For
E27 BULB

BV02-00021
D002S
Black 6xE27
Max.6x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For
E27 BULB

BV02-00023
D002C
Black 3xE27
Max.3x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For
E27 BULB

BV02-00024
D002W
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For
E27 BULB

BV02-00025
D002T
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Wooden



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV02-00030
D003R
Rattan 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Rattan



Bulb not included.
Suitable For
E27 BULB

BV02-00031
D003R
Rattan 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Rattan



Bulb not included.
Suitable For
E27 BULB

BV02-00032
D003R
Rattan 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Rattan



Bulb not included.
Suitable For
E27 BULB

BV02-00033
D003R
Rattan 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Rattan



Bulb not included.
Suitable For
E27 BULB

BV02-00034
D003R
Rattan 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Rattan



Bulb not included.
Suitable For
E27 BULB

BV02-00035
D003R
Rattan 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Rattan



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bulb not included.
Suitable For
E14 BULB

BV03-00010
W001C
Black 1xE14
Max.1x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For
E14 BULB

BV03-00011
W001C
Black 2xE14
Max.2x23w
220-240VAC
IP20
Metal+Wooden




Bulb not included.
Suitable For
E27 BULB

BV03-00015
W001S
Black 3xE27
Max.3x23w
220-240VAC
IP20
Metal+Wooden




Bulb not included.
Suitable For
E27 BULB

BV03-00014
W001R
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Wooden




Bulb not included.
Suitable For
E14 BULB

BV03-00012
W001C
Black 3xE14
Max.3x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For
E14 BULB

BV03-00013
W001C
Black 4xE14
Max.4x23w
220-240VAC
IP20
Metal+Wooden



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV03-00016
W001T
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal

100mm



Bulb not included.
Suitable For
E14 BULB

BV03-00020
W002R
Black 1xE14
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E14 BULB

BV03-00021
W002S
Black 3xE14
Max.3x23w
220-240VAC
IP20 Metal

100mm



Bulb not included.
Suitable For
E14 BULB

BV03-00022
W002W
Black 1xE14
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV03-00030
W003R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00031
W003R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00032
W003S
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00033
W003W
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00042
W004R
Black+Smoky
1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00043
W004S
Black+Smoky
3xE27
Max.3x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV03-00050
W005R
Black 1x E27
Max. 1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00051
W005R
Black 3x E27
Max. 3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00052
W005S
Black 3x E27
Max. 3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00053
W005T
Black 1x E27
Max. 1x23w
220-240VAC
IP20 Metal

Bulb not included.
Suitable For
E27 BULB

BV03-00054
W005T
Black 1x E27
Max. 1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV03-00060
W006R
Black 1x23w
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00061
W006R
Black 1x23w
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00062
W006C
Black 1x23w
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00040
W004R
Black+Opal
1x23w
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00041
W004R
Black+Opal
1x23w
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV03-00070
W007R
Beige 1xE27
Max. 1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00071
W007S
Beige 3xE27
Max. 3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00072
W007T
Beige 1xE27
Max. 1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00073
W007T
Beige 1xE27
Max. 1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV03-00080
W008R
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00081
W008S
Black 4xE27
Max.4x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00082
W008S
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00083
W008C
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV03-00084
W008T
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bulb not included.
Suitable For
GU10 BULB
L=50mm

BV04-00020
G002C
Golden+Black
1xGU10 Max.1x10w
220-240VAC
IP20
Metal+Aluminium




Bulb not included.
Suitable For
GU10 BULB
L=50mm

BV04-00021
G002C
Golden+Black
3xGU10 Max.3x10w
220-240VAC
IP20
Metal+Aluminium




Bulb not included.
Suitable For
GU10 BULB
L=50mm

BV04-00022
G002C
Golden+Black
2xGU10 Max.2x10w
220-240VAC
IP20
Metal+Aluminium




Bulb not included.
Suitable For
GU10 BULB
L=50mm

BV04-00023
G002C
Golden+Black
3xGU10 Max.3x10w
220-240VAC
IP20
Metal+Aluminium






Bulb not included.
Suitable For
GU10 BULB
L=50mm

BV04-00024
G002C
Golden+Black
4xGU10 Max.4x10w
220-240VAC
IP20
Metal+Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BV04-00045
G004C
Black 6x E27
Max. 6x 23w
220-240VAC
IP20 Metal



BV04-00042
G004C
Black 6x E27
Max. 6x 23w
220-240VAC
IP20 Metal



BV04-00044
G004C
Black 6x E27
Max. 6x 23w
220-240VAC
IP20 Metal



BV04-00043
G004C
Golden 6x E27
Max. 6x 23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




BV04-00050
G005R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



BV04-00054
G005R
Black 5xE27
Max.5x23w
220-240VAC
IP20 Metal



BV04-00052
G005S
Black 4xE27
Max.4x23w
220-240VAC
IP20 Metal




BV04-00051
G005R
Golden 1xE27
Max.1x23w
220-240VAC
IP20 Metal




BV04-00055
G005R
Golden 5xE27
Max.5x23w
220-240VAC
IP20 Metal




BV04-00053
G005S
Golden 4xE27
Max.4x23w
220-240VAC
IP20 Metal




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB
BY45-00201
Copper 1xE27
Max.1x40w
220-240VAC
IP20 Metal




Bulb not included.
Suitable For
E27 BULB
BY45-00200
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal




Bulb not included.
Suitable For
E27 BULB
BV04-00060
G006R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB
BV04-00061
G006R
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB
BV04-00062
G006S
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB
BV04-00063
G006S
Black 5xE27
Max.5x23w
220-240VAC
IP20 Metal





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BV04-00070
G007R
Black 1xG9
Max.1x10w
220-240VAC
IP20
Metal+Aluminium




BV04-00072
G007S
Black 5xG9
Max.5x10w
220-240VAC
IP20
Metal+Aluminium



BV04-00071
G007R
Golden 1xG9
Max.1x10w
220-240VAC
IP20
Metal+Aluminium



BV04-00073
G007S
Golden 5xG9
Max.5x10w
220-240VAC
IP20
Metal+Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.



Suitable For
E27 BULB
BV05-00010
P001R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.



Suitable For
E27 BULB
BV05-00011
P001S
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.



Suitable For
E27 BULB
BV05-00014
P001W
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.



Suitable For
E27 BULB
BV05-00012
P001C
Black 5xE27
Max.5x23w
220-240VAC
IP20 Metal



Bulb not included.



Suitable For
E27 BULB
BV05-00013
P001W
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV05-00020
P002R
Copper 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00021
P002R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00022
P003R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00023
P003R
Bronze 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00024
P004R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00028
P006R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal




Bulb not included.
Suitable For
E27 BULB

BV05-00025
P004W
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB




BV05-00030
P007R
Black 1xE27
Max. 1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB



BV05-00032
P007R
White 1xE27
Max. 1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB




BV05-00031
P007R
Black 1xE27
Max. 1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB



BV05-00033
P007C
Black 1xE27
Max. 1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB



BV05-00029
P006R
Black 1xE27
Max. 1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV05-00040
P008R
White 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00041
P008R
Grey 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00042
P008R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00043
P008R
Blue 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00044
P008R
Beige 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00045
P008R
Green 1xE27
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV05-00060
P010R
White 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00061
P010R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00062
P010R
Grey 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00063
P010R
Blue 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00064
P010R
Beige 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00050
P009R
White 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00051
P009R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal




Bulb not included.
Suitable For
E27 BULB

BV05-00052
P009R
Grey 1xE27
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV05-00065
P010R
Golden 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00067
P010T
Golden 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00068
P010T
Golden 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV05-00066
P010S
Golden 3xE27
Max.3x23w
220-240VAC
IP20 Metal




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BV05-00070
P011R
Black 1xGU10
Max.1x10w
220-240VAC
IP20 Metal



BV05-00071
P011S
Black 4xGU10
Max.4x10w
220-240VAC
IP20 Metal



BV05-00072
P011R
Black 5xGU10
Max.5x10w
220-240VAC
IP20 Metal



BV05-00073
P011T
Black 2xGU10
Max.2x10w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV06-00010
F001T
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Fabric



Bulb not included.
Suitable For
E27 BULB

BV06-00011
F001T
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Fabric



Bulb not included.
Suitable For
E14 BULB

BV06-00012
F001T
White 1xE14
Max.1x23w
220-240VAC
IP20
Metal+Fabric



Bulb not included.
Suitable For
E14 BULB

BV06-00013
F001T
Black 1xE14
Max.1x23w
220-240VAC
IP20
Metal+Fabric



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV06-00020
F002T
White 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV06-00021
F002T
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV06-00022
F002T
Grey 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV06-00030
F003T
White 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV06-00031
F003T
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV06-00032
F003T
Grey 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For
E27 BULB

BV06-00033
F003T
Beige 1xE27
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Ledline	BN11-00400	BN11-00410	BN11-00430
	4W 3000K 440lm White	4W 4000K 440lm White	4W 6500K 440lm White
	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC



NEW



Ledline	BN11-00700	BN11-00710	BN11-00730
	7W 3000K 780lm White	7W 4000K 780lm White	7W 6500K 780lm White
	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC



NEW



Ledline	BN11-01100	BN11-01110	BN11-01130
	11W 3000K 1220lm White	11W 4000K 1220lm White	11W 6500K 1220lm White
	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC



NEW



Ledline	BN11-01400	BN11-01410	BN11-01430
	14W 3000K 1550lm White	14W 4000K 1550lm White	14W 6500K 1550lm White
	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC



NEW



BN99-99105
15cm 2HD Cable
White 220-240V



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP40

Proline	BN18-00610	BN18-00630	BN18-00680	
	18W 4000K	18W 6500K	18W 3CCT	
	1800lm White	1800lm White	1800lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP40 PC	IP40 PC	IP40 PC	


NEW



IP40

Proline	BN18-01210	BN18-01230	BN18-01280	
	35W 4000K	35W 6500K	35W 3CCT	
	3600lm White	3600lm White	3600lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP40 PC	IP40 PC	IP40 PC	

NEW



IP40

Proline	BN20-10680		BN20-11280		BN20-11281	
	18W 3CCT		36W 3CCT		36W 3CCT	
	2160lm White		4320lm White		4320lm Black	
	220-240V CRI>80		220-240V CRI>80		220-240V CRI>80	
	IP40 PC		IP40 PC		IP40 PC	

NEW



IP40

Proline	BN20-41280		
	36W 3CCT Sensor		
	4320lm White		
	220-240V CRI>80		
	IP40 PC		

3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch


4000K

3000K

6500K

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65




3CCT

Bulkhead BC18-30780



18W 3CCT
2020lm White
220-240V CRI>80
IP65 PC



NEW



IP65




3CCT

Bulkhead BC18-30781




18W 3CCT
2020lm Black
220-240V CRI>80
IP65 PC



Replaceable Battery

Clicking Mounting Bracket



IP Connection Box

CCT Switch

NEW

Indicator


Touch Test Button



IP65

Moon BC15-00980

18W 2020lm 3CCT
Emergency Kit & Battery
3600mA 3.7V Li-ion
Touch Test Button
220-240V CRI>80
IP65 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW

NEW




IP54

Grande BC15-00580



20W 2000lm 4CCT
White Daylight Switch
With Sensor
Emergency Kit & Battery
3600mA 3.7V Li-ion
Time Adjustable: 30-60-120sec
220-240V CRI>80
IP54 PC







IP54

Grande BC15-00480



20W 2000lm 4CCT
White Daylight Switch
With Sensor
Time Adjustable: 30-60-120sec
220-240V CRI>80
IP54 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




IP65



BG37-30710
D270
White 1xE27
Max.1x23W
220-240V
IP65 PC




NEW



IP65



BG37-30712
D270
Grey 1xE27
Max.1x23W
220-240V
IP65 PC



5CCT - Color Temperature Changeable



CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP44

Sensa BC15-00300

15W 3000K
1460lm White
220-240V CRI>80
IP20 Metal

BC15-00310

15W 4000K
1460lm White
220-240V CRI>80
IP20 Metal

BC15-00330

15W 6500K
1460lm White
220-240V CRI>80
IP20 Metal



Jade BH15-01100


18W 3000K
1740lm White
220-240V CRI>80
IP44 PC

BH15-01110

18W 4000K
1740lm White
220-240V CRI>80
IP44 PC

BH15-01130

18W 6500K
1740lm White
220-240V CRI>80
IP44 PC





NEW

SNS-SRP BP03-92080

20W 3CCT
1800lm White
220-240V CRI>80
IP20 PC

BP03-92081

20W 3CCT
1800lm Black
220-240V CRI>80
IP20 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com





IP44

Jade	BH15-02100	BH15-02110	BH15-02130
LED	20W 3000K	20W 4000K	20W 6500K
	1980lm White	1980lm White	1980lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC	IP44 PC




IP44

Jade	BH15-02200	BH15-02230
LED	30W 3000K	30W 6500K
	3050lm White	3050lm White
	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC



IP44

Jade	BH15-03100	BH15-03110	BH15-03130
LED	20W 3000K	20W 4000K	20W 6500K
	1980lm White	1980lm White	1980lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC	IP44 PC




IP44

Jade	BH15-03200	BH15-03230
LED	30W 3000K	30W 6500K
	2940lm White	2940lm White
	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



Step BH07-00018
 2W 3CCT
 160lm Black Silver
 220-240V CRI>80
 IP20 Aluminium + PC




NEW



Step BH07-00100 BH07-00101 BH07-00103
 Steplight Cover Steplight Cover Steplight Cover
 Sandy White D97 CR1 Sandy Black D97 CR1 Brushed Silver D97 CR1
 PMMA + Aluminium PMMA + Aluminium PMMA + Aluminium



NEW



Step BH07-00110 BH07-00111 BH07-00113
 Steplight Cover Steplight Cover Steplight Cover
 Sandy White D97 CR2 Sandy Black D97 CR2 Brushed Silver D97 CR2
 PMMA + Aluminium PMMA + Aluminium PMMA + Aluminium



NEW



Step BH07-00150 BH07-00151 BH07-00153
 Steplight Cover Steplight Cover Steplight Cover
 Sandy White L80 CS1 Sandy Black L80 CS1 Brushed Silver L80 CS1
 PMMA + Aluminium PMMA + Aluminium PMMA + Aluminium



Light Body



+

Cover



=

Light Fixture



Suitable for Ø68mm Junction Box

Easy installation! Just by one click (Without Screw)

3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW




NEW

Step	BH07-00160	BH07-00161	BH07-00163
	Steplight Cover	Steplight Cover	Steplight Cover
	Sandy White L80 CS2	Sandy Black L80 CS2	Brushed Silver L80 CS2
	PMMA + Aluminium	PMMA + Aluminium	PMMA + Aluminium




Step	BH07-00170	BH07-00171	BH07-00173
	Steplight Cover	Steplight Cover	Steplight Cover
	Sandy White L80 CS3	Sandy Black L80 CS3	Brushed Silver L80 CS3
	PMMA + Aluminium	PMMA + Aluminium	PMMA + Aluminium




NEW



Step	BH07-00380	BH07-00381	BH07-00382
	1,5W 3CCT	1,5W 3CCT	1,5W 3CCT
	90lm Sandy White	90lm Sandy Black	90lm Grey
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium + PC	IP20 Aluminium + PC	IP20 Aluminium + PC




3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com





Avva BH07-03000
LED 8W 3000K
520lm White
220-240V CRI>80
IP20 Aluminium




Avva BH07-03001
LED 8W 3000K
520lm Black
220-240V CRI>80
IP20 Aluminium



Avva BH07-03100
LED 8W 3000K
520lm White
220-240V CRI>80
IP20 Aluminium



Avva BH07-03101
LED 8W 3000K
520lm Black
220-240V CRI>80
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Avva BH07-03300 BH07-03301

LED 12W 3000K 12W 3000K
810lm White 810lm Black
220-240V CRI>80 220-240V CRI>80
IP20 Aluminium IP20 Aluminium




NEW



Leva BH07-03401

LED 10W 3000K
1060lm Black
220-240V CRI>80
IP20 Aluminium



NEW



Leva BH07-03501

LED 20W 3000K
2100lm Black
220-240V CRI>80
IP20 Aluminium



NEW



Leva BH07-03601

LED 30W 3000K
3260lm Black
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Nela BH07-03700
LED 12W 3000K
 1200lm White
F 220-240V CRI>80
G IP20 Aluminium



Nela BH07-03701
LED 12W 3000K
 1200lm Black
F 220-240V CRI>80
G IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Tiny BH07-04101
 LED 16W 3000K
 1160lm Black
 220-240V CRI>80
 IP20 Aluminium



Tiny BH07-04106
 LED 16W 3000K
 1160lm Golden
 220-240V CRI>80
 IP20 Aluminium



Tiny BH07-04201
 LED 16W 3000K
 1580lm Black
 220-240V CRI>80
 IP20 Aluminium



Tiny BH07-04206
 LED 16W 3000K
 1580lm Golden
 220-240V CRI>80
 IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW




IP44



NEW




IP44



NEW




IP44



NEW



IP44



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



-20°C
+40°C

3 IN 1 CCT SELECTABLE
3000K - 4000K - 6500K


1 LAMP
3 DIFFERENT TYPE OF ASSEMBLING

ON THE WALL

ON THE MIRROR


ON THE SHELF

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP44

NEW



IP44

NEW



IP44

NEW



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP44

Lily BN12-00410
7W 4000K
600lm White
220-240V CRI>80
IP44 Aluminium




NEW



IP44

Lily BN12-00411
7W 4000K
600lm Black
220-240V CRI>80
IP44 Aluminium




IP44

Mirrora BN12-00603
10W 3000K
900lm Silver
220-240V CRI>80
IP44 Aluminium



IP44

Mirrora BN12-00633
10W 6500K
900lm Silver
220-240V CRI>80
IP44 Aluminium





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP44

Aria BN12-00780
12W 3CCT
900lm White
220-240V CRI>80
IP44 Aluminium




IP44

Aria BN12-00781
12W 3CCT
900lm Black
220-240V CRI>80
IP44 Aluminium




IP44

Aria BN12-00785
12W 3CCT
900lm Chrome
220-240V CRI>80
IP44 Aluminium



IP44

Aria BN12-00786
12W 3CCT
900lm Golden
220-240V CRI>80
IP44 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K


CCT Switch

4000K 3000K 6500K


*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Sara BN12-00880
8W 3CCT
700lm White
220-240V CRI>80
IP20 Metal




Sara BN12-00881
8W 3CCT
700lm Black
220-240V CRI>80
IP20 Metal



Sara BN12-00885
8W 3CCT
700lm Chrome
220-240V CRI>80
IP20 Metal



Sara BN12-00886
8W 3CCT
700lm Golden
220-240V CRI>80
IP20 Metal



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54


Bulkhead BC17-00700



8W 3000K
700lm White
220-240V CRI>80
IP54 PP

BC17-00730

8W 6500K
700lm White
220-240V CRI>80
IP54 PP



IP54


Bulkhead BC17-00900



18W 3000K
1780lm White
220-240V CRI>80
IP54 PP

BC17-00930

18W 6500K
1780lm White
220-240V CRI>80
IP54 PP



IP54


Bulkhead BC17-01100



12W 3000K
1140lm White
220-240V CRI>80
IP54 PP

BC17-01130

12W 6500K
1140lm White
220-240V CRI>80
IP54 PP



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW

IP65

Bulkhead BC18-00280



12W 3CCT
1320lm White
220-240V CRI>80
IP65 PP



3CCT



NEW

IP65

Bulkhead BC18-00281



12W 3CCT
1320lm Black
220-240V CRI>80
IP65 PP



3CCT




NEW

IP65

Bulkhead BC18-00680



12W 3CCT
1320lm White
220-240V CRI>80
IP65 PP



3CCT




NEW

IP65

Bulkhead BC18-00681



12W 3CCT
1320lm Black
220-240V CRI>80
IP65 PP



3CCT

3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP65



Bulkhead BC18-00300
25W 3000K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00310
25W 4000K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00330
25W 6500K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00380
18W 3CCT
2020lm White
220-240V CRI>80
IP65 PP



NEW



IP65



Bulkhead BC18-00301
25W 3000K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00311
25W 4000K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00331
25W 6500K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00381
18W 3CCT
2020lm Black
220-240V CRI>80
IP65 PP



NEW



IP65




Bulkhead BC18-00700
25W 3000K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00710
25W 4000K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00730
25W 6500K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00780
18W 3CCT
2020lm White
220-240V CRI>80
IP65 PP



NEW



IP65




Bulkhead BC18-00701
25W 3000K
2250lm Black
220-240V CRI>80
IP65 PP


BC18-00711
25W 4000K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00731
25W 6500K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00781
18W 3CCT
2020lm Black
220-240V CRI>80
IP65 PP



3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54

Solaris BG36-00281

LED 15W 3CCT
1500lm Black
Voltage: Solar Panel Energy
CRI>80 IP54 ABS




NEW

IP54

Miles BG36-10110



LED 30W 4000K
3300lm White
220-240V CRI>70
IP54 PC



IP54

Solaris BG36-00130

LED 3W 6500K
240lm White
Voltage: Solar Panel Energy
CRI>80 IP54 ABS




NEW

IP54

Solaris BG36-00140

LED 6W 6500K
600lm White
Voltage: Solar Panel Energy
CRI>80 IP54 ABS



3CCT - Color Temperature Changeable

3000K



4000K

6500K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54


Solaris BG36-00381

10W 3CCT
1000lm Black
Voltage: Solar Panel Energy
CRI>80 IP54 ABS+PC




IP65

Spike BG36-00582
12W 2 CCT (3000K-6500K)
300lm Grey
Voltage: Solar Panel Energy
CRI>70 IP65 PC




IP65

Spike BG36-00592
12W RGB
Grey
Voltage: Solar Panel Energy
CRI>70 IP65 PC



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

IP44



Veneto BG37-00381



10W 3CCT
950lm White
220-240V CRI>80
IP44 PC




IP44



Veneto BG37-00481




20W 3CCT
1900lm White
220-240V CRI>80
IP44 PC



IP44




Frame Removable




Veneto BG37-00381



10W 3CCT
950lm Black
220-240V CRI>80
IP44 PC




IP44



Veneto BG37-00481



20W 3CCT
1900lm Black
220-240V CRI>80
IP44 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



-20°C
+40°C

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Palermo BG37-00080 BG37-00081



8W 3CCT
760lm White
220-240V CRI>80
IP65 PC

8W 3CCT
760lm Black
220-240V CRI>80
IP65 PC



IP65

Palermo BG37-00180 BG37-00181 BG37-00182 BG37-00183



10W 3CCT
950lm White
220-240V CRI>80
IP65 PC

10W 3CCT
950lm Black
220-240V CRI>80
IP65 PC

10W 3CCT
950lm Grey
220-240V CRI>80
IP65 PC

10W 3CCT
950lm Blue
220-240V CRI>80
IP65 PC



IP65

Palermo BG37-00280 BG37-00281 BG37-00282 BG37-00283 BG37-00286



12W 3CCT
1160lm White
220-240V CRI>80
IP65 PC

12W 3CCT
1160lm Black
220-240V CRI>80
IP65 PC

12W 3CCT
1160lm Grey
220-240V CRI>80
IP65 PC

12W 3CCT
1160lm Blue
220-240V CRI>80
IP65 PC

12W 3CCT
1160lm Golden
220-240V CRI>80
IP65 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP65



Walls	BG38-01001	BG38-01011	BG38-01082
LSD	15W 3000K 1450lm Black 220-240V CRI>80 IP65 PC	15W 4000K 1450lm Black 220-240V CRI>80 IP65 PC	15W 3CCT 1450lm Grey 220-240V CRI>80 IP65 PC



NEW

IP65



Walls	BG38-01101	BG38-01111	BG38-01182
LSD	15W 3000K 1450lm Black 220-240V CRI>80 IP65 PC	15W 4000K 1450lm Black 220-240V CRI>80 IP65 PC	15W 3CCT 1450lm Grey 220-240V CRI>80 IP65 PC





NEW

IP65



Walls	BG38-01201	BG38-01211	BG38-01282
LSD	15W 3000K 1450lm Black 220-240V CRI>80 IP65 PC	15W 4000K 1450lm Black 220-240V CRI>80 IP65 PC	15W 3CCT 1450lm Grey 220-240V CRI>80 IP65 PC




NEW

IP65



Walls	BG38-01301	BG38-01311	BG38-01382
LSD	15W 3000K 1450lm Black 220-240V CRI>80 IP65 PC	15W 4000K 1450lm Black 220-240V CRI>80 IP65 PC	15W 3CCT 1450lm Grey 220-240V CRI>80 IP65 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




IP65




Walls BG38-01481

LED 15W 3CCT
1450lm Black
220-240V CRI>80
IP65 PC



NEW



IP65



Walls BG38-01581

LED 15W 3CCT
1450lm Black
220-240V CRI>80
IP65 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

IP65



Walls	BG38-00102	BG38-00112	BG38-00132	BG38-00182
LED	15W 3000K	15W 4000K	15W 6500K	15W 3CCT
	1460lm Black	1460lm Black	1460lm Black	1460lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC	IP65 PC



IP65




Walls	BG38-00302	BG38-00312	BG38-00332	BG38-00382
LED	15W 3000K	15W 4000K	15W 6500K	15W 3CCT
	1460lm Black	1460lm Black	1460lm Black	1460lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC	IP65 PC



IP65




Walls	BG38-00202	BG38-00212	BG38-00232	BG38-00282
LED	15W 3000K	15W 4000K	15W 6500K	15W 3CCT
	1460lm Black	1460lm Black	1460lm Black	1460lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC	IP65 PC



IP65



Walls	BG38-00402	BG38-00482
LED	20W 3000K	20W 3CCT
	1980lm Black	1980lm Black
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC



3CCT - Color Temperature Changeable

3000K


4000K

6500K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Walls	BG38-00702	BG38-00712	BG38-00732
LED	12W 3000K	12W 4000K	12W 6500K
	1140lm Grey	1140lm Grey	1140lm Grey
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC



IP65

Walls	BG38-00902	BG38-00912	BG38-00932
LED	15W 3000K	15W 4000K	15W 6500K
	1450lm Grey	1450lm Grey	1450lm Grey
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC



NEW




IP65

Napoli BG37-00582


LED	20W 3CCT	
	2000lm Grey	
	220-240V CRI>80	
	IP65 PC	



3CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP65

Line BG38-03501



18W 3000K
1860lm Black
220-240V CRI>80
IP65 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Vekta BG38-02682
 1x6W 3CCT
 600lm Grey
 220-240V CRI>80
 IP65 PC



IP65

Vekta BG38-02782
 2x6W 3CCT
 1200lm Grey
 220-240V CRI>80
 IP65 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Vekta BG38-02480
 LED 1x9W 3CCT
 900lm White
 220-240V CRI>80
 IP65 PC



IP65

Vekta BG38-02482
 LED 1x9W 3CCT
 900lm Grey
 220-240V CRI>80
 IP65 PC




IP65

Vekta BG38-02580
 LED 2x9W 3CCT
 1780lm White
 220-240V CRI>80
 IP65 PC



IP65

Vekta BG38-02582
 LED 2x9W 3CCT
 1780lm Grey
 220-240V CRI>80
 IP65 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K


*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP65



Vekta	BG38-02000	BG38-02080
	3W 3000K	3W 3CCT
	240lm White	240lm White
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC



NEW

IP65


Vekta	BG38-02001	BG38-02081
	3W 3000K	3W 3CCT
	240lm Black	240lm Black
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC



NEW

IP65


Vekta	BG38-02100	BG38-02180
	3W 3000K	3W 3CCT
	240lm White	240lm White
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC



NEW

IP65

Vekta	BG38-02101	BG38-02181
	3W 3000K	3W 3CCT
	240lm Black	240lm Black
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch






*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

VEKTA	BG38-01880	BG38-01882
LED	3W 3CCT 180lm White 220-240V CRI>80 IP65 PC	3W 3CCT 180lm Grey 220-240V CRI>80 IP65 PC




IP65

VEKTA	BG38-01980	BG38-01982
LED	3W 3CCT 180lm White 220-240V CRI>80 IP65 PC	3W 3CCT 180lm Grey 220-240V CRI>80 IP65 PC



3CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Vector	BG38-03180	BG38-03182
	2x1W 3CCT	2x1W 3CCT
	180lm White	180lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC





IP65

Vector	BG38-03282
	4x1W 3CCT
	320lm Grey
	220-240V CRI>80
	IP65 PC



IP65

Vector	BG38-03380	BG38-03382
	6x1W 3CCT	6x1W 3CCT
	480lm White	480lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K


CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54



Bulb not included.
Suitable For
G9 BULB
BG38-03400
Vekta
White 1xG9
Max. 1x10w
220-240V
IP54 Aluminium



IP54




Bulb not included.
Suitable For
G9 BULB
BG38-03401
Vekta
Black 1xG9
Max. 1x10w
220-240V
IP54 Aluminium



IP54



Bulb not included.
Suitable For
G9 BULB
BG38-03402
Vekta
Grey 1xG9
Max. 1x10w
220-240V
IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Vector BG38-02200
 2W 3000K
 240lm White
 220-240V CRI>80
 IP65 Aluminium



IP65

Vector BG38-02201
 2W 3000K
 240lm Black
 220-240V CRI>80
 IP65 Aluminium



IP65

Vector BG38-02300
 2W 3000K
 240lm White
 220-240V CRI>80
 IP65 Aluminium



IP65

Vector BG38-02301
 2W 3000K
 240lm Black
 220-240V CRI>80
 IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP44



IP44




IP44




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP44



IP44



IP44



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP44

Bulb not included.

Suitable For
GU10 BULB
L=50mm



BG32-00302
Rita
Grey 1xGU10
Max.1x35w
220-240V
IP44 Aluminium



IP44

Bulb not included.

Suitable For
GU10 BULB
L=50mm



BG32-00322
Rita
Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Spotlux BT25-00102	BT25-00132	BT25-00152	BT25-00172
9W 3000K 680lm Grey	9W 6500K 680lm Grey	9W Green Grey 220-240V	9W Amber Grey 220-240V
LED	LED	LED	LED
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP65 Aluminium	IP65 Aluminium	Aluminium	Aluminium



IP65

Spotlux BT25-00201	BT25-00231	BT25-00251
7W 3000K 700lm Black	7W 6500K 700lm Black	7W GREEN N/A Black
LED	LED	LED
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP65 Aluminium	IP65 Aluminium	IP65 Aluminium



IP65

Bulb not included. Suitable For GU10 BULB 50mm	BT25-00351 Spotlux Black 1xGU10 Max.1x35w 220-240V IP65 PC
---	---



IP67

Indus BT27-00101
Max.1x35W 1xGU10 Nickel 220-240V IP67 Aluminium+304SS



IP67

Indus BT27-00111
Max.1x35W 1xGU10 Nickel 220-240V IP67 Aluminium+304SS



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP54

Pirus BG40-00502
 LED 7W 3000K
 600lm Grey
 220-240V CRI>80
 IP54 Aluminium



IP54


Pirus BG40-00602
 LED 10W 3000K
 930lm Grey
 220-240V CRI>80
 IP54 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP54



IP54



IP54



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP44

BG43-04002
Milano
Grey 1xE27
Max. 1x23W
220-240V
IP44 Aluminium



IP44

BG43-04102
Milano
Grey 1xE27
Max. 1x23W
220-240V
IP44 Aluminium



IP44

BG43-04202
Milano
Grey 1xE27
Max. 1x23W
220-240V
IP44 Aluminium



IP44

BG43-04302
Milano
Grey 1xE27
Max. 1x23W
220-240V
IP44 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54

BG43-03002


Paris
Grey 1xE27
Max. 1x23W
220-240V
IP54 Aluminium



IP54

BG43-03102


Paris
Grey 1xE27
Max. 1x23W
220-240V
IP54 Aluminium



IP54

BG43-03202

Paris
Grey 1xE27
Max. 1x23W
220-240V
IP54 Aluminium



IP54

BG43-03302

Paris
Grey 1xE27
Max. 1x23W
220-240V
IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65


Proline BT07-00610



16W 4000K
1600lm White
220-240V CRI>80
IP65 PC

BT07-00630

16W 6500K
1600lm White
220-240V CRI>80
IP65 PC



IP65


Proline BT07-01210



32W 4000K
3400lm White
220-240V CRI>80
IP65 PC

BT07-01230

32W 6500K
3400lm White
220-240V CRI>80
IP65 PC



NEW

IP65

Aqualine BT04-01210




42W 3000K
4800lm White
220-240V CRI>80
IP65 ABS

BT04-01230

42W 6500K
4800lm White
220-240V CRI>80
IP65 ABS

BT04-01280

42W 3CCT
4800lm White
220-240V CRI>80
IP65 ABS



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65



Linkable Max Up To 8 PCS

Proline	BT07-30610	BT07-30630	BT07-30680
LED	20W 4000K 2240lm White 220-240V CRI>80 IP65 PC	20W 6500K 2240lm White 220-240V CRI>80 IP65 PC	20W 3CCT 2240lm White 220-240V CRI>80 IP65 PC




IP65



Linkable Max Up To 4 PCS

Proline	BT07-31210	BT07-31230	BT07-31280
LED	40W 4000K 4500lm White 220-240V CRI>80 IP65 PC	40W 6500K 4500lm White 220-240V CRI>80 IP65 PC	40W 3CCT 4500lm White 220-240V CRI>80 IP65 PC



IP65



Linkable Max Up To 3 PCS

Proline	BT07-31510	BT07-31530	BT07-31580
LED	60W 4000K 6300lm White 220-240V CRI>80 IP65 PC	60W 6500K 6300lm White 220-240V CRI>80 IP65 PC	60W 3CCT 6300lm White 220-240V CRI>80 IP65 PC




IP65



Linkable Max Up To 2 PCS

Proline	BT07-61510	BT07-61530
LED	85W 4000K 8800lm White 220-240V CRI>80 IP65 PC	85W 6500K 8800lm White 220-240V CRI>80 IP65 PC



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65



IP65

BT05-11282 BT05-11283
Aqualine 1x1.2mt Aqualine 1x1.2mt
Double/Single Side Double/Single Side
T8 G13 220-240V T8 G13 220-240V
IP65 ABS IP65 ABS
Bulb not included Bulb not included



BT05-11582 BT05-11583
Aqualine 1x1.5mt Aqualine 1x1.5mt
Double/Single Side Double/Single Side
T8 G13 220-240V T8 G13 220-240V
IP65 ABS IP65 ABS
Bulb not included Bulb not included



BT05-10685
Aqualine 1x0.6mt
Double Side Tube
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-20685
Aqualine 2x0.6mt
Double Side Tube
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-20682 BT05-20683
Aqualine 2x0.6mt Aqualine 2x0.6mt
Double/Single Side Double/Single Side
T8 G13 220-240V T8 G13 220-240V
IP65 ABS IP65 ABS
Bulb not included Bulb not included



BT05-21282 BT05-21283
Aqualine 2x1.2mt Aqualine 2x1.2mt
Double/Single Side Double/Single Side
T8 G13 220-240V T8 G13 220-240V
IP65 ABS IP65 ABS
Bulb not included Bulb not included



BT05-11285
Aqualine 1x1.2mt
Double Side Tube
T8 G13 220-240V
IP65 ABS
Bulb not included




BT05-21285
Aqualine 2x1.2mt
Double Side Tube
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-21582 BT05-21583
Aqualine 2x1.5mt Aqualine 2x1.5mt
Double/Single Side Double/Single Side
T8 G13 220-240V T8 G13 220-240V
IP65 ABS IP65 ABS
Bulb not included Bulb not included



BT05-11585
Aqualine 1x1.5mt
Double Side Tube
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-21585
Aqualine 2x1.5mt
Double Side Tube
T8 G13 220-240V
IP65 ABS
Bulb not included



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

SOLAR PRODUCTS




NEW



IP65

Lamp Power: 50W

Solar BT43-03031
 6500K
 1350lm Black
 Solar Capacity: 30W
 Voltage: Solar Panel Energy
 CRI>70 IP65 PC




NEW



IP65

Lamp Power: 100W

Solar BT43-05031
 6500K
 1800lm Black
 Solar Capacity: 50W
 Voltage: Solar Panel Energy
 CRI>70 IP65 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Solar BT64-00681

LED Lamp Power: 50W 3CCT
600lm(@%100 Brightness) Black
Solar Capacity: 15W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

BT64-10681

Lamp Power: 50W 3CCT
600lm(@%100 Brightness) Black
Solar Capacity: 15W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

NEW



Solar BT64-01281

LED Lamp Power: 100W 3CCT
1200lm(@%100 Brightness) Black
Solar Capacity: 30W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

BT64-11281

Lamp Power: 100W 3CCT
1200lm(@%100 Brightness) Black
Solar Capacity: 30W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

NEW



Solar BT64-01881

LED Lamp Power: 150W 3CCT
1800lm(@%100 Brightness) Black
Solar Capacity: 50W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

BT64-11881

Lamp Power: 150W 3CCT
1800lm(@%100 Brightness) Black
Solar Capacity: 50W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

NEW



Solar BT64-02481

LED Lamp Power: 250W 3CCT
3000lm(@%100 Brightness) Black
Solar Capacity: 75W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

BT64-12081

Lamp Power: 200W 3CCT
2400lm(@%100 Brightness) Black
Solar Capacity: 70W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Hibay	BT45-29111	BT45-29131
LED	100W 4000K 14000lm Black	100W 6500K 14000lm Black
DA	100-265V CRI>80 IP65 Aluminium	100-265V CRI>80 IP65 Aluminium



BT45-99001
291x1 Black
For 100w Bracket



IP65

Hibay	BT45-29611	BT45-29631
LED	200W 4000K 28000lm Black	200W 6500K 28000lm Black
DA	100-265V CRI>80 IP65 Aluminium	100-265V CRI>80 IP65 Aluminium



BT45-99002
294x1 Black
For 150w Bracket



BT45-99003
296x1 Black
For 200w Bracket



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Hibay	BT45-39111	BT45-39131
LED	100W 4000K 12000lm Black 220-240V CRI>80 IP65 Aluminium	100W 6500K 12000lm Black 220-240V CRI>80 IP65 Aluminium



IP65

Hibay	BT45-39611	BT45-39631	BT45-39681
LED	200W 4000K 24000lm Black 220-240V CRI>80 IP65 Aluminium	200W 6500K 24000lm Black 220-240V CRI>80 IP65 Aluminium	200W 3CCT 24000lm Black 220-240V CRI>80 IP65 Aluminium




NEW



IP65

Hibay	BT45-59181
LED	60W - 4000K - 9000lm 60W - 5000K - 10200lm 60W - 6500K - 9000lm 80W - 4000K - 12000lm 80W - 5000K - 13600lm 80W - 6500K - 12000lm 100W - 4000K - 15000lm 100W - 5000K - 17000lm 100W - 6500K - 15000lm
Black	
220-240V	
CRI>70	
IP65	
Aluminium	




NEW



IP65

Hibay	BT45-59681
LED	150W - 4000K - 22500lm 150W - 5000K - 25500lm 150W - 6500K - 22500lm 175W - 4000K - 26250lm 175W - 5000K - 29750lm 175W - 6500K - 26250lm 200W - 4000K - 30000lm 200W - 5000K - 34000lm 200W - 6500K - 30000lm
Black	
110-277V	
CRI>70	
IP65	
Aluminium	



3CCT - Color Temperature Changeable

4000K

5000K

6500K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP65

Hibay BT45-39181
 100W 3CCT
 13000lm Black
 220-240V CRI>80
 IP65 Aluminium




3CCT

NEW




IP65

Hibay BT45-39681
 200W 3CCT
 26000lm Black
 220-240V CRI>80
 IP65 Aluminium



3CCT



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



IP65



Flood BT65-01082
10W 3CCT
1100lm Grey
220-240V CRI>80
IP65 Aluminium




NEW



IP65



Flood BT65-02082
20W 3CCT
2200lm Grey
220-240V CRI>80
IP65 Aluminium



NEW



IP65



Flood BT65-03082
30W 3CCT
3300lm Grey
220-240V CRI>80
IP65 Aluminium



NEW



IP65



Flood BT65-05082
50W 3CCT
5500lm Grey
220-240V CRI>80
IP65 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP65

Flood BT65-09182
 100W 3CCT
 11000lm Grey
 220-240V CRI>80
 IP65 Aluminium



NEW

IP65


Flood BT65-09682
 200W 3CCT
 22000lm Grey
 220-240V CRI>80
 IP65 Aluminium



NEW

IP65

Flood BT65-09882
 300W 3CCT
 33000lm Grey
 220-240V CRI>80
 IP65 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K


*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP65


Flood BT65-23082
LED 30W 3CCT
 3300lm Grey
 220-240V CRI>80
 IP65 Aluminium



NEW

IP65


Flood BT65-21082
LED 10W 3CCT
 1100lm Grey
 220-240V CRI>80
 IP65 Aluminium



NEW

IP65

Flood BT65-25082
LED 50W 3CCT
 5500lm Grey
 220-240V CRI>80
 IP65 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



IP65



Flood BT60-51080
 10W 3CCT
 950lm White
 220-240V CRI>70
 IP65 Aluminium




NEW



IP65



Flood BT60-52080
 20W 3CCT
 1900lm White
 220-240V CRI>70
 IP65 Aluminium




NEW



IP65



Flood BT60-53080
 30W 3CCT
 2850lm White
 220-240V CRI>70
 IP65 Aluminium




NEW



IP65



Flood BT60-55080
 50W 3CCT
 4750lm White
 220-240V CRI>70
 IP65 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch


4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Flood BT60-59180
LED 100W 3CCT
 9500lm White
 220-240V CRI>70
IP IP65 Aluminium



IP65

Flood BT60-63080
LED 30W 3CCT
 2850lm White
 220-240V CRI>70
IP IP65 Aluminium



3CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP65

Flood BT66-01031
 10W 6500K
 1000lm Black
 220-240V CRI>80
 IP65 Aluminium




NEW



IP65

Flood BT66-02031
 20W 6500K
 2200lm Black
 220-240V CRI>80
 IP65 Aluminium




NEW



IP65

Flood BT66-03001 BT66-03031
 30W 3000K 30W 6500K
 3300lm Black 3300lm Black
 220-240V CRI>80 220-240V CRI>80
 IP65 Aluminium IP65 Aluminium




NEW



IP65

Flood BT66-05001 BT66-05011 BT66-05031
 50W 3000K 50W 4000K 50W 6500K
 5500lm Black 5500lm Black 5500lm Black
 220-240V CRI>80 220-240V CRI>80 220-240V CRI>80
 IP65 Aluminium IP65 Aluminium IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Flood	BT66-09101	BT66-09111	BT66-09131
100W 3000K	100W 4000K	100W 6500K	
11000lm Black	11000lm Black	11000lm Black	
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	




IP65

Flood	BT66-09431
150W 6500K	
16500lm Black	
220-240V CRI>80	
IP65 Aluminium	



IP65

Flood	BT66-09631
200W 6500K	
22000lm Black	
220-240V CRI>80	
IP65 Aluminium	




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54




Flood BT66-22031
20W 6500K
2200lm Black
220-240V CRI>80
IP54 Aluminium



IP54




Flood BT66-23031
30W 6500K
3300lm Black
220-240V CRI>80
IP54 Aluminium



IP54



Flood BT66-25031
50W 6500K
5500lm Black
220-240V CRI>80
IP54 Aluminium





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW



NEW



NEW




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP65

Flood BT60-95081
 50W 3CCT
 4200lm Black
 220-240V CRI>70
 IP65 Aluminium




NEW



IP65

Flood BT60-99181
 100W 3CCT
 8500lm Black
 220-240V CRI>70
 IP65 Aluminium




Rechargeable with battery



IP54

WLB20 BT59-00231
 20W 6500K
 2000lm Black
 3.7V 6600mA CRI>80
 IP54 Aluminium



3CCT - Color Temperature Changeable

3000K


4000K

6500K

CCT Switch


4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65


Flood	BT60-31001	BT60-31011	BT60-31031
LED	10W 3000K 800lm Black	10W 4000K 800lm Black	10W 6500K 800lm Black
IP	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium



IP65

Dimmable


Flood	BT60-31041	BT60-31051	BT60-31061	BT60-31091
LED	10W Red Black	10W Green Black	10W Blue Black	10W RGB Black Dimmable
IP	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium



IP65

Dimmable

Flood	BT60-32001	BT60-32011	BT60-32031	BT60-32091
LED	20W 3000K 1620lm Black	20W 4000K 1620lm Black	20W 6500K 1620lm Black	20W RGB Black Dimmable
IP	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium



IP65

Dimmable

Flood	BT60-33001	BT60-33011	BT60-33031	BT60-33091
LED	30W 3000K 2550lm Black	30W 4000K 2550lm Black	30W 6500K 2550lm Black	30W Black Dimmable
IP	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Flood	BT60-35001	BT60-35011	BT60-35031	BT60-35051	BT60-35091
LED	50W 3000K	50W 4000K	50W 6500K	50W Green	50W RGB
	4200lm Black	4200lm Black	4200lm Black	Black	Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT60-39101	BT60-39111	BT60-39131
LED	100W 3000K	100W 4000K	100W 6500K
	8500lm Black	8500lm Black	8500lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT60-39401	BT60-39411	BT60-39431
LED	150W 3000K	150W 4000K	150W 6500K
	13000lm Black	13000lm Black	13000lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium



IP65

Flood	BT60-39601	BT60-39611	BT60-39631
LED	200W 3000K	200W 4000K	200W 6500K
	17200lm Black	17200lm Black	17200lm Black
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54




Flood BT60-41031
LED 10W 6500K
 800lm Black
 220-240V CRI>70
 IP54 Aluminium



IP54




Flood BT60-42001 BT60-42031
LED 20W 3000K 20W 6500K
 1620lm Black 1620lm Black
 220-240V CRI>70 220-240V CRI>70
 IP54 Aluminium IP54 Aluminium



IP54




Flood BT60-43031
LED 30W 6500K
 2550lm Black
 220-240V CRI>70
 IP54 Aluminium



IP54



Flood BT60-45031
LED 50W 6500K
 4200lm Black
 220-240V CRI>70
 IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Flood	BT61-01002	BT61-01032	
LED	10W 3000K 800lm Grey	10W 6500K 800lm Grey	
IP	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	



IP65

Flood	BT61-02002	BT61-02032	BT61-02052	
LED	20W 3000K 1620lm Grey	20W 6500K 1620lm Grey	20W Green 1620lm Grey	
IP	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	



IP65

Flood	BT61-03002	BT61-03032	
LED	30W 3000K 2400lm Grey	30W 6500K 2400lm Grey	
IP	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	



IP65

Flood	BT61-05002	BT61-05012	BT61-05032	BT61-05052	
LED	50W 3000K 4100lm Grey	50W 4000K 4100lm Grey	50W 6500K 4100lm Grey	50W Green 4100lm Grey	
IP	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Flood	BT61-09102	BT61-09112	BT61-09132
LED	100W 3000K	100W 4000K	100W 6500K
	8300lm Grey	8300lm Grey	8300lm Grey
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT61-09402	BT61-09432
LED	150W 3000K	150W 6500K
	12200lm Grey	12200lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium




IP65

Flood	BT61-09602	BT61-09632
LED	200W 3000K	200W 6500K
	16000lm Grey	16000lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium



IP54

Flood	BT61-23002	BT61-23032
LED	30W 3000K	30W 6500K
	2400lm Grey	2400lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP54 Aluminium	IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

LED STREET LIGHT





IP66

ST83	BT42-83012	BT42-83032	
	30W 4000K	30W 6500K	
	3300lm Grey	3300lm Grey	
	220-240V CRI>70	220-240V CRI>70	
	IP66 Aluminium	IP66 Aluminium	



IP66

ST83	BT42-85012	BT42-85032	
	50W 4000K	50W 6500K	
	5600lm Grey	5600lm Grey	
	220-240V CRI>70	220-240V CRI>70	
	IP66 Aluminium	IP66 Aluminium	



IP66

ST83	BT42-89112	BT42-89132	
	100W 4000K	100W 6500K	
	11500lm Grey	11500lm Grey	
	220-240V CRI>70	220-240V CRI>70	
	IP66 Aluminium	IP66 Aluminium	



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP66

ST89 BT42-93012 BT42-93032
 30W 4000K 30W 6500K
 3300lm Grey 3300lm Grey
 220-240V CRI>70 220-240V CRI>70
 IP66 Aluminium IP66 Aluminium



BT42-95012 BT42-95032
 50W 4000K 50W 6500K
 5500lm Grey 5500lm Grey
 220-240V CRI>70 220-240V CRI>70
 IP66 Aluminium IP66 Aluminium



NEW



IP66

ST89 BT42-99112 BT42-99132
 100W 4000K 100W 6500K
 11000lm Grey 11000lm Grey
 220-240V CRI>70 220-240V CRI>70
 IP66 Aluminium IP66 Aluminium




NEW



IP66

ST89 BT42-99412 BT42-99432
 150W 4000K 150W 6500K
 16500lm Grey 16500lm Grey
 220-240V CRI>70 220-240V CRI>70
 IP66 Aluminium IP66 Aluminium




NEW



IP66

ST89 BT42-99612 BT42-99632
 200W 4000K 200W 6500K
 22000lm Grey 22000lm Grey
 220-240V CRI>70 220-240V CRI>70
 IP66 Aluminium IP66 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



LED
EMERGENCY
EXITS

NEW





PICTOGRAMS INCLUDED



IP54

BC14-00800
White 3W
Dual Mode
Maintained and
Non-Maintained
220-240VAC ABS
LiFePO4 Battery





PICTOGRAMS INCLUDED



IP65

BC14-00900
White 5W
Maintained and
Non-Maintained
220-240VAC ABS
Lithium Battery



PICTOGRAMS NOT INCLUDED FOR BC14-00900



BC14-01311



BC14-01313



BC14-01314



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BC14-01100
White 2W
Maintained
220-240VAC ABS
Ni-MH Battery



PICTOGRAMS INCLUDED



BC14-01315

BC14-01301



BC14-01310

BC14-01302



BC14-01120
White 2W
Maintained
220-240VAC ABS
Ni-MH Battery



PICTOGRAMS INCLUDED



BC14-01315

BC14-01301



BC14-01310

BC14-01302

PICTOGRAMS NOT INCLUDED FOR ABOVE MODELS



BC14-01306



BC14-01304



BC14-01303



BC14-01305



BC14-01307



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BM30 BC01-00130
 LED 2W 6500K
 30Led White
 220-240V IP20
 ABS



BM60 BC01-00330
 LED 4W 6500K
 60Led White
 220-240V IP20
 ABS



BM90 BC01-00430
 LED 6W 6500K
 90Led White
 220-240V IP20
 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

BULBS & TUBES


- LED CANDLE BULB
- LED GLOBE BULB
- LED A SHAPE BULB
- LED T SHAPE BULB
- LED SENSOR BULB
- LED GU10 BULB
- LED MR16 BULB
- LED CAPSULE BULB
- LED R BULB
- LED FILAMENT BULB
- LED TUBE



The ultimate light experience


Make home sweet home even sweeter with the right solution

We are committed to delivering expanded value to our customers by providing superior lighting and controls solutions, light your home smarter. Create your own uniqueness, Create your future, Think Smart, Live Smart.



Smart Bulb



CCT 

MODEL NO	TYPE	SOCKET	CCT	WATT	VOLTAGE	P.F.	BEAM ANGLE	PCS/CTN
BA13-00929	A60	E27	RGBW+CW	9W	220-240VAC	>0.5	180°	100


      


  

Smart Bulb




CCT 

MODEL NO	TYPE	SOCKET	CCT	WATT	VOLTAGE	P.F.	BEAM ANGLE	PCS/CTN
BA24-00559	GU10	GU10	RGBCW	5W	220-240VAC	>0.5	110°	100


  




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




MODEL NO	TYPE	SOCKET	CCT	Color	WATT	LUMEN	VOLTAGE	CRI ≥	BEAM ANGLE	PCS/CTN
BA13-00880	A60	E27	5 CCT	2700K 3000K 4000K 5000K 6500K	8.5W	880Lm	220-240VAC	>80	220°	100



MODEL NO	TYPE	SOCKET	CCT	Color	WATT	LUMEN	VOLTAGE	CRI ≥	BEAM ANGLE	PCS/CTN
BA13-01080	A60	E27	5 CCT	2700K 3000K 4000K 5000K 6500K	10.5W	1160Lm	220-240VAC	>80	220°	100



MODEL NO	TYPE	SOCKET	CCT	Color	WATT	LUMEN	VOLTAGE	CRI ≥	BEAM ANGLE	PCS/CTN
BA13-01380	A65	E27	5 CCT	2700K 3000K 4000K 5000K 6500K	13.5W	1520Lm	220-240VAC	>80	220°	100



*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA07-00510	C37	E14	3000K	5W	35W	450Lm	220-240VAC	180°	100
BA07-00511	C37	E14	4000K	5W	35W	450Lm	220-240VAC	180°	100
BA07-00513	C37	E14	6500K	5W	35W	450Lm	220-240VAC	180°	100
BA07-00710	C37	E14	3000K	6.5W	45W	560Lm	220-240VAC	180°	100
BA07-00713	C37	E14	6500K	6.5W	45W	560Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA09-00510	C37	E14	3000K	5W	35W	450Lm	220-240VAC	180°	100
BA09-00511	C37	E14	4000K	5W	35W	450Lm	220-240VAC	180°	100
BA09-00513	C37	E14	6500K	5W	35W	450Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA09-00710	C37	E14	3000K	6,5W	45W	560Lm	220-240VAC	180°	100
BA09-00711	C37	E14	4000K	6,5W	45W	560Lm	220-240VAC	180°	100
BA09-00713	C37	E14	6500K	6,5W	45W	560Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA09-00520	C37	E27	3000K	5W	35W	450Lm	220-240VAC	180°	100
BA09-00523	C37	E27	6500K	5W	35W	450Lm	220-240VAC	180°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA09-00720	C37	E27	3000K	6.5W	45W	560Lm	220-240VAC	180°	100
BA09-00721	C37	E27	4000K	6.5W	45W	560Lm	220-240VAC	180°	100
BA09-00723	C37	E27	6500K	6.5W	45W	560Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA11-00510	P45	E14	3000K	5W	35W	450Lm	220-240VAC	180°	100
BA11-00511	P45	E14	4000K	5W	35W	450Lm	220-240VAC	180°	100
BA11-00513	P45	E14	6500K	5W	35W	450Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA11-00710	P45	E14	3000K	6,5W	45W	560Lm	220-240VAC	180°	100
BA11-00711	P45	E14	4000K	6,5W	45W	560Lm	220-240VAC	180°	100
BA11-00713	P45	E14	6500K	6,5W	45W	560Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA11-00520	G45	E27	3000K	5W	35W	450Lm	220-240VAC	180°	100
BA11-00521	G45	E27	4000K	5W	35W	450Lm	220-240VAC	180°	100
BA11-00523	G45	E27	6500K	5W	35W	450Lm	220-240VAC	180°	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA11-00720	G45	E27	3000K	6,5W	45W	560Lm	220-240VAC	180°	100
BA11-00721	G45	E27	4000K	6,5W	45W	560Lm	220-240VAC	180°	100
BA11-00723	G45	E27	6500K	6,5W	45W	560Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-00520	A60	E27	3000K	5W	40W	470Lm	220-240VAC	180°	100
BA13-00523	A60	E27	6500K	5W	40W	470Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-00920	A60	E27	3000K	9W	60W	806Lm	220-240VAC	180°	100
BA13-00921	A60	E27	4000K	9W	60W	806Lm	220-240VAC	180°	100
BA13-00923	A60	E27	6500K	9W	60W	806Lm	220-240VAC	180°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-60920	A60	E27	3000K	9W	60W	806Lm	220-240VAC	180°	100
BA13-60921	A60	E27	4000K	9W	60W	806Lm	220-240VAC	180°	100
BA13-60923	A60	E27	6500K	9W	60W	806Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01120	A60	E27	3000K	11W	75W	1055Lm	220-240VAC	180°	100
BA13-01121	A60	E27	4000K	11W	75W	1055Lm	220-240VAC	180°	100
BA13-01123	A60	E27	6500K	11W	75W	1055Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01220	A60	E27	3000K	12W	75W	1055Lm	220-240VAC	180°	100
BA13-01221	A60	E27	4000K	12W	75W	1055Lm	220-240VAC	180°	100
BA13-01223	A60	E27	6500K	12W	75W	1055Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01320	A60	E27	3000K	13W	90W	1350Lm	220-240VAC	180°	100
BA13-01321	A60	E27	4000K	13W	90W	1350Lm	220-240VAC	180°	100
BA13-01323	A60	E27	6500K	13W	90W	1350Lm	220-240VAC	180°	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01520	A60	E27	3000K	15W	90W	1350Lm	220-240VAC	180°	100
BA13-01521	A60	E27	4000K	15W	90W	1350Lm	220-240VAC	180°	100
BA13-01523	A60	E27	6500K	15W	90W	1350Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01620	A70	E27	3000K	16W	105W	1620Lm	220-240VAC	180°	100
BA13-01621	A70	E27	4000K	16W	105W	1620Lm	220-240VAC	180°	100
BA13-01623	A70	E27	6500K	16W	105W	1620Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01820	A70	E27	3000K	18W	105W	1800Lm	220-240VAC	180°	100
BA13-01821	A70	E27	4000K	18W	105W	1800Lm	220-240VAC	180°	100
BA13-01823	A70	E27	6500K	18W	105W	1800Lm	220-240VAC	180°	100

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA14-31023	A65	E27	6500K	10W	60W	806Lm	220-240VAC	180°	50

BATTERY



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA14-70920	A60-Sensor	E27	3000K	9W	60W	806Lm	220-240VAC	180°	100
BA14-70923	A60-Sensor	E27	6500K	9W	60W	806Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA33-01420	G95	E27	3000K	14W	90W	1360Lm	220-240VAC	180°	36
BA33-01421	G95	E27	4000K	14W	90W	1360Lm	220-240VAC	180°	36
BA33-01423	G95	E27	6500K	14W	90W	1360Lm	220-240VAC	180°	36



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA34-00610	R50	E14	3000K	6W	45W	550Lm	220-240VAC	150°	100
BA34-00613	R50	E14	6500K	6W	45W	550Lm	220-240VAC	150°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA34-00920	R63	E27	3000K	9W	60W	830Lm	220-240VAC	150°	100
BA34-00923	R63	E27	6500K	9W	60W	830Lm	220-240VAC	150°	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-31820	T80	E27	3000K	18W	130W	2100Lm	220-240VAC	180°	40
BA13-31821	T80	E27	4000K	18W	130W	2100Lm	220-240VAC	180°	40
BA13-31823	T80	E27	6500K	18W	130W	2100Lm	220-240VAC	180°	40
BA13-32020	T80	E27	3000K	20W	130W	2100Lm	220-240VAC	180°	40
BA13-32021	T80	E27	4000K	20W	130W	2100Lm	220-240VAC	180°	40
BA13-32023	T80	E27	6500K	20W	130W	2100Lm	220-240VAC	180°	40



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-32820	T100	E27	3000K	28W	175W	3000Lm	220-240VAC	180°	30
BA13-32821	T100	E27	4000K	28W	175W	3000Lm	220-240VAC	180°	30
BA13-32823	T100	E27	6500K	28W	175W	3000Lm	220-240VAC	180°	30
BA13-33020	T100	E27	3000K	30W	175W	3000Lm	220-240VAC	180°	30
BA13-33021	T100	E27	4000K	30W	175W	3000Lm	220-240VAC	180°	30
BA13-33023	T100	E27	6500K	30W	175W	3000Lm	220-240VAC	180°	30



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-33820	T120	E27	3000K	38W	250W	4260Lm	220-240VAC	180°	20
BA13-33823	T120	E27	6500K	38W	250W	4260Lm	220-240VAC	180°	20
BA13-34020	T120	E27	3000K	40W	250W	4260Lm	220-240VAC	180°	20
BA13-34021	T120	E27	4000K	40W	250W	4260Lm	220-240VAC	180°	20
BA13-34023	T120	E27	6500K	40W	250W	4260Lm	220-240VAC	180°	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-35021	T140	E27	4000K	50W	320W	5500Lm	220-240VAC	180°	8
BA13-35023	T140	E27	6500K	50W	320W	5500Lm	220-240VAC	180°	8



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA23-00580	MR16 LED Modul	3CCT	5W	50W	430Lm	220-240VAC	110°	100
BA23-00780	MR16 LED Modul	3CCT	7W	70W	700Lm	220-240VAC	110°	100

NEW



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°-120°)	VOLTAGE	ANGLE	PCS/CTN
BA23-10580	MR16 LED Modul	3CCT	5W	50W	380Lm	220-240VAC	45°	100
BA23-10780	MR16 LED Modul	3CCT	7W	70W	700Lm	220-240VAC	60°	100

NEW



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA23-31081	MR16 LED Modul	3CCT	10W	70W	1000Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA24-00550	MR16	GU10	3000K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00551	MR16	GU10	4000K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00553	MR16	GU10	6500K	5W	50W	430Lm	220-240VAC	110°	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA24-00650	MR16	GU10	3000K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00651	MR16	GU10	4000K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00653	MR16	GU10	6500K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00750	MR16	GU10	3000K	7W	70W	580Lm	220-240VAC	110°	100
BA24-00751	MR16	GU10	4000K	7W	70W	580Lm	220-240VAC	110°	100
BA24-00753	MR16	GU10	6500K	7W	70W	580Lm	220-240VAC	110°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA24-00560	MR16	GU5.3	3000K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00561	MR16	GU5.3	4000K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00563	MR16	GU5.3	6500K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00660	MR16	GU5.3	3000K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00661	MR16	GU5.3	4000K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00663	MR16	GU5.3	6500K	6.5W	70W	550Lm	220-240VAC	110°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA25-00550	MR16	GU10	3000K	5W	50W	380Lm	220-240VAC	38°	100
BA25-00551	MR16	GU10	4000K	5W	50W	380Lm	220-240VAC	38°	100
BA25-00553	MR16	GU10	6500K	5W	50W	380Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA25-00650	MR16	GU10	3000K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00651	MR16	GU10	4000K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00653	MR16	GU10	6500K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00750	MR16	GU10	3000K	7W	70W	530Lm	220-240VAC	38°	100
BA25-00751	MR16	GU10	4000K	7W	70W	530Lm	220-240VAC	38°	100
BA25-00753	MR16	GU10	6500K	7W	70W	530Lm	220-240VAC	38°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA25-00660	MR16	GU10	3000K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00661	MR16	GU10	4000K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00663	MR16	GU10	6500K	6.5W	70W	500Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA25-00754	MR16	GU10	Red	7W	/	/	220-240VAC	38°	100
BA25-00755	MR16	GU10	Green	7W	/	/	220-240VAC	38°	100
BA25-00756	MR16	GU10	Blue	7W	/	/	220-240VAC	38°	100
BA25-00757	MR16	GU10	Amber	7W	/	/	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA25-30460	MR16	GU5.3	3000K	4.5W	50W	360Lm	12VAC	38°	100
BA25-30461	MR16	GU5.3	4000K	4.5W	50W	360Lm	12VAC	38°	100
BA25-30463	MR16	GU5.3	6500K	4.5W	50W	360Lm	12VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA26-00650	MR16	GU10	3000K	6.5W	70W	630Lm	220-240VAC	38°	100
BA26-00651	MR16	GU10	4000K	6.5W	70W	630Lm	220-240VAC	38°	100
BA26-00653	MR16	GU10	6500K	6.5W	70W	630Lm	220-240VAC	38°	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA26-60650	MR16 Dim.	GU10	3000K	6W	70W	450Lm	220-240VAC	38°	100
BA26-60651	MR16 Dim.	GU10	4000K	6W	70W	450Lm	220-240VAC	38°	100
BA26-60653	MR16 Dim.	GU10	6500K	6W	70W	450Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA27-00550	MR16	GU10	3000K	4.8W	50W	350Lm	220-240VAC	38°	100
BA27-00551	MR16	GU10	4000K	4.8W	50W	350Lm	220-240VAC	38°	100
BA27-00553	MR16	GU10	6500K	4.8W	50W	350Lm	220-240VAC	38°	100




MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA27-60650	MR16-Dimmable	GU10	3000K	5.5W	50W	400Lm	220-240VAC	38°	100
BA27-60651	MR16-Dimmable	GU10	4000K	5.5W	50W	400Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA29-00390	G9-Dimmable	G9	3000K	3W	20W	260Lm	220-240VAC	240°	250
BA29-00393	G9-Dimmable	G9	6500K	3W	20W	260Lm	220-240VAC	240°	250




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN _(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA29-00590	G9	G9	3000K	5W	45W	430Lm	220-240VAC	240°	250
BA29-00591	G9	G9	4000K	5W	45W	430Lm	220-240VAC	240°	250
BA29-00593	G9	G9	6500K	5W	45W	430Lm	220-240VAC	240°	250

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN _(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA29-00690	G9	G9	3000K	6.5W	45W	580Lm	220-240VAC	240°	250
BA29-00691	G9	G9	4000K	6.5W	45W	580Lm	220-240VAC	240°	250
BA29-00693	G9	G9	6500K	6.5W	45W	580Lm	220-240VAC	240°	250

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN _(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA29-00990	G9	G9	3000K	9W	60W	806Lm	220-240VAC	240°	250
BA29-00991	G9	G9	4000K	9W	60W	806Lm	220-240VAC	240°	250
BA29-00993	G9	G9	6500K	9W	60W	806Lm	220-240VAC	240°	250



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN _(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA35-00410	C35-Tail	E14	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA35-00413	C35-Tail	E14	6500K	4W	40W	470Lm	220-240VAC	300°	100
BA35-00610	C35-Tail	E14	3000K	6W	50W	630Lm	220-240VAC	300°	100
BA35-00613	C35-Tail	E14	6500K	6W	50W	630Lm	220-240VAC	300°	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA36-00410	C35	E14	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA36-00610	C35	E14	3000K	6W	50W	630Lm	220-240VAC	300°	100
BA36-00613	C35	E14	6500K	6W	50W	630Lm	220-240VAC	300°	100

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA36-60410	C35-Dimmable	E14	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA36-60610	C35-Dimmable	E14	3000K	6W	50W	630Lm	220-240VAC	300°	100

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA36-00420	C35	E27	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA36-00620	C35	E27	3000K	6W	50W	630Lm	220-240VAC	300°	100

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA37-00410	P45	E14	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA37-00610	P45	E14	3000K	6W	50W	630Lm	220-240VAC	300°	100
BA37-00613	P45	E14	6500K	6W	50W	630Lm	220-240VAC	300°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA37-00420	G45	E27	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA37-00620	G45	E27	3000K	6W	50W	630Lm	220-240VAC	300°	100
BA37-00623	G45	E27	6500K	6W	50W	630Lm	220-240VAC	300°	100

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA38-00720	A60	E27	3000K	7W	60W	806Lm	220-240VAC	300°	100
BA38-00721	A60	E27	4000K	7W	60W	806Lm	220-240VAC	300°	100
BA38-00723	A60	E27	6500K	7W	60W	806Lm	220-240VAC	300°	100
BA38-00920	A60	E27	3000K	9W	75W	1055Lm	220-240VAC	300°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA38-60820	A60-Dimmable	E27	3000K	8W	60W	806Lm	220-240VAC	300°	100



NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA38-01320	A65	E27	3000K	13W	100W	1520Lm	220-240VAC	300°	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA39-00420	T45	E27	3000K	4W	40W	470Lm	220-240VAC	300°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA41-60820	G95-Dimmable	E27	3000K	8W	60W	806Lm	220-240VAC	360°	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA46-00720	ST64	E27	3000K	7W	60W	806Lm	220-240VAC	360°	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB36-00410	C35-Amber	E14	2200K	4W	32W	360Lm	220-240VAC	360°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB36-60410	C35-Amber-Dimmable	E14	2200K	4W	32W	360Lm	220-240VAC	360°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB37-00410	P45-Amber	E14	2200K	4W	32W	360Lm	220-240VAC	360°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB37-00420	G45-Amber	E27	2200K	4W	32W	360Lm	220-240VAC	360°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB39-00420	T45	E27	2200K	4W	32W	360Lm	220-240VAC	360°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB46-00620	ST64-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB46-60620	ST64-Amber-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB47-00620	G95-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	20




MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB47-60620	G95-Amber-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	20



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB48-00620	G125-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB62-60620	T30-200-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	50



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-00680	T8/0.6mt	Double Side	G13	3000K	9W	900Lm	220-240VAC	270°	25
BA52-00681	T8/0.6mt	Double Side	G13	4000K	9W	900Lm	220-240VAC	270°	25
BA52-00683	T8/0.6mt	Double Side	G13	6500K	9W	900Lm	220-240VAC	270°	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-01280	T8/1.2mt	Double Side	G13	3000K	18W	1800Lm	220-240VAC	270°	25
BA52-01281	T8/1.2mt	Double Side	G13	4000K	18W	1800Lm	220-240VAC	270°	25
BA52-01283	T8/1.2mt	Double Side	G13	6500K	18W	1800Lm	220-240VAC	270°	25



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-01580	T8/1.5mt	Double Side	G13	3000K	24W	2440Lm	220-240VAC	270°	25
BA52-01581	T8/1.5mt	Double Side	G13	4000K	24W	2440Lm	220-240VAC	270°	25
BA52-01583	T8/1.5mt	Double Side	G13	6500K	24W	2440Lm	220-240VAC	270°	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-20680	T8/0.6mt	Single Side	G13	3000K	9W	900Lm	220-240VAC	270°	25
BA52-20681	T8/0.6mt	Single Side	G13	4000K	9W	900Lm	220-240VAC	270°	25
BA52-20683	T8/0.6mt	Single Side	G13	6500K	9W	900Lm	220-240VAC	270°	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-21280	T8/1.2mt	Single Side	G13	3000K	18W	1800Lm	220-240VAC	270°	25
BA52-21281	T8/1.2mt	Single Side	G13	4000K	18W	1800Lm	220-240VAC	270°	25
BA52-21283	T8/1.2mt	Single Side	G13	6500K	18W	1800Lm	220-240VAC	270°	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-21580	T8/1.5mt	Single Side	G13	3000K	24W	2440Lm	220-240VAC	270°	25
BA52-21581	T8/1.5mt	Single Side	G13	4000K	24W	2440Lm	220-240VAC	270°	25
BA52-21583	T8/1.5mt	Single Side	G13	6500K	24W	2440Lm	220-240VAC	270°	25




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

LED STRIP LIGHT



NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00300	Ecoline	5050	3000K	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00301	Ecoline	5050	4000K	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00303	Ecoline	5050	6500K	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00304	Ecoline	5050	Red	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00305	Ecoline	5050	Green	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00306	Ecoline	5050	Blue	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00307	Ecoline	5050	Amber	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00309	Ecoline	5050	RGB	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00409	Ecoline	5050	RGB	12W	60 Led	12VDC	IP54	250 Mt	10 mm

NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00310	Ecoline	5050	3000K	12W	60 Led	24VDC	IP20	250 Mt	10 mm
BS01-00311	Ecoline	5050	4000K	12W	60 Led	24VDC	IP20	250 Mt	10 mm
BS01-00313	Ecoline	5050	6500K	12W	60 Led	24VDC	IP20	250 Mt	10 mm
BS01-00319	Ecoline	5050	RGB	12W	60 Led	24VDC	IP20	250 Mt	10 mm

NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00700	Ecoline	2835	3000K	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00701	Ecoline	2835	4000K	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00703	Ecoline	2835	6500K	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00704	Ecoline	2835	RED	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00705	Ecoline	2835	GREEN	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00706	Ecoline	2835	BLUE	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00707	Ecoline	2835	AMBER	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00710	Ecoline	2835	3000K	8W	60 Led	24VDC	IP20	200 Mt	8 mm
BS01-00711	Ecoline	2835	4000K	8W	60 Led	24VDC	IP20	200 Mt	8 mm
BS01-00713	Ecoline	2835	6500K	8W	60 Led	24VDC	IP20	200 Mt	8 mm

NEW




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00800	Ecoline	2835	3000K	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00801	Ecoline	2835	4000K	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00803	Ecoline	2835	6500K	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00804	Ecoline	2835	RED	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00805	Ecoline	2835	GREEN	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00806	Ecoline	2835	BLUE	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00810	Ecoline	2835	3000K	12W	120 Led	24VDC	IP20	200 Mt	8 mm
BS01-00811	Ecoline	2835	4000K	12W	120 Led	24VDC	IP20	200 Mt	8 mm
BS01-00813	Ecoline	2835	6500K	12W	120 Led	24VDC	IP20	200 Mt	8 mm




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-01210	Plusline	2835	3000K	13W	168 Led	24VDC	IP20	200 Mt	10 mm
BS01-01211	Plusline	2835	4000K	13W	168 Led	24VDC	IP20	200 Mt	10 mm
BS01-01213	Plusline	2835	6500K	13W	168 Led	24VDC	IP20	200 Mt	10 mm




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00910	Plusline	2835	3000K	16W	180 Led	24VDC	IP20	200 Mt	10 mm
BS01-00911	Plusline	2835	4000K	16W	180 Led	24VDC	IP20	200 Mt	10 mm
BS01-00913	Plusline	2835	6500K	16W	180 Led	24VDC	IP20	200 Mt	10 mm




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-01410	Plusline	2835	3000K	20W	240 Led	24VDC	IP20	200 Mt	10 mm
BS01-01411	Plusline	2835	4000K	20W	240 Led	24VDC	IP20	200 Mt	10 mm
BS01-01413	Plusline	2835	6500K	20W	240 Led	24VDC	IP20	200 Mt	10 mm



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-10810	Ecoline	2835	3000K	12W	120 Led	24VDC	IP54	200 Mt	10 mm
BS01-10811	Ecoline	2835	4000K	12W	120 Led	24VDC	IP54	200 Mt	10 mm
BS01-10813	Ecoline	2835	6500K	12W	120 Led	24VDC	IP54	200 Mt	10 mm
BS01-10910	Plusline	2835	3000K	16W	180 Led	24VDC	IP54	200 Mt	10 mm
BS01-10911	Plusline	2835	4000K	16W	180 Led	24VDC	IP54	200 Mt	10 mm
BS01-10913	Plusline	2835	6500K	16W	180 Led	24VDC	IP54	200 Mt	10 mm



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-01418	Plusline	5050	RGBW+CW	12W	96 Led	24VDC	IP20	100 Mt	12 mm



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-03000	Strip	320D	3000K	10W	12VDC	IP20	600 Mt	8 mm
BS01-03001	Strip	320D	4000K	10W	12VDC	IP20	600 Mt	8 mm
BS01-03003	Strip	320D	6500K	10W	12VDC	IP20	600 Mt	8 mm

NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-03010	Strip	320D	3000K	10W	24VDC	IP20	600 Mt	8 mm
BS01-03011	Strip	320D	4000K	10W	24VDC	IP20	600 Mt	8 mm
BS01-03013	Strip	320D	6500K	10W	24VDC	IP20	600 Mt	8 mm

NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00710	Strip	360L	3000K	12W	220-240VAC	IP54	50 Mt	10 mm
BS02-00711	Strip	360L	4000K	12W	220-240VAC	IP54	50 Mt	10 mm
BS02-00713	Strip	360L	6500K	12W	220-240VAC	IP54	50 Mt	10 mm

NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00700	Strip	220L	3000K	8W	220-240VAC	IP54	100 Mt	9 mm
BS02-00701	Strip	220L	4000K	8W	220-240VAC	IP54	100 Mt	9 mm
BS02-00703	Strip	220L	6500K	8W	220-240VAC	IP54	100 Mt	9 mm

NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00010	Neon	2835	3000K	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00011	Neon	2835	4000K	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00013	Neon	2835	6500K	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00014	Neon	2835	RED	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00015	Neon	2835	GREEN	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00016	Neon	2835	BLUE	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00017	Neon	2835	AMBER	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00508	Ecoline	5050	RGB	10W	96 Led	220-240VAC	IP54	100 Mt	16 mm
BS01-00509	Ecoline	5050	RGB	13W	120 Led	220-240VAC	IP54	100 Mt	16 mm



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00500	Ecoline	2835	3000K	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm
BS01-00501	Ecoline	2835	4000K	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm
BS01-00503	Ecoline	2835	6500K	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm
BS01-00504	Ecoline	2835	RED	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm
BS01-00505	Ecoline	2835	GREEN	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm
BS01-00506	Ecoline	2835	BLUE	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm
BS01-00507	Ecoline	2835	AMBER	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00510	Ecoline	2835	3000K	12W	180 Led	220-240V	IP54	100 Mt	16 mm
BS01-00511	Ecoline	2835	4000K	12W	180 Led	220-240V	IP54	100 Mt	16 mm
BS01-00513	Ecoline	2835	6500K	12W	180 Led	220-240V	IP54	100 Mt	16 mm
BS01-00514	Ecoline	2835	RED	12W	180 Led	220-240V	IP54	100 Mt	16 mm
BS01-00515	Ecoline	2835	GREEN	12W	180 Led	220-240V	IP54	100 Mt	16 mm
BS01-00516	Ecoline	2835	BLUE	12W	180 Led	220-240V	IP54	100 Mt	16 mm
BS01-00517	Ecoline	2835	AMBER	12W	180 Led	220-240V	IP54	100 Mt	16 mm



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00510	Ecoline	2835	3000K	8W	120 Led	220-240V	IP54	100 Mt	9 mm
BS02-00511	Ecoline	2835	4000K	8W	120 Led	220-240V	IP54	100 Mt	9 mm
BS02-00513	Ecoline	2835	6500K	8W	120 Led	220-240V	IP54	100 Mt	9 mm
BS02-00530	Ecoline	2835	3000K	13W	240 Led	220-240V	IP54	100 Mt	13 mm
BS02-00531	Ecoline	2835	4000K	13W	240 Led	220-240V	IP54	100 Mt	13 mm
BS02-00533	Ecoline	2835	6500K	13W	240 Led	220-240V	IP54	100 Mt	13 mm



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

BS01-99908
RGB Controller
Max.800W For BS01-00509



NEW

BS01-99909
RGB Controller
Max.800W For Neon Led Strip



NEW

BS01-99906
BS01-99907
Power Cord 8A
For 120Led&180Led
PC




NEW

BS01-99930
Power Cord 8A
For 240Led
PC




NEW

BS02-90001
Power Cord 8A
For Neon Led Strip
PC




NEW

BS01-99903
End Cap+Clip Connector set
120L
PC



NEW

BS02-99931
End Cap+Clip Connector set
240L
PC



NEW

BS02-90020
End Cap+Clip Connector set
Neon Led Strip 8x16
PC



NEW

BS02-99900
Power Cord L9
220L
PC



NEW

BS02-99940
Power Cord 8A
5.5X10.5
PC




NEW

BS02-99902
BS02-99941
End Cap L9
220L
PC



NEW

BS02-99903
BS02-99944
Middle Connector L9
220L
PC



NEW

BS02-99901
BS02-99942
Clip L9
220L
PC

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-00250	25W	12VDC	2A	>0.5	220-240VAC	IP20	Aluminium	85x57x34mm	60
BY02-00600	60W	12VDC	5A	>0.5	220-240VAC	IP20	Aluminium	160x40x32mm	60
BY02-01000	100W	12VDC	8.3A	>0.5	220-240VAC	IP20	Aluminium	190x46x35mm	60
BY02-01500	150W	12VDC	12.5A	>0.5	220-240VAC	IP20	Aluminium	200x46x37mm	60
BY02-02000	200W	12VDC	16.5A	>0.5	220-240VAC	IP20	Aluminium	200x58x40mm	40
BY02-02500	250W	12VDC	21A	>0.5	220-240VAC	IP20	Aluminium	222x68x41mm	40
BY02-03500	350W	12VDC	29A	>0.5	220-240VAC	IP20	Aluminium	222x68x41mm	40
BY02-10250	25W	24VDC	1A	>0.5	220-240VAC	IP20	Aluminium	86x58x33mm	60
BY02-10600	60W	24VDC	2.5A	>0.5	220-240VAC	IP20	Aluminium	160x40x32mm	60
BY02-11000	100W	24VDC	4.2A	>0.5	220-240VAC	IP20	Aluminium	190x47x35mm	60
BY02-11500	150W	24VDC	6.2A	>0.5	220-240VAC	IP20	Aluminium	200x46x37mm	60
BY02-12500	250W	24VDC	10.5A	>0.5	220-240VAC	IP20	Aluminium	220x68x40mm	40
BY02-13500	350W	24VDC	14.5A	>0.5	220-240VAC	IP20	Aluminium	222x68x41mm	40
BY02-15000	500W	24VDC	20.8A	>0.5	220-240VAC	IP20	Aluminium	215x50x115mm	20



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-20600	60W	24VDC	2.5A	>0.5	220-240V	IP20	Aluminium	150x35x23mm	60
BY02-21000	100W	24VDC	4.2A	>0.5	220-240V	IP20	Aluminium	143x48x23mm	60
BY02-21500	150W	24VDC	6.2A	>0.5	220-240V	IP20	Aluminium	185x48x23mm	60
BY02-22000	200W	24VDC	8.2A	>0.5	220-240V	IP20	Aluminium	210x63x25mm	40
BY02-22500	250W	24VDC	10.5A	>0.5	220-240V	IP20	Aluminium	210x63x25mm	40
BY02-23500	350W	24VDC	14.5A	>0.5	220-240V	IP20	Aluminium	226x63x28mm	40
BY02-24000	400W	24VDC	14.5A	>0.5	220-240V	IP20	Aluminium	226x63x28mm	40



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY01-00600	60W	24VDC	2.5A	>0.5	170-265VAC	IP67	Aluminium	130x44x21mm	50
BY01-01000	100W	24VDC	4.1A	>0.5	170-265VAC	IP67	Aluminium	170x65x31mm	30
BY01-01500	150W	24VDC	6.25A	>0.5	170-265VAC	IP67	Aluminium	190x65x31mm	20
BY01-02000	200W	24VDC	8.3A	>0.5	170-265VAC	IP67	Aluminium	210x65x31mm	20
BY01-02500	250W	24VDC	10A	>0.5	170-265VAC	IP67	Aluminium	210x65x31mm	10
BY01-03000	300W	24VDC	12.5A	>0.5	170-265VAC	IP67	Aluminium	230x75x40mm	40
BY01-04000	400W	24VDC	16.5A	>0.5	170-265VAC	IP67	Aluminium	250x75x40mm	40



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY03-22000	200W	48VDC	4A	>0.5	220-240V	IP20	Aluminium	255x49x30mm	56
BY03-23500	350W	48VDC	7.2A	>0.5	220-240V	IP20	Aluminium	255x60x30mm	42



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW




MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-30600	60W	24VDC	2.5A	>0.5	170-265VAC	IP20	Aluminium	150X53X21mm	100
BY02-31000	100W	24VDC	4.1A	>0.5	170-265VAC	IP20	Aluminium	170x53x21mm	100
BY02-31500	150W	24VDC	6.25A	>0.5	170-265VAC	IP20	Aluminium	210X53X21mm	50
BY02-32000	200W	24VDC	8.3A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50
BY02-32500	250W	24VDC	10.5A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50
BY02-33000	300W	24VDC	12.5A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50
BY02-33500	350W	24VDC	14.5A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50
BY02-34000	400W	24VDC	16.5A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50
BY02-40600	60W	12VDC	5A	>0.5	170-265VAC	IP20	Aluminium	150X53X21mm	100
BY02-41000	100W	12VDC	8.3A	>0.5	170-265VAC	IP20	Aluminium	170x53x21mm	100
BY02-41500	150W	12VDC	12.5A	>0.5	170-265VAC	IP20	Aluminium	210X53X21mm	50
BY02-42500	250W	12VDC	21A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50
BY02-43500	350W	12VDC	29A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50




MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01120	Controller	216W	18A	12/24VDC	220-240VAC	ABS	100




MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01130	Controller	72W	6A	12/24VDC	220-240VAC	ABS	200



MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01140	Controller	480W	4A/CH	12/24VDC	220-240VAC	PC	100





MODEL NO	MAX.WATT	INPUT VOLTAGE	OUTPUT	IP	MATERIAL	PCS/CTN
BY35-30130	3W	220-240V	3.7V 2200mAh	IP20	PC	50
BY35-30230	5W	220-240V	7.4V 2200mAh	IP20	PC	50





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01010	MS01	PIR	IP20	220-240VAC	2000W (Halogen)	500W (CFL)	800W (LED)	0.45W (Static 0.1W)	5 Sec. - 5 Min (Adjustable)	360°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN			
8 Mt Max. 24°	0.6 - 1.5 m/s	5-2000 LUX	1.5-3.5 Mt	-20° - +40°	%93 RH	PC	50			



MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01030	MS03	PIR	IP44	220-240VAC	800W (Halogen)	400W (LED)	0.5W (Static 0.1W)	5 Sec. - 8 Min (Adjustable)	180°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN		
25 Mt Max. 24°	0.6 - 1.5 m/s	5-2000 LUX	1.8-2.5 Mt	-20° - +40°	%93 RH	PC	50		




MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01040	MS04	PIR	IP20	220-240VAC	800W (Halogen)	400W (LED)	0.45W (Static 0.1W)	5 Sec. - 5 Min (Adjustable)	360°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN		
6 Mt Max. 24°	0.6 - 1.5 m/s	5-2000 LUX	1.5 - 3.5 Mt	-20° - +40°	%93 RH	PC	100		




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS	PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN
BY31-03010	PS01	220-240VAC	Max. 1000W	6A	<2 - 100 Lux	Class II	IP44	-20° - +40°	< %93RH	PC	100




IP44

MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS	PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN
BY31-03020	PS01	220-240VAC	Max. 1800W	10A	<2 - 100 Lux	Class II	IP44	-20° - +40°	< %93RH	PC	100



IP44

MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS	PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN
BY31-03040	PS03	220-240VAC	Max. 3000W	25A	<2 - 100 Lux	Class II	IP44	-20° - +40°	< %93RH	PC	100



IP44



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00110	2-Wires	White	1 Mt	Copper	Aluminium	20
BY40-00120	2-Wires	White	2 Mt	Copper	Aluminium	20
BY40-00130	2-Wires	White	3 Mt	Copper	Aluminium	20



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00111	2-Wires	Black	1 Mt	Copper	Aluminium	20
BY40-00121	2-Wires	Black	2 Mt	Copper	Aluminium	20
BY40-00131	2-Wires	Black	3 Mt	Copper	Aluminium	20




MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00210	4-Wires	White	1 Mt	Copper	Aluminium	10
BY40-00220	4-Wires	White	2 Mt	Copper	Aluminium	10




MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00211	4-Wires	Black	1 Mt	Copper	Aluminium	10
BY40-00221	4-Wires	Black	2 Mt	Copper	Aluminium	10
BY40-00231	4-Wires	Black	3 Mt	Copper	Aluminium	10



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00230	2-Wires	White	Copper	PC	250
BY40-00231	2-Wires	Black	Copper	PC	250



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00240	2-Wires	White	Copper	PC	250
BY40-00241	2-Wires	Black	Copper	PC	250



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00330	4-Wires	White	Copper	PC	100
BY40-00331	4-Wires	Black	Copper	PC	100



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00340	4-Wires	White	Copper	PC	200
BY40-00341	4-Wires	Black	Copper	PC	200



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00350	4-Wires	White	Copper	PC	250
BY40-00351	4-Wires	Black	Copper	PC	250



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

ELECTRICAL



SWITCHGEARS
MCB, DPN, RCCB & INDICATORS

5 YEARS
WARRANTY



MODEL NO DEFINITION

B X G X - X X XX

- RATED CURRENT
- RELEASE TYPE
- POLES (1=1P, 2=2P, 3=3P, 4=P)
- BREAKING CAPACITY (1=4.5kA, 2=6kA, 3=10kA)
- GENERATION
- TYPE (M=MCB, R=RCCB, O=RCBO, C=MCCB)
- VENDOR CODE



IEC/EN60898-1
IEC/EN60947-2
IEC/EN61008-1

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01106	BMG2-1 C06	C	6kA	1P	6A	63A	240/415V~	50/60Hz	120
BY80-01110	BMG2-1 C10	C	6kA	1P	10A	63A	240/415V~	50/60Hz	120
BY80-01116	BMG2-1 C16	C	6kA	1P	16A	63A	240/415V~	50/60Hz	120
BY80-01120	BMG2-1 C20	C	6kA	1P	20A	63A	240/415V~	50/60Hz	120
BY80-01125	BMG2-1 C25	C	6kA	1P	25A	63A	240/415V~	50/60Hz	120
BY80-01132	BMG2-1 C32	C	6kA	1P	32A	63A	240/415V~	50/60Hz	120
BY80-01140	BMG2-1 C40	C	6kA	1P	40A	63A	240/415V~	50/60Hz	120
BY80-01150	BMG2-1 C50	C	6kA	1P	50A	63A	240/415V~	50/60Hz	120
BY80-01163	BMG2-1 C63	C	6kA	1P	63A	63A	240/415V~	50/60Hz	120






ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01206	BMG2-2 C06	C	6kA	2P	6A	63A	415V~	50/60Hz	60
BY80-01210	BMG2-2 C10	C	6kA	2P	10A	63A	415V~	50/60Hz	60
BY80-01216	BMG2-2 C16	C	6kA	2P	16A	63A	415V~	50/60Hz	60
BY80-01220	BMG2-2 C20	C	6kA	2P	20A	63A	415V~	50/60Hz	60
BY80-01225	BMG2-2 C25	C	6kA	2P	25A	63A	415V~	50/60Hz	60
BY80-01232	BMG2-2 C32	C	6kA	2P	32A	63A	415V~	50/60Hz	60
BY80-01240	BMG2-2 C40	C	6kA	2P	40A	63A	415V~	50/60Hz	60
BY80-01250	BMG2-2 C50	C	6kA	2P	50A	63A	415V~	50/60Hz	60
BY80-01263	BMG2-2 C63	C	6kA	2P	63A	63A	415V~	50/60Hz	60



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01306	BMG2-3 C06	C	6kA	3P	6A	63A	415V~	50/60Hz	40
BY80-01310	BMG2-3 C10	C	6kA	3P	10A	63A	415V~	50/60Hz	40
BY80-01316	BMG2-3 C16	C	6kA	3P	16A	63A	415V~	50/60Hz	40
BY80-01320	BMG2-3 C20	C	6kA	3P	20A	63A	415V~	50/60Hz	40
BY80-01325	BMG2-3 C25	C	6kA	3P	25A	63A	415V~	50/60Hz	40
BY80-01332	BMG2-3 C32	C	6kA	3P	32A	63A	415V~	50/60Hz	40
BY80-01340	BMG2-3 C40	C	6kA	3P	40A	63A	415V~	50/60Hz	40
BY80-01350	BMG2-3 C50	C	6kA	3P	50A	63A	415V~	50/60Hz	40
BY80-01363	BMG2-3 C63	C	6kA	3P	63A	63A	415V~	50/60Hz	40



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01406	BMG2-4 C06	C	6kA	4P	6A	63A	415V~	50/60Hz	30
BY80-01410	BMG2-4 C10	C	6kA	4P	10A	63A	415V~	50/60Hz	30
BY80-01416	BMG2-4 C16	C	6kA	4P	16A	63A	415V~	50/60Hz	30
BY80-01420	BMG2-4 C20	C	6kA	4P	20A	63A	415V~	50/60Hz	30
BY80-01425	BMG2-4 C25	C	6kA	4P	25A	63A	415V~	50/60Hz	30
BY80-01432	BMG2-4 C32	C	6kA	4P	32A	63A	415V~	50/60Hz	30
BY80-01440	BMG2-4 C40	C	6kA	4P	40A	63A	415V~	50/60Hz	30
BY80-01450	BMG2-4 C50	C	6kA	4P	50A	63A	415V~	50/60Hz	30
BY80-01463	BMG2-4 C63	C	6kA	4P	63A	63A	415V~	50/60Hz	30



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-00106	BMG1-1 C06	C	4.5kA	1P	6A	63A	240/415V~	50/60Hz	120
BY80-00110	BMG1-1 C10	C	4.5kA	1P	10A	63A	240/415V~	50/60Hz	120
BY80-00116	BMG1-1 C16	C	4.5kA	1P	16A	63A	240/415V~	50/60Hz	120
BY80-00120	BMG1-1 C20	C	4.5kA	1P	20A	63A	240/415V~	50/60Hz	120
BY80-00125	BMG1-1 C25	C	4.5kA	1P	25A	63A	240/415V~	50/60Hz	120
BY80-00132	BMG1-1 C32	C	4.5kA	1P	32A	63A	240/415V~	50/60Hz	120
BY80-00140	BMG1-1 C40	C	4.5kA	1P	40A	63A	240/415V~	50/60Hz	120
BY80-00150	BMG1-1 C50	C	4.5kA	1P	50A	63A	240/415V~	50/60Hz	120
BY80-00163	BMG1-1 C63	C	4.5kA	1P	63A	63A	240/415V~	50/60Hz	120






ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-00206	BMG1-2 C06	C	4.5kA	2P	6A	63A	415V~	50/60Hz	60
BY80-00210	BMG1-2 C10	C	4.5kA	2P	10A	63A	415V~	50/60Hz	60
BY80-00216	BMG1-2 C16	C	4.5kA	2P	16A	63A	415V~	50/60Hz	60
BY80-00220	BMG1-2 C20	C	4.5kA	2P	20A	63A	415V~	50/60Hz	60
BY80-00225	BMG1-2 C25	C	4.5kA	2P	25A	63A	415V~	50/60Hz	60
BY80-00232	BMG1-2 C32	C	4.5kA	2P	32A	63A	415V~	50/60Hz	60
BY80-00240	BMG1-2 C40	C	4.5kA	2P	40A	63A	415V~	50/60Hz	60
BY80-00250	BMG1-2 C50	C	4.5kA	2P	50A	63A	415V~	50/60Hz	60
BY80-00263	BMG1-2 C63	C	4.5kA	2P	63A	63A	415V~	50/60Hz	60



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-00306	BMG1-3 C06	C	4.5kA	3P	6A	63A	415V~	50/60Hz	40
BY80-00310	BMG1-3 C10	C	4.5kA	3P	10A	63A	415V~	50/60Hz	40
BY80-00316	BMG1-3 C16	C	4.5kA	3P	16A	63A	415V~	50/60Hz	40
BY80-00320	BMG1-3 C20	C	4.5kA	3P	20A	63A	415V~	50/60Hz	40
BY80-00325	BMG1-3 C25	C	4.5kA	3P	25A	63A	415V~	50/60Hz	40
BY80-00332	BMG1-3 C32	C	4.5kA	3P	32A	63A	415V~	50/60Hz	40
BY80-00340	BMG1-3 C40	C	4.5kA	3P	40A	63A	415V~	50/60Hz	40
BY80-00350	BMG1-3 C50	C	4.5kA	3P	50A	63A	415V~	50/60Hz	40
BY80-00363	BMG1-3 C63	C	4.5kA	3P	63A	63A	415V~	50/60Hz	40



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-00406	BMG1-4 C06	C	4.5kA	4P	6A	63A	415V~	50/60Hz	30
BY80-00410	BMG1-4 C10	C	4.5kA	4P	10A	63A	415V~	50/60Hz	30
BY80-00416	BMG1-4 C16	C	4.5kA	4P	16A	63A	415V~	50/60Hz	30
BY80-00420	BMG1-4 C20	C	4.5kA	4P	20A	63A	415V~	50/60Hz	30
BY80-00425	BMG1-4 C25	C	4.5kA	4P	25A	63A	415V~	50/60Hz	30
BY80-00432	BMG1-4 C32	C	4.5kA	4P	32A	63A	415V~	50/60Hz	30
BY80-00440	BMG1-4 C40	C	4.5kA	4P	40A	63A	415V~	50/60Hz	30
BY80-00450	BMG1-4 C50	C	4.5kA	4P	50A	63A	415V~	50/60Hz	30
BY80-00463	BMG1-4 C63	C	4.5kA	4P	63A	63A	415V~	50/60Hz	30



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01391	BMG2-3 C100	C	6kA	3P	100A	100A	415V~	50/60Hz	20



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01480	BMG2-4 C80	C	6kA	4P	80A	100A	415V~	50/60Hz	20
BY80-01491	BMG2-4 C100	C	6kA	4P	100A	100A	415V~	50/60Hz	20
BY80-01492	BMG2-4 C125	C	6kA	4P	125A	125A	415V~	50/60Hz	20




ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01506	BMG2-1 B06	B	6kA	1P	6A	63A	240/415V~	50/60Hz	120
BY80-01510	BMG2-1 B10	B	6kA	1P	10A	63A	240/415V~	50/60Hz	120
BY80-01516	BMG2-1 B16	B	6kA	1P	16A	63A	240/415V~	50/60Hz	120
BY80-01520	BMG2-1 B20	B	6kA	1P	20A	63A	240/415V~	50/60Hz	120
BY80-01525	BMG2-1 B25	B	6kA	1P	25A	63A	240/415V~	50/60Hz	120
BY80-01532	BMG2-1 B32	B	6kA	1P	32A	63A	240/415V~	50/60Hz	120
BY80-01540	BMG2-1 B40	B	6kA	1P	40A	63A	240/415V~	50/60Hz	120
BY80-01550	BMG2-1 B50	B	6kA	1P	50A	63A	240/415V~	50/60Hz	120
BY80-01563	BMG2-1 B63	B	6kA	1P	63A	63A	240/415V~	50/60Hz	120




ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-02006	BMG1-D C06	C	4.5kA	1P+N	6A	63A	240V~	50/60Hz	120
BY80-02010	BMG1-D C10	C	4.5kA	1P+N	10A	63A	240V~	50/60Hz	120
BY80-02016	BMG1-D C16	C	4.5kA	1P+N	16A	63A	240V~	50/60Hz	120
BY80-02020	BMG1-D C20	C	4.5kA	1P+N	20A	63A	240V~	50/60Hz	120
BY80-02025	BMG1-D C25	C	4.5kA	1P+N	25A	63A	240V~	50/60Hz	120
BY80-02032	BMG1-D C32	C	4.5kA	1P+N	32A	63A	240V~	50/60Hz	120
BY80-02106	BMG1-D B06	B	4.5kA	1P+N	6A	63A	240V~	50/60Hz	120
BY80-02110	BMG1-D B10	B	4.5kA	1P+N	10A	63A	240V~	50/60Hz	120
BY80-02116	BMG1-D B16	B	4.5kA	1P+N	16A	63A	240V~	50/60Hz	120
BY80-02125	BMG1-D B25	B	4.5kA	1P+N	25A	63A	240V~	50/60Hz	120
BY80-02132	BMG1-D B32	B	4.5kA	1P+N	32A	63A	240V~	50/60Hz	120




MCB-3P




MCB-4P



MCB-1P



DPN



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



TYPE AC

ITEM NO	MODEL NO	OPERATING CURRENT	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-03206	BRG3-2 01 06	10mA	10kA	2P	6A	63A	240V~	50/60Hz	60
BY80-03210	BRG3-2 01 10	10mA	10kA	2P	10A	63A	240V~	50/60Hz	60
BY80-03216	BRG3-2 01 16	10mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-04216	BRG3-2 03 16	30mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-04225	BRG3-2 03 25	30mA	10kA	2P	25A	63A	240V~	50/60Hz	60
BY80-04240	BRG3-2 03 40	30mA	10kA	2P	40A	63A	240V~	50/60Hz	60
BY80-04263	BRG3-2 03 63	30mA	10kA	2P	63A	63A	240V~	50/60Hz	60
BY80-05216	BRG3-2 10 16	100mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-05225	BRG3-2 10 25	100mA	10kA	2P	25A	63A	240V~	50/60Hz	60
BY80-05240	BRG3-2 10 40	100mA	10kA	2P	40A	63A	240V~	50/60Hz	60
BY80-05263	BRG3-2 10 63	100mA	10kA	2P	63A	63A	240V~	50/60Hz	60
BY80-06216	BRG3-2 30 16	300mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-06225	BRG3-2 30 25	300mA	10kA	2P	25A	63A	240V~	50/60Hz	60
BY80-06240	BRG3-2 30 40	300mA	10kA	2P	40A	63A	240V~	50/60Hz	60
BY80-06263	BRG3-2 30 63	300mA	10kA	2P	63A	63A	240V~	50/60Hz	60
BY80-07216	BRG3-2 50 16	500mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-07225	BRG3-2 50 25	500mA	10kA	2P	25A	63A	240V~	50/60Hz	60
BY80-07240	BRG3-2 50 40	500mA	10kA	2P	40A	63A	240V~	50/60Hz	60
BY80-07263	BRG3-2 50 63	500mA	10kA	2P	63A	63A	240V~	50/60Hz	60




TYPE AC

ITEM NO	MODEL NO	OPERATING CURRENT	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-04416	BRG3-4 03 16	30mA	10kA	4P	16A	63A	415V~	50/60Hz	30
BY80-04425	BRG3-4 03 25	30mA	10kA	4P	25A	63A	415V~	50/60Hz	30
BY80-04440	BRG3-4 03 40	30mA	10kA	4P	40A	63A	415V~	50/60Hz	30
BY80-04463	BRG3-4 03 63	30mA	10kA	4P	63A	63A	415V~	50/60Hz	30
BY80-05416	BRG3-4 10 16	100mA	10kA	4P	16A	63A	415V~	50/60Hz	30
BY80-05425	BRG3-4 10 25	100mA	10kA	4P	25A	63A	415V~	50/60Hz	30
BY80-05440	BRG3-4 10 40	100mA	10kA	4P	40A	63A	415V~	50/60Hz	30
BY80-05463	BRG3-4 10 63	100mA	10kA	4P	63A	63A	415V~	50/60Hz	30
BY80-06416	BRG3-4 30 16	300mA	10kA	4P	16A	63A	415V~	50/60Hz	30
BY80-06425	BRG3-4 30 25	300mA	10kA	4P	25A	63A	415V~	50/60Hz	30
BY80-06440	BRG3-4 30 40	300mA	10kA	4P	40A	63A	415V~	50/60Hz	30
BY80-06463	BRG3-4 30 63	300mA	10kA	4P	63A	63A	415V~	50/60Hz	30
BY80-07416	BRG3-4 50 16	500mA	10kA	4P	16A	63A	415V~	50/60Hz	30
BY80-07425	BRG3-4 50 25	500mA	10kA	4P	25A	63A	415V~	50/60Hz	30
BY80-07440	BRG3-4 50 40	500mA	10kA	4P	40A	63A	415V~	50/60Hz	30
BY80-07463	BRG3-4 50 63	500mA	10kA	4P	63A	63A	415V~	50/60Hz	30



TYPE AC

ITEM NO	MODEL NO	OPERATING CURRENT	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-04480	BRG3-4 03 80	30mA	10kA	4P	80A	80A	415V~	50/60Hz	30
BY80-04491	BRG3-4 03 100	30mA	10kA	4P	100A	100A	415V~	50/60Hz	30
BY80-06480	BRG3-4 30 80	300mA	10kA	4P	80A	80A	415V~	50/60Hz	30
BY80-06491	BRG3-4 30 100	300mA	10kA	4P	100A	100A	415V~	50/60Hz	30



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



ITEM NO	MODEL NO	COLOR	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY81-00010	BRG1- 1 1 4	RED	230V~	50/60Hz	120
BY81-00011	BRG1- 1 1 5	GREEN	230V~	50/60Hz	120
BY81-00012	BRG1- 1 1 6	YELLOW	230V~	50/60Hz	120




ITEM NO	MODEL NO	COLOR	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY81-00013	BRG1- 1 2 8	RED+GREEN	230V~	50/60Hz	120
BY81-00014	BRG1- 1 3 9	RED+YELLOW+GREEN	230V~	50/60Hz	120




ITEM NO	TYPE	OPERATING ACCURACY	TYPE OF DIAL	FUNCTION	POWER RESERVE (QRD, QRS)	TIME OF FUNCTION	SWITCHING CAPACITY	POWER CONSUMPTION	PCS/CTN
BY81-00110	Din-Rail-Timer	± 1 min/day at 22 °C	96 Pins	48 on/off	100 Hours	15 Min - 24hrs	16(4)A/250V~	0.5W	100

INDICATORS



INDUSTRIAL TIMER



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



BY72-00030

XLINe 3xSocket
Max. 3680W 16A
Without cable White
IP20 Safety Shutter

BY72-00033

XLINe 3xSocket
Max. 3680W 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 Safety Shutter

BY72-00031

XLINe 3xSocket
Max. 3680W 16A
H05VV-F3G1.5mm2 / 1.5m Cable
White IP20 Safety Shutter

BY72-00035

XLINe 3xSocket
Max. 3680W 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 Safety Shutter

NEW



BY72-00040

XLINe 4xSocket
Max. 3680W 16A
Without cable White
IP20 Safety Shutter

BY72-00043

XLINe 4xSocket
Max. 3680W 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 Safety Shutter

BY72-00041

XLINe 4xSocket
Max. 3680W 16A
H05VV-F3G1.5mm2 / 1.5m Cable
White IP20 Safety Shutter

BY72-00045

XLINe 4xSocket
Max. 3680W 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 Safety Shutter

NEW



BY72-00060

XLINe 6xSocket
Max. 3680W 16A
Without cable White
IP20 Safety Shutter

BY72-00063

XLINe 6xSocket
Max. 3680W 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 Safety Shutter

BY72-00061

XLINe 6xSocket
Max. 3680W 16A
H05VV-F3G1.5mm2 / 1.5m Cable
White IP20 Safety Shutter

BY72-00065

XLINe 6xSocket
Max. 3680W 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 Safety Shutter



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



BY72-00230

XLINE 3xSocket
Max. 3680W 16A
Without cable White
IP20 ON/OFF
Safety Shutter



BY72-00231

XLINE 3xSocket
Max. 3680W 16A
H05VV-F3G1.5mm / 1.5m Cable
White IP20 ON/OFF
Safety Shutter



BY72-00233

XLINE 3xSocket
Max. 3680W 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00235

XLINE 3xSocket
Max. 3680W 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 ON/OFF
Safety Shutter

NEW



BY72-00240

XLINE 4xSocket
Max. 3680W 16A
Without cable White
IP20 ON/OFF
Safety Shutter



BY72-00241

XLINE 4xSocket
Max. 3680W 16A
H05VV-F3G1.5mm2 / 1.5m Cable
White IP20 ON/OFF
Safety Shutter



BY72-00243

XLINE 4xSocket
Max. 3680W 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00245

XLINE 4xSocket
Max. 3680W 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 ON/OFF
Safety Shutter

NEW



BY72-00260

XLINE 6xSocket
Max. 3680W 16A
Without cable White
IP20 ON/OFF
Safety Shutter



BY72-00261

XLINE 6xSocket
Max. 3680W 16A
H05VV-F3G1.5mm2 / 1.5m Cable
White IP20 ON/OFF
Safety Shutter



BY72-00263

XLINE 6xSocket
Max. 3680W 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00265

XLINE 6xSocket
Max. 3680W 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 ON/OFF
Safety Shutter



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



BY72-02030
XLINE 3xSocket
16A White
IP20

NEW



BY72-02031
XLINE 3xSocket
16A White
IP20



NEW



BY74-00001
FM01
16A White
IP20

NEW



BY74-00002
ML01
16A White
IP20

NEW



BY74-00003
ML02
16A White
IP20

NEW



BY74-00004
SW01
16A White
IP20

NEW



BY74-00005
ML04
16A White
IP20

NEW



BY74-00006
ML03
16A White
IP20




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




CAT5e U/UTP 4x2x24AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00350	CAT5e	4*2*(0.51CCA) 24AWG	UTP	HDPE	LSZH/PVC	GREY	Ø5.0mm	305M/ROLL




CAT5e U/UTP 4x2x24AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00360	CAT5e	4*2*(0.48Cu) 24AWG	UTP	HDPE	LSZH/PVC	GREY	Ø5.0mm	305M/ROLL




CAT5e U/FTP 4x2x24AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00370	CAT5e	4*2*(0.50Cu) 24AWG	FTP	HDPE	LSZH/PVC	GREY	Ø5.0mm	305M/ROLL




CAT6 U/UTP 4x2x23AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00390	CAT6	4*2*(0.53CCA) 23AWG	UTP	HDPE	LSZH/PVC	GREY	Ø6.0mm	305M/ROLL



CAT6 U/UTP 4x2x23AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00420	CAT6	4*2*(0.53Cu) 23AWG	UTP	HDPE	LSZH/PVC	GREY	Ø6.0mm	305M/ROLL




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




CAT6 U/FTP 4x2x23AWG

MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00430	CAT6	4*2*(0.53Cu) 23AWG	FTP	HDPE	LSZH/PVC	GREY	Ø7.0mm	305M/ROLL




CAT6 U/SFTP 4x2x23AWG

MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00440	CAT6	4*2*(0.53Cu) 23AWG	SFTP	HDPE	LSZH/PVC	BLUE	Ø7.0mm	305M/ROLL




RG 59 COAXIAL

MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00100	RG59	0.81CCS 20AWG	AL+PET FOIL+64x0.12ALMG	3.66FPE	PVC	WHITE	Ø5.9mm	100M x 6ROLL




RG 59 COAXIAL

MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00130	RG59	0.81Cu 20AWG	CuAL+PET FOIL+96x0.12CCA	3.66FPE	PVC	WHITE	Ø5.9mm	100M x 6ROLL




RG 6U COAXIAL

MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00190	RG6U	1.02CCS 18AWG	AL+PET FOIL+64x0.12ALMG	4.57FPE	PVC	WHITE	Ø6.8mm	100M x 6ROLL



RG 6U COAXIAL

MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00200	RG6U	1.02CCS 18AWG	AL+PET FOIL+112x0.12ALMG	4.57FPE	PVC	WHITE	Ø7.05mm	100M x 6ROLL




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




RG 6U COAXIAL

MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00230	RG6U	1.02Cu 18AWG	CuAL+PET FOIL+96x0.12CCA	4.57FPE	PVC	WHITE	Ø6.8mm	100M x 6ROLL




RG 6U COAXIAL

MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00231	RG6U	1.02Cu 18AWG	CuAL+PET FOIL+96x0.12CCA	4.57FPE	PVC	WHITE	Ø6.8mm	500M x 1ROLL




RG 6U COAXIAL

MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00260	RG6U	1.02Cu 18AWG	Cu+PET FOIL+80X0.12Cu	4.57FPE	PVC	BLACK+GREEN	Ø6.8mm	100M x 6ROLL



RG 6U COAXIAL

MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00261	RG6U	1.02Cu 18AWG	Cu+PET FOIL+80x0.12Cu	4.57FPE	PVC	BLACK+GREEN	Ø6.8mm	500M x 1ROLL




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




NEW

BZ01-00010
12W 4inch 34(dB)
100(m³/h)
White 220-240V
IPX2 ABS




NEW

BZ01-00020
16W 5inch 35(dB)
160(m³/h)
White 220-240V
IPX2 ABS



NEW

BZ01-00030
18W 6inch 37(dB)
260(m³/h)
White 220-240V
IPX2 ABS



BZ01-99990
Valve for 4inch



BZ01-99991
Valve for 5inch



BZ01-99992
Valve for 6inch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BY90-00302
SC302 2IN Grey
Current 32A
Cable Size 0.2-4mm²
IP20 PC



BY90-00303
SC303 3IN Grey
Current 32A
Cable Size 0.2-4mm²
IP20 PC




BY90-00305
SC305 5IN Grey
Current 32A
Cable Size 0.2-4mm²
IP20 PC



GU10-15
15cm GU10
Lampholder



MODEL NO	BT42-09000
HOUSING	PA
Metal PART	Brass
WATERPROOF O-RING	Silicone
RATED VOLTAGE	250V
RATED CURRENT	16A
CABLE RANGE	0.5-1.5mm2
CABLE OD	≤7mm
Operating Temp. range	-40°~+85°
WATERPROOF RATE	IP67
FIRE CLASSIFICATION	94V0
PCS/CARTON	500



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Braytron

LIGHTING &
ELECTRICAL
PRODUCT CATALOGUE



BRAYTRON EUROPE

BRAYTRON S.R.L

Bd. Iuliu Maniu, Nr. 616, Sector 6
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

2025



www.braytron.com

