

NOVOLUX LIGHTING

C/ Ramon Berenguer, 8 (Pol. Ind. Can Vinyals)

08130 Santa Perpetua de Mogoda, Barcelona, Spain.

ESPAÑA - PORTUGAL: Tel. +34 93 274 52 52 - info@novoluxlighting.com

EXPORT: Tel +34 93 516 20 05 - export@novoluxlighting.com

FRANCE: Tel. +34 93 516 20 05 - france@novoluxlighting.com

ITALIA: Tel. +34 93 516 20 05 - italia@novoluxlighting.com

www.novoluxlighting.com



SOMOS NOVOLUX LIGHTING WE ARE NOVOLUX LIGHTING



En Novolux Lighting fabricamos y comercializamos una amplia gama de luminarias de calidad desde 1981, ofreciendo actualmente soluciones globales de iluminación para aplicaciones lumínicas de interior y de exterior.

Con sede central en Barcelona, contamos también con una fábrica en Valencia dedicada a la producción de luminarias decorativas y productos custom. Nuestra red de partners y distribuidores locales abarca Europa, Oriente Medio, Latinoamérica, África y Asia, lo que nos permite tener presencia en más de 40 países. Además, desde 2023, disponemos de una filial en USA y oficinas comerciales en Dubái y Madrid, consolidando nuestra expansión internacional.

Novolux Lighting has been manufacturing and commercialising a wide range of high-quality luminaires since 1981 and, nowadays, it offers global lighting solutions for indoor and outdoor lighting applications.

Headquartered in Barcelona, we also have a factory in Valencia dedicated to the production of decorative luminaires and custom products. Our network of partners and local distributors spans across Europe, the Middle East, Latin America, Africa, and Asia, allowing us to maintain a presence in over 40 countries. Additionally, since 2023, we have a subsidiary in the USA and commercial offices in Dubai and Madrid, further strengthening our international expansion.

LOS VALORES
QUE NOS DEFINEN
THE VALUES
THAT DEFINE US



Innovación y creatividad

Desarrollamos productos de iluminación que combinan funcionalidad, estética y tecnología avanzada en electrónica y control de la luz. Esta integración nos permite ofrecer soluciones únicas que satisfacen las necesidades de nuestros clientes y optimizan el control de la iluminación, mejorando significativamente sus experiencias.

Calidad y excelencia

Mantenemos los más altos estándares de calidad en todos nuestros procesos y productos. Nos esforzamos por alcanzar la excelencia en cada detalle, asegurando que cada luminaria que fabricamos cumpla con las expectativas más exigentes de nuestros clientes.

Sostenibilidad

Estamos comprometidos con la protección del medio ambiente. Trabajamos para reducir nuestra huella de carbono en todas nuestras operaciones, implementando prácticas sostenibles y promoviendo la producción local y responsable.

Pasión por la luz

Nuestra pasión por la luz nos motiva a transformar los espacios y mejorar el bienestar de las personas. Entendemos la iluminación como un elemento vital que realza tanto las características físicas de los entornos como la calidad de vida de quienes los utilizan.

Compromiso y profesionalismo

Nos comprometemos a ofrecer un servicio excepcional y asesoría personalizada por cliente. Nuestro enfoque profesional y dedicado asegura que proporcionamos soluciones luminicas que cumplen con las especificaciones exactas de cada proyecto, garantizando la satisfacción y confianza de nuestros clientes.

Innovation and creativity

We are committed to continuous innovation, developing lighting products that combine functionality, aesthetics, and advanced light control and electronics technology. This integration allows us to offer unique solutions that meet our customers' needs and optimise lighting control, significantly enhancing their experience.

Quality and excellence

We maintain the highest quality standards in all our processes and products. We strive for excellence in every detail, ensuring that each lighting fixture we manufacture meets the most demanding expectations of our customers.

Sustainability

We are committed to protecting the environment. We work to reduce our carbon footprint in all our operations by implementing sustainable practices and promoting local and responsible production.

Passion for light

Our passion for light drives us to transform spaces and improve people's well-being. We understand lighting as a vital element that enhances both the physical characteristics of environments and the quality of life of those who use them.

Commitment and professionalism

We are committed to providing exceptional service and personalized advice to each customer. Our professional and dedicated approach ensures that we deliver lighting solutions that meet specifications and exceed expectations.

NUESTRAS GAMAS

OUR PRODUCT RANGES

indeluz

Luminarias técnicas de uso interior pensadas específicamente para espacios comerciales, hoteleros y oficinas.

Technical indoor luminaires specifically designed for shops, malls, hotels and offices.

exo

Luminarias versátiles y decorativas de uso interior con enfoque a hospitality y contract.

Versatile and decorative indoor luminaires focused on hospitality and contract.

Dopo

Luminarias de carácter funcional para todo tipo de aplicaciones de exterior.

Functional luminaires for all types of outdoor applications.

Cristher

Luminarias de alta gama para exteriores residenciales y arquitecturales.

High range luminaires for residential and architectural outdoor settings.

CANALED

Soluciones lineales de uso interior para grandes superficies comerciales, aparcamientos, fábricas, almacenes y centros logísticos, infraestructuras ferroviarias y oficinas.

Linear modular lighting solutions of a technical-industrial purpose for indoor use in shopping malls, parking areas, factories, warehouses and logistics hubs, railway infrastructures and offices.

NOVOLUX

CUSTOM LIGHTING

Luminarias decorativas personalizadas para proyectos. Nos adaptamos a cualquier necesidad de fabricación trabajando aluminio, madera, cristal, metacrilato, etc.

Custom-made decorative luminaires for projects. We adapt to any manufacturing need, working with aluminium, wood, glass, methacrylate, etc.

CANALED

La gama Canaled, integrada dentro de Novolux Lighting desde enero de 2023, está especializada en iluminación lineal para grandes superficies comerciales, aparcamientos, fábricas, almacenes y centros logísticos, infraestructuras ferroviarias y oficinas desde sus inicios en 2011. Durante los primeros diez años de existencia de la marca, se instalaron más de 150.000 metros de iluminación lineal Canaled en varios países del mundo y para compañías como Amazon, Carrefour, Lidl, Decathlon, Renfe, Adif, HP, Seat, FNAC, SABA, etc.

Canaled basa su estrategia en la elevada calidad y fiabilidad del producto, la utilización de tecnología de última generación y la innovación continua. También son elementos claves la fabricación km0 y la colaboración con proveedores de proximidad. Con el objetivo de reducir la huella ecológica a la vez que los costes económicos, proponemos una gama de productos de iluminación de bajo consumo y de bajo coste gracias a su fácil fabricación, instalación y mantenimiento.

The Canaled range, integrated into Novolux Lighting since January 2023, has specialised in linear lighting for large shopping centres, car parks, factories, warehouses and logistics centres, railway infrastructures and offices since its inception in 2011. During the first ten years of the brand's existence, more than 150,000 metres of Canaled linear lighting were installed across various countries worldwide, serving companies such as Amazon, Carrefour, Lidl, Decathlon, Renfe, Adif, HP, Seat, FNAC, SABA, among others.

Canaled's strategy is built on high product quality and reliability, the implementation of cutting-edge technology and continuous innovation. Key elements also include local production (km0) and collaboration with proximity suppliers. With the goal of reducing both ecological footprint and economic costs, we offer a range of low-consumption and cost-effective lighting products, designed for efficient manufacturing, easy installation, and minimal maintenance.



Catálogo
Catalogue



NUESTROS EJES ESTRATÉGICOS

OUR STRATEGIC AXES

1

Innovación y tecnología de vanguardia.
Innovation and cutting-edge technology.

2

Personalización, adaptabilidad
y producción local.
Customization, adaptability,
and local production.

3

Excelencia en el servicio.
Excellence in service.

1. Innovación y tecnología de vanguardia

En Novolux Lighting, nos dedicamos a la fabricación y comercialización de luminarias con un enfoque en la innovación y la tecnología de vanguardia. Especialmente en nuestras luminarias técnicas de interior, ofrecemos una amplia gama de opciones de regulación, conectividad, temperaturas de color y potencias. Además, nuestras luminarias técnicas de exterior están diseñadas para ser responsables con el medio ambiente, incorporando tecnologías que minimizan la emisión de luz al hemisferio superior y utilizan temperaturas de color adecuadas para proteger la flora y fauna locales.

Nuestro equipo de I+D y diseño industrial también colabora con diseñadores externos de prestigio para estar siempre a la vanguardia de la innovación tecnológica. Esto nos permite mejorar la salud y el bienestar de los usuarios mediante soluciones lumínicas avanzadas y personalizadas, adaptadas a las necesidades específicas de cada proyecto y espacio.

1. Innovation and cutting-edge technology

At Novolux Lighting, we specialize in the manufacturing and marketing of luminaires with a focus on innovation and cutting-edge technology. Particularly in our indoor technical luminaires, we offer a wide range of options for dimming, connectivity, color temperatures, and power levels. Additionally, our outdoor technical luminaires are designed to be environmentally responsible, incorporating technologies that minimize light emission into the upper hemisphere and utilize appropriate color temperatures to protect local flora and fauna.

Our R&D and industrial design team also collaborates with prestigious external designers to stay at the forefront of technological innovation. This enables us to enhance the health and well-being of users through advanced and customized lighting solutions tailored to the specific needs of each project & space.

2. Personalización, adaptabilidad y producción local

Ofrecemos una amplia gama de opciones de personalización para satisfacer las necesidades específicas de cada cliente y proyecto. Gracias a nuestros talleres de fabricación y montaje propios, podemos crear luminarias decorativas y pantallas en medidas y acabados especiales, asegurando que cada producto sea único y adecuado para su propósito.

Comprometidos con la producción local, apoyamos la industria cercana a nuestros centros productivos, lo que nos permite reducir significativamente nuestra huella de carbono. Esta práctica no solo beneficia al medio ambiente, sino que también fortalece la economía local y garantiza tiempos de entrega más rápidos.

Proveemos soluciones lumínicas únicas, adaptadas a las necesidades específicas de cada proyecto, mejorando tanto la funcionalidad como la estética de los espacios. Nuestra especialización en el sector hospitality, entre otros, junto con la división custom y los estudios lumínicos personalizados que ofrecemos, nos permite crear ambientes que optimizan el confort visual y el bienestar de las personas, especialmente en entornos como hoteles y restaurantes. Con un enfoque en la personalización técnica, desarrollamos proyectos a medida que no solo transforman las ideas de nuestros clientes en realidad, sino que también cumplen con los más altos estándares del sector.

2. Customization, adaptability and local production

We offer a wide range of customization options to meet the specific needs of each client and project. Thanks to our own manufacturing and assembly workshops, we can create decorative luminaires and Shades in special sizes and finishes, ensuring that each product is unique and suitable for its purpose.

Committed to local production, we support industries near our manufacturing centers, allowing us to significantly reduce our carbon footprint. This practice not only benefits the environment but also strengthens the local economy and ensures faster delivery times.

We provide unique lighting solutions tailored to the specific needs of each project, enhancing both the functionality and aesthetics of spaces. Our expertise in the hospitality sector, among others, combined with our custom division and personalised lighting studies, allows us to create environments that optimise visual comfort and people's well-being, especially in settings such as hotels and restaurants. With a focus on technical customisation, we develop bespoke projects that not only bring our clients' ideas to life but also meet the highest standards in the industry.

3. Excelencia en el servicio

En Novolux Lighting, nos apasiona la iluminación y entendemos su impacto como un elemento esencial que no solo mejora las características físicas de los espacios, sino también las actividades que allí se desarrollan y el bienestar de las personas que los habitan o utilizan. Es por ello, que también estamos asociados a diversas entidades del sector para promover la cultura de la luz, subrayando nuestro compromiso con la educación y la excelencia en iluminación.

También tenemos un equipo interno dedicado a ofrecer soluciones lumínicas para cada proyecto. A través de nuestro servicio de asesoría personalizada, analizamos las necesidades específicas de cada cliente para proporcionar respuestas que cumplan con las exigencias de cada obra. Para asistencia personalizada y profesional, puedes contactar con nuestro departamento de proyectos en proyectos@novoluxlighting.com

Por otro lado, proporcionamos un servicio rápido y eficiente, respaldado por un centro logístico de 12.000 m² con capacidad para 10.000 palets, lo que nos permite gestionar grandes volúmenes de pedidos y enviar más de 200 pedidos al día. En nuestros headquarters, también contamos con oficinas centrales, un showroom, una zona de ensamblaje y mecanizados, así como ingeniería especializada en diseño industrial e I+D.

Aseguramos altos estándares de calidad en todos nuestros productos, garantizando la satisfacción del cliente a través de un servicio excepcional y un compromiso inquebrantable con la calidad. Operamos bajo un sistema de gestión de calidad conforme a la norma ISO 9001:2015, certificada por IQNet y AENOR, lo que refuerza nuestro compromiso con la excelencia y la mejora continua en todos nuestros procesos.

3. Excellence in service

At Novolux Lighting, we are passionate about illumination and understand its impact as an essential element that not only enhances the physical characteristics of spaces but also the activities that take place there and the well-being of the people who inhabit or use them. That's why we are associated with various entities in the sector to promote the culture of light, emphasizing our commitment to education and excellence in lighting.

We also have an in-house team dedicated to providing lighting solutions for every project. Through our personalized advisory service, we analyze the specific needs of each client to provide responses that meet the requirements of each work. For personalized and professional assistance, you can contact our project department at proyectos@novoluxlighting.com.

Furthermore, we provide fast and efficient service, backed by a 12,000 m² logistics center with capacity for 10,000 pallets, allowing us to manage large order volumes and ship over 200 orders per day. At our headquarters, we also have central offices, a showroom, an assembly and machining area, as well as specialized engineering in industrial design and R&D.

We ensure high-quality standards in all our products, guaranteeing customer satisfaction through exceptional service and an unwavering commitment to quality. We operate under a quality management system in accordance with ISO 9001:2015, certified by IQNet and AENOR, reinforcing our commitment to excellence and continuous improvement in all our processes.

Colaboraciones — Collaborations



Calidad — Quality





ECOMMERCE B2B



novoluxlighting.com

Con la vocación de ofrecer el mejor servicio a nuestros clientes, Novolux Lighting dispone de un ecommerce B2B que permite a sus usuarios:

Seguimiento de pedidos

Realiza el seguimiento detallado de tus pedidos en tiempo real.

Consulta de stocks

Accede a la disponibilidad actualizada de nuestros productos.

Ofertas y descuentos

Aprovecha grandes descuentos exclusivos para nuestros clientes.

Información de producto

Encuentra toda la información necesaria sobre nuestros productos, desde especificaciones técnicas hasta características detalladas.

Atención en vivo

Disfruta de atención personalizada a través de nuestro servicio de live chat.

Oficina virtual

Gestiona todas tus necesidades comerciales desde nuestra oficina virtual, diseñada para facilitar tu experiencia y optimizar tu tiempo.

Nuestro ecommerce B2B está diseñado para proporcionar una experiencia fluida y eficiente, asegurando que nuestros clientes reciban el mejor servicio posible en cada interacción con Novolux.

Si aún no te has registrado, te invitamos a unirte hoy mismo y descubrir todas las ventajas que tenemos para ofrecerte.

¡Regístrate ahora y lleva tu experiencia con Novolux Lighting al siguiente nivel!

With the commitment to offer the best service to our clients, Novolux Lighting provides a B2B ecommerce platform that allows its users to:

Order tracking

Track your orders in detail in real-time.

Stock Inquiry

Access up-to-date availability of our products.

Offers and discounts

Take advantage of exclusive discounts for our clients.

Product information

Find all the necessary information about our products, from technical specifications to detailed features.

Live support

Enjoy personalized attention through our live chat service.

Virtual office

Manage all your business needs from our virtual office, designed to enhance your experience and optimize your time.


Our B2B ecommerce platform is designed to provide a smooth and efficient experience, ensuring that our clients receive the best possible service in every interaction with Novolux Lighting.

If you haven't registered yet, we invite you to join today and discover all the advantages we have to offer.

Register now and take your experience with Novolux Lighting to the next level!

DOWNLIGHTS

EMPOTRABLES — RECESSED

SCOP 50  Ø118-176 	QUO 52  Ø95-145-195 	VIP 1 60  Ø60 	VIP 1T 62  Ø78 	VIP 2 64  78X78 
VIP 2 66  145X78 	VIP 2T 68  78X78 	VIP 3 70  78X78 	VIP 3 72  145X78 	VIP 3T 74  78X78 
N VIP 1 MINI 76  Ø57 	PALMA  78  Ø75 	CARPO  80  Ø74 	MINI LUNA 82  Ø95 	U NIX 84  Ø65  Ø75  
U  INEL 86  Ø70 	U LEDA 88  Ø76 	U LEN 90  Ø124  Ø133  	ATOLON 92  152 X 152/300/450/600 	






SUPERFICIE — SURFACE

VALGUS 94  	FRED 96 	BUIS 98  	N HIDRA 100 	BILOG 102 
--	---	---	---	---

SUSPENSIÓN — PENDANT

N HIDRA 101 	BILOG 102 
---	---

LINEAR LIGHTS



SPOTLIGHTS

PROYECTORES — SPOTLIGHTS




SPOTLIGHTS


PROYECTORES — SPOTLIGHTS

FALL 152	ENIGMA 154	HAITI 156	^E CRETE 1 48V DC 158	^E CRETE 2 48V DC 162
				
TRACK 48V 164	TRACK 254	TRACK DALI 256		
				

LED STRIPS

NILO BASIC IP 20 IP 67 176	NILO 8-10 IP 20 IP 67 178	NILO 5 IP 20 IP 67 182	 NILO RGB IP 20 IP 67 184
			
 NILO RGB + W IP 20 IP 67 186	NILO DUAL IP 20 IP 67 187	NILO EFFICIENCY IP 20 IP 67 188	RINS IP 20 IP 67 190
			
SENA IP 65 192	SENA RGB IP 65 193	VOLGA IP 65 194	PERFILES — PROFILES 196
			
CONTROLADORES CONTROLLERS 202	AMPLIFICADORES AMPLIFIERS 210	ALIMENTADORES FEEDERS 211	
			

FASTMOVERS

KRAO  214  Ø 70-85 	N NOK 20 216  Ø 75 	N NOK 30 217  Ø 75 	ATOLON 218  152 X 152/300/450/600 	LEN 220  Ø 133  Ø 124 
N JANO  221  Ø 53 	PEGASO  221  Ø 65 	PALMA  222  Ø 75 	MINI LUNA 223  Ø 95 	NIX 224  Ø 65,72,75 
CARPO  226  Ø 74 	INEL 226  Ø 70 	KOS 227  Ø 85 	KALE 228  Ø 98,162 	LEDA 229  Ø 76 
JANUS 230  Ø 75 	IBIZA 231  Ø 55,146 	N CALYPSO 3 232  Ø 70-210 	HIMMEL 233 	GIA 234  Ø 105,210,280  Ø 105,210,280 
GIA 236 	CARME 237 	LAUTAN 238 	COVER 240  Ø 67 	WINDOW 2 242  Ø 83 
LIGUR 243  Ø 64  Ø 55 	E OFFICE 244 	TEN 246 	N AMY 248 	HAITI 250 
TRACK 252 	TRACK DALI 254 			

WALL LIGHTS

N

LANTERN

260



SIGN

262



TEC

264



EYE

266



E

KRSITA

268



TOSCA

270



E

TANIA

272



E

OXY

274



DIAGONAL

276



CLASSICAL

278



AMSTERDAM

280



CORA

282



NEMO

284



COMPACT

286



U

BRITTA

288



U

FIRENZE

290



VALAN

293



ARM

294



TEAR

296



MONTECARLO

298



BOOK

299



U

DIRK

300



U

MINIMAL

302



SKIN

304



SERENE

306



BALTIC

308



TOSCANA

309



OLVAS

310



LEIDEN

310



RETT

312



PETAL

314



CIRCULAR

315



COOPER

316



IONA

318



BRICK

320



DENEK

322



MENKAR

323



ESPIGA

323



PENDANT & CEILING LAMPS

SUSPENSIÓN — PENDANT

TEC 326	FISH 328	TWIST 332	^E KRISTA 334	^E OXY 338	
					
FLAKE 345	^N BELAKIA 346	TOSCA 348	^E TANIA 352	DIAGONAL 356	VALAN 357
					
NATURAL 358	THAIS 360	VIETNAM 362	MOLN 364	CORA 366	^U FIRENZE 368
					
VORADA 371	A TU ESTILO 374	BAGUET 376	ELGA 378	VINATGE 379	TANNA 380
					
^U EASY 382					
					

SUPERFÍCIE — SURFACE

^E TANIA 350 	VORADA 370 	^E VINYL 372 
---	---	---

FLOOR & TABLE LAMPS

PIE Y SOBREMESA — FLOOR & TABLE LAMPS

TWIST

386



TEC

388



GEOMETRICAL

390



^E
KRISTA

392



CERAMIC

394



^E
TANIA

396



NEMO

398



DIAGONAL

400



CLASSICAL

402



^U
AMSTERDAM

404



CORA

406



^U
FIRENZE

408



COMPACT

410



^U
BRITTA

412



^U
LARS

414



^U
WOOD

416



^U
KARA

418



TAICHI

420



SINTRA

422



MANTIS

424



VALAN

425



BRANCH

426



MONTECARLO

427



BATH

SUPERFÍCIE — SURFACE

ICY

430



TILT

431



SLEET

432



BLIZZARD

434



SHEID

436



LITS

436



CARPI

437



AFRODITA

438



CEILING FANS



MISTRAL

442



MISTRAL

444



FUJIL

445



OUTDOOR

E

TOSCA

448



E

TWIST

450



E

FISH

451



E

NATURAL

452



E

THAIS

454



E

VIETNAM

456



NELL

458



WALL LIGHTS

SUPERFÍCIE — SURFACE

N

FLAT

464



CROMA

473



AVON

478



FROST

490



GUIU

497



PAMPERO

501



GALERNA

507



DELFI

513



ORBITA

466



SIMIL

474



CASTELLO

480



CLOUD

490



ARTAL

498



CAYU

502



ESTEL

508



MIR

513



MURA

468



LUG

476



ARLEN

482



CUB

492



CENADI

498



KIRA

503



STORM

509



PIRO

514



EVEN

470



LOOP

477



E

BEAM

484



SUEVIS

496



CICLON

499



FLOC

504



CALM

510



TEIA

515



IKONA

472



ADAY

478



RHIN

488



CAIRO

497



ABAR

500



ABREGO

506



BELENLUX

512



FAR

516



WALL LIGHTS

SUPERFÍCIE — SURFACE

KAPPA

519



DEVON

520



EMPOTRABLES — RECESSED

DEVON

521

96X96 / 180X104 / 284X104



Ø96



DAMBEL

524

Ø65X171



LARA

525

Ø98X160



AMBERES

526

Ø240X74



XALOC

527

Ø243X102



WIND

528

Ø250X50



DONISI

529

Ø32



DOWNLIGHTS

SUPERFÍCIE — SURFACE

PAMPERO 501 	CAYU 502 	KIRA 503 	FLOC 504 	BELENLUX 512 
DELFI 513 	MIR 513 	PIRO 514 	TEIA 515 	FAR 517 
MIST 530 	^ECUB 531 			

EMPOTRABLES — RECESSED

DONISI 529 

UPLIGHTS

EMPOTRABLES — RECESSED

SHINNY 534 	BERNA 536 	SIO 537 	^NCLOT 538 	BORA 539 
ADGO 540 	WALKER 541 	RAIN 542 	BELGRADO 544 	MARTINA 545 

SPOTLIGHTS

PROYECTORES — SPOTLIGHTS

KERO 548 	ABADIA 550 	U NAGORE 550 	LULU 552 	GERONIMO 553 
N BRANCA 554 	BARNI 556 	N TEVA 558 	E TERRA 560 	CATANIA 562 
	ARAMO 563 	KOBE 564 	SEDNA 565 	RIGA 566 
RIGA RGB 568 				

BOLLARDS

BALIZAS — BOLLARDS

FLAT

572
H 500/900



ORBITA

574
H 650



IKONA

576
H 400/750



SIMIL

578
H 500



LUG

580
H 350/650



LOOP

582
H 500/1000



AVON

584
H 500



GUIU

586
H 750



SUEVIS

587
H 650



CAIRO

588
H 650



CASTELLO

589
H 495



ADAY

590
H 900/2200



ARLEN

592
H 230



ADRANO

594
H 650



SIBILA

596
H 650/800



ODIN

598
H 250/500



LUA

600
H 478



JASMIN

602
H 650



NATAN

603
H 890



OMO

604
H 300/400/600/800



SIROCO

606
H 650



SAURO

607
H 500/800/1100



ABREGO

608
H 450



GALERNA

609
H 450



SOLAR

ILUMINACIÓN SOLAR — SOLAR LIGHTING

ERGO 612 	VERSA 614 	LUMBER 616 	TONA 618 
COMO 620 	SOLEI 622 		

DECORATIVE

DECORATIVA — DECORATIVE

LITTA 626 	ERICE 628 	GLOU 630 	PORTOFINO 631 
--	--	---	--

CLASSIC RESIDENTIAL

CLÁSICO RESIDENCIAL — CLASSIC RESIDENTIAL

OTTONE

634



U

MEDI

635



U

KEO

635



VIC

646



U
TROM

636



U
BOOM

638



U
CAST

640



INDURA GLOBO

642



GLOBI

657



CLIC CLAC GLOBO

648



U
GLOBOS Y SOPORTE
(Ø45),(Ø60),(Ø75)

650



POSTES

652



ROUND

655



QUADRA

656



U
ROB

658



U
POSTES (Ø45)

661



CLASSIC RESIDENTIAL

CLÁSICO RESIDENCIAL — CLASSIC RESIDENTIAL

CLIC CLAC 4

662



VILLA CHAP

664



CITY INDURA

665



INDURA MEDIUM 4

666



INDURA MINI 4

668



INDURA MINI 6

669



INDURA MEDIUM 6

670



INDURA BIG 6

672



CLIC CLAC 6

674



ELITE 6

676



POSTES

679



VILLA BIG

680



GUNTHER (Ø48),(Ø60)

682



GUNTHER TOP

684



WALL LIGHTS

SUPERFÍCIE — SURFACE

N DAU 688 	E DUOMO 690 	BUCKET 692 	DION 694 
STONE 696 	LANCE 700 	HERA 702 	ISORA 703 
N BUI 706 	SETH 710 	N TASCA 714 	RIMA 716 
SLIM 718 	VIENA 724 	DAIRA 725 	PLAFF 726 

EMPOTRABLES — RECESSED

RIMA 717 V ∇ Ø143 	SLIM 720 V ∇ Ø124/204 C ∇ 143/223 	DAIN 722 V ∇ Ø150X150 / Ø280X150 	COC 727 V ∇ Ø126X273 	N RUA 728 V ∇ Ø156X60/256X60 
N TRAU 730 V ∇ Ø290X45 	DUBLIN 732 C ∇ Ø290X105 	SYNA 734 V ∇ Ø83X265 		

DOWNLIGHTS

SUPERFÍCIE — SURFACE

STONE
738



VIENA
724



DAIRA
725



PLAFF
726



EMPOTRABLES — RECESSED

ATIC

740

☞ Ø90/130/165/210



NABUCO

742

☞ Ø32/50



UPLIGHTS

EMPOTRABLES — RECESSED

^N
CROSCAT

746



NABUCO

748

☞ Ø75



ESTAMBUL

750

☞ Ø92



FOCUS

750

☞ Ø104



^E
^U
MALVA

752

☞ Ø135/212/216/237



NAT-LED

760

☞ Ø80



NODY

761

☞ Ø46/56



GARDA

762

☞ Ø80/135



SURI

764

☞ Ø110



SURI BIG

765

☞ Ø186



WALL WASHERS

BAÑADOR DE PARED — WALL WASHERS

LANCE
768



WALK / WALK RGB
770



WALK / WALK RGB
772



SOLAR

SEÑALIZACIÓN SOLAR — SOLAR SIGNAGE

U
INTI
776



MITRA
777



SPOTLIGHTS

PROYECTORES — SPOTLIGHTS

N
FUJI
780



U
KALOS
782



STONE
784



BAMBOLA
786



HAMELIN
787



DISC
788



DADO
790



GIBSON
792



LANCE
794



TIR
796



ABBI
797



BOLLARDS

BALIZAS — BOLLARDS

PALAU

800

H 500/800



DUOMO

802

H 300/600/900



BUCKET

804

H 300/600



STONE

806

H 535



DION

808

H 250/600/1000



DAIN

810

H 300/700



TURRET

812

H 500/750



AURA

814

H 260/400/680/2000



MAXIMA

816

H 593/1000/2000/2480/3000



BINDELLA

818

H 650



MINI NICO

820

H 65/457



CLINA

822

H 558



NOVA

824

H 500/650



COK

825

H 320/420/620/820



MIRCO

826

H 280/650



FRAM

828

H 705



URBAN LIGHTING

ILUMINACIÓN URBANA — URBAN LIGHTING

FANAL 832	VENT 834	FENDER 836	ARYA 838	VICO 839	POSTES 840
					

UNDERWATER LIGHTS

SUMERGIBLES — UNDERWATER LIGHTS

^N CONTROL RGB 845	^N PAR56 847	^N BELT 847	^N MINI PRAGA 848	^N PRAGA 848
				
^N CUP 849	FOCUS 850			
				

ACCESSORIES

LED T2

854



LED FILAMENT

855



LED PRO

856



G9

856



R7S

856

CONECTORES
CONNECTORS

857

FUENTES DE ALIMENTACIÓN
POWER SUPPLIES

858



GENERAL INFORMATION

ACABADOS
FINISHES

862

RECOMENDACIONES DE USO E INSTALACIÓN
RECOMMENDATIONS FOR USE AND INSTALLATION

867

PICTOGRAFÍA
SYMBOLGY

870

ÍNDICE DE REFERENCIAS
INDEX OF REFERENCES

878

MATERIALES
MATERIALS

864

RECOMENDACIONES DE USO E INSTALACIÓN PARA
TIRAS LED — RECOMMENDATIONS FOR USE
AND INSTALLATION FOR LED STRIPS

868

CONDICIONES GENERALES DE VENTA
GENERAL CONDITIONS OF SALE

876

FAMILY INDEX

A

A TU ESTILO	EXO	374
ABADIA	DOPO	550
ABAR	DOPO	500
ABBI	CRISTHER	797
ABREGO	DOPO	506, 608
ADAY	DOPO	478, 590
ADGO	DOPO	540
ADRANO	DOPO	594
AFRODITA	EXO	438
ALIMENTADORES	NX Lighting	858, 859
AMBERES	DOPO	526
AMSTERDAM	EXO	280, 404
AMY	INDELUZ	248
ARAMO	DOPO	563
ARLEN	DOPO	482, 592
ARM	EXO	294
ARROW	INDELUZ	145
ARTAL	DOPO	498
ARYA	CRISTHER	838
ATIC	CRISTHER	740
ATOLON	INDELUZ	92, 218
AURA	CRISTHER	814
AVON	DOPO	478, 584

B

BAGUET	EXO	376
BALTIC	EXO	308
BAMBOLA	CRISTHER	786
BARNI	DOPO	556
BEAM	DOPO	484, 486
BELAKIA	EXO	346

BELENLUX	DOPO	512
BELGRADO	DOPO	544
BELT	CRISTHER	847
BERNA	DOPO	536
BILOG	INDELUZ	102
BINDELLA	CRISTHER	818
BLIZZARD	EXO	434
BOOK	EXO	299
BOOM	DOPO	638
BORA	DOPO	539
BRANCA	DOPO	554
BRANCH	EXO	426
BRICK	EXO	320
BRITTA	EXO	288, 412
BUCKET	CRISTHER	692, 804
BUIS	INDELUZ	98
BUIT	CRISTHER	706, 708

C

CAIRO	DOPO	497, 588
CALM	DOPO	510
CALYPSO3	INDELUZ	232
CARME	INDELUZ	237
CARPI	EXO	437
CARPO	INDELUZ	81, 226
CAST	DOPO	640
CASTELLO	DOPO	480, 589
CATANIA	DOPO	562
CAYU	DOPO	502
CENADI	DOPO	498
CERAMIC	EXO	394

CICLON	DOPO	499
CIRCULAR	EXO	315
CITY INDURA	DOPO	665
CLASSICAL	EXO	278, 402
CLIC-CLAC 4	DOPO	662
CLIC-CLAC 6	DOPO	674
CLIC-CLAC GLOBO	DOPO	648
CLINA	CRISTHER	822
CLOT	DOPO	538
CLOUD	DOPO	490
COC	CRISTHER	727
COK	CRISTHER	825
COMO	DOPO	620
COMPACT	EXO	286, 410
CONECTORES	NX lighting	857
CONTROLADORES	INDELUZ	202
COOPER	EXO	316
CORA	EXO	282, 366, 406
COVER	INDELUZ	240
CRETE1	INDELUZ	158
CRETE2	INDELUZ	162
CROMA	DOPO	473
CROSCAT	CRISTHER	746
CUB	DOPO	492, 494, 531
CUP	CRISTHER	849

FAMILY INDEX

D

DADO	CRISTHER	790
DAIN	CRISTHER	722, 810
DAIRA	CRISTHER	725
DAMBEL	DOPO	524
DAU	CRISTHER	688
DELFI	DOPO	513
DENEB	EXO	322
DEVON	DOPO	520
DIAGONAL	EXO	276, 356, 400
DION	CRISTHER	694, 808
DIRK	EXO	300
DISC	CRISTHER	788
DONISI	DOPO	529
DUBE	INDELUZ	146
DUBLIN	CRISTHER	732
DUOMO	CRISTHER	690, 802

E

EASY	EXO	382
ELGA	EXO	378
ELITE 6	DOPO	676
ENIGMA	INDELUZ	154
ERGO	DOPO	612
ERICE	DOPO	628
ESPIGA	EXO	323
ESTAMBUL	CRISTHER	750
ESTEL	DOPO	508
EVEN	DOPO	470
EYE	EXO	266

F

FALL	INDELUZ	152
FANAL	CRISTHER	832
FAR	DOPO	516
FENDER	CRISTHER	836
FENIX	INDELUZ	109-119
FIRENZE	EXO	290, 368, 408
FISH	EXO	328, 451
FLAKE	EXO	345
FLAT	DOPO	464, 572
FLOC	DOPO	504
FOCUS	CRISTHER	750, 850
FRAM	CRISTHER	828
FRED	INDELUZ	96
FROST	DOPO	490
FUJI	CRISTHER	780
FUJIL	EXO	445

G

G9	NX Lighting	856
GALERNA	DOPO	507, 609
GARDA	CRISTHER	762
GEOMETRICAL	EXO	390
GERONIMO	DOPO	553
GIA	INDELUZ	234
GIBSON	CRISTHER	792
GLOBI	DOPO	647
GLOBOS	DOPO	650
GLOU	DOPO	630
GUIJU	DOPO	497, 586
GUNTHER	DOPO	682

H

HAITI	INDELUZ	156, 250
HAMELIN	CRISTHER	787
HERA	CRISTHER	702
HIDRA	INDELUZ	100, 150
HIMMEL	INDELUZ	233

I

IBIZA	INDELUZ	231
ICY	EXO	430
IKONA	DOPO	472, 576
INDURA BIG 6	DOPO	672
INDURA GLOBO	DOPO	642
INDURA MEDIUM 4	DOPO	666
INDURA MEDIUM 6	DOPO	670
INDURA MINI 4	DOPO	668
INDURA MINI 6	DOPO	669
INEL	INDELUZ	87, 226
INTI	CRISTHER	776
IONA	EXO	318
ISORA	CRISTHER	703

J

JANO	INDELUZ	221
JANUS	INDELUZ	230
JASMIN	DOPO	602

FAMILY INDEX

K

KALE	INDELUZ	228
KALOS	CRISTHER	782
KAPPA	DOPO	519
KARA	EXO	418
KEO	DOPO	635
KERO	DOPO	548
KIRA	DOPO	503
KOBE	DOPO	564
KOS	INDELUZ	227
KRAO	INDELUZ	214
KRISTA	EXO	268, 334, 392

L

LANCE	CRISTHER	700, 768, 794
LANTERN	EXO	260
LARA	DOPO	525
LARS	EXO	414
LAUTAN	INDELUZ	238
LED FILAMENT	NX Lighting	855
LED PRO	NX Lighting	856
LED T2	NX Lighting	854
LEDA	INDELUZ	89, 229
LEIDEN	EXO	310
LEN	INDELUZ	91, 220
LIGUR	INDELUZ	243
LITS	EXO	436
LITTA	DOPO	626
LOOP	DOPO	477, 582
LUA	DOPO	600
LUG	DOPO	476, 580
LULU	DOPO	552
LUMBER	DOPO	616

M

MALVA	CRISTHER	752
MANTIS	EXO	424
MARTINA	DOPO	545
MAXIMA	CRISTHER	816
MEDI	DOPO	635
MENKAR	EXO	323
MINI LUNA	INDELUZ	83, 223
MINI NICO	CRISTHER	820
MINI PRAGA	CRISTHER	848
MINIMAL	EXO	302
MIR	DOPO	513
MIRCO	CRISTHER	826
MIST	DOPO	530
MISTRAL	EXO	442
MITRA	CRISTHER	777
MOLN	EXO	364
MONTECARLO	EXO	298, 427
MURA	DOPO	468

N

NABUCO	CRISTHER	742, 748
NAGORE	DOPO	550
NATAN	DOPO	603
NAT-LED	CRISTHER	760
NATURAL	EXO	358, 452
NELL	EXO	458
NEMO	EXO	284, 398
NILO 5	INDELUZ	182
NILO 8-10	INDELUZ	178
NILO BASIC	INDELUZ	176
NILO DUAL	INDELUZ	187
NILO EFFICIENCY	INDELUZ	188
NILO RGB	INDELUZ	184

NILO RGB+W	INDELUZ	186
NIX	INDELUZ	85, 224
NODY	CRISTHER	761
NOK20	INDELUZ	216
NOK30	INDELUZ	217
NOVA	CRISTHER	824

O

ODIN	DOPO	598
OFFICE	INDELUZ	244
OLVAS	EXO	310
OMO	DOPO	604
ORBITA	DOPO	466, 574
OTTONE	DOPO	634
OXY	EXO	274, 338

P

PALAU	CRISTHER	800
PALMA	INDELUZ	79, 222
PAMPERO	DOPO	501
PAR56	CRISTHER	847
PEGASO	INDELUZ	221
PERFILES	INDELUZ	196
PETAL	EXO	314
PIRO	DOPO	514
PLAFF	CRISTHER	726
PORTOFINO	DOPO	631
POSTES	DOPO	637, 652, 665
PRAGA	CRISTHER	848

Q

QUADRA	DOPO	656
QUO	INDELUZ	53

FAMILY INDEX

R

R7s	NX Lighting	856
RAIN	DOPO	542
RETT	EXO	312
RHIN	DOPO	488
RIGA	DOPO	566
RIMA	CRISTHER	716
RINS	INDELUZ	190
ROB	DOPO	658
ROUND	DOPO	655
RUA	CRISTHER	728

S

SAURO	DOPO	607
SCOP	INDELUZ	51
SEDNA	DOPO	565
SENA	INDELUZ	192
SENA RGB	INDELUZ	193
SERENE	EXO	306
SETH	CRISTHER	710
SHEID	EXO	436
SHINNY	DOPO	534
SIBILA	DOPO	596
SIGMA	INDELUZ	121
SIGN	EXO	262
SIMIL	DOPO	474, 578
SINTRA	EXO	422
SIO	DOPO	537
SIROCO	DOPO	606
SKIN	EXO	304
SLEET	EXO	432
SLIM	CRISTHER	718
SOLEI	DOPO	622

STONE	CRISTHER	696, 738, 784, 806
STORM	DOPO	509
SUEVIS	DOPO	496, 587
SURI	CRISTHER	764
SURI BIG	CRISTHER	765
SYNA	CRISTHER	734

T

TAICHI	EXO	420
TANIA	EXO	272, 350, 396
TANNA	EXO	380
TASCA	CRISTHER	714
TEAR	EXO	296
TEC	EXO	264, 326, 388
TEIA	DOPO	515
TEN	INDELUZ	246
TERRA	DOPO	560
TEVA	DOPO	558
THAIS	EXO	360, 454
TILT	EXO	431
TIR	CRISTHER	796
TONA	DOPO	618
TOSCA	EXO	270, 348, 448
TOSCANA	EXO	309
TRACK	INDELUZ	252
TRACK 48V	INDELUZ	166
TRAU	CRISTHER	730
TROM	DOPO	636
TURRET	CRISTHER	812
TURT	INDELUZ	143
TWIST	EXO	332, 386, 450

U

UKU	INDELUZ	131-141
-----	---------	---------

V

VALAN	EXO	293, 357, 425
VALGUS	INDELUZ	94
VENT	CRISTHER	834
VERSA	DOPO	614
VIC	DOPO	646
VICO	CRISTHER	839
VIENA	CRISTHER	724
VIETNAM	EXO	362, 456
VILLA BIG	DOPO	680
VILLA CHAP	DOPO	664
VINTAGE	EXO	379
VINYL	EXO	372
VIPI	INDELUZ	61
VIPIT	INDELUZ	63
VIP1 MINI	INDELUZ	76
VIP2	INDELUZ	65
VIP2T	INDELUZ	69
VIP3	INDELUZ	71
VIP3T	INDELUZ	75
VOLGA	INDELUZ	194
VORADA	EXO	370


W

WALK	CRISTHER	770
WALKER	DOPO	541
WIND	DOPO	528
WINDOW 2	INDELUZ	242
WOOD	EXO	416

X


XALOC	DOPO	527
-------	------	-----

SCOP



Acabado blanco con embellecedor blanco o cromado
White finish with white or chrome baffle

Con Driver remoto
With Remote Driver



7,2W

2700K	875lm
3000K	889lm
4000K	952lm

13,2W

2700K	1448lm
3000K	1506lm
4000K	1613lm

17W

2000K <i>MEAT</i>	1741lm
2500K <i>BREAD</i>	2340lm
4000K <i>FISH</i>	2521lm
3000K <i>VEG+FRUIT</i>	2141lm

18,6W

2700K	2143lm
3000K	2221lm
4000K	2436lm
3250K <i>FASHION</i>	2180lm

29,7W

2700K	3325lm
3000K	3446lm
4000K	3780lm
3250K <i>FASHION</i>	3382lm

Filtros — Filters



Antideslumbrante — Anti-glare

■ A04P-1002-02



Prismatico — Prismatic

■ A47F-1002-92



Filtros — Filters



Antideslumbrante — Anti-glare

■ A04P-1004-02



Prismatico — Prismatic

■ A47H-1004-92






Campos – Fields

Acabados – Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI – °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

1		4		5		7		9	
1004	SCOP	38	CRI90 2700K	08	7,2W	2	20°	01	
		39	CRI90 3000K	14	13,2W	4	40°		
		40	CRI90 4000K	17	18,6W	5	55°		
2		44	CRI82 2000K (MEAT)	21	17W			10	
A	Small	46	CRI88 2500K (BREAD)	33	29,7W			01	
B	Large	47	CRI92 4000K (FISH)					32	
3		48	CRI96 3000K (VEG+FRUIT)	6		F	L.C (Trailing and leading edge)		
L	LED COB	51	CRI95 3250K (FASHION)	A	AC110-240V	1	PUSH/I-10V		
				B	AC220-240V	D	DAU		
						M	CASAMBI		

1	2	3	4	5	6	7	8	9	10
1004	A	L	38 39 40	08	A		0	01	01 32
	B				2	F			
	B				4	D			
	A				5	I			
	B					M			
	14			A		0			
				B	2	F			
				A	4	D			
				A	5	I			
				B		M			
	21			A		0			
				B	2	F			
				A	4	D			
				A	5	I			
				B		M			
	33			A		0			
				A	2	D			
				A	4	I			
				B	5	M			
				A		0			
	44 46 47 48		B	2	F				
			A	4	D				
			A	5	I				
			B		M				
			51	21	A		0		
	B				2	F			
	A				4	D			
	A				5	I			
	B					M			
	33			A		0			
				A	2	D			
				A	4	I			
				B	5	M			
				B		M			




QUO

SMALL



Acabado blanco con embellecedor blanco o cromado
White finish with white or chrome baffle

Con Driver remoto
With Remote Driver



7,2W

2700K	875lm
3000K	889lm
4000K	952lm

13,2W

2700K	1448lm
3000K	1506lm
4000K	1613lm

Filtros — Filters

	Antideslumbrante — Anti-glare ■ A04P-1004-02
	Prismatico — Prismatic ■ A47H-1004-92






Campos – Fields

Acabados – Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI – °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle


1		4		5		7		9	
1005	QUO	38	CRI90 2700K	08	7,2W	2	20°	01	
2		39	CRI90 3000K	14	13,2W	4	40°	10	
A	Small	40	CRI90 4000K	6		5	55°	01	
3				A	AC110-240V	8		32	
L	LED COB			B	AC220-240V	0	ON-OFF		
						F	L.C (Trailing and leading edge)		
						1	PUSH/I-10V		
						D	DALI		
						M	CASAMBI		

1	2	3	4	5	6	7	8	9	10
1005	A	L	38 39 40	08	A		0	01	01 32
					B	2	F		
					B	4	D		
					A	5	I		
					B		M		
				14	A		0		
					B	2	F		
					A	4	D		
					A	5	I		
					B		M		




QUO

LARGE




Acabado blanco con embellecedor blanco o cromado
White finish with white or chrome baffle

Con Driver remoto
With Remote Driver



17W		18,6W		29,7W	
2000K <i>MEAT</i>	174lm	2700K	2143lm	2700K	3325lm
2500K <i>BREAD</i>	2340lm	3000K	2221lm	3000K	3446lm
4000K <i>FISH</i>	2521lm	4000K	2436lm	4000K	3780lm
3000K <i>VEG+FRUIT</i>	2141lm	3250K <i>FASHION</i>	2180lm	3250K <i>FASHION</i>	3382lm

Filtros — Filters




Campos – Fields

Acabados – Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI – °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle


1		4		5		7		9	
1005	QUO	38	CRI90 2700K	17	17W	2	20°	01	
2		39	CRI90 3000K	21	18,6W	4	40°	10	
		40	CRI90 4000K	33	29,7W	5	55°	01	
B	Large	44	CRI82 2000K (MEAT)	6		8		32	
3		46	CRI88 2500K (BREAD)	A	AC110-240V	0	ON-OFF		
		47	CRI92 4000K (FISH)	B	AC220-240V	F	L.C (Trailing and leading edge)		
L	LED COB	48	CRI96 3000K (VEG+FRUIT)						
		51	CRI95 3250K (FASHION)			1	PUSH/I-I0V		
						D	DALI		
						M	CASAMBI		

1	2	3	4	5	6	7	8	9	10	
1005	B	L	44 46 47 48	17	A		0	01	01 32	
					B	2	F			
					A	4	D			
					A	5	I			
					B		M			
			38 39 40	21	A		0			
					B	2	F			
					A	4	D			
					A	5	I			
					B		M			
			51		A		0			
					B	2	F			
					A	4	D			
					A	5	I			
					B		M			
			38 39 40	33	A		0			
					A	2	D			
					A	4	I			
					B	5	M			
					51		A			
			A				2			D
			A				4			I
			B				5			M




QUO

JUMBO



Acabado blanco con embellecedor blanco o cromado
White finish with white or chrome baffle


Con Driver remoto
With Remote Driver



33,8W

2700K	3694lm
3000K	3993lm
4000K	4200lm
3250K <i>FASHION</i>	3758lm

Filtros — Filters




Campos – Fields

Acabados – Finishes




1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI – °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embelecedor Baffle


1		4		5		7		9	
1005	QUO	38 39 40 51	CRI90 2700K CRI90 3000K CRI90 4000K CRI95 3250K (FASHION)	36	33,8W	2 4 5	20° 40° 55°	01	
2				6		8		10	
C	Jumbo			A	AC110-240V	0	ON-OFF	01	
3				B	AC220-240V	F	LC (Trailing and leading edge)	32	
L	LED COB					1	PUSH/I-10V		
						D	DALI		
						M	CASAMBI		

1	2	3	4	5	6	7	8	9	10
1005	C	L	38 39 40 51	36	A A A B A A A B	2 4 5 2 4 5	0 D I M 0 D I M	01	01 32



VIP






Filtros — Filters




VIP 1



Acabado blanco o negro con embellecedor blanco, negro, cromado u oro
White or black finish with white, black, chrome or gold baffle

Con Driver remoto
With Remote Driver



1006A-

CRI >90					
4,7W		10,6W		15,6W	
2700K	650lm	2700K	1317lm	2700K	1940lm
3000K	680lm	3000K	1376lm	3000K	2028lm
4000K	719lm	4000K	1456lm	4000K	2145lm

CRI >97	
10,1W	
2700K	923lm
3000K	949lm
4000K	1031lm

CRI >95 DTW	
11,8W	
2000K	28lm
3000K	1179lm

TUNNABLE WHITE	
10,6W	
2700K	1278lm
6500K	1563lm



9 10

Campos – Fields


Acabados – Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI – °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

1	2	3	4	5	6	7	8	9	10
1006	VIP 1		38 CRI90 2700K 39 CRI90 3000K 40 CRI90 4000K 53 CRI97 2700K 54 CRI97 3000K 55 CRI97 4000K 56 TUNABLE WHITE 2700-6500K 57 CRI95 DIM TO WARM 2000K-3000K	06 4,7W 13 10,1W- 11,8W 18 15,6W	A AC110-240V B AC220-240V	1 18° 2 28° 3 38° 5 50°	0 ON-OFF F LC (Trailing and leading edge) 1 PUSH/1-10V D DALI M CASAMBI	01 02	01 02 32 47
2	A Round Convex								
3	L LED COB								


1	2	3	4	5	6	7	8	9	10
1006	A	L	38 39 40	06	A		0	01 02	01 02 32 47
					B	1	0		
					B	2	F		
					A	3	1		
					A	5	D		
					A		D		
				13	B		0		
					B	1	F		
					A	2	1		
					A	3	D		
					A	5	D		
					B		M		
			18		B		0		
					B	1	F		
					B	2	1		
					B	3	D		
					B	5	D		
					B		M		
			53 54 55	13	B		0		
					B	1	F		
					A	2	1		
					A	3	D		
					A	5	D		
					B		M		
			56	13	B		D		
			57	13	A	1	1		
					B	2	D		
					B	3	D		
					B	5	M		

VIP 1T



Acabado blanco con embellecedor blanco, negro, cromado u oro
White finish with white, black, chrome or gold baffle

Con Driver remoto
With Remote Driver



Ø78

1009A-

CRI >90					
4,7W		10,6W		15,6W	
2700K	650lm	2700K	1317lm	2700K	1940lm
3000K	680lm	3000K	1376lm	3000K	2028lm
4000K	719lm	4000K	1456lm	4000K	2145lm

CRI >97	
10,1W	
2700K	923lm
3000K	949lm
4000K	1031lm

CRI >95 DTW	
11,8W	
2000K	28lm
3000K	1179lm

TUNNABLE WHITE	
10,6W	
2700K	1278lm
6500K	1563lm



FILTERS P_59



-01-01



-01-02



-01-32



-01-47



Campos – Fields


Acabados – Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI – °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

1	2	3	4	5	6	7	8	9	10
1009	VIP IT	38 39 40	CRI90 2700K CRI90 3000K CRI90 4000K	06	4,7W 13 10,1W- 11,8W 18 15,6W	1 18° 2 28° 3 38° 5 50°		01 	
2		53 54 55 56 57	CRI97 2700K CRI97 3000K CRI97 4000K TUNABLE WHITE 2700-6500K CRI95 DIM TO WARM 2000K-3000K	5				01  02  32  47 	
3	A Round Convex			A AC110-240V B AC220-240V		8	0 ON-OFF F LC (Trailing and leading edge) 1 PUSH/1-10V D DALI M CASAMBI		
L	LED COB								


1	2	3	4	5	6	7	8	9	10
1009	A	L	38 39 40	06	A B B A A	1 2 3 5	0 0 F 1 D	01	01 02 32 47
			53 54 55	13	B B A A B	1 2 3 5	0 F 1 D M		
			56	13	B	1	D		
			57	13	A B B	2 3 5	1 D M		

VIP 2



Acabado blanco o negro con embellecedor blanco, negro, cromado u oro
White or black finish with white, black, chrome or gold baffle

Con Driver remoto
With Remote Driver



78x78

1007A-

CRI >80		
4,7W	10,6W	15,6W
2700K 650lm	2700K 1317lm	2700K 1940lm
3000K 680lm	3000K 1376lm	3000K 2028lm
4000K 719lm	4000K 1456lm	4000K 2145lm

CRI >97
10,1W
2700K 923lm
3000K 949lm
4000K 1031lm

CRI >95 DTW
11,8W
2000K 28lm
3000K 1179lm

TUNNABLE WHITE
10,6W
2700K 1278lm
6500K 1563lm



FILTERS P_59



-01-01



-01-02



-01-32



-01-47



-02-01



-02-02



-02-32



-02-47

9 10

Campos – Fields


Acabados – Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI – °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

1	4	5	7	9
1007	VIP 2	06	1	01
		13	2	02
		18	3	
			5	
2		6	8	10
A	Square	A	0	01
	Round	B	F	02
				32
				47
3				
L	LED COB			


1	2	3	4	5	6	7	8	9	10
1007	A	L	38 39 40	06	A	1	0	01	01
					B	2	0		02
					B	3	F		32
					A	5	1		47
					A		D		
				13	B	1	0		
					B	2	F		
					A	3	1		
					A	5	D		
					B		M		
				18	B	1	0		
					B	2	F		
					B	3	1		
					B	5	D		
					B		M		
			53 54 55	13	B	1	0		
					B	2	F		
					A	3	1		
					A	5	D		
					B		M		
			56	13	B	1	D		
					A	2	1		
			57	13	B	3	D		
					B	5	M		

VIP 2



Acabado blanco o negro con embellecedor blanco, negro, cromado u oro
White or black finish with white, black, chrome or gold baffle

Con Driver remoto
With Remote Driver



1007B-

CRI >90			CRI >97		CRI >95 DTW		TUNNABLE WHITE
2x 4,7W		2x 10,6W	2x 10,1W		2x 11,8W		2x 10,6W
2700K	2x 650lm	2700K 2x 1317lm	2700K	2x 1940lm	2000K	2x 28lm	2700K 2x 1278lm
3000K	2x 680lm	3000K 2x 1376lm	3000K	2x 949lm	3000K	2x 1179lm	6500K 2x 1563lm
4000K	2x 719lm	4000K 2x 1456lm	4000K	2x 1031lm			



FILTERS P_59



-01-01



-01-02



-01-32



-01-47



-02-01



-02-02



-02-32



-02-47



9

10

Campos – Fields



Acabados – Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI – °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

1	4	5	7	9
1007	VIP 2	06	1	01
2		13	2	02
B	2x	18	3	
	Square		5	10
	Round			01
3		6	8	02
L	LED COB	A	0	32
		B	F	47
			1	
			D	
			M	


1	2	3	4	5	6	7	8	9	10
1007	B	L	06		A		0	01 02	01 02 32 47
					B	1	0		
					B	2	F		
					B	3			
					A	5	1		
					A		D		
			13		B		0		
					B	1	F		
					A	2	1		
					A	3			
					A	5	D		
			18		B		0		
					B	1	F		
					B	2	1		
					B	3			
					B	5	D		
			53 54 55	13	B		0		
					B	1	F		
					A	2	1		
					A	3			
					A	5	D		
			56	13	B		M		
					B		0		
			57	13	B	1	D		
					A	2	1		
					B	3	D		
					B	5	M		

VIP 2T



Acabado blanco con embellecedor blanco, negro, cromado u oro
White finish with white, black, chrome or gold baffle

Con Driver remoto
With Remote Driver



1010A-

CRI >90					
4,7W		10,6W		15,6W	
2700K	650lm	2700K	1317lm	2700K	1940lm
3000K	680lm	3000K	1376lm	3000K	2028lm
4000K	719lm	4000K	1456lm	4000K	2145lm

CRI >97	
10,1W	
2700K	923lm
3000K	949lm
4000K	1031lm

CRI >95 DTW	
11,8W	
2000K	28lm
3000K	1179lm

TUNNABLE WHITE	
10,6W	
2700K	1278lm
6500K	1563lm



-01-01

-01-02

-01-32

-01-47

9 10

Campos – Fields

Acabados – Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI – %	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

1	4	5	7	9
1010	VIP 2T	06	1	01
2		13	2	
A	Square	18	3	
	Round		5	
3		6	8	10
L	LED COB	A	0	01
		B	F	02
			ON-OFF	32
			LC (Trailing and	47
			leading edge)	
			PUSH/1-10V	
			DAU	
			CASAMBI	


1	2	3	4	5	6	7	8	9	10
1010	A	L	38 39 40	06	A		0	01	01 02 32 47
					B	1	0		
					B	2	F		
					A	3	1		
					A	5	D		
					A		M		
				13	B		0		
					B	1	F		
					A	2	1		
					A	3	D		
					B	5	M		
			18		B		0		
					B	1	F		
					B	2	1		
					B	3	D		
					B	5	M		
			53 54 55	13	B		0		
					B	1	F		
					A	2	1		
					A	3	D		
					B	5	M		
			56	13	B		D		
			57	13	A	1	1		
					B	2	D		
					B	3	D		
					B	5	M		

VIP 3



Acabado blanco o negro con embellecedor blanco, negro, cromado u oro
White or black finish with white, black, chrome or gold baffle

Con Driver remoto
With Remote Driver




1008A-

CRI >90					
4,7W		10,6W		15,6W	
2700K	650lm	2700K	1317lm	2700K	1940lm
3000K	680lm	3000K	1376lm	3000K	2028lm
4000K	719lm	4000K	1456lm	4000K	2145lm

CRI >97	
10,1W	
2700K	923lm
3000K	949lm
4000K	1031lm

CRI >95 DTW	
11,8W	
2000K	28lm
3000K	1179lm

TUNNABLE WHITE	
10,6W	
2700K	1278lm
6500K	1563lm




VIP 3



Acabado blanco o negro con embellecedor blanco, negro, cromado u oro
White or black finish with white, black, chrome or gold baffle

Con Driver remoto
With Remote Driver



1008B-

CRI >90			CRI >97		CRI >95 DTW		TUNNABLE WHITE
2x 4,7W		2x 10,6W	2x 10,1W		2x 11,8W		2x 10,6W
2700K	2x 650lm	2700K 2x 1317lm	2700K	2x 923lm	2000K	2x 28lm	2700K 2x 1278lm
3000K	2x 680lm	3000K 2x 1376lm	3000K	2x 949lm	3000K	2x 1179lm	6500K 2x 1563lm
4000K	2x 719lm	4000K 2x 1456lm	4000K	2x 1031lm			



FILTERS P_59



-01-01

-01-02

-01-32

-01-47

-02-01

-02-02

-02-32

-02-47

9
10

Campos – Fields


Acabados – Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI – °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

14				5		7		9	
1008	VIP 3	38	CRI90 2700K	06	2x 4,7W	1	18°	01	
2		39	CRI90 3000K	13	2x 10,1W- 11,8W	2	28°	02	
		40	CRI90 4000K	18	2x 15,6W	3	38°		
		53	CRI97 2700K			5	50°		
		54	CRI97 3000K						
B	2x	55	CRI97 4000K	6		8		10	
	Square	56	TUNABLE WHITE 2700-6500K	A	AC110-240V			01	
	Square	57	CRI95 DIM TO WARM 2000K-3000K	B	AC220-240V	0	ON-OFF	02	
3						F	LC (Trailing and leading edge)	32	
								47	
L	LED COB					1	PUSH/1-10V		
						D	DALI		
						M	CASAMBI		


1	2	3	4	5	6	7	8	9	10
1008	B	L	38 39 40	06	A		0	01 02	01 02 32 47
					B	1	0		
					B	2	F		
					A	3	1		
					A	5	D		
					A		M		
				13	B		0		
					B	1	F		
					A	2	1		
					A	3	D		
					B	5	M		
			18		B		0		
					B	1	F		
					B	2	1		
					B	3	D		
					B	5	M		
			53 54 55	13	B		0		
					B	1	F		
					A	2	1		
					A	3	D		
					B	5	M		
			56	13	B		D		
			57	13	A	1	1		
					A	2	D		
					A	3			
					B	5	M		

VIP 3T



Acabado blanco con embellecedor blanco, negro, cromado u oro
White finish with white, black, chrome or gold baffle

Con Driver remoto
With Remote Driver




1011A-

CRI >90								
4,7W			10,6W			15,6W		
2700K	650lm		2700K	1317lm		2700K	1940lm	
3000K	680lm		3000K	1376lm		3000K	2028lm	
4000K	719lm		4000K	1456lm		4000K	2145lm	

CRI >97	
10,1W	
2700K	923lm
3000K	949lm
4000K	1031lm

CRI >95 DTW	
11,8W	
2000K	28lm
3000K	1179lm

TUNNABLE WHITE	
10,6W	
2700K	1278lm
6500K	1563lm



9 10

-01-01

-01-02

-01-32

-01-47

Acabados — Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI — °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

1		4				5		7		9	
1011	VIP 3T	38	CR190	2700K	06	4,7W	1	18°	01		
2		39	CR190	3000K	13	10,1W- 11,8W	2	28°			
		40	CR190	4000K	18	15,6W	3	38°			
		53	CR197	2700K			5	50°			
A	Square	54	CR197	3000K	6						
	Square	55	CR197	4000K		A	AC110-240V	8		01	
3		56	TUNNABLE WHITE	2700K-6500K		B	AC220-240V		0	ON-OFF	02
		57	CR195	DIM TO WARM 2000K-3000K			F		L.C (Trailing and leading edge)	32	
L	LED COB							1	PUSH/I-10V	47	
								D	DALI		
								M	CASAMBI		


1	2	3	4	5	6	7	8	9	10	
1011	A	-	L	06	A		0	01	01 02 32 47	
					B	1	0			
					B	2	F			
					A	3	1			
					A	5	D			
				38 39 40	13	B				0
						B	1			F
						A	2			1
						A	3			D
						B	5			M
				18		B				0
						B	1			F
						B	2			1
						B	3			D
						B	5			M
				53 54 55	13	B				0
						B	1			F
						A	2			1
						A	3			D
						B	5			M
56	13	B		D						
57	13	A	1	1						
		B	2	D						
		B	3	M						

VIP 1 MINI NEW



Acabado blanco o negro con embellecedor blanco, negro, cromado u oro
White or black finish with white, black, chrome or gold baffle

Con Driver remoto
With Remote Driver



Ø57

4,7W

10,1W-10,6W

1092A-

CRI >90	
4,7W	10,6W
2700K 650lm	2700K 1317lm
3000K 680lm	3000K 1376lm
4000K 719lm	4000K 1456lm

CRI >97	
10,1W	
2700K 923lm	
3000K 949lm	
4000K 1031lm	

TUNNABLE WHITE	
10,6W	
2700K 1278lm	
6500K 1563lm	



-01-01



-01-02



-01-32



-01-47



-02-01



-02-02



-02-32



-02-47

9 10

Filtros — Filters



Antideslumbrante
Anti-glare

■ A04Q-1092-02



Oval



A47Q-1092-92



IP 44



A47R-1092-92

Campos – Fields

Acabados – Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI – °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

1	
1092	VIP 1 MINI
2	
A	Round
3	
L	LED COB


4	
38	CRI90 2700K
39	CRI90 3000K
40	CRI90 4000K
53	CRI97 2700K
54	CRI97 3000K
55	CRI97 4000K
57	CRI95 DIM TO WARM 2000K-3000K

5	
06	47W
13	10,1W- 10,6W
6	
A	AC110-240V
B	AC220-240V


7	
1	18°
3	30°
5	50°
8	
0	ON-OFF
F	LC (Trailing and leading edge)
	PUSH/1-10V
1	DALI
D	CASAMBI
M	

9	
01	
02	
10	
01	
02	
32	
47	


1	2	3	4	5	6	7	8	9	10
1092	A	L	38 39 40	06	A	1 3 5	0	01 02	01 02 32 47
					B		0		
					B		F		
					A		1		
					A		D		
				13	B	1 3 5	0		
					B		F		
					A		1		
					A		D		
					B		M		
			53 54 55	13	B	1 3 5	0		
					B		F		
					A		1		
					A		D		
					B		M		
			57	13	A	1 3 5	1		
					B		D		
					B		M		



18°



30°



50°

PALMA



-01



-02



-30




-32



-45




-48



Acabado blanco, negro, inox (-30), cromado (-32), cromado mate (-45) o níquel mate (-48)
White, black, stainless steel (-30), chrome (-32), matt chrome (-45) or matt nickel finish (-48)

Con Driver remoto
With Remote Driver



4,7W

10,1W-11,8W

15,6W

750A-

CRI >90					
4,7W		10,6W		15,6W	
2700K	650lm	2700K	1317lm	2700K	1940lm
3000K	680lm	3000K	1376lm	3000K	2028lm
4000K	719lm	4000K	1456lm	4000K	2145lm

CRI >97	
10,1W	
2700K	923lm
3000K	949lm
4000K	1031lm


CRI >95 DTW	
11,8W	
2000K	28lm
3000K	1179lm

TUNNABLE WHITE	
10,6W	
2700K	1278lm
6500K	1563lm


Campos – Fields

1	2	3	4	5	6	7	8	9
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI / °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Acabado Finish
1	4	5	7	9				
750 PALMA	38 CRI90 2700K 39 CRI90 3000K 40 CRI90 4000K	06 4,7W 13 10,1W- 11,8W 18 15,6W	1 18° 2 28° 3 38° 5 50°	01 02 30 32 45 48				
2	53 CRI97 2700K 54 CRI97 3000K 55 CRI97 4000K	6	8					
A Fixed Round	56 TUNABLE WHITE 2700-6500K 57 CRI95 DIM TO WARM 2000K-3000K	A AC110-240V B AC220-240V	0 ON-OFF F LC (Trailing and leading edge) 1 PUSH/-1-10V D DALI M CASAMBI					
3								
L LED COB								


1	2	3	4	5	6	7	8	9
750	A	L	38 39 40	06	A B B A A	1 2 3 5	0 0 F 1 D	01 02 30 32 45 48
				13	B B A A B	1 2 3 5	0 F 1 D M	
				18	B B B B B	1 2 3 5	0 F 1 D M	
			53 54 55	13	B B A A B	1 2 3 5	0 F 1 D M	
			56	13	B	1	D	
			57	13	A B B	1 2 5	1 D M	




18°



28°



38°




50°

CARPO



Acabado blanco — White finish
Con Driver remoto — With Remote Driver

Con Driver remoto
With Remote Driver



781B-

CRI >90		
4,7W	10,6W	15,6W
2700K 650lm	2700K 1317lm	2700K 1940lm
3000K 680lm	3000K 1376lm	3000K 2028lm
4000K 719lm	4000K 1456lm	4000K 2145lm

CRI >97	
10,1W	
2700K 923lm	
3000K 949lm	
4000K 1031lm	

CRI >95 DTW	
11,8W	
2000K 28lm	
3000K 1179lm	


TUNNABLE WHITE	
10,6W	
2700K 1278lm	
6500K 1563lm	

Campos – Fields


1	2	3	4	5	6	7	8	9
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI / °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Acabado Finish

1		4		5		7		9	
781	CARPO	38	CRI90 2700K	06	4,7W	1	18°	01	☐
2		39	CRI90 3000K	13	10,1W- 11,8W	2	28°		
B	Fixed	40	CRI90 4000K	18	15,6W	3	38°		
	Round	53	CRI97 2700K			5	50°		
		54	CRI97 3000K	6		8			
3		55	CRI97 4000K	A	AC110-240V	0	ON-OFF		
		56	TUNABLE WHITE 2700-6500K	B	AC220-240V	F	LC (Trailing and leading edge)		
L	LED COB	57	CRI95 DIM TO WARM 2000K-3000K			1	PUSH/1-10V		
						D	DALI		
						M	CASAMBI		


1	2	3	4	5	6	7	8	9
781	B	L	38 39 40	06	A B B A A	1 2 3 5	0 0 F 1 D	01
			53 54 55	13	B B A A B	1 2 3 5	0 F 1 D M	
			56	13	B	1	D	
			57	13	A B B	1 2 3 5	1 D D M	




18°



28°



38°




50°

MINI LUNA



Acabado blanco, negro, gris, cromado (32), cromado mate (-45) o niquel mate (-48)
White, black, grey, chrome (-32), matt chrome (-45) or matt nickel finish (-48)

Con Driver remoto
With Remote Driver



741A-

CRI >90			
4,7W		10,6W	
2700K	650lm	2700K	1317lm
3000K	680lm	3000K	1376lm
4000K	719lm	4000K	1456lm

CRI >97	
10,1W	
2700K	923lm
3000K	949lm
4000K	1031lm

CRI >95 DTW	
11,8W	
2000K	28lm
3000K	1179lm

TUNNABLE WHITE	
10,6W	
2700K	1278lm
6500K	1563lm

Campos – Fields

1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---

Familia
Family

Modelo
Model

Fuente de luz
Lighting source

CRI / °K

Potencia (W)
Power (W)

Voltaje
Voltage


Óptica
Light beam

Regulación
Dimmable


Acabado
Finish

1	4	5	7	9
74I MINI LUNA	38 CRI90 2700K 39 CRI90 3000K 40 CRI90 4000K 53 CRI97 2700K 54 CRI97 3000K 55 CRI97 4000K 56 TUNABLE WHITE 2700-6500K 57 CRI95 DIM TO WARM 2000K-3000K	06 4,7W 13 10,1W- 11,8W	1 18° 2 28° 3 38° 5 50°	01 02 03 32 45 48
2		6	8	
A Adjustable Round		A AC110-240V B AC220-240V	0 ON-OFF F LC (Trailing and leading edge) PUSH/I-10V 1 DALI D DALI M CASAMBI	
3				
L LED				


1	2	3	4	5	6	7	8	9
74I	A	L	38 39 40	06	A B B A A	1 2 3 5	0 0 F 1 D	01 02 03 32 45 48
			53 54 55	13	B B A A B	1 2 3 5	0 F 1 D M	
			56	13	B	1	D	
			57	13	A B B	1 2 3 5	1 D M	




18°



28°



38°



50°

NIX UPDATED



780A-




780E-



780B-




780F-



Acabado blanco, cromado mate (-45) o niquel mate (-48)
White, matt chrome (-45) or matt nickel finish (-48)



Con Driver remoto
With Remote Driver




6W

3000K 675lm
4000K 707lm

10W

3000K 1125lm
4000K 1178lm



6W

3000K 675lm
4000K 707lm


10W

3000K 1125lm
4000K 1178lm

Campos – Fields

1	2	3	4	5	6	7	8	9
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI / °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Acabado Finish
1	780 NIX	4 39 CRI90 3000K 40 CRI90 4000K	5 06 6W 10 10W	6 A AC110-240V B AC220-240V	7 2 25° 3 38° 6 60°	8 0 ON-OFF F L.C (Trailing and leading edge) 1 PUSH/I-10V D DALI	9 01  45  48 	
2 A Fixed round B Fixed square E Adjustable round F Adjustable square								
3 L LED								

1	2	3	4	5	6	7	8	9
780	A	L	39 40	06 10	A	2 3 6	0	01 45 48
					B		F	
					A		1	
					A		D	
	A				2 3 6	0		
	B					F		
	A					1		
	A					D		
	A				2 3 6	0		
	B					F		
	A					1		
	A					D		
	A				2 3 6	0		
	B					F		
	A					1		
	A					D		






A13A-



A13B-



Acabado blanco — White finish




Con Driver remoto
With Remote Driver




6W

3000K 675lm
4000K 707lm




10W

3000K 1125lm
4000K 1178lm



6W

3000K 675lm
4000K 707lm




10W

3000K 1125lm
4000K 1178lm


Campos – Fields

1	2	3	4	5	6	7	8	9
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI / °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Acabado Finish
1 A13 INEL		4 39 CRI90 3000K 40 CRI90 4000K		5 06 6W 10 10W		7 2 25° 3 38° 6 60°		9 01 ☐
2 A Fixed round B Fixed square				6 A AC110-240V B AC220-240V		8 0 ON-OFF F LC (Trailing and leading edge) 1 PUSH/I-10V D DALI		
3 L LED								

1	2	3	4	5	6	7	8	9
A13	A	L	39 40	06 10	A B A A	2 3 6	0 F 1 D	01
	B				A B A A	2 3 6	0 F 1 D	




LEDA UPDATED




Acabado blanco, negro o gris — White, black or grey finish

Con Driver remoto
With Remote Driver



6W

3000K 675lm
4000K 707lm



10W


3000K 1125lm
4000K 1178lm

Campos – Fields

1	2	3	4	5	6	7	8	9
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI / °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Acabado Finish

1		4		5		7		9
752	LEDA	39	CRI90 + 3000K	06	6W	2	25°	01
		40	CRI90 + 4000K	10	10W	3	38°	02
						6	60°	03
2				6		8		
A	Adjustable round			A	AC110-240V	0	ON-OFF	
				B	AC220-240V	F	LC (Trailing and leading edge)	
3						I	PUSH/I-10V	
L	LED					D	DALI	

1	2	3	4	5	6	7	8	9
752	A	L	39 40	06 10	A B A A	2 3 6	0 F 1 D	01 02 03



LEN UPDATED




Acabado blanco — White finish



Con Driver remoto
With Remote Driver




798A-



6W

3000K 675lm
4000K 707lm



10W

3000K 1125lm
4000K 1178lm


TRIMLESS



124x124




798B-



6W

3000K 675lm
4000K 707lm



10W

3000K 1125lm
4000K 1178lm


TRIMLESS



124x124




798C-



6W

3000K 675lm
4000K 707lm



10W

3000K 1125lm
4000K 1178lm

TRIMLESS



Ø133


Para techo de yeso — For plaster ceiling




Campos – Fields

1	2	3	4	5	6	7	8	9
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI / °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Acabado Finish
1		4		5		7		9
798	LEN	39 CRI90 3000K 40 CRI90 4000K		06 6W 10 10W		2 25° 3 38° 6 60°		01 ☐
2				6		8		
A Square B Square round C Round				A AC110-240V B AC220-240V		0 ON-OFF F LC (Trailing and leading edge) PUSH/I-10V DALI		
3								
L LED COB								


1	2	3	4	5	6	7	8	9
798	A	L	39 40	06 10	A	2 3 6	0	01
					B		0	
					B		F	
					B		1	
					B		D	
					A	2 3 6	0	
					B		0	
	B				B		F	
					B		1	
					B		D	
					A	2 3 6	0	
					B		0	
					B		F	
					B		1	
	C				B		D	



25°



38°




60°

ATOLON



Acabado blanco, negro o gris — White, black or grey finish

Con Driver remoto
With Remote Driver



3000K

LED COB 17W 2180lm

- 738Q-L3125B-01
- 738Q-L3125B-02
- 738Q-L3125B-03

- 738Q-L31R2B-01
- 738Q-L31R2B-02
- 738Q-L31R2B-03

- 738Q-L31I7BIM-01
- 738Q-L31I7BIM-02
- 738Q-L31I7BIM-03

4000K

LED COB 17W 2250lm

- 738Q-L3325B-01
- 738Q-L3325B-02
- 738Q-L3325B-03

- 738Q-L33R2B-01
- 738Q-L33R2B-02
- 738Q-L33R2B-03

- 738Q-L33I7BIM-01
- 738Q-L33I7BIM-02
- 738Q-L33I7BIM-03



CASAMBI

3000K

LED COB 17W 2210lm

- 738R-L3125B-01
- 738R-L3125B-02
- 738R-L3125B-03

- 738R-L31R2B-01
- 738R-L31R2B-02
- 738R-L31R2B-03

- 738R-L31I7B2M-01
- 738R-L31I7B2M-02
- 738R-L31I7B2M-03

4000K

LED COB 17W 2280lm


- 738R-L3325B-01
- 738R-L3325B-02
- 738R-L3325B-03

- 738R-L33R2B-01
- 738R-L33R2B-02
- 738R-L33R2B-03


- 738R-L33I7BIM-01
- 738R-L33I7BIM-02
- 738R-L33I7BIM-03



CASAMBI




3000K			4000K		
h (m)	d (m)	E (lux)	h (m)	d (m)	E (lux)
1,00	0,29	12485	1,00	0,29	14782
2,00	0,58	3121	2,00	0,58	3696
3,00	0,87	1387	3,00	0,87	1642
4,00	1,16	780	4,00	1,16	924
5,00	1,45	499	5,00	1,45	591



3000K			4000K		
h (m)	d (m)	E (lux)	h (m)	d (m)	E (lux)
1,00	0,54	6537	1,00	0,54	7027
2,00	1,08	1634	2,00	1,08	1757
3,00	1,62	726	3,00	1,62	781
4,00	2,16	409	4,00	2,16	439
5,00	2,70	261	5,00	2,70	281

ATOLON

Marcos – Frames

	□ A45A-738-01 ■ A45A-738-02 ■ A45A-738-03			152x152
	□ A45B-738-01 ■ A45B-738-02 ■ A45B-738-03			300x152
	□ A45C-738-01 ■ A45C-738-02 ■ A45C-738-03			450x152
	□ A45D-738-01 ■ A45D-738-02 ■ A45D-738-03			600x152
	□ A45E-738-01 ■ A45E-738-02 ■ A45E-738-03			300x300

ACER

Acabado blanco, negro o gris – White, black or grey finish



Filtros de conversión para pescado, marisco, verdura, carne o pan
Conversion filters for fish, seafood, vegetables, meat or bread

	SEAFOOD	A14A-738-00	for 3000K
	VEG+FRUIT	A14A-738-00	
	FISH	A14A-738-00	for 4000K
	MEAT	A14B-738-00	
	BREAD	A14C-738-00	




Porta filtros – Support for filters

	□ A44A-772-01 ■ A44A-772-02 ■ A44A-772-03	
---	---	--

VALGUS



Acabado blanco — White finish




LED SMD 18W 1494lm **3000K**

LED SMD 18W 1584lm **4000K**

□ 806B-L3IRCB-01

□ 806B-L33RCB-01




3000K

h (m)	d (m)	E (lux)
1,00	3,15	518
2,00	6,30	130
3,00	9,45	58
4,00	12,60	32
5,00	15,75	21

4000K

h (m)	d (m)	E (lux)
1,00	3,15	550
2,00	6,30	138
3,00	9,45	61
4,00	12,60	34
5,00	15,75	22



LED SMD 18W 1530lm **3000K**

LED SMD 18W 1600lm **4000K**

□ 806A-L3IRCA-01

□ 806A-L33RCA-01



□ 806A-L318Z-01

□ 806A-L3318Z-01




□ 806A-L318R-01

□ 806A-L3318R-01



EMERGENCY (3h) 4W 340lm

EMERGENCY (3h) 4W 355lm



3000K

h (m)	d (m)	E (lux)
1,00	3,15	516
2,00	6,30	129
3,00	9,45	57
4,00	12,60	32
5,00	15,75	21

4000K


h (m)	d (m)	E (lux)
1,00	3,15	540
2,00	6,30	135
3,00	9,45	60
4,00	12,60	34
5,00	15,75	22



FRED




Acabado blanco, negro o gris — White, black or grey finish




LED SMD 25W 1850lm 3000K

- ☐ 715A-L0125A-01
- ☒ 715A-L0125A-02
- ☐ 715A-L0125A-03



LED SMD 25W 2940lm 3000K

- ☐ 715B-L3135A-01
- ☒ 715B-L3135A-02
- ☐ 715B-L3135A-03



Accesorio necesario para suspensión Necessary accessory for pendant

- ☐ A20A-715-01
- ☒ A20A-715-02
- ☐ A20A-715-03




Accesorio decorativo opcional para superficie Optional decorative accessory for surface

- ☐ Ø298 ☐ Ø400
- ☐ A20B-715-01 ☐ A20C-715-01






BUIS



Acabado blanco o gris — White or grey finish




LED COB 14W 1200lm **3000K**

- 805A-L3115B-01
- 805A-L3115B-03

LED COB 14W 1280lm **4000K**

- 805A-L3315B-01
- 805A-L3315B-03




LED COB 24W 2320lm **3000K**

- 805B-L3125B-01
- 805B-L3125B-03

LED COB 24W 2420lm **4000K**

- 805B-L3325B-01
- 805B-L3325B-03




LED COB 32W 3320lm **3000K**

- 805C-L3135B-01
- 805C-L3135B-03

LED COB 32W 3430lm **4000K**

- 805C-L3335B-01
- 805C-L3335B-03




805A-L3115A

h (m)	d (m)	E (lux)
1,00	0,93	1102
2,00	1,86	276
3,00	2,79	122
4,00	3,72	69
5,00	4,65	44

805A-L3315A

h (m)	d (m)	E (lux)
1,00	0,93	1175
2,00	1,86	294
3,00	2,79	131
4,00	3,72	73
5,00	4,65	47




805B-L3125A

h (m)	d (m)	E (lux)
1,00	0,93	2121
2,00	1,86	530
3,00	2,79	236
4,00	3,72	133
5,00	4,65	85

805B-L3325A

h (m)	d (m)	E (lux)
1,00	0,93	2212
2,00	1,86	553
3,00	2,79	246
4,00	3,72	138
5,00	4,65	88



805C-L3135A


h (m)	d (m)	E (lux)
1,00	1,40	1780
2,00	2,80	445
3,00	4,20	198
4,00	5,60	111
5,00	7,00	71

805C-L3335A

h (m)	d (m)	E (lux)
1,00	1,40	1897
2,00	2,80	474
3,00	4,20	211
4,00	5,60	119
5,00	7,00	76



HIDRA ^{NEW}



Acabado blanco o negro con embellecedores blanco, negro u oro
White or black finish with white, black or gold trims

K SELECT	2700K	236lm
	3000K	257lm
	4000K	244lm



LED COB 25W

- □ 835E-L4125B2F-01-01
- ■ 835E-L4125B2F-01-02
- ■ 835E-L4125B2F-01-47
- ■ 835E-L4125B2F-02-02
- ■ 835E-L4125B2F-02-47



LED COB 25W

- □ 835E-L4125B3F-01-01
- ■ 835E-L4125B3F-01-02
- ■ 835E-L4125B3F-01-47
- ■ 835E-L4125B3F-02-02
- ■ 835E-L4125B3F-02-47




LED COB 25W



- □ 835E-L4125B6F-01-01
- ■ 835E-L4125B6F-01-02
- ■ 835E-L4125B6F-01-47
- ■ 835E-L4125B6F-02-02
- ■ 835E-L4125B6F-02-47

Rejilla antideslumbrante – Anti-glare grille

- A04R-835.20.01
- A04R-835.20.02
- A04R-835.20.47



HIDRA NEW



Acabado blanco o negro con embellecedores blanco, negro u oro
White or black finish with white, black or gold trims

	2700K	2361lm
	3000K	2572lm
	4000K	2441lm



LED COB 25W

- ☐ 835B-L4I25B2F-01-01
- ☐ 835B-L4I25B2F-01-02
- ☐ 835B-L4I25B2F-01-47
- ☐ 835B-L4I25B2F-02-02
- ☐ 835B-L4I25B2F-02-47



LED COB 25W

- ☐ 835B-L4I25B3F-01-01
- ☐ 835B-L4I25B3F-01-02
- ☐ 835B-L4I25B3F-01-47
- ☐ 835B-L4I25B3F-02-02
- ☐ 835B-L4I25B3F-02-47




LED COB 25W

- ☐ 835B-L4I25B6F-01-01
- ☐ 835B-L4I25B6F-01-02
- ☐ 835B-L4I25B6F-01-47
- ☐ 835B-L4I25B6F-02-02
- ☐ 835B-L4I25B6F-02-47

Rejilla antideslumbrante - Anti-glare grille


- ☐ A04R-835.20.01
- ☐ A04R-835.20.02
- ☐ A04R-835.20.47



BILOG



Acabado blanco o negro – White or negro finish



LED SMD 44W 3980lm **3000K**

LED SMD 44W 4563lm **4000K**


- 801A-L3148B-01
- 801A-L3148B-02

- 801A-L3348B-01
- 801A-L3348B-02



- 801A-L31RDB-01
- 801A-L31RDB-02

- 801A-L33RDB-01
- 801A-L33RDB-02



LED SMD 44W 3980lm **3000K**

LED SMD 44W 4563lm **4000K**


- 801C-L3148B-01
- 801C-L3148B-02

- 801C-L3348B-01
- 801C-L3348B-02



- 801C-L31RDB-01
- 801C-L31RDB-02

- 801C-L33RDB-01
- 801C-L33RDB-02



3000K

h (m)	d (m)	E (lux)
1,00	3,45	1535
2,00	6,90	384
3,00	10,35	171
4,00	13,80	96
5,00	17,25	61


4000K

h (m)	d (m)	E (lux)
1,00	3,45	1760
2,00	6,90	440
3,00	10,35	196
4,00	13,80	110
5,00	17,25	70

BILOG



Acabado blanco o negro – White or negro finish



LED SMD 96W 7944lm **3000K**


LED SMD 96W 9108lm **4000K**

□ 801B-L31A3B-01
■ 801B-L31A3B-02

□ 801B-L33A3B-01
■ 801B-L33A3B-02

□ 801B-L31RDB-01
■ 801B-L31RDB-02

□ 801B-L33RDB-01
■ 801B-L33RDB-02



LED SMD 96W 7944lm **3000K**


LED SMD 96W 9108lm **4000K**

□ 801D-L31A3B-01
■ 801D-L31A3B-02

□ 801D-L33A3B-01
■ 801D-L33A3B-02

□ 801D-L31RDB-01
■ 801D-L31RDB-02

□ 801D-L33RDB-01
■ 801D-L33RDB-02



3000K

4000K

h (m)	d (m)	E (lux)	h (m)	d (m)	E (lux)
1,00	2,75	3064	1,00	2,75	4073
2,00	5,50	766	2,00	5,50	1018
3,00	8,25	341	3,00	8,25	453
4,00	11,00	191	4,00	11,00	255
5,00	13,75	122	5,00	13,75	163








FENIX




Wall



Acabado blanco, negro o gris – White, black or grey finish



2	*	(A) 581mm	(B) 861mm	(C) 1141mm	(D) 1431mm	(E) 1711mm	(F) 1991mm	(G) 2271mm
5		(12) 11,65W	(18) 17,50W	(24) 23,30W	(30) 29,15W	(35) 34,95W	(41) 40,80W	(47) 46,60W
4	(30) CR80 2700K	1905lm	2855lm	3810lm	4760lm	5715lm	6665lm	7620lm
	(31) CR80 3000K	1960lm	2940lm	3920lm	4900lm	5880lm	6860lm	7840lm
	(33) CR80 4000K	2070lm	3105lm	4140lm	5175lm	6210lm	7245lm	8280lm
	(39) CR90 3000K	1670lm	2505lm	3340lm	4175lm	5010lm	5845lm	6680lm
	(40) CR90 4000K	1745lm	2620lm	3490lm	4365lm	5235lm	6110lm	6980lm



Ceiling	Recessed	Recessed Trimless	Pendant Dir	Pendant Dir/Indir.
P_ 110	P_ 112	P_ 114	P_ 116	P_ 118

Campos — Fields


1	2	3	4	5	6	7	8	9
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI / °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Acabado Finish

1		3		5		6		8	
1066	Fenix Wall	L	LED SMD	12	11,65W	A	ACT10-240V	0	ON-OFF
2		4				7		9	
A	581mm	30	CRI80 2700K	24	23,30W	A	108°	01	
B	861mm	31	CRI80 3000K	30	29,15W			02	
C	1141mm	33	CRI80 4000K	35	34,95W			03	
D	1431mm	39	CRI90 3000K	41	40,80W				
E	1711mm	40	CRI90 4000K	47	46,60W				
F	1991mm								
G	2271mm								

1	2		3	4	5	6	7	8		9
1066	A	-	L		12	A	A	0 D	-	01 02 03
	B			30	18					
	C			31	24					
	D			33	30					
	E			39	35					
	F			40	41					
	G				47					

Unión línea continua — Continuous line connection

A58E-1061-41




ACER

FENIX


 Ceiling



Acabado blanco, negro o gris – White, black or grey finish



2	*	(A) 581mm	(B) 861mm	(C) 1141mm	(D) 1431mm	(E) 1711mm	(F) 1991mm	(G) 2271mm
5		(12) 11,65W	(18) 17,50W	(24) 23,30W	(30) 29,15W	(35) 34,95W	(41) 40,80W	(47) 46,60W
4	(30) CR80 2700K	1905lm	2855lm	3810lm	4760lm	5715lm	6665lm	7620lm
	(31) CR80 3000K	1960lm	2940lm	3920lm	4900lm	5880lm	6860lm	7840lm
	(33) CR80 4000K	2070lm	3105lm	4140lm	5175lm	6210lm	7245lm	8280lm
	(39) CR90 3000K	1670lm	2505lm	3340lm	4175lm	5010lm	5845lm	6680lm
	(40) CR90 4000K	1745lm	2620lm	3490lm	4365lm	5235lm	6110lm	6980lm



Wall (Down)  P _ 108	Recessed  P _ 112	Recessed Trimless  P _ 114	Pendant Dir  P _ 116	Pendant Dir/Indir.  P _ 118
---	---	---	---	--

Campos — Fields

1	2	3	4	5	6	7	8	9
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI / °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Acabado Finish

1	3	5	6	8
1062 Fenix Ceiling	L LED SMD	12 11,65W	A AC110-240V	0 ON-OFF
2	4	18 17,50W	7	D DALI
A 581mm	30 CRI80 2700K	24 23,30W	A 108°	01 
B 861mm	31 CRI80 3000K	30 29,15W		02 
C 1141mm	33 CRI80 4000K	35 34,95W		03 
D 1431mm	39 CRI90 3000K	41 40,80W		
E 1711mm	40 CRI90 4000K	47 46,60W		
F 1991mm				
G 2271mm				


1	2	3	4	5	6	7	8	9
1062	A	L	30 31 33 39 40	12	A	A	0 D	01 02 03
	B			18				
	C			24				
	D			30				
	E			35				
	F			41				
	G			47				

Accesorios — Accessories



1	3	5	8
B61 Fenix Acc.	L LED SMD	06 5,84W	0 ON-OFF
2	4	6	D DALI
A Codo 90°	30 CRI80 2700K (950lm)	A AC110-240V	9
	31 CRI80 3000K (980lm)	B AC220-240V	01 
	33 CRI80 4000K (1040lm)		02 
	39 CRI90 3000K (860lm)	7	03 
	40 CRI90 4000K (900lm)	A 108°	

1	2	3	4	5	6	7	8	9
B61	A	L	30	06	A	A	0	01 02 03
			31					
			33					
			39					
			40		B		D	




Unión línea continua — Continuous line connection

A58E-1061-41


ACER

FENIX


 Recessed



Acabado blanco, negro o gris – White, black or grey finish



2	*	(A) 581mm	(B) 861mm	(C) 1141mm	(D) 1431mm	(E) 1711mm	(F) 1991mm	(G) 2271mm
5		(12) 11,65W	(18) 17,50W	(24) 23,30W	(30) 29,15W	(35) 34,95W	(41) 40,80W	(47) 46,60W
4	(30) CR80 2700K	1905lm	2855lm	3810lm	4760lm	5715lm	6665lm	7620lm
	(31) CR80 3000K	1960lm	2940lm	3920lm	4900lm	5880lm	6860lm	7840lm
	(33) CR80 4000K	2070lm	3105lm	4140lm	5175lm	6210lm	7245lm	8280lm
	(39) CR90 3000K	1670lm	2505lm	3340lm	4175lm	5010lm	5845lm	6680lm
	(40) CR90 4000K	1745lm	2620lm	3490lm	4365lm	5235lm	6110lm	6980lm



Wall (Down)	Ceiling	Recessed Trimless	Pendant Dir	Pendant Dir/Indir.
 P... 108	 P... 110	 P... 114	 P... 116	 P... 118

Campos — Fields


1	2	3	4	5	6	7	8	9
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI / °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Acabado Finish
1065	Fenix Recessed	L	LED SMD	12 11,65W 18 17,50W 24 23,30W	A AC110-240V	A 108°	0 ON-OFF D DALI	01  02  03 
A 596mm B 876mm C 1156mm D 1442mm E 1722mm F 2002mm G 2282mm		30 CRI80 2700K 31 CRI80 3000K 33 CRI80 4000K 39 CRI90 3000K 40 CRI90 4000K		30 29,15W 35 34,95W 41 40,80W 47 46,60W				

1	2	3	4	5	6	7	8	9
1065	A B C D E F G	L	30 31 33 39 40	12 18 24 30 35 41 47	A	A	0 D	01 02 03

Accesorios — Accessories

		3	L	LED SMD	5	06 5,84W	8	0 ON-OFF D DALI
1		4	30 CRI80 2700K (950lm) 31 CRI80 3000K (980lm) 33 CRI80 4000K (1040lm) 39 CRI90 3000K (860lm) 40 CRI90 4000K (900lm)		6	A AC110-240V B AC220-240V	9	01  02  03 
B65	Fenix Acc.				7	A 108°		
2	A Codo 90°							

1	2	3	4	5	6	7	8	9
B65	A	L	30 31 33 39 40	06	A B	A	0 D	01 02 03



Unión línea continua — Continuous line connection

A58F-1065-41

ACER

FENIX

Recessed
Trimless



ALU PC
MAT ALU
PAINT

110V
240V

50Hz
60Hz

IEC

IP
20

72.000h


L80
B10

108°


UGR
<19

3
STEP


Acabado blanco, negro o gris – White, black or grey finish



Sistema Trimless – Trimless system



2	*	(A) 581mm	(B) 861mm	(C) 1141mm	(D) 1431mm	(E) 1711mm	(F) 1991mm	(G) 2271mm
		583x62mm	863x62mm	1143x62mm	1433x62mm	1713x62mm	1993x62mm	2273x62mm
5		(12) 11,65W	(18) 17,50W	(24) 23,30W	(30) 29,15W	(36) 34,95W	(41) 40,80W	(47) 46,60W
4	(30) CR80 2700K	1905lm	2855lm	3810lm	4760lm	5715lm	6665lm	7620lm
	(31) CR80 3000K	1960lm	2940lm	3920lm	4900lm	5880lm	6860lm	7840lm
	(33) CR80 4000K	2070lm	3105lm	4140lm	5175lm	6210lm	7245lm	8280lm
	(39) CR90 3000K	1670lm	2505lm	3340lm	4175lm	5010lm	5845lm	6680lm
	(40) CR90 4000K	1745lm	2620lm	3490lm	4365lm	5235lm	6110lm	6980lm



Wall (Down)	Ceiling	Recessed	Pendant Dir	Pendant Dir/Indir.
P_ 108	P_ 110	P_ 112	P_ 116	P_ 118

Campos — Fields

1	2	3	4	5	6	7	8	9
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI / °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Acabado Finish

1		3		5		6		8	
1063	Fenix Recessed Trimless	L	LED SMD	12	11,65W	A	AC110-240V	0	ON-OFF
				18	17,50W			D	DALI
2		4				7		9	
A	581mm	30	CRI80 2700K	24	23,30W	A	108°	01	
B	861mm	31	CRI80 3000K	30	29,15W			02	
C	1141mm	33	CRI80 4000K	35	34,95W			03	
D	1431mm	39	CRI90 3000K	41	40,80W				
E	1711mm	40	CRI90 4000K	47	46,60W				
F	1991mm								
G	2271mm								


1	2	3	4	5	6	7	8	9
1063	A	L	30	12	A	A	0 D	01 02 03
	B			18				
	C			24				
	D			30				
	E			35				
	F			41				
	G			47				

Accesorios — Accessories



1		30	CRI80 2700K (950lm)	6		9 01  02  03 
B61	Fenix Acc.	31	CRI80 3000K (980lm)	A	AC110-240V	
		33	CRI80 4000K (1040lm)	B	AC220-240V	
2		39	CRI90 3000K (860lm)	7		
A	Codo 90°	40	CRI90 4000K (900lm)	A	108°	

1	2	3	4	5	6	7	8	9
B61	A	L	30	06	A	A	0	01 02 03
			31					
			33					
			39					
			40		B		D	




Unión línea continua — Continuous line connection

A58E-1061-41


ACER

FENIX



 Pendant Dir



Acabado blanco, negro o gris – White, black or grey finish



2	*	(A) 581mm	(B) 861mm	(C) 1141mm	(D) 1431mm	(E) 1711mm	(F) 1991mm	(G) 2271mm
5		(12) 11,65W	(18) 17,50W	(24) 23,30W	(30) 29,15W	(35) 34,95W	(41) 40,80W	(47) 46,60W
4	(30) CR80 2700K	1905lm	2855lm	3810lm	4760lm	5715lm	6665lm	7620lm
	(31) CR80 3000K	1960lm	2940lm	3920lm	4900lm	5880lm	6860lm	7840lm
	(33) CR80 4000K	2070lm	3105lm	4140lm	5175lm	6210lm	7245lm	8280lm
	(39) CR90 3000K	1670lm	2505lm	3340lm	4175lm	5010lm	5845lm	6680lm
	(40) CR90 4000K	1745lm	2620lm	3490lm	4365lm	5235lm	6110lm	6980lm



Campos — Fields

1	2	3	4	5	6	7	8	9
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI / °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Acabado Finish

1		3		5		6		8	
1061	Fenix Pendant Dir	L	LED SMD	12	11,65W	A	AC110-240V	0	ON-OFF
2		4				7		9	
A	581mm	30	CRI80 2700K	24	23,30W	A	108°	01	
B	861mm	31	CRI80 3000K	30	29,15W			02	
C	1141mm	33	CRI80 4000K	35	34,95W			03	
D	1431mm	39	CRI90 3000K	41	40,80W				
E	1711mm	40	CRI90 4000K	47	46,60W				
F	1991mm								
G	2271mm								


1	2	3	4	5	6	7	8	9
1061	A	L	30	12	A	A	0 D	01 02 03
	B			18				
	C			24				
	D			30				
	E			35				
	F			41				
	G		40	47				

Accesorios — Accessories



1		30	CRI80 2700K (950lm)	5		9	
B61	Fenix Acc.	31	CRI80 3000K (980lm)	A	AC110-240V	01 	
		33	CRI80 4000K (1040lm)	B	AC220-240V	02 	
2		39	CRI80 3000K (860lm)	7		03 	
A	Codo 90°	40	CRI90 4000K (900lm)	A	108°		

1	2	3	4	5	6	7	8	9
B61	A	L	30	06	A	A	0	01 02 03
			31					
			33					
			39					
			40		B		D	



Unión línea continua — Continuous line connection

A58E-1061-41

ACER

FENIX


 Pendant Dir./Indir.



ALU  


Acabado blanco, negro o gris – White, black or grey finish



Incluye 2 grapas para la suspensión
Includes 2 clips for suspension



2	*	(A) 591mm	(B) 871mm	(C) 1157mm	(D) 1437mm	(E) 1717mm	(F) 1979mm	(G) 2259mm
5		(23) 23,3W	(35) 35W	(47) 46,6W	(58) 58,3W	(70) 70W	(82) 81,6W	(93) 93,3W
4	(30) CR80 2700K	3810lm	5710lm	7620lm	9520lm	11430lm	13330lm	15240lm
	(31) CR80 3000K	3920lm	5880lm	7840lm	9800lm	11760lm	13720lm	15680lm
	(33) CR80 4000K	4140lm	6210lm	8280lm	10350lm	12420lm	14490lm	16560lm
	(39) CR90 3000K	3340lm	5010lm	6680lm	8350lm	10020lm	11690lm	13360lm
	(40) CR90 4000K	3490lm	5240lm	6980lm	8730lm	10470lm	12220lm	13960lm



Wall (Down)	Ceiling	Recessed	Recessed Trimless	Pendant Dir
 P... 108	 P... 110	 P... 112	 P... 114	 P... 116

Campos — Fields

1	2	3	4	5	6	7	8	9
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI / °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Acabado Finish

1		3		5		6		8	
1064	Fenix Pendant Dir/Indir.	L	LED SMD	23	23,3W	A	AC110-240V	0	ON-OFF
2		4				7		9	
A	591mm	30	CRI80 2700K	47	46,6W	A 108°		01	
B	871mm	31	CRI80 3000K	58	58,3W			02	
C	1157mm	33	CRI80 4000K	70	70W			03	
D	1437mm	39	CRI90 3000K	82	81,6W				
E	1717mm	40	CRI90 4000K	93	93,3W				
F	1979mm								
G	2259mm								

1	2	3	4	5	6	7	8	9
1064	A B C D E F G	L	30 31 33 39 40	23 35 47 58 70 82 93	A	A	0 D	01 02 03

Accesorios — Accessories

		3	L	LED SMD	5	06	5,84W	8	0	ON-OFF
1									D	DALI
B64	Fenix Acc.	4	30	CRI80 2700K (950lm)	6	A	AC110-240V	9	01	
2			31	CRI80 3000K (980lm)		B	AC220-240V		02	
A	Codo 90°		33	CRI80 4000K (1040lm)					03	
			39	CRI90 3000K (860lm)	7					
			40	CRI90 4000K (900lm)	A		108°			

1	2	3	4	5	6	7	8	9
B64	A	L	30 31 33 39 40	06	A B	A	0 D	01 02 03



Unión línea continua — Continuous line connection

A58C-808-41

ACER

SIGMA



RANGE
EXTENSION
UPDATED




Acabado blanco o gris — White or grey finish

Bajo pedido
On request **34°**

Con Driver remoto
With Remote Driver




 LED SMD 6W 772lm **2700K**

U 809C-L3806B40-01-02
U 809C-L3806B40-03-02
E 809C-L3806B40-01-01
E 809C-L3806B40-03-01

 LED SMD 6W 811lm **3000K**

U 809C-L3906B40-01-02
U 809C-L3906B40-03-02
E 809C-L3906B40-01-01
E 809C-L3906B40-03-01

 LED SMD 6W 849lm **4000K**


U 809C-L4006B40-01-02
U 809C-L4006B40-03-02
E 809C-L4006B40-01-02
E 809C-L4006B40-03-01

U 809C-L3806B4M-01-02
U 809C-L3806B4M-03-02
E 809C-L3806B4M-01-01
E 809C-L3806B4M-03-01

U 809C-L3906B4M-01-02
U 809C-L3906B4M-03-02
E 809C-L3906B4M-01-01
E 809C-L3906B4M-03-01

U 809C-L4006B4M-01-02
U 809C-L4006B4M-03-02
E 809C-L4006B4M-01-01
E 809C-L4006B4M-03-01

CASAMBI


 LED SMD 11W 1544lm **2700K**

U 809D-L3813B40-01-02
U 809D-L3813B40-03-02
E 809D-L3813B40-01-01
E 809D-L3813B40-03-01

 LED SMD 11W 1622lm **3000K**

U 809D-L3913B40-01-02
U 809D-L3913B40-03-02
E 809D-L3913B40-01-01
E 809D-L3913B40-03-01

 LED SMD 11W 1698lm **4000K**


U 809D-L4013B40-01-02
U 809D-L4013B40-03-02
E 809D-L4013B40-01-02
E 809D-L4013B40-03-01

U 809D-L3813B4M-01-02
U 809D-L3813B4M-03-02
E 809D-L3813B4M-01-01
E 809D-L3813B4M-03-01

U 809D-L3913B4M-01-02
U 809D-L3913B4M-03-02
E 809D-L3913B4M-01-01
E 809D-L3913B4M-03-01

U 809D-L4013B4M-01-02
U 809D-L4013B4M-03-02
E 809D-L4013B4M-01-01
E 809D-L4013B4M-03-01

CASAMBI


 LED SMD 25W 3088lm **2700K**

U 809E-L3825B40-01-02
U 809E-L3825B40-03-02
E 809E-L3825B40-01-01
E 809E-L3825B40-03-01

 LED SMD 25W 3244lm **3000K**

U 809E-L3925B40-01-02
U 809E-L3925B40-03-02
E 809E-L3925B40-01-01
E 809E-L3925B40-03-01

 LED SMD 25W 3396lm **4000K**

U 809E-L4025B40-01-02
U 809E-L4025B40-03-02
E 809E-L4025B40-01-02
E 809E-L4025B40-03-01

U 809E-L3825B4D-01-02
U 809E-L3825B4D-03-02
E 809E-L3825B4D-01-01
E 809E-L3825B4D-03-01

U 809E-L3925B4D-01-02
U 809E-L3925B4D-03-02
E 809E-L3925B4D-01-01
E 809E-L3925B4D-03-01

U 809E-L4025B4D-01-02
U 809E-L4025B4D-03-02
E 809E-L4025B4D-01-01
E 809E-L4025B4D-03-01



U 809E-L3825B4M-01-02
U 809E-L3825B4M-03-02
E 809E-L3825B4M-01-01
E 809E-L3825B4M-03-01

U 809E-L3925B4M-01-02
U 809E-L3925B4M-03-02
E 809E-L3925B4M-01-01
E 809E-L3925B4M-03-01

U 809E-L4025B4M-01-02
U 809E-L4025B4M-03-02
E 809E-L4025B4M-01-01
E 809E-L4025B4M-03-01

CASAMBI

SIGMA

RANGE
EXTENSION
UPDATED



ALU + PC





Acabado blanco o gris – White or grey finish


Bajo pedido
On request



Sistema Trimless – Trimless system

Con Driver remoto
With Remote Driver





Max. 20 mm


 LED SMD 6W 772lm **2700K**

 LED SMD 6W 811lm **3000K**

 LED SMD 6W 849lm **4000K**

809F-L3806B40-01-02
 809F-L3806B40-03-02
 809F-L3806B40-01-01
 809F-L3806B40-03-01

809F-L3906B40-01-02
 809F-L3906B40-03-02
 809F-L3906B40-01-01
 809F-L3906B40-03-01


809F-L4006B40-01-02
 809F-L4006B40-03-02
 809F-L4006B40-01-01
 809F-L4006B40-03-01

809F-L3806B4M-01-02
 809F-L3806B4M-03-02
 809F-L3806B4M-01-01
 809F-L3806B4M-03-01

809F-L3906B4M-01-02
 809F-L3906B4M-03-02
 809F-L3906B4M-01-01
 809F-L3906B4M-03-01

809F-L4006B4M-01-02
 809F-L4006B4M-03-02
 809F-L4006B4M-01-01
 809F-L4006B4M-03-01

CASAMBI


 LED SMD 11W 1544lm **2700K**

 LED SMD 11W 1622lm **3000K**

 LED SMD 11W 1698lm **4000K**

809G-L3813B40-01-02
 809G-L3813B40-03-02
 809G-L3813B40-01-01
 809G-L3813B40-03-01

809G-L3913B40-01-02
 809G-L3913B40-03-02
 809G-L3913B40-01-01
 809G-L3913B40-03-01


809G-L4013B40-01-02
 809G-L4013B40-03-02
 809G-L4013B40-01-01
 809G-L4013B40-03-01

809G-L3813B4M-01-02
 809G-L3813B4M-03-02
 809G-L3813B4M-01-01
 809G-L3813B4M-03-01

809G-L3913B4M-01-02
 809G-L3913B4M-03-02
 809G-L3913B4M-01-01
 809G-L3913B4M-03-01

809G-L4013B4M-01-02
 809G-L4013B4M-03-02
 809G-L4013B4M-01-01
 809G-L4013B4M-03-01

CASAMBI


 LED SMD 25W 3088lm **2700K**

 LED SMD 25W 3244lm **3000K**

 LED SMD 25W 3396lm **4000K**

809H-L3825B40-01-02
 809H-L3825B40-03-02
 809H-L3825B40-01-01
 809H-L3825B40-03-01

809H-L3925B40-01-02
 809H-L3925B40-03-02
 809H-L3925B40-01-01
 809H-L3925B40-03-01

809H-L4025B40-01-02
 809H-L4025B40-03-02
 809H-L4025B40-01-01
 809H-L4025B40-03-01

809H-L3825B4D-01-02
 809H-L3825B4D-03-02
 809H-L3825B4D-01-01
 809H-L3825B4D-03-01

809H-L3925B4D-01-02
 809H-L3925B4D-03-02
 809H-L3925B4D-01-01
 809H-L3925B4D-03-01

809H-L4025B4D-01-02
 809H-L4025B4D-03-02
 809H-L4025B4D-01-01
 809H-L4025B4D-03-01

DALI

809H-L3825B4M-01-02
 809H-L3825B4M-03-02
 809H-L3825B4M-01-01
 809H-L3825B4M-03-01

809H-L3925B4M-01-02
 809H-L3925B4M-03-02
 809H-L3925B4M-01-01
 809H-L3925B4M-03-01

809H-L4025B4M-01-02
 809H-L4025B4M-03-02
 809H-L4025B4M-01-01
 809H-L4025B4M-03-01

CASAMBI

SIGMA

RANGE
EXTENSION
UPDATED




Acabado blanco o gris – White or grey finish

Bajo pedido
On request



Con Driver remoto
With Remote Driver



LED SMD 44W 5404lm **2700K**

LED SMD 44W 5677lm **3000K**

LED SMD 44W 5943lm **4000K**

U 809A-L3844B40-01-02
U 809A-L3844B40-03-02
E 809A-L3844B40-01-01
E 809A-L3844B40-03-01


U 809A-L3944B40-01-02
U 809A-L3944B40-03-02
E 809A-L3944B40-01-01
E 809A-L3944B40-03-01

U 809A-L4044B40-01-02
U 809A-L4044B40-03-02
E 809A-L4044B40-01-01
E 809A-L4044B40-03-01

U 809A-L3844B4D-01-02
U 809A-L3844B4D-03-02
E 809A-L3844B4D-01-01
E 809A-L3844B4D-03-01

U 809A-L3944B4D-01-02
U 809A-L3944B4D-03-02
E 809A-L3944B4D-01-01
E 809A-L3944B4D-03-01

U 809A-L4044B4D-01-02
U 809A-L4044B4D-03-02
E 809A-L4044B4D-01-01
E 809A-L4044B4D-03-01



LED SMD 57W 6948lm **2700K**

LED SMD 57W 7299lm **3000K**

LED SMD 57W 7641lm **4000K**

U 809B-L3857B40-01-02
U 809B-L3857B40-03-02
E 809B-L3857B40-01-01
E 809B-L3857B40-03-01

U 809B-L3957B40-01-02
U 809B-L3957B40-03-02
E 809B-L3957B40-01-01
E 809B-L3957B40-03-01


U 809B-L4057B40-01-02
U 809B-L4057B40-03-02
E 809B-L4057B40-01-01
E 809B-L4057B40-03-01

U 809B-L3857B4D-01-02
U 809B-L3857B4D-03-02
E 809B-L3857B4D-01-01
E 809B-L3857B4D-03-01

U 809B-L3957B4D-01-02
U 809B-L3957B4D-03-02
E 809B-L3957B4D-01-01
E 809B-L3957B4D-03-01

U 809B-L4057B4D-01-02
U 809B-L4057B4D-03-02
E 809B-L4057B4D-01-01
E 809B-L4057B4D-03-01






Recessed	Recessed Trimless
 P_ 120	 P_ 122

UKU




	UKU 1	UKU 2	UKU 3	UKU 4	UKU 5	UKU 6
	1055	1056	1057	1058	1059	1060
A						
B						
C						
D						
	P_130	P_132	P_134	P_136	P_138	P_140



W SELECT	K SELECT	2700K	3000K	4000K
6W		656lm	663lm	703lm
9W		881lm	913lm	954lm



0° / 15° / 30° / 45°



UKU 1



ALU



Acabado blanco o negro — White or black finish

Empotrable techo — Recessed ceiling



Campos — Fields

Acabados — Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI — °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embelecedor Baffle

1
1055 UKU 1

2
A Opal half
B Short round half
C Long round half
D Cylindrical half

3
L LED COB

4
4I CRI90
(2700K/3000K/4000K)

5
MP 6W/9W

6
B AC220-240V

7
F 1055A- 1055B- 1055C- 1055D-
F 150°
1 10° 20°
2 20° 24° 28°
3 36° 36° 36°
4 48°
6 60° 60° 60°

8
0 ON-OFF

9
01 
02 

10
01 
02 
47 

1	2	3	4	5	6	7	8	9	10
1055	A	L	4I	MP	B	F	0	01 02	01 02 47
	B					1 2 3 6			
	C					2 3 4 6			
	D					1 2 3 6			

Track  P_ 132	Wall  P_ 134	Ceiling  P_ 136	Pendant  P_ 138	Track Pendant  P_ 140
---	--	---	---	--

UKU 2



ALU



220V
240V

50Hz
60Hz



SEL

IP
20

50.000h

L80
B20

CRI
>90



W
SELECT


K
SELECT

45°


Acabado blanco o negro – White or black finish

Proyector carril – Track spotlight


1056A-




1056B-



1056C-



1056D-



Campos — Fields

Acabados — Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI — °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embelecedor Baffle

1
1056 UKU 2

2
A Opal half
B Short round half
C Long round half
D Cylindrical half

3
L LED COB

4
4I CRI90
(2700K/3000K/4000K)

5
MP 6W/9W

6
B AC220-240V

7
F 1055A- 1055B- 1055C- 1055D-
F 150°
1 10° 20°
2 20° 24° 28°
3 36° 36° 36°
4 48°
6 60° 60° 60°

8
0 ON-OFF

9
01
02

10
01
02
47

1	2	3	4	5	6	7	8	9	10
1056	A	L	4I	MP	B	F	0	01 02	01 02 47
	B					1 2 3 6			
	C					2 3 4 6			
	D					1 2 3 6			



Carril — Track
P_ 252-255

Recessed	Wall	Ceiling	Pendant	Track Pendant
P_ 130	P_ 134	P_ 136	P_ 138	P_ 140

UKU 3



ALU



220V
240V

50Hz
60Hz



IP
20

50.000h
L80 B20

CRI
>90



W
SELECT


K
SELECT

45°


Acabado blanco o negro — White or black finish

Aplique pared — Wall-mounted


1057A-




1057B-



1057C-



1057D-



Campos — Fields

Acabados — Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI — °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embelecedor Baffle

1
1057 UKU 3

2
A Opal half
B Short round half
C Long round half
D Cylindrical half

3
L LED COB

4
4I CRI90
(2700K/3000K/4000K)

5
MP 6W/9W

6
B AC220-240V

7
F 1055A- 1055B- 1055C- 1055D-
F 150°
1 10° 20°
2 20° 24° 28°
3 36° 36° 36°
4 48°
6 60° 60° 60°

8
0 ON-OFF

9
01
02

10
01
02
47

1	2	3	4	5	6	7	8	9	10
1057	A	L	4I	MP	B	F	0	01 02	01 02 47
	B					1 2 3 6			
	C					2 3 4 6			
	D					1 2 3 6			

Recessed P_ 130	Track P_ 132	Ceiling P_ 136	Pendant P_ 138	Track Pendant P_ 140
--------------------	-----------------	-------------------	-------------------	----------------------------

UKU 4



ALU



220V
240V

50Hz
60Hz



IP
20

50.000h
L80
B20

CRI
>90



W
SELECT

K
SELECT




45°


Acabado blanco o negro – White or black finish

Superficie techo – Ceiling surface


1058A-




1058B-



1058C-



1058D-



Campos — Fields

Acabados — Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI — °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

1
1058 UKU 4

2
A Opal half
B Short round half
C Long round half
D Cylindrical half

3
L LED COB

4
4I CRI90
(2700K/3000K/4000K)

5
MP 6W/9W

6
B AC220-240V

7
F 1055A- 1055B- 1055C- 1055D-
F 150°
1 10° 20°
2 20° 24° 28°
3 36° 36° 36°
4 48°
6 60° 60° 60°

8
0 ON-OFF

9
01 
02 

10
01 
02 
47 

1	2	3	4	5	6	7	8	9	10
1058	A	L	4I	MP	B	F	0	01 02	01 02 47
	B					1 2 3 6			
	C					2 3 4 6			
	D					1 2 3 6			

Recessed  P_ 130	Track  P_ 132	Wall  P_ 134	Pendant  P_ 138	Track Pendant  P_ 140
--	---	--	---	--

UKU 5



ALU



220V
240V

50Hz
60Hz



IP
20

50.000h

L80
B20

CRI
>90



W
SELECT

K
SELECT

45°

Acabado blanco o negro — White or black finish

Suspensión de base — Base pendant
Cable de suspensión textil — Textile suspension cable finish

1059A-



1059B-



1059C-



1059D-



Campos — Fields

Acabados — Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI — °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

1
1059 UKU 5

2
A Opal half
B Short round half
C Long round half
D Cylindrical half

3
L LED COB

4
4I CRI90
(2700K/3000K/4000K)

5
MP 6W/9W

6
B AC220-240V

7
F 1055A- 1055B- 1055C- 1055D-
F 150°
1 10° 20°
2 20° 24° 28°
3 36° 36° 36°
4 48°
6 60° 60° 60°

8
0 ON-OFF

9
01
02

10
01
02
47

1	2	3	4	5	6	7	8	9	10
1059	A	L	4I	MP	B	F	0	01 02	01 02 47
	B					1 2 3 6			
	C					2 3 4 6			
	D					1 2 3 6			

Recessed	Track	Wall	Ceiling	Track Pendant
P_ 130	P_ 132	P_ 134	P_ 136	P_ 140

UKU 6



ALU



220V
240V

50Hz
60Hz



IP
20

50.000h

L80
B20


CRI
>90



Acabado blanco o negro — White or black finish


Suspensión carril — Track pendant
Cable de suspensión textil — Textile suspension cable finish

1060A-




PMMA
OPAL

1060B-




PC

1060C-



PC

1060D-



PC

Campos — Fields

Acabados — Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI — °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

1
1060 UKU 6

2
A Opal half
B Short round half
C Long round half
D Cylindrical half

3
L LED COB

4
4I CRI90
(2700K/3000K/4000K)

5
MP 6W/9W

6
B AC220-240V

7
F 1055A- 1055B- 1055C- 1055D-
150°
1 10° 20°
2 20° 24° 28°
3 36° 36° 36°
4 48°
6 60° 60° 60°

8
0 ON-OFF

9
01
02

10
01
02
47

1	2	3	4	5	6	7	8	9	10
1060	A	L	4I	MP	B	F	0	01 02	01 02 47
	B					1 2 3 6			
	C					2 3 4 6			
	D					1 2 3 6			



Carril — Track
P_ 252-255


Recessed	Track	Wall	Ceiling	Pendant
P_ 130	P_ 132	P_ 134	P_ 136	P_ 138

TURT



Acabado blanco con embellecedor blanco o cromado
White finish with white or chrome baffle

Con Driver remoto
With Remote Driver



8,8W

2700K 1121lm
3000K 1168lm
4000K 1274lm
FASHION 1380lm

18,6W

2700K 2157lm
3000K 2342lm
4000K 2449lm
FASHION 2389lm

Filtros – Filters

	Antideslumbrante – Anti-glare ■ A04P-1002-02
	Prismatico – Prismatic ■ A47F-1002-92



-01-01

-01-32




Campos — Fields

Acabados — Finishes

1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI — °K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle

1	4	5	7	9
1002	TURT	10	2	01
2	38	8,8W	4	01
A	39	18,6W	5	32
Medium	40			
	51			
3		6	8	10
L	LED COB	A	0	01
		B	F	32
			ON-OFF	
			LC	
			(Trailing and leading edge)	
			PUSH/I-10V	
			DALI	
			CASAMBI	


1	2	3	4	5	6	7	8	9	10
1002	A	L	38 39 40	10	B B A A B	2 4 5	0 F D I M	01	01 32
			51		B B A A B	2 4 5	0 F D I M		
			38 39 40	20	B B A A B	2 4 5	0 F D I M		
			51		B B A A B	2 4 5	0 F D I M		



ARROW




Acabado negro o acabado blanco con embellecedor blanco o cromado
Black finish or white finish with white or chrome baffle



8,8W

2700K	1121lm
3000K	1168lm
4000K	1274lm
3250K <i>FASHION</i>	1380lm

Filtros – Filters



-02-02

Carril no incluido
Track not included


18,6W

2700K	2157lm
3000K	2342lm
4000K	2449lm
3250K <i>FASHION</i>	2389lm



-01-01


-01-32



24W

2000K <i>MEAT</i>	2349lm
2500K <i>BREAD</i>	3169lm
4000K <i>FISH</i>	3402lm
3000K <i>VEG+FRUIT</i>	2896lm

Filtros – Filters



-01-01

Carril no incluido
Track not included

27,4W

2700K	3140lm
3000K	3254lm
4000K	3570lm
3250K <i>FASHION</i>	3194lm



-02-02

-01-32



Campos — Fields

Acabados — Finishes


1	2	3	4	5	6	7	8	9	10
Familia Family	Modelo Model	Fuente de luz Lighting source	CRI — %K	Potencia (W) Power (W)	Voltaje Voltage	Óptica Light beam	Regulación Dimmable	Aro Ring	Embellecedor Baffle
1		4		5		7		9	
1003	ARROW	38 CRI90 2700K		10 8,8W		2 20°		01	
		39 CRI90 3000K		20 18,6W		4 40°		02	
2		40 CRI90 4000K		24 24W		5 55°			
A	Medium	44 CRI82 2000K (MEAT)		30 27,4W					
B	Large	46 CRI88 2500K (BREAD)							
3		47 CRI92 4000K (FISH)							
		48 CRI96 3000K (VEG+FRUIT)							
L	LED COB	51 CRI95 3250K (FASHION)							
				6		8			
				B	AC220-240V	0 ON-OFF		01	
						D DALI		02	
						M CASAMBI		32	

1	2	3	4	5	6	7	8	9-10	9-10
1003	A	L	38 39 40	10	B		0	01 - 01	02 - 02
			51				0	32	
			38 39 40	20		2	0		
			51			4	D		
			44 46 47 48	24		5	M		
			38 39 40	30			0		
			51				D		
							M		
							0		
							D		
							M		
							0		
							D		
							M		
							0		
							D		
							M		


1	2	5	8	L(mm)	Ø(mm)
1003	A	10	0	170	79
		20	D	260	
			M	234	
	B	24	0	234	102
		30	D	260	
			M	234	


 Carril — Track
P_ 252-255



DUBE



Acabado blanco o negro — White or black finish



Añadir bases
Add bases (P_147)




796B-L3110I


h (m)	d (m)	E (lux)
1,00	0,57	1913
2,00	1,14	478
3,00	1,71	213
4,00	2,28	120
5,00	2,85	77

LED COB 9,2W 1250lm 3000K

- 796B-L3110I-01
- 796B-L3110I-02



Añadir bases
Add bases (P_147)



796A-L3110I

h (m)	d (m)	E (lux)
1,00	0,57	1913
2,00	1,14	478
3,00	1,71	213
4,00	2,28	120
5,00	2,85	77

LED COB 9,2W 1250lm 3000K

- 796A-L3110I-01
- 796A-L3110I-02



Accesorios — Accessories

 Filtro suavizante Softener filter A47D-796-92	 Filtro extensivo Extensive filter A47E-796-92	 Filtro elongador Extension filter A47C-796-92	 Rejilla antideslumbrante Anti-glare grille A04M-796-02
 Embellecedor antideslumbrante — Anti-glare baffle A55A-796-02 A55A-796-45 A55A-796-46			
		 796A-L3110I-01 A55A-796-45 A47C-796-92	 796A-L3110I-02 A55A-796-46 A04M-796-02

DUBE

(BASES — BASIS)

ALU


 220V
240V

 50Hz
60Hz

 IP
20

Acabado blanco o negro — White or black finish

BI9G-, con Driver remoto

BI9G-, with Remote Driver



ON-OFF (10W) *

☐ BI9G-X3315A-01

☒ BI9G-X3315A-02

L,C (Inicio y fin — Start and end) 10W

☐ BI9G-X33RFB-01

☒ BI9G-X33RFB-02

 110V
240V

*



1-10V (10W)

☐ BI9G-X33RIB-01

☒ BI9G-X33RIB-02


DALI (10W)

☐ BI9G-X33RDB-01

☒ BI9G-X33RDB-02


CASAMBI (10W)

☐ BI9G-X33RMB-01

☒ BI9G-X33RMB-02



L175 (10W)

☐ BI9A-X3310B-01

☒ BI9A-X3310B-02


L336 (20W)

☐ BI9B-X3340B-01

☒ BI9B-X3340B-02


L560 (30W)

☐ BI9C-X3330B-01

☒ BI9C-X3330B-02



Ø100 (10W)

☐ BI9E-X3310B-01

☒ BI9E-X3310B-02


Ø260 (30W)

☐ BI9F-X3330B-01

☒ BI9F-X3330B-02


10W

☐ BI9H-X3310B-01

☒ BI9H-X3310B-02

 Carril — Track
P_252-255

DUBE

Combinaciones — Combinations



B19C-X3330B-02
796A-L3110I-02
2x 796B-L3110I-01



B19G-X3315A-01
796A-L3110I-01



B19B-X3340B-02
2x 796A-L3110I-02



B28A-X33X2B-02
B19H-X3310B-02
796B-L3110I-02



B19G-X33RFB-02
796A-L3110I-02



B28A-X33X2B-01
B19H-X3310B-01
796A-L3110I-01



B19F-X3330B-01
3x 796B-L3110I-01




HIDRA NEW



Acabado blanco o negro con embellecedores blanco, negro u oro
White or black finish with white, black or gold trims

	2700K	2361lm
	3000K	2572lm
	4000K	2441lm



LED COB 25W

- ☐ ☐ 835C-L4I25B2F-01-01
- ☐ ☐ 835C-L4I25B2F-01-02
- ☐ ☐ 835C-L4I25B2F-01-47
- ☐ ☐ 835C-L4I25B2F-02-02
- ☐ ☐ 835C-L4I25B2F-02-47




LED COB 25W

- ☐ ☐ 835C-L4I25B3F-01-01
- ☐ ☐ 835C-L4I25B3F-01-02
- ☐ ☐ 835C-L4I25B3F-01-47
- ☐ ☐ 835C-L4I25B3F-02-02
- ☐ ☐ 835C-L4I25B3F-02-47



LED COB 25W

- ☐ ☐ 835C-L4I25B6F-01-01
- ☐ ☐ 835C-L4I25B6F-01-02
- ☐ ☐ 835C-L4I25B6F-01-47
- ☐ ☐ 835C-L4I25B6F-02-02
- ☐ ☐ 835C-L4I25B6F-02-47



LED COB 25W

- ☐ ☐ 835D-L4I25B2F-01-01
- ☐ ☐ 835D-L4I25B2F-01-02
- ☐ ☐ 835D-L4I25B2F-01-47
- ☐ ☐ 835D-L4I25B2F-02-02
- ☐ ☐ 835D-L4I25B2F-02-47



LED COB 25W

- ☐ ☐ 835D-L4I25B3F-01-01
- ☐ ☐ 835D-L4I25B3F-01-02
- ☐ ☐ 835D-L4I25B3F-01-47
- ☐ ☐ 835D-L4I25B3F-02-02
- ☐ ☐ 835D-L4I25B3F-02-47




LED COB 25W


- ☐ ☐ 835D-L4I25B6F-01-01
- ☐ ☐ 835D-L4I25B6F-01-02
- ☐ ☐ 835D-L4I25B6F-01-47
- ☐ ☐ 835D-L4I25B6F-02-02
- ☐ ☐ 835D-L4I25B6F-02-47

Rejilla antideslumbrante - Anti-glare grille

- ☐ A04R-835.20.01
- ☐ A04R-835.20.02
- ☐ A04R-835.20.47



HIDRA NEW



Carril no incluido
Track not included



Carril — Track
P_ 252-255



Acabado blanco o negro con embellecedores blanco, negro u oro
White or black finish with white, black or gold trims

K SELECT	2700K	236lm
	3000K	2572lm
	4000K	2441lm



LED COB 25W

- ☐ ☐ 835A-L4125B2F-01-01
- ☐ ☒ 835A-L4125B2F-01-02
- ☐ ☒ 835A-L4125B2F-01-47
- ☒ ☒ 835A-L4125B2F-02-02
- ☒ ☒ 835A-L4125B2F-02-47



LED COB 25W

- ☐ ☐ 835A-L4125B3F-01-01
- ☐ ☒ 835A-L4125B3F-01-02
- ☐ ☒ 835A-L4125B3F-01-47
- ☒ ☒ 835A-L4125B3F-02-02
- ☒ ☒ 835A-L4125B3F-02-47




LED COB 25W

- ☐ ☐ 835A-L4125B6F-01-01
- ☐ ☒ 835A-L4125B6F-01-02
- ☐ ☒ 835A-L4125B6F-01-47
- ☒ ☒ 835A-L4125B6F-02-02
- ☒ ☒ 835A-L4125B6F-02-47

Rejilla antideslumbrante - Anti-glare grille

- ☐ A04R-835.20.01
- ☒ A04R-835.20.02
- ☒ A04R-835.20.47



FALL



ALU

PC TRANS

110V
240V

50Hz
60Hz

IP
20

50.000h

L80
B20

60x90°

CRI
>82


W
SELECT

K
SELECT

90°

350°

Acabado blanco o negro – White or black finish



LED SMD 30W / 40 W / 50W

- 983A-L4IMPA-01
- 983A-L4IMPA-02

350°

90°

W
SELECT

K
SELECT




Adaptador para techo – Adapter for ceiling

- B25-X33X2B-01
- B25-X33X2B-02



Combinaciones – Combinations		
50W	3000K	5375lm
	3500K	5890lm
	4000K	5859lm
40W	3000K	4362lm
	3500K	4754lm
	4000K	4771lm
30W	3000K	3560lm
	3500K	3846lm
	4000K	3908lm



Carril – Track
P_ 252-255







ENIGMA



Carril no incluido
Track not included



Acabado blanco o negro — White or black finish




	15°	60°
2700K	1158lm	2061lm
3000K	1280lm	2285lm
4000K	1224lm	2182lm

LED COB 25W

□ 803B-L4125B6F-01


■ 803B-L4125B6F-02



Adaptador para techo — Adapter for ceiling

□ B25-X33X2B-01

■ B25-X33X2B-02



2700K


h (m)	d (m)	E (lux)
1,00	0,35	4700
2,00	0,70	522
3,00	1,05	522
4,00	1,40	294
5,00	1,75	188

3000K

h (m)	d (m)	E (lux)
1,00	0,35	5308
2,00	0,70	590
3,00	1,05	590
4,00	1,40	332
5,00	1,75	212

4000K

h (m)	d (m)	E (lux)
1,00	0,35	5153
2,00	0,70	573
3,00	1,05	573
4,00	1,40	322
5,00	1,75	206



2700K

h (m)	d (m)	E (lux)
1,00	0,93	2654
2,00	1,86	295
3,00	2,79	295
4,00	3,72	166
5,00	4,65	106

3000K

h (m)	d (m)	E (lux)
1,00	0,93	2971
2,00	1,86	330
3,00	2,79	330
4,00	3,72	186
5,00	4,65	119

4000K

h (m)	d (m)	E (lux)
1,00	0,93	2867
2,00	1,86	319
3,00	2,79	319
4,00	3,72	179
5,00	4,65	115

Carril — Track
P_252-255




ENIGMA



Carril no incluido
Track not included



Acabado blanco o negro — White or black finish




LED COB 35W 1570lm (10°)-3270lm (60°) **3000K**

□ 803A-L3135B-01
■ 803A-L3135B-02


LED COB 35W 1790lm (10°)-3720lm (60°) **4000K**

□ 803A-L3335B-01
■ 803A-L3335B-02



Adaptador para techo — Adapter for ceiling

□ B25-X33X2B-01
■ B25-X33X2B-02





3000K

h (m)	d (m)	E (lux)
1,00	0,21	21818
2,00	0,42	5455
3,00	0,63	2424
4,00	0,84	1364
5,00	1,05	873

4000K

h (m)	d (m)	E (lux)
1,00	0,21	23602
2,00	0,42	5901
3,00	0,63	2622
4,00	0,84	1475
5,00	1,05	944



3000K

h (m)	d (m)	E (lux)
1,00	1,15	4595
2,00	2,30	1149
3,00	3,45	511
4,00	4,60	287
5,00	5,75	184

4000K

h (m)	d (m)	E (lux)
1,00	1,15	4941
2,00	2,30	1235
3,00	3,45	549
4,00	4,60	309
5,00	5,75	198


Carril — Track
P_252-255



HAITI



Acabado blanco, negro o gris — White, black or grey finish



3000K

LED COB 17W 2180lm

- ☐ 772L-L3125B-01
- ☒ 772L-L3125B-02
- ☐ 772L-L3125B-03

- ☐ 772L-L31RDB-01
- ☒ 772L-L31RDB-02
- ☐ 772L-L31RDB-03

LED COB 17W 2210lm

- ☐ 772M-L3125B-01
- ☒ 772M-L3125B-02
- ☐ 772M-L3125B-03

- ☐ 772M-L31RDB-01
- ☒ 772M-L31RDB-02
- ☐ 772M-L31RDB-03

4000K

LED COB 17W 2250lm

- ☐ 772L-L3325B-01
- ☒ 772L-L3325B-02
- ☐ 772L-L3325B-03

- ☐ 772L-L33RDB-01
- ☒ 772L-L33RDB-02
- ☐ 772L-L33RDB-03

LED COB 17W 2280lm

- ☐ 772M-L3325B-01
- ☒ 772M-L3325B-02
- ☐ 772M-L3325B-03


- ☐ 772M-L33RDB-01
- ☒ 772M-L33RDB-02
- ☐ 772M-L33RDB-03



Filtros de conversión para pescado, marisco, verdura, carne o pan
Conversion for fish, seafood, vegetables, meat or bread

	SEAFOOD	A14A-738-00	for 3000K
	VEG+FRUIT	A14A-738-00	
	FISH	A14A-738-00	for 4000K
	MEAT	A14B-738-00	
	BREAD	A14C-738-00	

Porta filtros — Support for filters



Aro customizable
Customizable ring




HAITI



Carril no incluido
Track not included



Acabado blanco, negro o gris — White, black or grey finish



3000K

LED COB 17W 2180lm

- 772Q-L3125B-01
- 772Q-L3125B-02
- 772Q-L3125B-03

- 772Q-L3117BIM-01
- 772Q-L3117BIM-02
- 772Q-L3117BIM-03

LED COB 17W 2210lm

- 772R-L3125B-01
- 772R-L3125B-02
- 772R-L3125B-03

- 772R-L3117B2M-01
- 772R-L3117B2M-02
- 772R-L3117B2M-03

4000K

LED COB 17W 2250lm

- 772Q-L3325B-01
- 772Q-L3325B-02
- 772Q-L3325B-03

- 772Q-L3317BIM-01
- 772Q-L3317BIM-02
- 772Q-L3317BIM-03

LED COB 17W 2280lm

- 772R-L3325B-01
- 772R-L3325B-02
- 772R-L3325B-03

- 772R-L3317B2M-01
- 772R-L3317B2M-02
- 772R-L3317B2M-03


CASAMBI



Filtros de conversión para pescado, marisco, verdura, carne o pan
Conversion filters for fish, seafood, vegetables, meat or bread

	SEAFOOD	A14A-738-00	for 3000K
	VEG+FRUIT	A14A-738-00	
	FISH	A14A-738-00	for 4000K
	MEAT	A14B-738-00	
	BREAD	A14C-738-00	

Porta filtros — Support for filters



Carril — Track
P_ 252-255



CRETE 1


RANGE
EXTENSION

48V DC



Acabado blanco o negro — White or black finish

Con Driver remoto
With Remote Driver



2700K

LED COB 6,6W 640lm

□ 1032A-L3807V20-01
■ 1032A-L3807V20-02

□ 1032A-L3807V2D-01
■ 1032A-L3807V2D-02

□ 1032A-L3807V30-01
■ 1032A-L3807V30-02

□ 1032A-L3807V3D-01
■ 1032A-L3807V3D-02

3000K

LED COB 6,6W 688lm

□ 1032A-L3907V20-01
■ 1032A-L3907V20-02

□ 1032A-L3907V2D-01
■ 1032A-L3907V2D-02

□ 1032A-L3907V30-01
■ 1032A-L3907V30-02

□ 1032A-L3907V3D-01
■ 1032A-L3907V3D-02

4000K

LED COB 6,6W 697lm

E □ 1032A-L4007V20-01
E ■ 1032A-L4007V20-02

E □ 1032A-L4007V2D-01
E ■ 1032A-L4007V2D-02

E □ 1032A-L4007V30-01
E ■ 1032A-L4007V30-02

E □ 1032A-L4007V3D-01
E ■ 1032A-L4007V3D-02



Carril 48V — 48V Track P_ 166-173



Driver 48V P_859




CRETE 1

**RANGE
EXTENSION**

48V DC



Acabado blanco o negro — White or black finish

Con Driver remoto
With Remote Driver**2700K**

LED COB 11W 962lm

- 1032B-L3811V10-01
- 1032B-L3811V10-02

- 1032B-L3811VID-01
- 1032B-L3811VID-02

- 1032B-L3811V20-01
- 1032B-L3811V20-02

- 1032B-L3811V2D-01
- 1032B-L3811V2D-02

- 1032B-L3811V30-01
- 1032B-L3811V30-02

- 1032B-L3811V3D-01
- 1032B-L3811V3D-02

3000K

LED COB 11W 1011lm

- 1032B-L3911V10-01
- 1032B-L3911V10-02

- 1032B-L3911VID-01
- 1032B-L3911VID-02

- 1032B-L3911V20-01
- 1032B-L3911V20-02

- 1032B-L3911V2D-01
- 1032B-L3911V2D-02

- 1032B-L3911V30-01
- 1032B-L3911V30-02

- 1032B-L3911V3D-01
- 1032B-L3911V3D-02

4000K

LED COB 11W 1055lm

- E □ 1032B-L4011V10-01
- E ■ 1032B-L3911V10-02

- E □ 1032B-L4011VID-01
- E ■ 1032B-L4011VID-02

- E □ 1032B-L4011V20-01
- E ■ 1032B-L4011V20-02

- E □ 1032B-L4011V2D-01
- E ■ 1032B-L4011V2D-02

- E □ 1032B-L4011V30-01
- E ■ 1032B-L4011V30-02

- E □ 1032B-L4011V3D-01
- E ■ 1032B-L4011V3D-02



Carril 48V — 48V Track P_ 166-173



Driver 48V P_859



CRETE 1


RANGE
EXTENSION

48V DC



Acabado blanco o negro — White or black finish

Con Driver remoto
With Remote Driver



2700K

LED COB 18,1W 1783lm

- 1032C-L3818V20-01
- 1032C-L3818V20-02

- 1032C-L3818V2D-01
- 1032C-L3818V2D-02

- 1032C-L3818V30-01
- 1032C-L3818V30-02

- 1032C-L3818V3D-01
- 1032C-L3818V3D-02

3000K

LED COB 18,1W 1885lm

- 1032C-L3918V20-01
- 1032C-L3918V20-02

- 1032C-L3918V2D-01
- 1032C-L3918V2D-02

- 1032C-L3918V30-01
- 1032C-L3918V30-02

- 1032C-L3918V3D-01
- 1032C-L3918V3D-02

4000K

LED COB 18,1W 1967lm

- E □ 1032C-L4018V20-01
- E ■ 1032C-L4018V20-02

- E □ 1032C-L4018V2D-01
- E ■ 1032C-L4018V2D-02

- E □ 1032C-L4018V30-01
- E ■ 1032C-L4018V30-02

- E □ 1032C-L4018V3D-01
- E ■ 1032C-L4018V3D-02



Carril 48V — 48V Track P_ 166-173

Driver 48V P_859




CRETE 1 RANGE EXTENSION

48V DC



Acabado blanco o negro — White or black finish

Con Driver remoto
With Remote Driver



2700K

LED COB 12,9W 1151lm

□ 1032D-L38I3VV0-01

■ 1032D-L38I3VV0-02

□ 1032D-L38I3VVD-01

■ 1032D-L38I3VVD-02

3000K

LED COB 12,9W 1208lm

□ 1032D-L39I3VV0-01

■ 1032D-L39I3VV0-02

□ 1032D-L39I3VVD-01

■ 1032D-L39I3VVD-02

4000K

LED COB 12,9W 1261lm

E □ 1032D-L40I3VV0-01

E ■ 1032D-L40I3VV0-02

E □ 1032D-L40I3VVD-01

E ■ 1032D-L40I3VVD-02



Carril 48V — 48V Track P_ 166-173



Driver 48V P_859



CRETE 2

**RANGE
EXTENSION**


48V DC



ALU

48V
DCIP
20L90
B50CRI
>90

Acabado blanco o negro – White or black finish

Con Driver remoto
With Remote Driver**2700K**

LED SMD 7,5W 750lm

□ I038A-L3808V10-01

■ I038A-L3808V10-02

3000K

LED SMD 7,5W 810lm

□ I038A-L3908V10-01

■ I038A-L3908V10-02

4000K

LED SMD 7,5W 845lm

E □ I038A-L4008V10-01

E ■ I038A-L4008V10-02



16°

UGR
6

□ I038A-L3808V10-01

■ I038A-L3808V10-02

□ I038A-L3908V10-01

■ I038A-L3908V10-02

E □ I038A-L4008V10-01

E ■ I038A-L4008V10-02



16°

UGR
6

□ I038A-L3808V30-01

■ I038A-L3808V30-02

□ I038A-L3908V30-01

■ I038A-L3908V30-02

E □ I038A-L4008V30-01

E ■ I038A-L4008V30-02



36°

UGR
20

□ I038A-L3808V3D-01

■ I038A-L3808V3D-02

□ I038A-L3908V3D-01

■ I038A-L3908V3D-02

E □ I038A-L4008V3D-01

E ■ I038A-L4008V3D-02



36°

UGR
20

□ I038A-L3808V50-01

■ I038A-L3808V50-02

□ I038A-L3908V50-01

■ I038A-L3908V50-02

E □ I038A-L4008V50-01

E ■ I038A-L4008V50-02



50°

UGR
10

□ I038A-L3808V5D-01

■ I038A-L3808V5D-02

□ I038A-L3908V5D-01

■ I038A-L3908V5D-02

E □ I038A-L4008V5D-01

E ■ I038A-L4008V5D-02



50°

UGR
10

Carril 48V – 48V Track P_ 166-173

Driver 48V P_859



CRETE 2

RANGE EXTENSION


48V DC



ALU



Acabado blanco o negro — White or black finish

Con Driver remoto
With Remote Driver**2700K**

LED SMD 15W 1500lm

□ I038B-L3815V10-01
■ I038B-L3815V10-02

3000K

LED SMD 15W 1620lm

□ I038B-L3915V10-01
■ I038B-L3915V10-02

4000K

LED SMD 15W 1690lm


E □ I038B-L4015V10-01
E ■ I038B-L4015V10-02



□ I038B-L3815VID-01
■ I038B-L3815VID-02

□ I038B-L3915VID-01
■ I038B-L3915VID-02


E □ I038B-L4015VID-01
E ■ I038B-L4015VID-02



□ I038B-L3815V30-01
■ I038B-L3815V30-02

□ I038B-L3915V30-01
■ I038B-L3915V30-02

E □ I038B-L4015V30-01
E ■ I038B-L4015V30-02



□ I038B-L3815V3D-01
■ I038B-L3815V3D-02

□ I038B-L3915V3D-01
■ I038B-L3915V3D-02


E □ I038B-L4015V3D-01
E ■ I038B-L4015V3D-02



□ I038B-L3815V50-01
■ I038B-L3815V50-02

□ I038B-L3915V50-01
■ I038B-L3915V50-02

E □ I038B-L4015V50-01
E ■ I038B-L4015V50-02



□ I038B-L3815V5D-01
■ I038B-L3815V5D-02

□ I038B-L3915V5D-01
■ I038B-L3915V5D-02

E □ I038B-L4015V5D-01
E ■ I038B-L4015V5D-02



Carril 48V — 48V Track P_ 166-173

Driver 48V P_859




CRETE 2

RANGE EXTENSION

48V DC



Acabado blanco o negro – White or black finish

Con Driver remoto
With Remote Driver


2700K

LED SMD 6,3W 660lm

- 1038C-L3806VB0-01
- 1038C-L3806VB0-02

3000K

LED SMD 6,3W 696lm

- 1038C-L3906VB0-01
- 1038C-L3906VB0-02

4000K


LED SMD 6,3W 726lm

- E □ 1038C-L4006VB0-01
- E ■ 1038C-L4006VB0-02

- 1038C-L3806VBD-01
- 1038C-L3806VBD-02

- 1038C-L3906VBD-01
- 1038C-L3906VBD-02

- E □ 1038C-L4006VBD-01
- E ■ 1038C-L4006VBD-02



2700K

LED SMD 12,6W 1319lm

- 1038D-L3813VB0-01
- 1038D-L3813VB0-02

3000K

LED SMD 12,6W 1396lm

- 1038D-L3913VB0-01
- 1038D-L3913VB0-02

4000K



LED SMD 12,6W 1454lm

- E □ 1038D-L4013VB0-01
- E ■ 1038D-L4013VB0-02

- 1038D-L3813VBD-01
- 1038D-L3813VBD-02

- 1038D-L3913VBD-01
- 1038D-L3913VBD-02

- E □ 1038D-L4013VBD-01
- E ■ 1038D-L4013VBD-02



2700K

LED SMD 25,2W 2683lm

- 1038E-L3825VB0-01
- 1038E-L3825VB0-02

3000K

LED SMD 25,2W 2786lm

- 1038E-L3925VB0-01
- 1038E-L3925VB0-02

4000K

LED SMD 25,2W 2907lm


- E □ 1038E-L4025VB0-01
- E ■ 1038E-L4025VB0-02

- 1038E-L3825VBD-01
- 1038E-L3825VBD-02

- 1038E-L3925VBD-01
- 1038E-L3925VBD-02

- E □ 1038E-L4025VBD-01
- E ■ 1038E-L4025VBD-02





Carril 48V — 48V Track P_ 166-173



Driver 48V P_859



TRACK 48V




ALU

Acabado blanco o negro — White or black finish



DRIVERS 48V P_859



1m

- B32A-X33X2V-01
- B32A-X33X2V-02


2m

- B32B-X33X2V-01
- B32B-X33X2V-02

3m

- B32C-X33X2V-01
- B32C-X33X2V-02

EJEMPLOS DE INSTALACIÓN PARA TRACK 48V INSTALLATION EXAMPLES FOR TRACK 48V



Accesorios — Accessories


Caja de conexión
Box connection

- ☐ B32K-X33X2V-01
☒ B32K-X33X2V-02




Kit suspension cable acero
Suspension kit w/steel cable

- ☒ A73G-1032-38



Fuente de alimentación superficie
Surface power supply


- ☐ B32L-X33AIV-01
☒ B32L-X33AIV-02



230Vac/48Vdc
100W

Kit suspension uniones cable acero
Suspension kit for junctions w/steel cable

- ☒ A73H-1032-38



Fuente de alimentación suspensión
Power supply for suspension

- ☐ B32M-X33AIV-01
☒ B32M-X33AIV-02



230Vac/48Vdc
100W

Herramienta de corte conductores
Cutting tool for conductors

- ☐ A73U-1032-01




Tapa final
Dead end

- ☐ A73C-1032-01
☒ A73C-1032-02




Unión mecánica en "L"
Mechanical "L" junction

- ☐ A73R-1032-01
☒ A73R-1032-02




Tapa final con agujero
End cap with hole

- ☐ A73D-1032-01
☒ A73D-1032-02



Unión mecánica en "T"
Mechanical "T" junction

- ☐ A73S-1032-01
☒ A73S-1032-02




Alimentación final
Live end

- ☐ B32D-X33X2V-01
☒ B32D-X33X2V-02



Codo con contactos
90° junction with contacts

- ☐ B32G-X33X2V-01
☒ B32G-X33X2V-02




Unión con contacto
Electrical straight coupling

- ☐ B32E-X33X2V-01
☒ B32E-X33X2V-02



Unión en "T" con contactos
"T" coupling with contacts

- ☐ B32H-X33X2V-01
☒ B32H-X33X2V-02



Unión sin contacto
Straight coupling w/o contacts

- ☐ B32F-X33X2V-01
☒ B32F-X33X2V-02



Codo flexible con contactos
Flexible junction with contacts

- ☐ B32J-X33X2V-01
☒ B32J-X33X2V-02



TRACK 48V




ALU



Acabado blanco o negro — White or black finish



DRIVERS 48V P_859



1m

- B34A-X33X2V-01
- B34A-X33X2V-02


2m

- B34B-X33X2V-01
- B34B-X33X2V-02

3m

- B34C-X33X2V-01
- B34C-X33X2V-02

EJEMPLOS DE INSTALACIÓN PARA TRACK 48V INSTALLATION EXAMPLES FOR TRACK 48V



Accesorios — Accessories


Caja de conexión
Box connection

- ☐ B32K-X33X2V-01
☒ B32K-X33X2V-02




Kit suspension cable acero
Suspension kit w/steel cable

- ☒ A73G-1032-38




Fuente de alimentación superficie
Surface power supply

- ☐ B32L-X33AIV-01
☒ B32L-X33AIV-02




Kit suspension uniones cable acero
Suspension kit for junctions w/steel cable

- ☒ A73H-1032-38



Fuente de alimentación suspensión
Power supply for suspension

- ☐ B32M-X33AIV-01
☒ B32M-X33AIV-02



Herramienta de corte conductores
Cutting tool for conductors

- ☐ A73U-1032-01




Tapa final
Dead end

- ☐ A73A-1032-01
☒ A73A-1032-02




Unión mecánica en "L"
Mechanical "L" junction

- ☐ A73L-1032-01
☒ A73L-1032-02




Tapa final con agujero
End cap with hole

- ☐ A73B-1032-01
☒ A73B-1032-02



Unión mecánica en "T"
Mechanical "T" junction

- ☐ A73M-1032-01
☒ A73M-1032-02



Tapa frontal
Dead end

- ☐ A73T-1032-01
☒ A73T-1032-02



Codo con contactos
90° junction with contacts

- ☐ B32G-X33X2V-01
☒ B32G-X33X2V-02




Alimentación final
Live end

- ☐ B32D-X33X2V-01
☒ B32D-X33X2V-02



Unión en "T" con contactos
"T" coupling with contacts

- ☐ B32H-X33X2V-01
☒ B32H-X33X2V-02



Unión con contacto
Electrical straight coupling

- ☐ B32E-X33X2V-01
☒ B32E-X33X2V-02




Codo flexible con contactos
Flexible junction with contacts

- ☐ B32J-X33X2V-01
☒ B32J-X33X2V-02



Unión sin contacto
Straight coupling w/o contacts

- ☐ B32F-X33X2V-01
☒ B32F-X33X2V-02



TRACK 48V



ALU



48V
DC




IP
20

Acabado blanco o negro — White or black finish



DRIVERS 48V P_859



1m

- B33A-X33X2V-01
- B33A-X33X2V-02


2m

- B33B-X33X2V-01
- B33B-X33X2V-02

3m

- B33C-X33X2V-01
- B33C-X33X2V-02

EJEMPLOS DE INSTALACIÓN PARA TRACK 48V INSTALLATION EXAMPLES FOR TRACK 48V




Accesorios — Accessories

Caja de conexión
 Box connection

- B32K-X33X2V-01
 ■ B32K-X33X2V-02


Kit suspension cable acero
 Suspension kit w/ steel cable

- A73Y-1032-38


Fuente de alimentación suspensión
 Power supply for suspension

- B32M-X33AIV-01
 ■ B32M-X33AIV-02



230Vac/48Vdc
 100W

Herramienta de corte conductores
 Cutting tool for conductors


- A73U-1032-01


Tapa final
 End cap

- A73E-1032-01
 ■ A73E-1032-02


Pletina de unión
 Joint plates

- A73J-1032-01
 ■ A73J-1032-02


Tapa frontal
 Front cover

- A73T-1032-01
 ■ A73T-1032-02


Codo con contactos
 90° junction with contacts

- B32G-X33X2V-01
 ■ B32G-X33X2V-02


Alimentación final
 End Power Supply

- B32D-X33X2V-01
 ■ B32D-X33X2V-02


Codo flexible con contactos
 Flexible junction with contacts

- B32J-X33X2V-01
 ■ B32J-X33X2V-02


Unión con contacto
 Electrical straight coupling

- B32E-X33X2V-01
 ■ B32E-X33X2V-02


Unión sin contacto
 Straight coupling w/o contacts

- B32F-X33X2V-01
 ■ B32F-X33X2V-02



TRACK 48V



ALU



48V
DC




IP
20

Acabado blanco o negro — White or black finish



DRIVERS 48V P_859



1m

- B35A-X33X2V-01
- B35A-X33X2V-02


2m

- B35B-X33X2V-01
- B35B-X33X2V-02

3m

- B35C-X33X2V-01
- B35C-X33X2V-02


EJEMPLOS DE INSTALACIÓN PARA TRACK 48V INSTALLATION EXAMPLES FOR TRACK 48V




Accesorios — Accessories

Codo horizontal trimless
 90° horizontal trimless junction

- A73N-1032-01
 ■ A73N-1032-02


Kit suspension cable acero
 Suspension kit w/ steel cable


- A73V-1032-39


Codo vertical externo trimless
 90° external trimless junction

- A73P-1032-01
 ■ A73P-1032-02


Grapa fijación M6
 M6xlm clam

- A73X-1032-38


Codo vertical interno trimless
 90° internal trimless junction

- A73Q-1032-01
 ■ A73Q-1032-02


Herramienta de corte conductores
 Cutting tool for conductors


- A73U-1032-01


Plantilla
 Template

- A73F-1032-38


Pletina de unión
 Joint plates


- A73J-1032-01
 ■ A73J-1032-02


Tapa final
 End cap

- A73A-1032-01
 ■ A73A-1032-02


Tapa final con agujero
 End cap with hole

- A73B-1032-01
 ■ A73B-1032-02


Alimentación final
 End Power Supply

- B32D-X33X2V-01
 ■ B32D-X33X2V-02


Codo con contactos
 90° junction with contacts

- B32G-X33X2V-01
 ■ B32G-X33X2V-02


Unión con contacto
 Electrical straight coupling

- B32E-X33X2V-01
 ■ B32E-X33X2V-02


Codo flexible con contactos
 Flexible junction with contacts

- B32J-X33X2V-01
 ■ B32J-X33X2V-02


Unión sin contacto
 Straight coupling w/o contacts

- B32F-X33X2V-01
 ■ B32F-X33X2V-02





Tapa frontal
 Front cover

- A73T-1032-01
 ■ A73T-1032-02




NILO BASIC

IP 20



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



12,6W/m 1248lm/m **2700K**

201AS-L3012FC0-00

12,6W/m 1344lm/m **3000K**

201AS-L3112FC0-00

12,6W/m 1360lm/m **4000K**

201AS-L3312FC0-00



Conector tira-cable
Cable strip connector
CONAS-B03A-KIT



Perfiles
Profiles
P_196



Alimentadores
Power supplies
P_211





Conector tira-tira
Strip-strip connector
CONAS-B03B-KIT




Controladores
Controllers
P_202

NILO BASIC

IP 67



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



12,6W/m 1234lm/m **2700K**

20IDS-L3012FC0-00

12,6W/m 1329lm/m **3000K**

20IDS-L3112FC0-00

12,6W/m 1345lm/m **4000K**

20IDS-L3312FC0-00



Conector tira-cable
Cable strip connector

CONDS-B03A-KIT



Perfiles
Profiles

P_196



Alimentadores
Power supplies

P_211



Conector tira-tira
Strip-strip connector

CONDS-B03B-KIT




Controladores
Controllers


P_202

NILO 8-10

IP 20



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)

4,8W/m 505lm/m **2700K**

200AS-L3805FC0-00

4,8W/m 530lm/m **3000K**

200AS-L3905FC0-00

4,8W/m 580lm/m **4000K**

200AS-L4005FC0-00

9,6W/m 979lm/m **2700K**

200AS-L3810FC0-00

9,6W/m 1060lm/m **3000K**

200AS-L3910FC0-00

9,6W/m 1150lm/m **4000K**

200AS-L4010FC0-00



Conector tira-cable
Cable strip connector

CONAS-B03A-KIT



Perfiles
Profiles

P_196



Alimentadores
Power supplies

P_211



Conector tira-tira
Strip-strip connector

CONAS-B03B-KIT



Controladores
Controllers


P_202

NILO 8-10

IP 20



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)


14,4W/m 1510lm/m **2700K**


200AS-L3814FC0-00

14,4W/m 1585lm/m **3000K**

200AS-L3914FC0-00

14,4W/m 1730lm/m **4000K**

200AS-L4014FC0-00


19,2W/m 2020lm/m **2700K**

200AS-L3819FC0-00

19,2W/m 2110lm/m **3000K**

200AS-L3919FC0-00

19,2W/m 2300lm/m **4000K**

200AS-L4019FC0-00


Conector tira-cable
Cable strip connector

CONAS-B03A-KIT


Perfiles
Profiles

P_196


Alimentadores
Power supplies

P_211


Conector tira-tira
Strip-strip connector

CONAS-B03B-KIT


Controladores
Controllers


P_202

NILO 8-10

IP 67



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



4,8W/m 490lm/m **2700K**


200DS-L3805FC0-00

4,8W/m 510lm/m **3000K**

200DS-L3905FC0-00

4,8W/m 550lm/m **4000K**

200DS-L4005FC0-00



9,6W/m 979/m **2700K**

200DS-L3810FC0-00

9,6W/m 1010lm/m **3000K**

200DS-L3910FC0-00

9,6W/m 1100lm/m **4000K**

200DS-L4010FC0-00



Conector tira-cable
Cable strip connector

CONDS-B03A-KIT



Perfiles
Profiles

P_196



Alimentadores
Power supplies

P_211



Conector tira-tira
Strip-strip connector

CONDS-B03B-KIT



Controladores
Controllers


P_202

NILO 8-10

IP 67



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



14,4W/m 1440lm/m **2700K**


200DS-L3814FC0-00

14,4W/m 1510lm/m **3000K**

200DS-L3914FC0-00

14,4W/m 1645lm/m **4000K**

200DS-L4014FC0-00



19,2W/m 1920lm/m **2700K**

200DS-L3819FC0-00

19,2W/m 2010lm/m **3000K**

200DS-L3919FC0-00

19,2W/m 2185lm/m **4000K**

200DS-L4019FC0-00



Conector tira-cable
Cable strip connector

CONDS-B03A-KIT



Perfiles
Profiles

P_196



Alimentadores
Power supplies

P_211



Conector tira-tira
Strip-strip connector

CONDS-B03B-KIT




Controladores
Controllers


P_202

NILO 5

IP 20



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



8,5W/m 950lm/m **2700K**

8,5W/m 980lm/m **3000K**

8,5W/m 1030lm/m **4000K**

203AS-L3809FC0-00

203AS-L3909FC0-00

203AS-L4009FC0-00



14,4W/m 1500lm/m **2700K**

14,4W/m 1550lm/m **3000K**

14,4W/m 1600lm/m **4000K**

200DS-L3810FC0-00

200DS-L3910FC0-00

200DS-L4010FC0-00



Perfiles
Profiles
P_196




Alimentadores
Power supplies
P_211




Controladores
Controllers
P_202

NILO 5

IP 67



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



8,5W/m 920lm/m **2700K**


203DS-L3809FC0-00

8,5W/m 950lm/m **3000K**

203DS-L3909FC0-00

8,5W/m 1000lm/m **4000K**

203DS-L4009FC0-00



14,4W/m 1450lm/m **2700K**


203DS-L3814FC0-00

14,4W/m 1500lm/m **3000K**

203DS-L3914FC0-00

14,4W/m 1550lm/m **4000K**

203DS-L4014FC0-00



Perfiles
Profiles
P_196



Alimentadores
Power supplies
P_211




Controladores
Controllers
P_202

NILO RGB

IP 20



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



7,2W/m ● 65lm/m ● 130lm/m ● 55lm/m

200AS-L0407FC0-00



14,4W/m ● 132lm/m ● 360lm/m ● 108lm/m

200AS-L0414FC0-00



Perfiles
Profiles
P_196




Alimentadores
Power supplies
P_211




Controladores
Controllers
P_202

NILO RGB

IP 67




Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



7,2W/m ● 65lm/m ● 130lm/m ● 55lm/m

200DS-L0407FC0-00



14,4W/m ● 132lm/m ● 360lm/m ● 108lm/m

200DS-L0414FC0-00



Perfiles
Profiles
P_196



Alimentadores
Power supplies
P_211



Controladores
Controllers
P_202

NILO RGB+W

IP 20




2700K

3000K

4000K

Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



12mm



RGB 18,2W/m 838lm/m
+ **W** 5,5W/m 410lm/m **2700K**

200AS-LI416FC0-00

RGB 18,2W/m 868lm/m
+ **W** 5,5W/m 440lm/m **3000K**


201AS-LI416FC0-00

RGB 18,2W/m 868lm/m
+ **W** 5,5W/m 474lm/m **4000K**

202AS-LI416FC0-00



14mm



RGB 18,2W/m 838lm/m
+ **W** 5,5W/m 410lm/m **2700K**

200DS-LI416FC0-00

RGB 18,2W/m 868lm/m
+ **W** 5,5W/m 440lm/m **3000K**

201DS-LI416FC0-00

RGB 18,2W/m 868lm/m
+ **W** 5,5W/m 474lm/m **4000K**

202DS-LI416FC0-00



Perfiles
Profiles
P_196




Alimentadores
Power supplies
P_211




Controladores
Controllers
P_202

NILO DUAL

IP 20



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



13,5W/m 700lm (2700K) 800lm (6500K)

206AS-L52I3FC0-00



2700K

6500K

Temperatura de color seleccionable entre el rango indicado.
Válida para adaptarse a nuestros ritmos biológicos (ciclo circadiano).
Selectable color temperature within the indicated range.
Valid to adapt to our biological rhythms (circadian cycle).



En este caso, la Tira Led se ubica perimetralmente dentro de los paneles.
In this case, the Led Strip is located perimeter inside the panels.



Perfiles
Profiles
P_196



Alimentadores
Power supplies
P_211




Controladores
Controllers
P_202

NILO EFFICIENCY

IP 20




Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



11W/m 1750lm/m **2700K**
204AS-L3011FC0-00

11W/m 1950lm/m **3000K**
204AS-L3111FC0-00

11W/m 2080lm/m **4000K**
204AS-L3311FC0-00



22W/m 3600lm/m **2700K**
204AS-L3022FC0-00

22W/m 3700lm/m **3000K**
204AS-L3122FC0-00

22W/m 4000lm/m **4000K**
204AS-L3322FC0-00



Perfiles
Profiles
P_196



Alimentadores
Power supplies
P_211




Controladores
Controllers
P_202

NILO EFFICIENCY

IP 67



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)


11W/m 1750lm/m **2700K**


204DS-L3011FC0-00

11W/m 1850lm/m **3000K**

204DS-L3111FC0-00

11W/m 2000lm/m **4000K**

204DS-L3311FC0-00


22W/m 3550lm/m **2700K**

204DS-L3022FC0-00

22W/m 3650lm/m **3000K**

204DS-L3122FC0-00

22W/m 3850lm/m **4000K**

204DS-L3322FC0-00



Perfiles
Profiles
P_196



Alimentadores
Power supplies
P_211



Controladores
Controllers
P_202



RINS

IP 20

2700K
3000K 4000K



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



10W/m 900lm/m **2700K**


202AC-L3810FC0-00

10W/m 950lm/m **3000K**

202AC-L3910FC0-00

10W/m 1000lm/m **4000K**

202AC-L4010FC0-00



14W/m 1250lm/m **2700K**


202AC-L3814FC0-00

14W/m 1320lm/m **3000K**

202AC-L3914FC0-00

14W/m 1400lm/m **4000K**

202AC-L4014FC0-00



Conector tira COB-tira COB
COB strip-COB strip connector
CONAC-B03A-KIT



Perfiles
Profiles
P_196



Alimentadores
Power supplies
P_211



Conector tira COB-tira COB
COB strip-COB strip connector
CONAC-B03B-KIT



Controladores
Controllers
P_202


RINS

IP 67

2700K
3000K
4000K



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



10W/m 880lm/m. **2700K**


202DC-L3810FC0-00

10W/m 930lm/m. **3000K**

202DC-L3910FC0-00

10W/m 980lm/m. **4000K**

202DC-L4010FC0-00



14W/m 1225lm/m. **2700K**


202DC-L3814FC0-00

14W/m 1290lm/m. **3000K**

202DC-L3914FC0-00

14W/m 1360lm/m. **4000K**

202DC-L4014FC0-00




Alimentadores
Power supplies
P_211

SENA

IP 65



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



12,7W/m 505lm/m **2700K**

205CN-L3012FC0-00

12,7W/m 515lm/m **3000K**

205CN-L3112FC0-00

12,7W/m 540lm/m **4000K**

205CN-L3312FC0-00

140
LED/m

2 grapas de fijación/m incluidas — 2 fixing clips/m included





Grapa extra — Extra staple

GRA_205CN



Accesorio — Accessory

TAP_SET.IP65.SENA205CN



12,7W/m 950lm/m **2700K**

207CN-L3012FC0-00

12,7W/m 960lm/m **3000K**

207CN-L3112FC0-00

12,7W/m 1020lm/m **4000K**

207CN-L3312FC0-00

140
LED/m

2 grapas de fijación/m incluidas — 2 fixing clips/m included



Grapa extra — Extra staple

GRA_207CN



Accesorio — Accessory

TAP_SET.IP65.SENA207CN



**Alimentadores
Power supplies**

P_211




SENA RGB

IP 65



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)



14,4W/m 50lm 150lm 35lm

205CN-L0414FC0-00

2 grapas de fijación/m incluidas — 2 fixing clips/m included

98
LED/m




Grapa extra — Extra staple

GRA_205CN



Accesorio — Accessory

TAP_SET.IP65.SENARGB



Alimentadores
Power supplies
P_211

VOLGA

IP 65





2700K
3000K
4000K



Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)

DIRECTO A RED
MAINS VOLTAGE



12W/m 1425lm/m **2700K**

204CH-L30I3BC0-00

12W/m 1475lm/m **3000K**

204CH-L3I1I3BC0-00

12W/m 1505lm/m **4000K**

204CH-L33I3BC0-00



Accesorio — Accessory


CAB.SET.I3.VOLGA

VOLGA

IP 65

2700K
3000K 4000K

Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)

DIRECTO A RED
MAINS VOLTAGE 18W/m 1940lm/m **2700K**

204CH-L3017BC0-00

18W/m 2070lm/m **3000K**

204CH-L3117BC0-00

18W/m 2150lm/m **4000K**

204CH-L3317BC0-00




Accesorio — Accessory

CAB.SET.I9.VOLGA

PERFILES – PROFILES



Superficie – Surface



Perfil (3m)
Profile (3m)

A50A-778-39



Difusor opal (3m)
Opal diffuser (3m)

A50C-778-00



Difusor transparente (3m)
Transparent diffuser (3m)

A50D-778-00



Tapa final
End cap

A50G-778-03




Tapa final con agujero
End cap with hole

A50H-778-03



Grapas
Staples

A50I-778-00



Perfil (3m)
Profile (3m)

A63A-778-39



Difusor opal (3m)
Opal diffuser (3m)

A63C-778-00



Difusor transparente (3m)
Transparent diffuser (3m)

A63D-778-00



Tapa final
End cap

A63G-778-03



Tapa final con agujero
End cap with hole

A63H-778-03



Grapas
Staples

A63I-778-00



Perfil (3m)
Profile (3m)

A67A-778-39

L 3m




Acabado gris o aluminio anodizado – Grey or anodised aluminium finish

Recomendaciones de uso e instalación – Recommendations for use and installation (P.804)

PERFILES — PROFILES



Superficie — Surface


Perfil (3m)
Profile (3m)

A52A-778-39



ALU


Difusor opal (3m)
Opal diffuser (3m)

A50C-778-00


PC
OPAL

Difusor transparente (3m)
Transparent diffuser (3m)

A50D-778-00


PC
TRANS

Tapa final
End cap


A52G-778-03


Tapa final con agujero
End cap with hole

A52H-778-03


Grapas
Staples

A52I-778-00


Perfil (3m)
Profile (3m)

A66A-778-39



ALU


PC
OPAL

Difusor transparente (3m)
Transparent diffuser (3m)

A66D-778-00


PC
TRANS

Tapa final
End cap


A66G-778-03


Tapa final con agujero
End cap with hole

A66H-778-03


Grapas
Staples

A66I-778-00


Perfil (3m)
Profile (3m)

A71A-778-39



ALU


PC
OPAL

Difusor transparente (3m)
Transparent diffuser (3m)

A71D-778-00


PC
TRANS

Tapa final
End cap

A71G-778-03


Tapa final con agujero
End cap with hole

A71H-778-03


Grapas
Staples

A71I-778-00




Acabado gris o aluminio anodizado — Grey or anodised aluminium finish

Recomendaciones de uso e instalación — Recommendations for use and installation (P_804)

PERFILES – PROFILES



Empotrable – Recessed



Perfil (3m)
Profile (3m)

A51A-778-39

ALU



Tapa final
End cap

A51G-778-03



Difusor opal (3m)
Opal diffuser (3m)

A50C-778-00

PC
OPAL



Tapa final con agujero
End cap with hole

A51H-778-03



Difusor transparente (3m)
Transparent diffuser (3m)


A50D-778-00

PC
TRANS



Grapas
Staples

A51I-778-00



Perfil (3m)
Profile (3m)

A64A-778-39

ALU



Tapa final
End cap

A64G-778-03



Difusor opal (3m)
Opal diffuser (3m)

A50C-778-00

PC
OPAL



Tapa final con agujero
End cap with hole

A64H-778-03



Difusor transparente (3m)
Transparent diffuser (3m)

A50D-778-00

PC
TRANS



Grapas
Staples

A64I-778-00




Acabado gris o aluminio anodizado – Grey or anodised aluminium finish

PERFILES — PROFILES



Empotrable — Recessed



Perfil (3m)
Profile (3m)

A68A-778-39

ALU



Tapa final
End cap

A68G-778-03



Difusor opal (3m)
Opal diffuser (3m)

A68C-778-00



PC
OPAL

Difusor transparente (3m)
Transparent diffuser (3m)

A68D-778-00



PC
TRANS


Tapa final con agujero
End cap with hole

A68H-778-03



Grapas
Staples

A68I-778-00



Perfil (3m)
Profile (3m)

A72A-778-39

ALU



Tapa final
End cap

A72G-778-03



Difusor opal (3m)
Opal diffuser (3m)

A71C-778-00



PC
OPAL

Difusor transparente (3m)
Transparent diffuser (3m)

A71D-778-00



PC
TRANS

Tapa final con agujero
End cap with hole

A72H-778-03



Grapas
Staples

A72I-778-00




Acabado gris o aluminio anodizado — Grey or anodised aluminium finish

PERFILES – PROFILES



Suspensión – Pendant



Perfil (3m)
Profile (3m)

A69A-778-39



ALU

Difusor opal (3m)
Opal diffuser (3m)

A69C-778-00



PC
OPAL

Difusor transparente (3m)
Transparent diffuser (3m)

A69D-778-00



PC
TRANS

Tapa final
End cap

A69G-778-03




Tapa final con agujero
End cap with hole

A69H-778-03



Soporte armario
Wardrobe support


A69I-778-00



Accesorio de suspensión (altura máxima 3m)
Suspension accessory (maximum height 3m)


A69J-778-00

Recomendación – Recommendation: 1 unit/m



Perfil (3m)
Profile (3m)

A70A-778-39



ALU

Difusor opal (3m)
Opal diffuser (3m)

A70C-778-00



PC
OPAL

Difusor transparente (3m)
Transparent diffuser (3m)


A70D-778-00



PC
TRANS

Tapa final
End cap

A70G-778-03



Tapa final con agujero
End cap with hole

A70H-778-03



Accesorio de suspensión (altura máxima 3m)
Suspension accessory (maximum height 3m)

A69J-778-00

Recomendación – Recommendation: 1 unit/m

Acabado gris o aluminio anodizado – Grey or anodised aluminium finish

Recomendaciones de uso e instalación – Recommendations for use and installation (P.804)

COMPATIBILIDAD TIRA LED CON PERFIL

LED STRIP COMPATIBILITY WITH PROFILE

			PERFILERIA ALUMINIO — ALUMINUM PROFILING										
			A50	A63	A52	A66	A51	A64	A68	A69	A70	A71	A72
TIRAS LED — LED STRIPS	IP20	200AS-	●	●	●	●	●	●	●	●	●	●	●
		201AS-	●	●	●	●	●	●	●	●	●	●	●
		202AC	●	●	●	●	●	●	●	●	●	●	●
		203AS-	●	●	●	●	●	●	●	●	●	●	●
		204AS-	●	●	●	●	●	●	●	●	●	●	●
		206AS-	●	●	●	●	●	●	●	●	●	●	●
	IP67	200DS-									●	●	●
		201DS-									●	●	●
		202DS-									●	●	●
		203DS-	●	●	●	●	●	●	●	●	●	●	●
		204DS-										●	●
	IP65	204CH	No requiere perfilera de aluminio Does not require aluminum profiles										
		205CN-											
		207CN-											

Servicio de corte y soldadura, consultar con departamento de ventas.
Cutting and welding service, consult with sales department.

CONTROL REMOTO DE RADIOFRECUENCIA RADIO FREQUENCY REMOTE CONTROL

Cableado
Wiring

100V
240V
AC

50Hz
60Hz

DMX

2.4GHz

Panel Táctil universal DMX — DMX universal Touch Panel (86 x 86 x 36mm)

CONT.T15

- Diferentes tipos de controladores Monocolor, RGB, RGBW, etc. con un solo panel.
- Control cromático táctil.
- Distancia de 10 m.
- Capacidad de control en 4 zonas.
- Different types of controllers Monocolor, RGB, RGBW, etc. with a single panel.
- Touch color control.
- Distance of 10 m.
- Control capacity in 4 zones.



Mando Universal — Universal remote control (140 x 60 x 26mm)

2.4GHz

CONT.RT10

- Diferentes tipos de controladores Monocolor, RGB, RGBW, etc. con un solo mando.
- Control cromático táctil.
- Capacidad de control en 4 zonas diferentes con el mismo o diferente tipo de controlador en cada zona.
- Posibilidad de configurar cada zona.
- Distancia de 30 m.
- Working Voltage: 3Vdc (2xAAA no included).
- Different types of controllers Monocolor, RGB, RGBW, etc. with a single remote control.
- Touch color control.
- Control capacity in 4 different zones with the same or different type of controller in each zone.
- Possibility of configuring each zone.
- Distance of 30 m.
- Working Voltage: 3Vdc (2xAAA not included).



CONTROLADORES REMOTOS

REMOTE CONTROLLERS

Controlador Monocolor — Monocolor Controller (97 x 33 x 18 mm)



CONT.VI

Control: RF 2.4GHz or PUSH Dim
 IN: 5-36Vdc
 OUT: 5-36Vdc
 Output Current: 1 Channels / 8A (per channel)
 Output Power: 192W (24V)



Controlador doble color (blanco tunable) — Dual color controller (tunable white) (175 x 45 x 27 mm)



CONT.V2-L

Control: RF 2.4GHz or PUSH Dim
 IN: 12-48Vdc
 OUT: 2x(12-48)Vdc
 Output Current: 2 Channels / 8A (per channel)
 Output Power: 2x192W (24V)



- Encendido y regulación suavizados sin parpadeo.
- Cada controlador acepta hasta 10 mandos universales.
- Con un solo mando se pueden regular ilimitados controladores.
- Función de autotransmisión: un controlador puede repetir la señal a otro controlador ubicado hasta 15m, concatenando hasta 100m.
- Verifique la corriente de salida para dimensionar la longitud y la potencia de las tiras LED asociadas.
- Regulación con memoria.
- Distancia: 30m (desde el mando al controlador directamente).
- Flicker-free switching on and regulation smoothed.
- Each controller accepts up to 10 universal remote controllers.
- Unlimited controllers can be regulated with a single remote control.
- Autotransmission function: one controller can repeat the signal to another controller located up to 15m, concatenating up to 100m.
- Check the output current to size the length and power of the associated LED strips.
- Regulation with memory.
- Distance: 30m (from remote control to head controller directly).

CONTROLADORES REMOTOS REMOTE CONTROLLERS

Controlador RGB/RGBW RGB / RGBW controller (175 x 45 x 27 mm)



CONT.V4

Control: RF 2.4GHz or PUSH Dim
IN: 12-48Vdc
OUT: 4x (12-48Vdc)
Output Current: 4 Channels / 5A (per channel)
Output Power: 4x (120W (24V))



- Controlador adecuado para tiras LED RGB y RGBW.
- Encendido y regulación suavizados sin parpadeo.
- Pulsador puede controlar el encendido/apagado y la regulación; así como gestionar hasta 8 escenas.
- Con cada controlador acepta hasta 10 mandos universales.
- Puede, también, utilizarse como regulador de doble color o monocolor con buena compatibilidad.
- Función de auto transmisión: se puede repetir la señal a otro controlador hasta 15m, concatenando hasta 100m.
- Auto sincronizado: diferentes controladores pueden regularse a la vez cuanto están asociados al mismo mando, con el mismo modo dinámico y velocidad.
- Verifique la corriente de salida para dimensionar la longitud y la potencia de las tiras LED asociadas.
- Regulación con memoria.
- Distancia: 30 m (desde el control remoto al controlador directamente).
- Controller suitable for RGB and RGBW LED strips.
- Flicker-free switching on and regulation smoothed.
- Push button can control on / off and regulation; as well as managing up to 8 scenes.
- With each controller accepts up to 10 universal remote controllers.
- It can also be used as a double or single color regulator with good compatibility.
- Auto transmission function: the signal can be repeated to another controller up to 15m, concatenating up to 100m.
- Synchronized auto: different controllers can be regulated at the same time when they are associated with the same command, with the same dynamic mode and speed.
- Check the output current to size the length and power of the associated LED strips.
- Regulation with memory.
- Distance: 30m (from remote control to controller directly).

CONTROLADORES REMOTOS

REMOTE CONTROLLERS

Controlador RGB + Doble Color (Blanco Tuneable) RGB + Dual Color Controller (Tunable White) (170 x 50 x 23 mm)



CONT.V5

Control: RF 2.4GHz
IN: 12-48Vdc or PUSH DIM
OUT: 5x (12-48Vdc)
Output Current: 5 Channels / 4A (per channel)
Distance: 30m
Output Power: 5x (120W (24V))



- Controlador adecuado para tiras LED RGB+CCT (RGB y doble color en la misma tira).
- Posibilidad de configurar uso conjunto de RGB + CCT o separado.
- Puede utilizarse, también, como regulador monocolor con buena compatibilidad.
- Verifique la corriente de salida para dimensionar la longitud y la potencia de las tiras LED asociadas.
- Cada controlador acepta hasta 10 mandos universales.
- Regulación con memoria.
- Distancia: 30 m (desde el control remoto al controlador directamente).
- Controller suitable for RGB + CCT LED strips (RGB and double color on the same strip).
- Possibility of configuring joint use of RGB + CCT or separately.
- It can also be used as a single color regulator with good compatibility.
- Check the output current to size the length and power of the associated LED strips.
- Each controller accepts up to 10 universal remote controllers.
- Regulation with memory.
- Distance: 30m (from remote control to controller directly).

CONTROLADORES REMOTOS REMOTE CONTROLLERS

Controlador RGB/RGBW IP67

RGB / RGBW controller IP67 (175 x 45 x 27 mm)



CONT.V4WP

Control: RF 2.4GHz or PUSH Switch

IN: 12-36Vdc

OUT: 4x (12-36Vdc)

Output Current: 4 Channels / 5A (per channel)

Output Power: 4x (120W (24V))



- Encendido y regulación suavizados sin parpadeo para aplicaciones de exterior.
- Conectado a un pulsador puede controlar el encendido/apagado y la regulación; así como gestionar hasta 8 escenas
- Cada controlador acepta hasta 10 mandos universales
- Puede, también, utilizarse como regulador de doble color o monocolor con buena compatibilidad.
- Función de auto transmisión y Auto sincronizado.
- Verifique la corriente de salida para dimensionar la longitud y la potencia de las tiras LED asociadas.
- Regulación con memoria.
- Distancia: 30 m (desde el control remoto al controlador directamente).
- Flicker-free smoothed on and dimming for outdoor applications.
- Connected to a push button it can control the on / off and regulation; as well as manage up to 8 scenes.
- Each controller accepts up to 10 universal remote controllers.
- It can also be used as a double or single color regulator with good compatibility.
- Auto transmission function and Auto synchronized.
- Check the output current to size the length and power of the associated LED strips.
- Regulation with memory.
- Distance: 30m (from remote control to controller directly).

Controlador bluetooth (CASAMBI)

Bluetooth controller (CASAMBI) (72,6 x 30 x 18 mm)



CONT.CBU-PWM4

Control: RF 2.4GHz or PUSH Switch

IN: 12-36Vdc

OUT: 12-36Vdc

Output Current: 4 Channels / 5A (per channel)



- Controlador CBU-PWM4 con 4 canales de salida PWM independientes.
- Configurable para control de blanco, blanco dinámico, RGB ó RGBW.
- Controlar mediante el sistema Bluetooth CASAMBI, que ofrece una APP gratuita descargable desde la Apple Store y Google Play que permite crear escenas, grupos, animaciones de una forma intuitiva y rápida.
- CBU-PWM4 controller with 4 independent PWM output channels.
- Configurable to control white, dynamic white, RGB or RGBW.
- Control through the CASAMBI Bluetooth system, which offers a free APP downloadable from the Apple Store and Google Play that allows you to create scenes, groups, animations in an intuitive and fast way.

CONTROLADORES REMOTOS POR VOZ Y/O WIFI REMOTE CONTROLLERS BY VOICE AND/OR WIFI

Controlador Maestro 2 en 1 con función Pulsador
2-in-1 Master Controller with Push Button function (114 x 38 x 20 mm)



CONT.WT1

Control: VOZ (Echo o Google Assistant)
APP Tuya // RF y WIFI // PUSH
Input Voltage: 12-36Vdc
Output Voltage: 2 x (12-36)Vdc
Output Current: 5A / channel



- Controlador Maestro 2 en 1 para control de tiras LED Monocolor y CCT (doble color).
- Puede funcionar como convertidor WIFI-RF para, en función maestro, poder controlar diferentes dispositivos, de igual tipo de luz, mediante VOZ, APP Tuya y PUSH.
- Control, mediante APP Tuya, de ON/OFF, brillo y Temperatura de color (CCT) de encendidos programados, escenas, control en remoto.
- Control por VOZ, gracias a Tuya, a través de Amazon ECHO (ALEXA) o Google Assistant.
- Configuración sencilla por medio de pulsaciones.
- 2-in-1 Master Controller to control Monocolor and CCT (double color) LED strips.
- It can function as a WIFI-RF converter to control different devices, of the same type of light, in a master function, through VOICE, Tuya APP and PUSH.
- Control, through APP Tuya, of ON / OFF, brightness and Color Temperature (CCT) of programmed ignitions, scenes, remote control.
- VOICE control, thanks to Tuya, through Amazon ECHO (ALEXA) or Google Assistant.
- Simple configuration by means of keystrokes.

CONTROLADORES REMOTOS POR VOZ Y/O WIFI REMOTE CONTROLLERS BY VOICE AND/OR WIFI

Controlador Maestro 5 en 1 - WIFI (TUYA) . Compatible ALEXA.
5 in 1 Master Controller - WIFI (TUYA). ALEXA compatible. (114 x 38 x 20 mm)



CONT.WT5

Control: VOICE (Echo o Google Assistant)
APP Tuya // RF y WIFI
Input Voltage: 12-24Vdc
Output Voltage: 5 x (12-24)Vdc
Output Current: 3A / channel



- Controlador Maestro 5 en 1 para control de tiras LED Monocolor, CCT, RGB, RGBW y RGB + CCT.
- Puede funcionar como convertidor WiFi-RF para, en funciónmaestro, poder controlar diferentes dispositivos, de igual tipo de luz, mediante VOZ y APP Tuya.
- Control, mediante APP Tuya, de ON/OFF, brillo, CCT, RGB/RGBW, RGB + CCT, encendidos programados, escenas, control en remoto.
- Control por VOZ, gracias a Tuya, a través de Amazon ECHO (ALEXA) o Google Asisstant.
- Configuración sencilla por medio de pulsaciones.
- 5 in 1 Master Controller to control Monocolor, CCT, RGB, RGBW and RGB + CCT LED strips.
- It can function as a WiFi-RF converter for, as a master, to be able to control different devices, of the same type of light, through VOICE and Tuya APP.
- Control, through APP Tuya, of ON / OFF, brightness, CCT, RGB / RGBW, RGB + CCT, programmed ignitions, scenes, remote control.
- VOICE control, thanks to Tuya, through Amazon ECHO (ALEXA) or Google Assistant.
- Simple configuration by means of keystrokes.

CONTROLADORES REMOTOS POR VOZ Y/O WIFI REMOTE CONTROLLERS BY VOICE AND/OR WIFI

Tuya APP control cloud

Tuya APP cloud control (52 x 52 x 26 mm)



CONT.LIWT

Control: APP Tuya // RF // PUSH Dim

Input Voltage: 100-240Vac

Output signal: 0/1-10V (20mA)

Output Current: 5A / channel



- Salida de 1 canal de señal 0 / 1-10V, conectar con driver regulable 0 / 1-10V.
- Control mediante Tuya APP, encendido / apagado, ajuste de brillo, retardo de encendido / apagado de luz, temporizador, función de escena, control de voz, compatible con Amazon ECHO.
- Salida de 0-10 V seleccionable mediante interruptor DIP, 256 niveles 0-100% de atenuación suave sin flash.
- Compatibilidad con control remoto de atenuación de zona única o zona múltiple RF 2.4G.
- Puede funcionar como convertidor WiFi-RF, luego use la APLICACIÓN Tuya para controlar uno o más controladores LED de atenuación de RF o controladores sincrónicamente.
- Conecte con un interruptor de empuje externo para lograr la función de atenuación de encendido / apagado y 0-100%.
- Fácil de colocar en una caja de conexiones de pared estándar detrás de un interruptor.
- 1 channel 0 / 1-10V signal output, connect with 0 / 1-10V dimmable driver.
- Control by Tuya APP, on / off, brightness adjustment, light on / off delay, timer, scene function, voice control, compatible with Amazon ECHO.
- Selectable 0-10V output via DIP switch, 256 levels 0-100% smooth dimming without flash.
- Support for 2.4G RF single zone or multi zone dimming remote control.
- It can work as a WiFi-RF converter, then use the Tuya APP to control one or more RF dimming LED drivers or drivers synchronously.
- Connect with external push switch to achieve on / off and 0-100% dimming function.
- Easy to fit in a standard wall junction box behind a switch.

CONTROLADORES REMOTOS DALI DALI REMOTE CONTROLLER



DALI Dimmer
(175 x 45 x 27 mm)

CONT.DAI

Input Voltage: 12-48VDC
Input signal: DALI+Push dim
Output Current:
1channel , 15A
Output Power:
180W (12V) / 360W (24V)



DALI Dimmer
(175 x 45 x 27 mm)

CONT.DA4

Input Voltage: 12-48VDC
Input signal: DALI+Push dim
Output Current:
1channel , 15A
Output Power:
180W (12V) / 360W (24V)

100V
240V
AC

50Hz
60Hz



1AC Triac DALI Dimmer
(175 x 45 x 27 mm)

CONT.DT

Input Voltage: 100-240Vac
Input signal:
DALI + Push dim + Corte Fas.
Output Current: Max 1,5A
Output Power: 150-360W

100V
240V
AC

LC

AMPLIFICADORES AMPLIFIERS

Acondiciona la señal a lo largo del tramo de tira LED, posibilitando que la intensidad que pasa por la tira siga estable y sin ninguna caída en la totalidad de su longitud — It conditions the signal along the length of the LED strip, making it possible for the intensity that passes through the strip to remain stable and without any drop over its entire length.



Amplificador 1 canal
1 channel amplifier
(97x33x18 mm)

CONTEVI-S

Input Voltage: 12-24VDC
Output Current: 1channel, 15A
Output Power: 12V<180W, 24V<360W



Amplificador 4 canales
4-channel amplifier
(175x45x27 mm)

CONTEV4

Input Voltage: 12-36VDC
Output Current: 4channel, 5A/canal
Output Power: 4x 60W (12V), 4x 120W
24V, 4x 180W (36V)

ALIMENTADORES POWER SUPPLIES

IP
20**35W (84 x 57 x 29,5 mm)**

B02Q-X3335F-00

**96W (200,5 x 69,5 x 35 mm)**

B02Q-X3396F-00

90V
264V
AC

24V

IP
20MW
MEAN WELL**75W (180 x 52 x 30 mm)**

B02C-X3375F-00

30W (153x41x32 mm)

B02C-X3330F-00

60W (180 x 52 x 30 mm)

B02C-X3360F-00

24V

220V
240V
ACIP
20VS
VOSSLOH
SCHWABE**120W (300 x 40 x 30 mm)**

B02C-X33A3F-00

180W (345 x 50 x 35 mm)

B02V-X33J5F-00

**40W (187 x 45 x 31 mm)**

B02L-X3340F-00

80W (290 x 45 x 31 mm)

B02L-X3380F-00

220V
240V
AC

24V

IP
20**150W (290 x 45 31 mm)**

B02L-X33A4F-00

250W (431 x 45 x 31 mm)

B02L-X33A6F-00

DALI

PUSH

VS
VOSSLOH
SCHWABEIP
67**35W (148 x 40 x 30 mm)**

B02R-X3335F-00

60W (162,5 x 42,5 x 32 mm)

B02R-X3360F-00

90V
264V
AC

24V

IP
67**100W (191 x 63 x 37,5 mm)**

B02R-X33A1F-01

150W (191 x 63 x 37,5 mm)

B02R-X33A4F-00

MW
MEAN WELL**60W (150 x 53 x 35 mm)**

B02H-X3360F-00

90W (171 x 63 x 37,5 mm)

B02H-X3390F-00

90V
264V
AC

24V

IP
67**120W (190 x 52 x 37 mm)**

B02H-X33A3F-00

200W (195 x 68 x 39,5 mm)

B02H-X33A5F-00

DALI

MW
MEAN WELL

NEW

**40W (187 x 45 x 31 mm)**

B02W-X3340F-00

80W (290 x 45 x 31 mm)

B02W-X3380F-00

220V
240V
AC

24V

IP
67**150W (290 x 45 x 31 mm)**

B02W-X33A4F-00

VS
VOSSLOH
SCHWABE

DALI

PUSH

**35W (110 x 40 x 29,5 mm)**

U B02Y-X3335F-00

60W (156 x 42 x 30 mm)

U B02Y-X3360F-00

220V
240V
AC

24V

IP
67**100W (156 x 48 x 33 mm)**

B02Y-X33A1F-00

150W (156 x 48 x 33 mm)

B02Y-X33A4F-00

240W (220 x 63 x 42 mm)


B02Y-X33A6F-00

VS
VOSSLOH
SCHWABE

KRAO




Acabado blanco – White finish




LED SMD AC 6,5W

□ 1036A-L4107BA0-01



K SELECT	2700K	570lm
	3000K	630lm
	4000K	630lm



LED SMD AC 4,8W

□ 1036B-L4105B30-01



K SELECT	2700K	470lm
	3000K	500lm
	4000K	500lm

Aro decorativo – Decorative ring



■ AI3A-1036-02

□ AI3B-1036-01


■ AI3B-1036-02



KRAO



Acabado blanco — White finish



1036C-



1036E-




LED SMD AC 10,5W

□ 1036C-L4109BAC-01



LED SMD AC 8W


□ 1036E-L4108BAZ-01



2700K	850lm
3000K	1000lm
4000K	950lm




2700K	650lm
3000K	700lm
4000K	700lm



LED SMD AC 9W

□ 1036D-L4109B3C-01



2700K	720lm
3000K	850lm
4000K	800lm

Aro decorativo — Decorative ring




■ A13C-1036-02



NOK20 NEW



Acabado blanco, negro u oro — White, black or gold finish



- ☐ D20-824-01-01
- ☒ D20-824-02-02
- ☐ D20-824-47-47


Accesorio necesario — Necessary accessory



NOK30 NEW




Acabado blanco, negro u oro — White, black or gold finish



- ☐ D30-824-01-01
- ☒ D30-824-02-02
- ☐ D30-824-47-47



Accesorio necesario — Necessary accessory



ATOLON




Acabado blanco, negro o gris – White, black or grey finish



G53 LED AR111 12V / QR-LP III 75W max.

- 738F-G18RCB-01
- 738F-G18RCB-02
- 738F-G18RCB-03



GU10 LED AR111 230V 15W max.

- 738F-G21XIB-01
- 738F-G21XIB-02
- 738F-G21XIB-03



Filtros de conversión para pescado, marisco, verdura, carne o pan
Conversion filters for fish, seafood, vegetables, meat or bread

	SEAFOOD	A14A-738-00	for 3000K
	VEG+FRUIT	A14A-738-00	
	FISH	A14A-738-00	for 4000K
	MEAT	A14B-738-00	
	BREAD	A14C-738-00	

Porta filtros – Support for filters



ATOLON

Marcos — Frames



ACER

Acabado blanco, negro o gris — White, black or grey finish



□ A45A-738-01
■ A45A-738-02
■ A45A-738-03



152x152




□ A45B-738-01
■ A45B-738-02
■ A45B-738-03



300x152




□ A45C-738-01
■ A45C-738-02
■ A45C-738-03



450x152



□ A45D-738-01
■ A45D-738-02
■ A45D-738-03



600x152



□ A45E-738-01
■ A45E-738-02
■ A45E-738-03




300x300



LEN




Acabado blanco – White finish




GU10 Led Retrofit/QPAR-I6 230V 50W

□ 798A-G2IXIB-01



GU10 Led Retrofit/QPAR-I6 230V 50W

□ 798B-G2IXIB-01



GU10 Led Retrofit/QPAR-I6 230V 50W

□ 798C-G2IXIB-01



Accesorio necesario – Necessary accessory



LED MODUL PRO

P_856

Para techo de yeso – For plaster ceiling

JANO ^{NEW}




Acabado blanco — White finish

Para otros acabados, consultar — For other finishes, consult us

Con Driver remoto

With Remote Driver

Consult **110V****2700K**

LED COB 7,5W 840lm

□ 818C-L3808B30-01

□ 818C-L3808B3D-01

3000K

LED COB 7,5W 88lm

□ 818C-L3908B30-01

□ 818C-L3908B3D-01

4000K

LED COB 7,5W 935lm

□ 818C-L4008B30-01

□ 818C-L4008B3D-01




PEGASO



Acabado blanco — White finish

Con Driver remoto

With Remote Driver



LED COB 4,5W 470lm 3000K

□ 816A-L3106B-01

PALMA



-01



-30



-02



-32



-45




-48

-30



Acabado blanco, negro, inox (-30), cromado (32), cromado mate (-45) o níquel mate (-48)
White, black, stainless steel (-30), chrome (-32), matt chrome (-45) or matt nickel finish (-48)



Ø75

GU10

LED Retrofit / QPAR-16 230V 50W max.

□ 750A-G42XIB-01

■ 750A-G42XIB-02

■ 750A-G42XIB-30

■ 750A-G42XIB-32

■ 750A-G42XIB-45

■ 750A-G42XIB-48



GU5.3

LED Retrofit / QR-CBC 51 12V 50W max.

□ 750A-G23XID-01

■ 750A-G23XID-02

■ 750A-G23XID-30

■ 750A-G23XID-32

■ 750A-G23XID-45

■ 750A-G23XID-48



Accesorio necesario — Necessary accessory



LED MODUL PRO

P_856

MINI LUNA



-01



-02



-03



-32




-45



-48



Acabado blanco, negro, gris, cromado (-32), cromado mate (-45) o níquel mate (-48)
White, black, grey, chrome (-32), matt chrome (-45) or matt nickel finish (-48)



GU10

LED Retrofit / QPAR-16 50W max.

- 741A-G42XIB-01
- 741A-G42XIB-02
- 741A-G42XIB-03
- 741A-G42XIB-32
- 741A-G42XIB-45
- 741A-G42XIB-48



GU5.3

LED Retrofit / QR-CBC 51 50W max.

- 741A-G23XID-01
- 741A-G23XID-02
- 741A-G23XID-03
- 741A-G23XID-32
- 741A-G23XID-45
- 741A-G23XID-48



Accesorio necesario — Necessary accessory



NIX



Acabado blanco, negro, cromado mate (-45) o níquel mate (-48) – White, black, matt chrome (-45) or matt nickel finish (-48)



GU10

LED Retrofit / QPAR-16 230V 50W max.

- 780A-G42XIB-21
- 780A-G42XIB-02
- 780A-G42XIB-45
- 780A-G42XIB-48

GU5.3

LED Retrofit / QR-CBC 51 12V 50W max.

- 780A-G23XID-21
- 780A-G23XID-02
- 780A-G23XID-45
- 780A-G23XID-48



GU10

LED Retrofit / QPAR-16 230V 50W max.

- 780B-G42XIB-21
- 780B-G42XIB-02
- 780B-G42XIB-45
- 780B-G42XIB-48

GU5.3

LED Retrofit / QR-CBC 51 12V 50W max.

- 780B-G23XID-21
- 780B-G23XID-02
- 780B-G23XID-45
- 780B-G23XID-48



GU10

LED Retrofit / QPAR-16 230V 50W max.

- 780E-G42XIB-21
- 780E-G42XIB-02
- 780E-G42XIB-45
- 780E-G42XIB-48

GU5.3

LED Retrofit / QR-CBC 51 12V 50W max.

- 780E-G23XID-21
- 780E-G23XID-02
- 780E-G23XID-45
- 780E-G23XID-48



GU10

LED Retrofit / QPAR-16 230V 50W max.

- 780F-G42XIB-21
- 780F-G42XIB-02
- 780F-G42XIB-45
- 780F-G42XIB-48

GU5.3


LED Retrofit / QR-CBC 51 12V 50W max.

- 780F-G23XID-21
- 780F-G23XID-02
- 780F-G23XID-45
- 780F-G23XID-48


Accesorio necesario – Necessary accessory



NIX




Acabado blanco – White finish




LED COB 8W 680lm 3000K

□ 780C-L3108B-01



LED COB 8W 680lm 3000K

□ 780D-L3108B-01




h (m)	d (m)	E (lux)
1,00	0,75	1360
2,00	1,50	340
3,00	2,25	151
4,00	3,00	85
5,00	3,75	54

CARPO



Acabado blanco – White finish



GU10

LED Retrofit / QPAR-16 230V 50W max.

□ 781B-G42X1B-01



GU5.3

LED Retrofit / QR-CBC 5l 12V 50W max.



□ 781B-G23X1D-01



INEL



Acabado blanco – White finish



□ A13A-63I-01

□ A13B-63I-01

Accesorio necesario – Necessary accessory




KOS



Acabado blanco — White finish

Lamps P_856



GU10

LED Retrofit / QPAR-16 230V 50W max.

□ 749B-G42XIB-01



GU5.3

LED Retrofit / QR-CBC 51 12V 50W max.

□ 749B-G23XID-01




KALE



Acabado blanco – White finish




Con Driver remoto
With Remote Driver





LED SMD 8W 470lm 3000K

□ 757B-L3108B-01



LED SMD 18,5W 1400lm 3000K


□ 757C-L3120B-01



LEDA



Acabado blanco, negro o gris — White, black or grey finish



GU10

LED Retrofit / QPAR-16 230V 50W max.

- 752A-G42XIB-01
- 752A-G42XIB-02
- 752A-G42XIB-03



GU5.3

LED Retrofit / QR-CBC 51 12V 50W max.


- 752A-G23XID-01
- 752A-G23XID-02
- 752A-G23XID-03




Accesorio necesario — Necessary accessory



JANUS



Acabado gris – Grey finish



GU10

LED Retrofit / QPAR-16 230V 50W max.

■ 782A-G42XIB-03



GU5.3

LED Retrofit / QR-CBC 51 12V 50W max.

■ 782A-G23XID-03



Accesorio necesario – Necessary accessory



LED MODUL PRO

P_856


IBIZA



Acabado blanco, negro, cromado (-32) o cromado mate (-45)
White, black, chrome (-32) or matt chrome finish (-45)


Disponible en 2700K, 4000K, 5000K
Available in 2700K, 4000K, 5000K

Con Driver remoto
With Remote Driver



LED SMD 3,2W 290lm 3000K

- 753A-L3202B-01
- 753A-L3202B-02
- 753A-L3202B-32
- 753A-L3202B-45




LED SMD 3,2W 290lm 3000K

- 753B-L3202B-01
- 753B-L3202B-02
- 753B-L3202B-32
- 753B-L3202B-45




CALYPSO 3 ^{NEW}



Acabado blanco – White finish

Con Driver remoto
With Remote Driver

Optional
Optional **110V**



LED SMD 7W

□ 1080A-L4107B-01

LED SMD 13W

□ 1080B-L4113B-01

LED SMD 18W

□ 1080C-L4118B-01

LED SMD 25W

□ 1080D-L4125B-01


	K SELECT	Ø85	Ø120	Ø170	Ø228
	CW: 2700K	908lm	1634lm	2479lm	3600lm
	NW: 3000K	964lm	1813lm	2653lm	3848lm
	WW: 4000K	925lm	1800lm	2561lm	3713lm

HIMMEL



Acabado blanco — White finish

Con Driver remoto
With Remote Driver




LED SMD 40W 3400lm **3000K**

□ 583C-L3140B-01

LED SMD 40W 3600lm **4000K**


□ 583C-L3340B-01

Para falso techo modular.
For modular ceiling.



Kit de superficie
Surface mounted kit

A20B-583-01




GIA



Acabado blanco – White finish




Con Driver remoto
With Remote Driver




3000K
LED SMD 6W 420lm
□ 599A-L3106A-01

4000K
LED SMD 6W 480lm
□ 599A-L3306A-01



3000K
LED SMD 18W 1535lm
□ 599A-L3118A-01

4000K
LED SMD 18W 1710lm
□ 599A-L3318A-01



3000K
LED SMD 24W 2040lm
□ 599A-L3124A-01


4000K
LED SMD 24W 2280lm
□ 599A-L3324A-01

GIA




Acabado blanco — White finish

Con Driver remoto
With Remote Driver




3000K
LED SMD 6W 420lm
□ 599B-L3106A-01

4000K
LED SMD 6W 480lm
□ 599B-L3306A-01



3000K
LED SMD 18W 1535lm
□ 599B-L3118A-01

4000K
LED SMD 18W 1710lm
□ 599B-L3318A-01




3000K
LED SMD 24W 2040lm
□ 599B-L3124A-01

4000K
LED SMD 24W 2280lm
□ 599B-L3324A-01


GIA




Acabado blanco – White finish

 Ø120 38 I 3000K LED SMD 6W 420lm □ 599C-L3106A-01	 Ø225 38 I 3000K LED SMD 18W 1535lm □ 599C-L3118A-01	 Ø120 38 I 3000K LED SMD 6W 420lm □ 599D-L3106A-01	 Ø225 38 I 3000K LED SMD 18W 1535lm □ 599D-L3118A-01
4000K LED SMD 6W 480lm □ 599C-L3306A-01	4000K LED SMD 18W 1710lm □ 599C-L3318A-01	4000K LED SMD 6W 480lm □ 599D-L3306A-01	4000K LED SMD 18W 1710lm □ 599D-L3318A-01

CARME




Acabado blanco — White finish




LED SMD **16,5W**

□ 731B-L4118B-01




LED SMD **27,5W**

□ 731C-L4130B-01



LED SMD **16,5W**

□ 731D-L4118B-28






LED SMD **27,5W**

□ 731E-L4130B-28



□ 731F-L4118R-28


□ 731G-L4130R-28



3000K

4000K

6000K



h (m)	d (m)	E (lux)
1,00	3,45	856
2,00	6,90	214
3,00	10,35	95
4,00	13,80	54
5,00	17,25	34

h (m)	d (m)	E (lux)
1,00	3,45	1038
2,00	6,90	260
3,00	10,35	115
4,00	13,80	65
5,00	17,25	42

h (m)	d (m)	E (lux)
1,00	3,45	965
2,00	6,90	241
3,00	10,35	107
4,00	13,80	60
5,00	17,25	39

K SELECT	16,5W	27,5W
3000K	1870lm	2730lm
4000K	2270lm	3330lm
6000K	2110lm	3090lm


LAUTAN



Suspensión no incluida
Suspension not included



Acabado antracita — Anthracite finish




100W

LED SMD 16000lm **4000K**

□ 1048A-L33RAB-04

LED SMD 16000lm **6500K**

□ 1048A-L37RAB-04



150W

LED SMD 23020lm **4000K**

□ 1048B-L33RAB-04

LED SMD 23020lm **6500K**

□ 1048B-L37RAB-04


200W

LED SMD 28890lm **4000K**

□ 1048C-L33RAB-04

LED SMD 28890lm **6500K**

□ 1048C-L37RAB-04






COVER



Acabado blanco – White finish



Cajetín universal redondo para empotrar en hormigón o ladrillo NO INCLUIDO.
Universal recessed round box to install in concrete or brick wall NOT INCLUDED.

LED SMD 2W

□ 1053A-L4102B90-01




Area de detección – Detection area – **<6m**
Angulo de detección – Detection angle – **120°**
Tiempo de espera – Hold time – **5seg. - 8min.**
Sensor de luz diurna – Daylight sensor – **<10lux**




2700K	148lm
3200K	154lm
4000K	168lm




Accesorio necesario – Necessary accessory




□ A13A-1053A-01



□ A13B-1053A-01



□ A13C-1053A-01



□ A13D-1053A-01



WINDOW 2



ALU



220V
240V

50Hz
60Hz




IP
44

50,000h



Acabado blanco o aluminio anodizado – White or anodized aluminum finish



LED CREE 3W 160lm 3000K


□ 726A-L0103B-01

■ 726A-L0103B-39


LIGUR



Acabado blanco o aluminio anodizado — White or anodized aluminum finish



64X64



Ø55

LED CREE 3W 160lm 3000K

□ 706A-L0103B-01

■ 706A-L0103B-39

LED CREE 3W 160lm 3000K

□ 706B-L0103B-01



■ 706B-L0103B-39

OFFICE

RANGE
EXTENSION



Acabado blanco o negro – Black or white finish



LED SMD 36W 3392lm 4000K

LED SMD 36W 3392lm 4000K

- E** ☐ 1046A-L3336B-01
☒ 1046A-L3336B-02



- E** ☐ 1046B-L3336B-01
☒ 1046B-L3336B-02






TEN



Carril no incluido – Track not included





ALU



Acabado blanco o negro – White or black finish

Lamps P_856



GUI0 7,5W max. **LED Retrofit**

- ☐ 1021A-G21X1A-01
- ☒ 1021A-G21X1A-02



GUI0 7,5W max. **LED Retrofit**

- ☐ 1021B-G21X1A-01
- ☒ 1021B-G21X1A-02



Carril – Track
P_252-255






AMY^{NEW}




Carril no incluido – Track not included



Acabado blanco o negro – White or black finish



50Hz
60Hz



50Hz

K SELECT	25W	30W
2700K	2361lm	2741lm
3000K	2572lm	2961lm
4000K	2441lm	2761lm

LED 25W

- 997A-L4I25B20-01
- 997A-L4I25B20-02

LED 30W

- 997B-L4I30B2F-01
- 997B-L4I30B2F-02

24°

- 997A-L4I25B30-01
- 997A-L4I25B30-02

- 997B-L4I30B3F-01
- 997B-L4I30B3F-02

36°

- 997A-L4I25B60-01
- 997A-L4I25B60-02


- 997B-L4I30B6F-01
- 997B-L4I30B6F-02

60°



Adaptador para techo – Adapter for ceiling

- B25-X33X2B-01
- B25-X33X2B-02



Carril – Track
P_252-255






HAITI



Acabado blanco, negro o gris – White, black or grey finish

Lamps P_856



G53 LED AR111 12V (DIM.C)

- 772B-G18RCB-01
- 772B-G18RCB-02
- 772B-G18RCB-03




G53 QR-LP 111 12V 75W max (DIM.L.C)

- 772B-H18RCB-01
- 772B-H18RCB-02
- 772B-H18RCB-03




Carril no incluido – Track not included



G53 LED AR111 12V (DIM.C)


- 772A-G18RCB-01
- 772A-G18RCB-02
- 772A-G18RCB-03



Filtros de conversión para pescado, marisco, verdura, carne o pan
Conversion filters for fish, seafood, vegetables, meat or bread

	SEAFOOD	A14A-738-00	for 3000K
	VEG+FRUIT	A14A-738-00	
	FISH	A14A-738-00	for 4000K
	MEAT	A14B-738-00	
	BREAD	A14C-738-00	

Porta filtros – Support for filters



Aro customizable
Customizable ring



Carril – Track
P_252-255




HAITI




Acabado blanco, negro o gris — White, black or grey finish

Lamps P_856



GU10 LED AR111 230V

- 772B-G2IX1B-01
- 772B-G2IX1B-02
- 772B-G2IX1B-03



Carril no incluido — Track not included



GU10 LED AR111 230V


- 772A-G2IX1B-01
- 772A-G2IX1B-02
- 772A-G2IX1B-03



Filtros de conversión para pescado, marisco, verdura, carne o pan
Conversion filters for fish, seafood, vegetables, meat or bread

	SEAFOOD	A14A-738-00	for 3000K
	VEG+FRUIT	A14A-738-00	
	FISH	A14A-738-00	for 4000K
	MEAT	A14B-738-00	
	BREAD	A14C-738-00	

Porta filtros — Support for filters



Aro customizable
Customizable ring



Carril — Track
P_252-255




TRACK

ALU



IP 20

Acabado blanco, negro o aluminio anodizado – White, black or anodised aluminium finish



1m

- ☐ B28A-X33X2B-01
- ☒ B28A-X33X2B-02
- ☒ B28A-X33X2B-39

2m

- ☐ B28B-X33X2B-01
- ☒ B28B-X33X2B-02
- ☒ B28B-X33X2B-39

3m

- ☐ B28C-X33X2B-01
- ☒ B28C-X33X2B-02
- ☒ B28C-X33X2B-39



1m

- ☐ B30A-X33X2B-01
- ☒ B30A-X33X2B-02
- ☒ B30A-X33X2B-39

2m

- ☐ B30B-X33X2B-01
- ☒ B30B-X33X2B-02
- ☒ B30B-X33X2B-39


3m

- ☐ B30C-X33X2B-01
- ☒ B30C-X33X2B-02
- ☒ B30C-X33X2B-39




Alimentación derecha Right Power Supply

- ☐ B28D-X33X2B-01
- ☒ B28D-X33X2B-02
- ☒ B28D-X33X2B-03




Alimentación izquierda Left Power Supply

- ☐ B28E-X33X2B-01
- ☒ B28E-X33X2B-02
- ☒ B28E-X33X2B-03




Alimentación central Supply straight coupling

- ☐ B28H-X33X2B-01
- ☒ B28H-X33X2B-02
- ☒ B28H-X33X2B-03




Unión flexible Flexible junction coupling

- ☐ B28K-X33X2B-01
- ☒ B28K-X33X2B-02
- ☒ B28K-X33X2B-03




Unión en cruz "X" junction coupling

- ☐ B28J-X33X2B-01
- ☒ B28J-X33X2B-02
- ☒ B28J-X33X2B-03




Codo 90° interior 90° in junction coupling

- ☐ B28G-X33X2B-01
- ☒ B28G-X33X2B-02
- ☒ B28G-X33X2B-03




Codo 90° exterior 90° out junction coupling

- ☐ B28M-X33X2B-01
- ☒ B28M-X33X2B-02
- ☒ B28M-X33X2B-03



T derecha – Right Junction Coupling

- ☐ B28I-X33X2B-01
- ☒ B28I-X33X2B-02
- ☒ B28I-X33X2B-03




T izquierda – Left Junction Coupling

- ☐ B28N-X33X2B-01
- ☒ B28N-X33X2B-02
- ☒ B28N-X33X2B-03


Unión con contacto Straight coupling with supply

- ☐ B28L-X33X2B-01
- ☒ B28L-X33X2B-02
- ☒ B28L-X33X2B-03



Tapa final End cap

- ☐ A6IG-786-01
- ☒ A6IG-786-02
- ☒ A6IG-786-03



Acabado blanco, negro o gris – White, black or grey finish

Tapa lineal (carril empotrado) Linear plate/cover (recessed track)

- A61H-786-01
- A61H-786-02
- A61H-786-03



Para /For: B28E- B28D- B28H-

Tapa cruz (carril empotrado) Cross cover (recessed track)


- A61J-786-01
- A61J-786-02
- A61J-786-03



Para /For: B28G- B28M- B28I- B28N- B28J-

Base SCHUKO carril SCHUKO base track

- B17O-X33X2B-01
- B17O-X33X2B-02



Leva para carril empotrado Cam for recessed track

- A61M-786-03




Cable de acero Steel cable

- A61A-786-01 (1500mm)
- A61A-786-02 (1500mm)
- A61A-786-03 (1500mm)
- A61B-786-01 (3000mm)
- A61B-786-02 (3000mm)
- A61B-786-03 (3000mm)



Adaptador universal Universal adaptor

- B17F-X33X2B-01
- B17F-X33X2B-02
- B17F-X33X2B-03




Leva para techo o tija Cam for ceiling or stem pendant

- A61E-786-01
- A61E-786-02
- A61E-786-03




Tija Stem Pendant

- A61C-786-01 (1000mm)
- A61C-786-02 (1000mm)
- A61D-786-01 (1000mm)
- A61D-786-02 (1000mm)
- A61H-786-39




EJEMPLOS DE INSTALACIÓN — INSTALLATION EXAMPLES



Herramienta para doblar conductores carril Track conductor bending tool

A61N-786-00



Corte carril a medida
uso herramienta especial
A61N-786-00



Video

Three-phase rail
cut to length use of
special tool A61N-786-00



Video


Acabado blanco, negro o gris — White, black or grey finish

TRACK

ALU



Acabado blanco, negro o aluminio anodizado – White, black or anodised aluminium finish



1m

- ☐ B29A-X33X2U-01
- ☒ B29A-X33X2U-02
- ☐ B29A-X33X2U-39

2m

- ☐ B29B-X33X2U-01
- ☒ B29B-X33X2U-02
- ☐ B29B-X33X2U-39

3m

- ☐ B29C-X33X2U-01
- ☒ B29C-X33X2U-02
- ☐ B29C-X33X2U-39

1m

- ☐ B31A-X33X2U-01
- ☒ B31A-X33X2U-02
- ☐ B31A-X33X2U-39

2m


- ☐ B31B-X33X2U-01
- ☒ B31B-X33X2U-02
- ☐ B31B-X33X2U-39

3m

- ☐ B31C-X33X2U-01
- ☒ B31C-X33X2U-02
- ☐ B31C-X33X2U-39


Alimentación derecha Right Power Supply

- ☐ B29D-X33X2U-01
- ☒ B29D-X33X2U-02
- ☐ B29D-X33X2U-03




Codo 90° interior 90° in junction coupling

- ☐ B29F-X33X2U-01
- ☒ B29F-X33X2U-02
- ☐ B29F-X33X2U-03




Alimentación izquierda Left Power Supply

- ☐ B29E-X33X2U-01
- ☒ B29E-X33X2U-02
- ☐ B29E-X33X2U-03




Codo 90° exterior 90° out junction coupling

- ☐ B29L-X33X2U-01
- ☒ B29L-X33X2U-02
- ☐ B29L-X33X2U-03




Tapa final End cap

- ☐ A61G-786-01
- ☒ A61G-786-02
- ☐ A61G-786-03




T derecha – Right Junction Coupling

- ☐ B29H-X33X2U-01
- ☒ B29H-X33X2U-02
- ☐ B29H-X33X2U-03




Unión flexible Flexible junction coupling

- ☐ B29J-X33X2U-01
- ☒ B29J-X33X2U-02
- ☐ B29J-X33X2U-03



T izquierda – Left Junction Coupling


- ☐ B29M-X33X2U-01
- ☒ B29M-X33X2U-02
- ☐ B29M-X33X2U-03



Acabado blanco, negro o gris – White, black or grey finish


Unión en cruz "X" junction coupling

- ☐ B29I-X33X2U-01
- ☒ B29I-X33X2U-02
- ☒ B29I-X33X2U-03




Unión con contacto Linear / Contact Junction Coupling (Supply Possibility)

- ☐ B29K-X33X2U-01
- ☒ B29K-X33X2U-02
- ☒ B29K-X33X2U-03




Tapa lineal (carril empotrado) Linear plate/cover (recessed track)

- ☐ A61K-786-01
- ☒ A61K-786-02
- ☒ A61K-786-03



Tapa cruz (carril empotrado) Cross cover (recessed track)

- ☐ A61L-786-01
- ☒ A61L-786-02
- ☒ A61L-786-03



Para /For: B29E- B29D-

Para /For: B29F- B29L- B29H- B29M- B29I-

Leva para carril empotrado Cam for recessed track

- ☒ A61M-786-03



Leva para techo o tija Cam for ceiling or stem pendant

- ☐ A61E-786-01
- ☒ A61E-786-02
- ☒ A61E-786-03



Cable de acero Steel cable


- ☐ A61A-786-01 (1500mm)
- ☒ A61A-786-02 (1500mm)
- ☒ A61A-786-03 (1500mm)

- ☐ A61B-786-01 (3000mm)
- ☒ A61B-786-02 (3000mm)
- ☒ A61B-786-03 (3000mm)




Tija Stem Pendant

- ☐ A61C-786-01 (1000mm)
- ☒ A61C-786-02 (1000mm)
- ☐ A61D-786-01 (1000mm)
- ☒ A61D-786-02 (1000mm)
- ☒ A61H-786-39




EJEMPLOS DE INSTALACIÓN — INSTALLATION EXAMPLES

Vista cenital — Top view



Herramienta para doblar conductores carril Track conductor bending tool

A61N-786-00



Corte carril a medida
uso herramienta especial
A61N-786-00



Video

Three-phase rail
cut to length use of
special tool A61N-786-00



Video

Acabado blanco, negro o gris — White, black or grey finish

exo

Decorative indoor



CUSTOM LIGHTING

En Novolux Lighting contamos con talleres propios de fabricación y montaje, lo que nos permite crear luminarias decorativas a medida para proyectos.

Nos adaptamos a cualquier necesidad, trabajando con aluminio, madera, cristal, metacrilato, entre otros materiales. En el proceso de fabricación de lámparas de aluminio, realizamos corte láser, torneado, soldadura y baño de pintura. Para lámparas de madera, llevamos a cabo el corte, pintura con pistola, montaje, entre otros procesos. También fabricamos lámparas con diversos materiales y fibras naturales.


Además, tenemos capacidad, conocimiento y experiencia en la fabricación de lámparas big format. Somos también especialistas en la fabricación de pantallas a medida, con una amplia variedad de acabados y materiales, adaptándonos a cualquier tamaño o medida especial.

At Novolux Lighting we have our own manufacturing and assembly workshops, allowing us to create custom decorative lighting for projects.

We adapt to any requirement, working with materials such as aluminum, wood, glass, acrylic, among others. In the aluminum lamp manufacturing process, we employ laser cutting, turning, welding, and painting. For wooden lamps, we carry out cutting, spray painting, assembly, among other processes. We also manufacture lamps using various materials and natural fibers.

Additionally, we have the capability, knowledge, and experience in manufacturing large-format lamps. We are also specialists in the production of custom lampshades, offering a wide variety of finishes and materials, accommodating any size or special measurement.

NOVOLUX
CUSTOM LIGHTING




LANTERN NEW



ACER


110V
240V
ACIP
20

Acabado blanco, negro, cobre, oro o verde envejecido – White, black, copper, gold or antique green finish



E27 LED/ Fluo max. 18W

- 1079A-G05XIA-01-27
- 1079A-G05XIA-02-27
- 1079A-G05XIA-37-27
- 1079A-G05XIA-47-27
- 1079A-G05XIA-AG-27



E27 LED/ Fluo max. 18W

- 1079B-G05XIA-01-27
- 1079B-G05XIA-02-27
- 1079B-G05XIA-37-27
- 1079B-G05XIA-47-27
- 1079B-G05XIA-AG-27



E27 LED/ Fluo max. 18W

- 1079A-G05XIA-01-29
- 1079A-G05XIA-02-29
- 1079A-G05XIA-37-29
- 1079A-G05XIA-47-29
- 1079A-G05XIA-AG-29



E27 LED/ Fluo max. 18W

- 1079B-G05XIA-01-29
- 1079B-G05XIA-02-29
- 1079B-G05XIA-37-29
- 1079B-G05XIA-47-29
- 1079B-G05XIA-AG-29







SIGN

By Nacho Timón



Acabado blanco, negro u oro mate – White, black or matt gold finish



LED SMD 4,5W 3000K

□ 1076A-L3105B-01

■ 1076A-L3105B-02

■ 1076A-L3105B-46


LED SMD 4,5W 3000K

□ 1076B-L3105B-01

■ 1076B-L3105B-02

■ 1076B-L3105B-46

Diseño personalizable – Customisable design





TEC


By Nacho Timón



WOOD + ACER



Acabado madera haya – Beech wood finish



GX53 LED T2 10W 1200lm 3000K

1073B-L3110A-50

P_388




P_326





EYE

By Nacho Timón




Acabado negro con aspas madera oscura, natural o clara
Black finish with dark wood, natural or light wood blades




LED SMD 14W 1863lm 3000K

- 962A-L3114B-02-W1
- 962A-L3114B-02-W2
- 962A-L3114B-02-W3



LED SMD 21W 2794lm 3000K

- 962B-L3114B-02-W1
- 962B-L3114B-02-W2
- 962B-L3114B-02-W3



LED SMD 28W 3479lm 3000K

- 962C-L3114B-02-W1
- 962C-L3114B-02-W2
- 962C-L3114B-02-W3

-W1




-W2



-W3



Posibilidad de imprimir diseño personalizado
Possibility to print customised design






KRISTA

RANGE
EXTENSION

By Nacho Timón



Acabado negro con cristal verde, azul, foumé, sherry o salmón
Black finish with green, blue, fumed, sherry or salmon glass



LED SMD AC 4W 363lm 2700K

- 1028G-L38RCB-02-05
- 1028G-L38RCB-02-06
- 1028G-L38RCB-02-FG
- E ■ 1028G-L38RCB-02-SH
- E ■ 1028G-L38RCB-02-SL





TOSCA



ACER + ALU



110V
240V
AC




IP
20



Acabado blanco, negro o azul – White, black or blue finish

Lamps P_855



E27 Led/Fluo/Hal max. 60W

□ 956C-G05XIA-01

■ 956C-G05XIA-02

■ 956C-G05XIA-06

P_348



IP
54


P_448





TANIA

RANGE
EXTENSION



Acabado blanco, negro, cobre, oro o verde envejecido – White, black, copper, gold or antique green finish


2x LED SMD AC 4W 400lm 3000K

- 906D-L3IHIB-01
- 906D-L3IHIB-02
- 906D-L3IHIB-37
- 906D-L3IHIB-47
- E ■ 906D-L3IHIB-AG

P_350	P_354	P_396

TANIA

RANGE
EXTENSION



ACER



Acabado blanco, negro, cobre, oro o verde envejecido — White, black, copper, gold or antique green finish

2x GU10 Led/Hal. max. 50W

Lamps P_856

- 906A-G21XIA-01
- 906A-G21XIA-02
- 906A-G21XIA-37
- 906A-G21XIA-47
- 906A-G21XIA-AG

P_350



P_352



OXY




ACER

110V
240V
ACIP
40

Acabado negro, cromado o oro – Black, chrome or gold finish

Lamps P_855



E27 Led / Fluo / Hal. max. 40W

■ 984F-G05XIA-02

□ 984F-G05XIA-32

■ 984F-G05XIA-47



■ 984F-G05XIA-02-27

□ 984F-G05XIA-32-27

■ 984F-G05XIA-47-27



OXY

RANGE
EXTENSION




Imitación alabastro
Imitation alabaster



Acabado blanco – White finish

Lamps P_855



E27 Led / Fluo / Hal. max. 40W

984P-G05XIA-01-27




E27 Led / Fluo / Hal. max. 40W

984P-G05XIA-01-LB




DIAGONAL

By Nacho Tmón



Acabado blanco, negro o cobre – White, black or copper finish

Lamps P_855




E27 Led max. 13W (Ø45)

□ ○ 855E-G05XIA-01-SA

● 855E-G05XIA-02-SB

● 855E-G05XIA-37-SM






CLASSICAL



Acabado níquel satinado o oro con pantalla blanca o negra
Satin nickel or gold finish with white or black shade

Lamps P_855



E27 Led/Fluo/Hal. max. 40W (Ø45)

□ ○ 986A-G05XIA-35-CA

● 986A-G05XIA-47-CB



Nuevo acabado de pintura
New colour finish





AMSTERDAM




ACER

110V
240V
ACIP
20

Acabado níquel satinado con pantalla blanca, negra, marrón o beige
Satin nickel finish with white, black, brown or beige shade

Lamps P_855



E27 (Ø45) Led / Fluo / Hal. max. 40W

- ○ 909C-G05X1A-35-CA
- ● 909C-G05X1A-35-CB
- ● 909C-G05X1A-35-CG

COTTON



- ○ 908G-G05X1A-35-RA
- ● 908G-G05X1A-35-RB
- ○ 908G-G05X1A-35-RC

RIBBON
WRAP

P_404



P_404






CORA



Acabado blanco o negro – White or black finish

Lamps P_855



E27 Led/Fluo/Hal max. 40W (Ø45)

□ ○ 859D-G05XIA-01-RA

■ ● 859D-G05XIA-02-RB

P_366



P_406



P_406






NEMO



Acabado cuerpo blanco o negro y pantalla sintética blanca, beige, marrón o negro fabric
White or black body finish and synthetic white, beige, brown or black fabric shade finish

Lamps P_855



E27 Led / Fluo / Hal max. 40W

- ○ 1017A-G05X1A-01-D1
- ○ 1017A-G05X1A-01-D2
- ● 1017A-G05X1A-01-D3
- ● 1017A-G05X1A-02-D4

P_398



P_399






COMPACT




Acabado madera de haya con pantalla cotton white, eco beige o cotton earth
Beech wood finish with cotton white, eco beige or cotton earth shades

Lamps P_855




E27 Led / Fluo / Hal max. 40W (Ø45)

- 62IC-G05XIA-50-CA
- 62IC-G05XIA-50-DC
- 62IC-G05XIA-50-CG






BRITTA ^{UPDATED}

Acabado negro con pantalla cotton white – Black finish with cotton white shade

Lamps P_855



E27 Led / Fluo / Hal max. 60W

● ○ 681A-G05X1A-02-5CCA






FIRENZE UPDATED



Acabado níquel satinado u oro mate con pantalla blanca, negra o beige.
Satin nickel finish or matt gold with white, black or beige shade.

Lamps P_855



E27 Led / Fluo / Hal max. 60W + LED SMD 3W 240lm 3000K



- ○ 507E-Y05XIB-35-6ACA
- ● 507E-Y05XIB-35-6ACB
- ● 507E-Y05XIB-35-6ACC

E27 Led / Fluo / Hal max. 60W + LED SMD 3W 240lm 3000K



- ○ 507A-Y05XIB-35-6ACA
- ● 507A-Y05XIB-35-6ACB
- ● 507A-Y05XIB-35-6ACC
- ○ 507A-Y05XIB-46-6ACA
- ● 507A-Y05XIB-46-6ACB
- ● 507A-Y05XIB-46-6ACC

E27 Led / Fluo / Hal max. 60W + LED SMD 3W 240lm 3000K



Type A Type A



- ○ 507F-Y05XIB-35-6ACA
- ● 507F-Y05XIB-35-6ACB
- ● 507F-Y05XIB-35-6ACC
- ○ 507F-Y05XIB-46-6ACA
- ● 507F-Y05XIB-46-6ACB
- ● 507F-Y05XIB-46-6ACC




FIRENZE UPDATED



Acabado niquel satinado u oro mate con pantalla blanca, negra o beige.
Satin nickel finish or matt gold with white, black or beige shade.

Lamps P_855



E27 Led / Fluo / Hal max. 60W + LED SMD 3W 240lm 3000K



- 507E-Y05XIB-35-7ACA
- 507E-Y05XIB-35-7ACB
- 507E-Y05XIB-35-7ACC

E27 Led / Fluo / Hal max. 60W + LED SMD 3W 240lm 3000K



- 507A-Y05XIB-35-7ACA
- 507A-Y05XIB-35-7ACB
- 507A-Y05XIB-35-7ACC
- 507A-Y05XIB-46-7ACA
- 507A-Y05XIB-46-7ACB
- 507A-Y05XIB-46-7ACC



E27 Led / Fluo / Hal max. 60W + LED SMD 3W 240lm 3000K

Type A Type A

- 507F-Y05XIB-35-7ACA
- 507F-Y05XIB-35-7ACB
- 507F-Y05XIB-35-7ACC
- 507F-Y05XIB-46-7ACA
- 507F-Y05XIB-46-7ACB
- 507F-Y05XIB-46-7ACC

P_292



P_368



P_408



P_409




FIRENZE

UPDATED



Acabado niquel satinado con pantalla blanca, negra o beige
Satin nickel finish with white, black or beige shade

Lamps P_855



E27 Led / Fluo / Hal max. 60W



- ☐ ○ 507B-G05X1A-35-6ACA
- ○ 507B-G05X1A-35-6ACB
- ○ 507B-G05X1A-35-6ACC



- ☐ ○ 507B-G05X1A-35-7ACA
- ○ 507B-G05X1A-35-7ACB
- ○ 507B-G05X1A-35-7ACC



VALAN




ACER + WOOD



Acabado blanco, moka o azul claro – White, mocha or light blue finish

Lamps P_855



E27 Led / Fluo / Hal max 60W (Ø45)


□ 846B-G05X1A-01

■ 846B-G05X1A-MK



■ 846B-G05X1A-BL



ARM




Acabado negro – Black finish



LED COB 5W 3000K 728lm

■ 935A-L3105B-02




LED COB 5W 3000K 728lm

■ 935B-L3105B-02




TEAR



Acabado blanco o negro – White or black finish

Lamps P_856




GUI0 [Led / Hal] max. 20W

□ 991A-G21XIA-01

■ 991A-G21XIA-02




MONTECARLO



Acabado negro – Black finish

Lamps P_855



E27 Led / Fluo / Hal max. 60W (Ø45)

● 907B-G05XIA-02-CB


P_427



BOOK



Acabado negro — Black finish




LED SMD 4W 3000K 280lm

■ 588A-L0104A-02

DIRK UPDATED

By Novolux Technical Studio





Doble posición
Double position



Acabado blanco, negro o oro mate – White, black or matt gold finish



Nuevo acabado oro mate
New matt gold finish



LED SMD 3W 200lm 3000K

□ 704A-L0103B-01

■ 704A-L0103B-02



U 704A-L0103B-02-46

LED SMD 3W 200lm 3000K

□ 704B-L0103B-01

■ 704B-L0103B-02

U 704B-L0103B-02-46





MINIMAL ^{UPDATED}


By Novolux Technical Studio



Acabado blanco, negro o oro mate – White, black or matt gold finish



Nuevo acabado oro mate
New matt gold finish



LED SMD 3W 200lm 3000K

□ 977A-L0103A-01

■ 977A-L0103A-02

U  977A-L0103A-02-46




SKIN

By Novolux Technical Studio



Acabado blanco, negro, rojo o marrón – White, black, red or brown finish



LED SMD 2W 160lm 3000K


- 955A-L0102A-01
- 955A-L0102A-02
- 955A-L0102A-07
- 955A-L0102A-14



SERENE




Acabado blanco o negro – White or black finish



LED SMD 6W 732lm 3000K

□ 1031C-L3106B-01

■ 1031C-L3106B-02



LED SMD 6W 732lm 3000K

□ 1031A-L3106B-01

■ 1031A-L3106B-02


Izquierda
Left



□ 1031B-L3106B-01

■ 1031B-L3106B-02

Derecha
Right



Doble posición
Double position







BALTIC



Acabado blanco o negro – White or black finish



LED SMD 3W 25lm 3000K


□ 727G-L0103B-01

■ 727G-L0103B-02

TOSCANA



Acabado blanco, negro o níquel satinado – White, black or satin nickel finish



LED SMD 3W 200lm 3000K

□ 842A-L0103B-01


■ 842A-L0103B-02

◼ 842A-L0103B-35

OLVAS



Acabado níquel satinado – Satin nickel finish





LED COB 5W 240lm 3000K

518B-L0103A-35

LEIDEN



Acabado níquel satinado u oro mate – Satin nickel or matt gold finish



LED SMD 3W 240lm 3000K

517B-L0103B-35

517B-L0103B-46

LED SMD 3W 240lm 3000K

517E-L0103B-35


517E-L0103B-46





Hotel Soho Boutique (Sevilla).

RETT



ALU




Acabado blanco, negro, bronce, aluminio cepillado u oro mate.
White, black, bronze, brushed aluminium or matt gold finish.




LED SMD 5W 450lm 3000K

- 504C-L0105B-01
- 504C-L0105B-02
- 504C-L0105B-BR
- 504C-L0105B-40
- 504C-L0105B-46



LED SMD 8W 790lm 3000K

- 504A-L0108B-01
- 504A-L0108B-02
- 504A-L0108B-BR
- 504A-L0108B-40
- 504A-L0108B-46



LED SMD 24W 2270lm 3000K


- 504B-L0124B-01
- 504B-L0124B-02
- 504B-L0124B-BR
- 504B-L0124B-40
- 504B-L0124B-46



PETAL



Acabado blanco, negro u oro mate – White, black or matt gold finish



LED SMD 20W 2059lm 3000K

□ 1039A-L3120B-01

■ 1039A-L3120B-02

■ 1039A-L3120B-46

CIRCULAR




Acabado blanco o negro – White or black finish



LED SMD 9W 914lm 3000K

□ 988A-L0109B-01


■ 988A-L0109B-02



LED SMD 13W 1410lm 3000K

□ 988B-L0113B-01


■ 988B-L0113B-02



LED SMD 28W 3020lm 3000K

□ 988C-L0128B-01

■ 988C-L0128B-02



LED SMD 40W 4040lm 3000K


□ 988D-L0140B-01

■ 988D-L0140B-02

COOPER



Acabado blanco, negro, bronce u oro mate — White, black, bronze or matt gold finish.



LED SMD 9W 850lm 3000K

- 987A-L0109B-01
- 987A-L0109B-02
- 987A-L0109B-BR
- 987A-L0109B-46




IONA



Acabado blanco, negro o gris — White, black or grey finish



Lamps P_855-856



LED SMD 13W 1200lm 3000K

- 634A-L0113B-01
- 634A-L0113B-02
- 634A-L0113B-03



LED SMD 13W 1200lm 3000K

- 634B-L0113B-01
- 634B-L0113B-02
- 634B-L0113B-03



E27 (Ø45) Led / Fluo / Hal max. 40W

- 634C-G05XIA-01
- 634C-G05XIA-02
- 634C-G05XIA-03

R7s (74,9mm) QT-DE 60W max.

- 634A-H35XIA-01
- 634A-H35XIA-02
- 634A-H35XIA-03







BRICK



ALU

110V
240V

Acabado blanco, negro o aluminio cepillado – White, black or brushed aluminum finish.



LED SMD 3W 165lm 3000K

□ 412A-L0103B-01

■ 412A-L0103B-02

■ 412A-L0103B-40

IP
20

110°



LED SMD 2x 5W 2x 325lm 3000K

□ 412B-L01FIB-01

■ 412B-L01FIB-02

■ 412B-L01FIB-40

GLASS
TRANSIP
44

67°



2x LED SMD 3W 165lm 3000K

□ 412B-L01E2B-01

■ 412B-L01E2B-02

■ 412B-L01E2B-40

IP
20

110°






DENEB



Acabado blanco o cromado – White or chrome finish



LED SMD 12W 1200lm 3000K


□ 695A-L0112B-01

■ 695A-L0112B-32

MENKAR



Acabado níquel satinado – Satin nickel finish




LED SMD 12W 1200lm 3000K

694A-L0112B-35

ESPIGA



Acabado níquel satinado – Satin nickel finish



LED SMD 12W 1200lm 3000K

693A-L0112A-35


Pendant & Ceiling Lamps_

TEC

By Nacho Timón



Acabado madera haya — Beech wood finish



GX53 LED T2 10W 1200lm 3000K

■ 1073C-L3110A-50

P_264



P_388






FISH

By Nacho Timón



WOOD + ALU


Acabado blanco, negro o madera haya — White, black or beech wood finish

Posibilidad de regulación
Possibility of regulationLED SMD 26W 2870lm **2700K**

- 1013B-L3826A-01
- 1013B-L3826A-02
- 1013B-L3826A-50

LED SMD 26W 3170lm **4000K**


- 1013B-L4026A-01
- 1013B-L4026A-02
- 1013B-L4026A-50






FISH

By Nacho Timón



Acabado blanco, negro o madera haya — White, black or beech wood finish

Posibilidad de regulación
Possibility of regulation




LED SMD 26W 2870lm **2700K**

- 1013A-L3826B-01
- 1013A-L3826B-02
- 1013A-L3826B-50

LED SMD 26W 3170lm **4000K**

- 1013A-L4026B-01
- 1013A-L4026B-02
- 1013A-L4026B-50





TWIST

By Nacho Timón



WOOD




110V
240V
AC



IP
20




Acabado madera haya — Beech wood finish



GX53 LED T2 6W 480lm 3000K

■ 945C-L3110A-50



GX53 LED T2 10W 1200lm 3000K

■ 945D-L3110A-50

P_386



IP
44

P_450





KRISTA

**RANGE
EXTENSION**

By Nacho Timón



ACER

GLASS
TRANS220V
240V
AC50Hz
60Hz




IP 20

CRI >90

50.000h

L70
B10

Acabado negro con cristal verde, azul, fougé, cherry o salmón
Black finish with green, blue, fougé, cherry or salmon glass



LED SMD AC 4W 363lm 2700K

- E** ■ ■ 1028D-L38RCB-02-05
 ■ ■ 1028D-L38RCB-02-06
E ■ ■ 1028D-L38RCB-02-FG
E ■ ■ 1028D-L38RCB-02-SH
E ■ ■ 1028D-L38RCB-02-SL

2x LED SMD AC 4W 363lm 2700K

- E** ■ ■ 1028E-L38RCB-02-05
 ■ ■ 1028E-L38RCB-02-06
E ■ ■ 1028E-L38RCB-02-FG
E ■ ■ 1028E-L38RCB-02-SH
E ■ ■ 1028E-L38RCB-02-SL

3x LED SMD AC 4W 363lm 2700K

- E** ■ ■ 1028F-L38RCB-02-05
 ■ ■ 1028F-L38RCB-02-06
E ■ ■ 1028F-L38RCB-02-FG
E ■ ■ 1028F-L38RCB-02-SH
E ■ ■ 1028F-L38RCB-02-SL

P_268



P_392








KRISTA

**RANGE
EXTENSION**

By Nacho Timón



Acabado negro con cristal verde, azul, fougé, cherry o salmón
Black finish with green, blue, fougé, cherry or salmon glass



LED SMD AC 4W 363lm 2700K

■ 1028A-L38RCB-02-05

E ■ 1028A-L38RCB-02-06

E ■ 1028A-L38RCB-02-FG

E ■ 1028A-L38RCB-02-SH

E ■ 1028A-L38RCB-02-SL

2x LED SMD AC 4W 363lm 2700K

■ 1028B-L38RCB-02-05

E ■ 1028B-L38RCB-02-06

E ■ 1028B-L38RCB-02-FG

E ■ 1028B-L38RCB-02-SH

E ■ 1028B-L38RCB-02-SL

3x LED SMD AC 4W 363lm 2700K

■ 1028C-L38RCB-02-05

E ■ 1028C-L38RCB-02-06

E ■ 1028C-L38RCB-02-FG

E ■ 1028C-L38RCB-02-SH

E ■ 1028C-L38RCB-02-SL

P_268




P_392






KRISTA

RANGE
EXTENSION

By Nacho Timón



Acabado negro con cristal verde, azul, fougé, cherry o salmón
Black finish with green, blue, fougé, cherry or salmon glass



LED SMD AC 4W 363lm 2700K

- E** ■ ■ 1028H-L38RCB-02-05
- E** ■ ■ 1028H-L38RCB-02-06
- ■ 1028H-L38RCB-02-FG
- E** ■ ■ 1028H-L38RCB-02-SH
- E** ■ ■ 1028H-L38RCB-02-SL

2x LED SMD AC 4W 363lm 2700K

- E** ■ ■ 1028H-L38RCB-02-05
- E** ■ ■ 1028H-L38RCB-02-06
- ■ 1028H-L38RCB-02-FG
- E** ■ ■ 1028H-L38RCB-02-SH
- E** ■ ■ 1028H-L38RCB-02-SL

3x LED SMD AC 4W 363lm 2700K

- E** ■ ■ 1028J-L38RCB-02-05
- E** ■ ■ 1028J-L38RCB-02-06
- ■ 1028J-L38RCB-02-FG
- E** ■ ■ 1028J-L38RCB-02-SH
- E** ■ ■ 1028J-L38RCB-02-SL

P_268



P_392



OXY

RANGE
EXTENSION





ACER

110V
240V
ACIP
40

Acabado negro — Black finish

Lamps P_855



2x E27 Led / Fluo / Hal max. 40W

■ 984K-G05XIA-02-27



3x E27 Led / Fluo / Hal max. 40W


■ 984L-G05XIA-02-27



E ■ 984K-G05XIA-02-LB



E ■ 984L-G05XIA-02-LB





OXY

RANGE
EXTENSION





Imitación alabastro
Imitation alabaster

ACER



Acabado blanco — White finish

Lamps P_855



E27 Led / Fluo / Hal. max. 40W

984M-G05X1A-01-27



984M-G05X1A-01-LB



E27 Led / Fluo / Hal. max. 40W

984N-G05X1A-01-27



984N-G05X1A-01-LB



Adaptador carril — Rail adapter

□ BI7P-X33X2B-01

■ BI7P-X33X2B-02

■ BI7P-X33X2B-03



P_275



P_338








OXY



Acabado negro, cromado u oro — Black, chrome or gold finish

Lamps P_855



E27 Led / Fluo / Hal. max. 40W

- 984A-G05XIA-02
- 984A-G05XIA-32
- 984A-G05XIA-47

E27 Led / Fluo / Hal. max. 40W

- 984B-G05XIA-02
- 984B-G05XIA-32
- 984B-G05XIA-47

E27 Led / Fluo / Hal. max. 60W



- 984C-G05XIA-02
- 984C-G05XIA-32
- 984C-G05XIA-47



- 984A-G05XIA-02-27
- 984A-G05XIA-32-27
- 984A-G05XIA-47-27

- 984B-G05XIA-02-27
- 984B-G05XIA-32-27
- 984B-G05XIA-47-27

- 984C-G05XIA-02-27
- 984C-G05XIA-32-27
- 984C-G05XIA-47-27



E27 Led / Fluo / Hal. max. 60W

- 984D-G05XIA-02
- 984D-G05XIA-32
- 984D-G05XIA-47

E27 Led / Fluo / Hal. max. 60W

- 984E-G05XIA-02
- 984E-G05XIA-32
- 984E-G05XIA-47



- 984D-G05XIA-02-27
- 984D-G05XIA-32-27
- 984D-G05XIA-47-27

- 984E-G05XIA-02-27
- 984E-G05XIA-32-27
- 984E-G05XIA-47-27



Adaptador carril — Rail adapter

- BI7P-X33X2B-01
- BI7P-X33X2B-02
- BI7P-X33X2B-03






OXY



Acabado negro — Black finish

Lamps P_855



Ø300

E27 Led / Fluo / Hal max. 40W

■ 984H-G05XIA-02-27

Ø350


E27 Led / Fluo / Hal max. 40W

■ 984I-G05XIA-02-27




Ø400

E27 Led / Fluo / Hal max. 40W

■ 984J-G05XIA-02-27



Numerosas opciones
Many options




FLAKE



Acabado negro – Black finish

Lamps P_855





E27 Led / Fluo / Hal 15W



■ 1045A-G05X1A-02

BELAKIA ^{NEW}

By Nacho Timón



Acabado blanco con difusor crema, rosa o verde
White finish with cream, pink or green diffuser



LED SMD AC 4W 363lm 2700K

- ☐ 1091A-L38RCB-01-CR
- ☐ 1091A-L38RCB-01-PK
- ☐ 1091A-L38RCB-01-O5

LED SMD AC 4W 363lm 2700K

- ☐ 1091B-L38RCB-01-CR
- ☐ 1091B-L38RCB-01-PK
- ☐ 1091B-L38RCB-01-O5



Adaptador carril — Rail adapter

- ☐ B17P-X33X2B-01
- ☒ B17P-X33X2B-02
- ☐ B17P-X33X2B-03





TOSCA

By Nacho Timón





ACER + ALU



Acabado blanco, negro o azul — White, black or blue finish

Lamps P_855



E27 Led/Fluo/Hal max. 60W


- ☐ 956A-G05XIA-01
- ☒ 956A-G05XIA-02
- ☒ 956A-G05XIA-06

E27 Led/Fluo/Hal max. 60W

- ☐ 956B-G05XIA-01
- ☒ 956B-G05XIA-02
- ☒ 956B-G05XIA-06

Adaptador carril — Rail adapter

- ☐ B17P-X33X2B-01
- ☒ B17P-X33X2B-02
- ☒ B17P-X33X2B-03





TANIA

RANGE
EXTENSION





ACER

110V
240V
AC50Hz
60HzIP
20

Acabado blanco, negro, cobre, oro o verde envejecido
White, black, copper, gold or antique green finish

Lamps P_856



GUI0 Led/Hal max. 50W

- 906H-G2IXIA-01
- 906H-G2IXIA-02
- 906H-G2IXIA-37
- 906H-G2IXIA-47
- E ■ 906H-G2IXIA-AG

GUI0 Led/Hal max. 50W

- 906J-G2IXIA-01
- 906J-G2IXIA-02
- 906J-G2IXIA-37
- 906J-G2IXIA-47
- E ■ 906J-G2IXIA-AG

GUI0 Led/Hal max. 50W

- 906K-G2IXIA-01
- 906K-G2IXIA-02
- 906K-G2IXIA-37
- 906K-G2IXIA-47
- E ■ 906K-G2IXIA-AG

P_272



P_352



P_396





TANIA


RANGE
EXTENSION

ACER

110V
240V
ACIP
20

Acabado blanco, negro, cobre, oro o verde envejecido
White, black, copper, gold or antique green finish

Lamps P_856



GU10 Led/Hal max. 50W

- 906B-G2IXIA-01
- 906B-G2IXIA-02
- 906B-G2IXIA-37
- 906B-G2IXIA-47
- E ■ 906B-G2IXIA-AG



GU10 Led/Hal max. 50W

- 906C-G2IXIA-01
- 906C-G2IXIA-02
- 906C-G2IXIA-37
- 906C-G2IXIA-47
- E ■ 906C-G2IXIA-AG



Adaptador carril — Rail adapter

- B17P-X33X2B-01
- B17P-X33X2B-02
- B17P-X33X2B-03



P_272

P_350

P_396







TANIA

RANGE
EXTENSION



Acabado blanco, negro, cobre, oro o verde envejecido
White, black, copper, gold or antique green finish

Lamps P_856



LED SMD AC 4W 400lm 3000K

- 906E-L3104B-01
- 906E-L3104B-02
- 906E-L3104B-37
- 906E-L3104B-47
- E ■ 906E-L3104B-AG




LED SMD AC 4W 400lm 3000K

- 906F-L3104B-01
- 906F-L3104B-02
- 906F-L3104B-37
- 906F-L3104B-47
- E ■ 906F-L3104B-AG



Adaptador carril — Rail adapter

- BI7P-X33X2B-01
- BI7P-X33X2B-02
- BI7P-X33X2B-03






DIAGONAL

By Nacho Timón




Acabado blanco, negro o cobre — White, black or copper finish

Lamps P_855




3x E27 Led. max.13W

- ○ 855D-G05XIA-01-SA
- ● 855D-G05XIA-02-SB
- ● 855D-G05XIA-37-SM




VALAN



Acabado blanco, moka o azul claro – White, mocha or light blue finish

Lamps P_855



E27 Led / Fluo / Hal max. 60W

- 844A-G05X1A-01
- 844A-G05X1A-MK
- 844A-G05X1A-BL

P_293



P_425




NATURAL




Acabado negro con pantalla de mimbre claro o mimbre oscuro
Black finish with Shade light wicker or dark wicker

Lamps P_855




E27 Led max. 15W

- 1029A-G05X1A-02-M1
- 1029A-G05X1A-02-M2



E27 Led max. 15W

- 1029B-G05X1A-02-M1
- 1029B-G05X1A-02-M2



E27 Led max. 15W


- 1029C-G05X1A-02-M1
- 1029C-G05X1A-02-M2

Adaptador carril — Rail adapter

- B17P-X33X2B-01
- B17P-X33X2B-02
- B17P-X33X2B-03



Fabricado con materiales naturales
susceptibles a variaciones de color y trama.
Made with natural materials susceptible
to variations in color and pattern.






THAIS




Acabado negro con pantalla de raphia de Bali — Black finish with raphia de Bali shade

Lamps P_855




E27 Led max. 15W

■ ■ 985A-G05X1A-02-R1



E27 Led max. 15W

■ ■ 985B-G05X1A-02-R1



E27 Led max. 15W

■ ■ 985C-G05X1A-02-R1



Adaptador carril — Rail adapter

☐ B17P-X33X2B-01

☒ B17P-X33X2B-02

☒ B17P-X33X2B-03



Fabricado con materiales naturales susceptibles a variaciones de color y trama.
Made with natural materials susceptible to variations in color and pattern.

IP 54 P_454







VIETNAM



Acabado negro con pantalla de mimbre claro o mimbre oscuro
Black finish with Shade light wicker or dark wicker

Lamps P_855



E27 Led max. 15W

- 1037A-G05X1A-02-M1
- 1037A-G05X1A-02-M2

E27 Led max. 15W


- 1037B-G05X1A-02-M1
- 1037B-G05X1A-02-M2

Adaptador carril — Rail adapter

- ☐ B17P-X33X2B-01
- ☐ B17P-X33X2B-02
- ☐ B17P-X33X2B-03



Fabricado con materiales naturales
susceptibles a variaciones de color y trama.
Made with natural materials susceptible
to variations in color and pattern.







MOLN



Acabado blanco — White finish



Lamps P_855



E27 Led max. 15W

3x E27 Led max. 15W

☐ 1030A-G05X1A-01-RA

☐ 1030B-G05X1A-01-RA

Posibilidad de customizar el acabado
Possibility to customise the finish

Adaptador carril — Rail adapter

- ☐ B17P-X33X2B-01
☒ B17P-X33X2B-02
☒ B17P-X33X2B-03






CORA



Acabado blanco, negro o beige — White, black or beige finish

Lamps P_855



3x E27 Led/Fluo/Hal. max. 60W

- ☐ ○ 859A-G05X1A-35-RA
- ☐ ● 859A-G05X1A-35-RB
- ☐ ○ 859A-G05X1A-35-RC

P_282



P_406



P_406






FIRENZE UPDATED



Suspensión beige o transparente con pantalla blanca, negra o beige
Beige or transparent pendant with white, black or beige shade

Lamps P_855



E27 Led / Fluo / Hal max. 60W

- 507G-G05X1A-09-2ACA
- 507G-G05X1A-09-2ACB
- 507G-G05X1A-09-2ACC



E27 Led / Fluo / Hal max. 60W

- 507G-G05X1A-29-2ACA
- 507G-G05X1A-29-2ACB
- 507G-G05X1A-29-2ACC

Adaptador carril — Rail adapter

- BI7P-X33X2B-01
- BI7P-X33X2B-02
- BI7P-X33X2B-03



P_290



P_292



P_398



P_399





VORADA



Acabado pantalla Ribbon wrapped white, black o beige — Shade finish White, black or beige wrapped tape



LED COB AC 12W 1030lm 3000K

- 908A-L0112B-RA
- 908A-L0112B-RB
- 908A-L0112B-RC



LED SMD 25W 3540lm 3000K

- 908B-L0125B-RA
- 908B-L0125B-RB
- 908B-L0125B-RC



LED SMD 29W 4000lm 3000K

- 908C-L0129B-RA
- 908C-L0129B-RB
- 908C-L0129B-RC


Posibilidad de customizar el acabado
Possibility to customise the finish



VORADA




Acabado pantalla Ribbon wrapped white, black o beige — Shade finish White, black or beige wrapped tape




LED COB AC 12W 1030lm 3000K

- 908D-L0112B-RA
- 908D-L0112B-RB
- 908D-L0112B-RC



LED SMD 25W 3540lm 3000K

- 908E-L0125B-RA
- 908E-L0125B-RB
- 908E-L0125B-RC



LED SMD 29W 4000lm 3000K

- 908F-L0129B-RA
- 908F-L0129B-RB
- 908F-L0129B-RC

Posibilidad de customizar el acabado
Possibility to customise the finish




VINYL

RANGE
EXTENSION




Acabado blanco con interior negro, oro, trama o madera haya — White finish with black, gold, weft or beech wood interior
Trama decorativa interior personalizable — Customisable interior decorative pattern



LED SMD 30W 3316lm 3000K

- 1077A-L3132B-01-02
- 1077A-L3132B-01-47
- 1077A-L3132B-01-T1
- E □ 1077A-L3132B-01-50



LED SMD 36W 3980lm 3000K

- 1077B-L3144B-01-02
- 1077B-L3144B-01-47
- 1077B-L3144B-01-T1
- E □ 1077B-L3144B-01-50



A TU ESTILO



ACER

110V
240V
ACIP
20

Acabado blanco, negro o cromado — White, black or chrome finish

Lamps P_855

**1x E27 Led / Vintage max. 60W**

□ 717D-G05X1A-01

■ 717D-G05X1A-02


◻ 717D-G05X1A-32

**3x E27 Led / Vintage max. 60W**

□ 717E-G05X1A-01

■ 717E-G05X1A-02


◻ 717E-G05X1A-32

**5x E27 Led / Vintage max. 60W**

□ 717F-G05X1A-01

■ 717F-G05X1A-02


◻ 717F-G05X1A-32



-01



-02



-03



BAGUET





ACER + WOOD



Acabado negro — Black finish

Lamps P_855



E27 Led / Fluo / Hal max. 42W

■ 685A-G05XIA-02

E27 Led / Fluo / Hal max. 42W

■ 685B-G05XIA-02

Adaptador carril — Rail adapter

□ B17P-X33X2B-01

■ B17P-X33X2B-02

■ B17P-X33X2B-03






ELGA



Acabado negro — Black finish

Lamps P_855



E27 Led / Fluo / Hal max. 60W

■ 684A-G05X1A-02

Adaptador carril — Rail adapter

□ B17P-X33X2B-01

■ B17P-X33X2B-02

■ B17P-X33X2B-03



VINTAGE




ACER




Acabado negro — Black finish

Lamps P_855



E27 Led / Fluo / Hal max 60W

■ 620A-G05X1A-02



E27 Led / Fluo / Hal max 60W

■ 585A-G05X1A-02

Adaptador carril — Rail adapter

□ B17P-X33X2B-01

■ B17P-X33X2B-02

■ B17P-X33X2B-03



TANNA



ACER



110V
240V
AC





IP
20



Acabado negro — Black finish

Lamps P_855



E27 Led / Fluo / Hal max. 60W

■ 618A-G05X1A-02

Adaptador carril — Rail adapter

□ B17P-X33X2B-01


■ B17P-X33X2B-02

■ B17P-X33X2B-03






EASY UPDATED



Brazo de níquel satinado con pantalla white, black o beige
Satin nickel arm finish with white, black or beige shade

Lamps P_855



E27 Led / Fluo / Hal max. 60W

- ○ 595A-G05XIA-35-2ACA
- ● 595A-G05XIA-35-2ACB
- ○ 595A-G05XIA-35-2ACC



Floor & Table Lamps_

TWIST

By Nacho Timón



WOOD




Acabado madera haya — Beech wood finish




LED SMD T2 10W 1200lm 3000K

■ 945A-L3110A-50



LED SMD T2 10W 1200lm 3000K

■ 945E-L3111A-50



LED SMD T2 18W 2000lm 3000K

■ 945B-L3111A-50

P_332




IP 65 P_450






TEC

By Nacho Timón



Acabado madera haya – Beech wood finish



GX53 LED T2 10W 1200lm 3000K

■ 1073A-L3110A-50

P_264




P_326






GEOMETRICAL



Acabado blanco o madera haya — White or beech wood finish


Lamps P_ 856



G9 LED Max. 5W

□ 1075A-H20XIA-01


■ 1075A-H20XIA-50



G9 LED Max. 5W

□ 1075B-H20XIA-01

■ 1075B-H20XIA-50



G9 LED Max. 5W

□ 1075C-H20XIA-01

■ 1075C-H20XIA-50




KRISTA

RANGE
EXTENSION

By Nacho Timón



Acabado negro con cristal verde, azul, fougé, cherry o salmón
Black finish with green, blue, fougé, cherry or salmon glass



LED SMD AC 4W 363lm 2700K

- 1028K-L38RCB-02-05
- 1028K-L38RCB-02-06
- 1028K-L38RCB-02-FG
- E ■ 1028K-L38RCB-02-SH
- E ■ 1028K-L38RCB-02-SL

P_268



P_334







CERAMIC



Acabado blanco, negro u oro con pantalla cotton white, cotton grey o synthetic gold
White, black or gold finish with cotton white, cotton grey or synthetic gold shade

Lamps P_855



E27 Led max. 15W

- ○ 1033B-G05XIA-01-CA
- ● 1033B-G05XIA-02-CK
- ● 1033B-G05XIA-47-SG


E27 Led max. 15W

- ○ 1033C-G05XIA-01-CA
- ● 1033C-G05XIA-02-CK
- ● 1033C-G05XIA-47-SG





TANIA

RANGE
EXTENSION



Acabado blanco, negro, cobre, oro o verde envejecido — White, black, copper, gold or antique green finish



LED SMD AC 4W 400lm 3000K

- 906G-L3104B-01
- 906G-L3104B-02
- 906G-L3104B-37
- 906G-L3104B-47
- 906G-L3104B-AG

P_272

P_350

P_352




NEMO




Pie blanco o negro con pantalla tejido sintético blanco, beige, marrón o negro fabric
White or black body finish with synthetic white, beige, brown or black fabric shade finish.

Lamps
P_855



E27 Led / Fluo / Hal max. 40W

- ○ 1017B-G05XIA-01-D1
- ○ 1017B-G05XIA-01-D2
- ● 1017B-G05XIA-01-D3
- ● 1017B-G05XIA-02-D4



E27 Led / Fluo / Hal max. 40W

- ○ 1017D-G05XIA-01-D1
- ○ 1017D-G05XIA-01-D2
- ● 1017D-G05XIA-01-D3
- ● 1017D-G05XIA-02-D4




P_284



P_399




NEMO



Pie blanco o negro con pantalla tejido sintético blanco, beige, marrón o negro fabric
White or black body finish with synthetic white, beige, brown or black fabric shade finish.

Lamps
P_855



E27 Led / Fluo / Hal max. 40W

- ○ 1017C-G05X1A-01-D1
- ○ 1017C-G05X1A-01-D2
- ○ 1017C-G05X1A-01-D3
- ● 1017C-G05X1A-02-D4

P_284




P_398




DIAGONAL

By Nacho Timón




Acabado blanco, negro o cobre — White, black or copper finish

Lamps P_855



E27 Led max. 13W (Ø45)

- ○ 855C-G05X1A-01-SA
- ● 855C-G05X1A-02-SB
- ● 855C-G05X1A-37-SM



E27 Led max. 13W

- ○ 855B-G05X1A-01-SA
- ● 855B-G05X1A-02-SB
- ● 855B-G05X1A-37-SM



DIAGONAL

By Nacho Timón




ACER + SYNT. + PVC



Acabado blanco, negro o cobre — White, black or copper finish

Lamps P_855



E27 Led max. 13W

- ○ 855A-G05X1A-01-SA
- 855A-G05X1A-02-SB
- 855A-G05X1A-37-SM





CLASSICAL



Acabado níquel satinado o oro con pantalla blanca o negra
Satin nickel or gold finish with white or black shade.

Lamps P_855



E27 Led/Fluo/Hal max. 60W

● ○ 986B-G05XIA-35-CA


■ ● 986B-G05XIA-47-CB



E27 Led/Fluo/Hal max. 60W

● ○ 986C-G05XIA-35-CA

■ ● 986C-G05XIA-47-CB



Nuevo acabado de pintura
New colour finish

P_278







AMSTERDAM UPDATED



Acabado blanco o negro con pantalla blanca, negra o marrón
Black or white finish with white, black or brown shade

Lamps P_855



E27 Led / Fluo / Hal] max. 40W

- ○ 909B-G05XIA-01-9CCA
- ● 909B-G05XIA-01-9CCB
- ● 909B-G05XIA-01-9CCG
- ○ 909B-G05XIA-02-9CCA
- ● 909B-G05XIA-02-9CCB
- ● 909B-G05XIA-02-9CCG



E27 Led / Fluo / Hal] max. 40W

- ○ 909A-G05XIA-01-9BCA
- ● 909A-G05XIA-01-9BCB
- ● 909A-G05XIA-01-9BCG
- ○ 909A-G05XIA-02-9BCA
- ● 909A-G05XIA-02-9BCB
- ● 909A-G05XIA-02-9BCG



P_280







CORA



Acabado blanco o negro – White or black finish

Lamps P_855



E27 Led/Fluo/Hal max. 40W (Ø45)

□ ○ 859C-G05X1A-01-RA

■ ● 859C-G05X1A-02-RB



E27 Led/Fluo/Hal max. 60W

□ ○ 859B-G05X1A-01-RA

■ ● 859B-G05X1A-02-RB



P_282



P_366






FIRENZE UPDATED



Acabado niquel satinado con pantalla blanca, negra o beige
Satin nickel finish with white, black or beige shade

Lamps P_855



E27 Led / Fluo / Hal max. 60W



- ◻ ○ 507D-G05X1A-35-6BCA
- ◼ ● 507D-G05X1A-35-6BCB
- ◼ ○ 507D-G05X1A-35-6BCC

E27 Led / Fluo / Hal max. 60W



- ◻ ○ 507D-G05X1A-35-7BCA
- ◼ ● 507D-G05X1A-35-7BCB
- ◼ ○ 507D-G05X1A-35-7BCC



FIRENZE UPDATED



Acabado níquel satinado con pantalla blanca, negra o beige
Satin nickel finish with white, black or beige shade

Lamps P_855



E27 Led / Fluo / Hal max. 60W



- ☐ ○ 507C-G05XIA-35-6CCA
- ☐ ● 507C-G05XIA-35-6CCB
- ☐ ○ 507C-G05XIA-35-6CCC

E27 Led / Fluo / Hal max. 60W



- ☐ ○ 507C-G05XIA-35-7CCA
- ☐ ● 507C-G05XIA-35-7CCB
- ☐ ○ 507C-G05XIA-35-7CCC

P_290



P_292



P_368



P_408





COMPACT



Acabado madera de haya con pantalla cotton white, eco beige o cotton earth
Beech wood finish with cotton white, eco beige or cotton earth shade

Lamps P_855



E27 Led / Fluo / Hal max. 40W (Ø45)

- 621D-G05XIA-50-CA
- 621D-G05XIA-50-DC
- 621D-G05XIA-50-CG



E27 Led / Fluo / Hal max. 40W

- 621E-G05XIA-50-CA
- 621E-G05XIA-50-DC
- 621E-G05XIA-50-CG



P_286







BRITTA ^{UPDATED}

Acabado negro con pantalla cotton white — Black finish with cotton white shade

Lamps P_855



E27 Led / Fluo / Hal] max. 60W

■ 681B-G05X1A-02-5CCA



E27 Led / Fluo / Hal] max. 60W

■ 681C-G05X1A-02-5ACA



P_288







LARS UPDATED



Pie de madera de haya con pantalla cotton white o eco beige
Beech wood finish with cotton white or eco beige shade

Lamps P_855



E27 Led / Fluo / Hal max. 60W

- ○ 845B-G05XIA-50-6BCA
- ○ 845B-G05XIA-50-6BDC



E27 Led / Fluo / Hal max. 60W

- ○ 845A-G05XIA-50-6GCA
- ○ 845A-G05XIA-50-6GDC







WOOD UPDATED



Pie de madera de haya con pantalla cotton white, eco beige o cotton earth
Beech wood finish with cotton white, eco beige or cotton earth shade

Lamps P_855



E27 Led / Fluo / Hal max. 60W

- 621B-G05X1A-50-9CCA
- 621B-G05X1A-50-9CDC
- 621B-G05X1A-50-9CCG



E27 Led / Fluo / Hal max. 60W

- 621A-G05X1A-50-9BCA
- 621A-G05X1A-50-9BDC
- 621A-G05X1A-50-9BCG







KARA UPDATED



Pie de madera de haya o negra con pantalla cotton white, negra, eco beige o cotton earth
Beech wood or black finish with cotton white, black, eco beige or cotton earth shade

Lamps P_855



E27 Led / Fluo / Hal max. 40W

- ○ 703B-G05XIA-02-9CCA
- ● 703B-G05XIA-02-9CCB
- ● 703B-G05XIA-02-9CDC
- ● 703B-G05XIA-02-9CCG
- ○ 703B-G05XIA-50-9CCA
- ● 703B-G05XIA-50-9CCB
- ● 703B-G05XIA-50-9CDC
- ● 703B-G05XIA-50-9CCG



E27 Led / Fluo / Hal max. 60W

- ○ 703A-G05XIA-02-9BCA
- ● 703A-G05XIA-02-9BCB
- ● 703A-G05XIA-02-9BDC
- ● 703A-G05XIA-02-9BCG
- ○ 703A-G05XIA-50-9BCA
- ● 703A-G05XIA-50-9BCB
- ● 703A-G05XIA-50-9BDC
- ● 703A-G05XIA-50-9BCG







TAICHI



Acabado blanco o negro — White or black finish

Lamps P_855



2x E27 (Ø45) Led / Fluo / Hal max. 40W

- 992A-G04XIA-01
- 992A-G04XIA-02



2x E27 (Ø45) Led / Fluo / Hal max. 40W

- 992B-G04XIA-01
- 992B-G04XIA-02







SINTRA



Acabado negro con pantalla cotton white — Black finish with cotton white shade

Lamps P_855



E27 Led / Fluo / Hal. max. 40W

■ ○ 917B-G05X1A-02-CA

E27 Led / Fluo / Hal. max. 60W

■ ○ 917A-G05X1A-02-CA



MANTIS




ACER



Acabado blanco — White finish

Lamps P_855



E27 (Ø45) Led / Fluo / Hal max. 40W


□ 990A-G04XIA-01

VALAN




Acabado blanco, moka o azul claro — White, mocha or light blue finish

Lamps P_855



E27 Led / Fluo / Hal max 60W (Ø45)

- 846C-G05X1A-01
- 846C-G05X1A-MK
- 846C-G05X1A-BL



E27 Led / Fluo / Hal max 60W (Ø45)

- 846D-G05X1A-01
- 846D-G05X1A-MK
- 846D-G05X1A-BL



P_293



P_357



BRANCH



WOOD + ACER



110V
240V
AC



IP
20

2m




ON
OFF



Acabado negro — Black finish

Lamps P_855



GU10 Led max. 9W


■ 1012A-G21X1A-02-51

MONTECARLO



Acabado negro — Black finish

Lamps P_855



E27 Led / Fluo / Hal max. 60W (Ø45)

● 907A-G05XIA-02-CB

P_298




Bath Lights__

ICY





Acabado cromado — Chrome finish



LED SMD AC 6W 392lm 4000K



973A-L0206B-32



TILT



Acabado blanco o negro — Black or white finish



LED SMD 18W 2165lm 4000K

□ 959A-L0218B-01

■ 959A-L0218B-02

LED SMD 30W 3745lm 4000K

□ 959B-L0230B-01

■ 959B-L0230B-02


SLEET



Acabado cromado — Chrome finish
Montaje a pared — Assembling to wall




3 temperaturas de color con pulsación directa, sin memoria.
3 color temperatures with direct pulse, no memory.



LED SMD AC 6W

972D-L4106B-32



K SELECT	3000K	408lm
	4000K	473lm
	5700K	474lm



LED SMD AC 8W

972E-L4108B-32

K SELECT	3000K	545lm
	4000K	614lm
	5700K	633lm






BLIZZARD




Acabado cromado – Chrome finish




LED SMD AC 6W 457lm 4000K

970A-L0206B-32



LED SMD AC 8W 568lm 4000K

970B-L0208B-32




LED SMD AC 10W 720lm 4000K

970C-L0210B-32




LED SMD AC 15W 1265lm 4000K

970D-L0215B-32



LED SMD AC 18W 1532lm 4000K

970E-L0218B-32






SHEID




Acabado cromado – Chrome finish



LED SMD 12W 720lm 3000K

513A-L0109B-32




LED SMD 18W 1883lm 3000K

513B-L0118B-32

LITS




Acabado cromado – Chrome finish



LED SMD 9W 960lm 3000K

514A-L0109B-32



LED SMD 12W 1883lm 3000K


514B-L0112B-32

CARPI



Acabado cromado — Chrome finish

Lamps P_ 72l


**2x** E27 [Led / Fluo] max. 23W

500A-G05X1A-32

AFRODITA




Acabado cromado — Chrome finish




LED SMD 2x 10W 600lm 4000K

■ 975A-L0220B-32



LED SMD 2x 10W 600lm 4000K

■ 975B-L0220B-32



LED SMD 2x 10W 600lm 4000K

■ 975C-L0220B-32




MISTRAL



Acabado blanco o negro con aspas de madera blanca, negra, arce o nogal
Black or white finish with white, black, maple or walnut wood blades

Max. 235m³/min.
Max. 48dB



K SELECT	2700K	1420lm
	3200K	1480lm
	4000K	1500lm

LED SMD 24W 35W max. (139/150/179/185/213/225 rpm)

□ □ 1074B-W4135B-01-01



■ ■ 1074B-W4135B-02-02

□ ■ 1074B-W4135B-01-57

■ ■ 1074B-W4135B-02-57

□ ■ 1074B-W4135B-01-59

■ ■ 1074B-W4135B-02-59



Altura min./max. recomendada desde el suelo.
Min./max. recommended height from the ground.




MISTRAL



Acabado blanco o negro con aspas de madera blanca, negra, arce o nogal
Black or white finish with white, black, maple or walnut wood blades



Max. 235m³/min.
Max. 48dB



35W max. (139/150/179/185/213/225 rpm)

- ☐ 1074A-VX35B-01-01
- ☐ 1074A-VX35B-01-57
- ☐ 1074A-VX35B-01-59

- ☒ 1074A-VX35B-02-02
- ☒ 1074A-VX35B-02-57
- ☒ 1074A-VX35B-02-59




Altura min./max. recomendada desde el suelo.
Min./max. recommended height from the ground.

FUJIL





Acabado blanco — White finish

Regulador de pared incluido — Wall regulator included



22,6W-195rpm / 32,2W-256rpm / 39,2W-290rpm / 43,7W-307rpm / 60W-330rpm

□ 638A-VX60B-01



Altura mínima desde el suelo.
Minimum height from the ground.

TOSCA

RANGE
EXTENSION

By Nacho Timón




ACER + ALU



Acabado blanco, negro o azul — White, black or blue finish

Lamps P_855




E27 Led/Fluo/Hal max. 60W

□ 956D-G05XIA-01

■ 956D-G05XIA-02

■ 956D-G05XIA-06




E27 Led/Fluo/Hal max. 60W

□ 956E-G05XIA-01

■ 956E-G05XIA-02

■ 956E-G05XIA-06





TWIST

RANGE
EXTENSION

By Nacho Timón



WOOD




Acabado madera iroko – Iroko wood finish




LED SMD T2 10W 1200lm 3000K

■ 945F-L3110A-IR




LED SMD T2 10W 1200lm 3000K

■ 945G-L3111A-IR



LED SMD T2 18W 2000lm 3000K

■ 945H-L3111A-IR



FISH

RANGE
EXTENSION

By Nacho Timón




WOOD + ALU




Acabado madera iroko – iroko wood finish

Posibilidad de regulación
Possibility of regulation



LED SMD 26W 2870lm **2700K**

10I3B-L3826A-IR




NATURAL

RANGE
EXTENSION




Acabado negro con pantalla de mimbre claro o mimbre oscuro
Black finish with Shade light wicker or dark wicker

Lamps P_855




E27 Led max. 15W

■ 1029D-G05X1A-02-M1
■ 1029D-G05X1A-02-M2



E27 Led max. 15W

■ 1029E-G05X1A-02-M1
■ 1029E-G05X1A-02-M2




E27 Led max. 15W

■ 1029F-G05X1A-02-M1
■ 1029F-G05X1A-02-M2



Fabricado con materiales naturales
susceptibles a variaciones de color y trama.
Made with natural materials susceptible
to variations in color and pattern.






THAIS

RANGE
EXTENSION




Florón negro con pantalla de raphia de Bali — Black finish with raphia de Bali shade

Lamps P_855




E27 Led max. 15W

■ ■ 985D-G05XIA-02-RI 224€



E27 Led max. 15W

■ ■ 985E-G05XIA-02-RI 255€



E27 Led max. 15W

■ ■ 985F-G05XIA-02-RI 495€



IP 20 P_360

Fabricado con materiales naturales
susceptibles a variaciones de color y trama.
Made with natural materials susceptible
to variations in color and pattern.






VIETNAM

RANGE
EXTENSION



Acabado negro con pantalla de mimbre claro o mimbre oscuro
Black finish with Shade light wicker or dark wicker


Lamps P_855



E27 Led max. 15W

- 1037C-G05X1A-02-M1
- 1037C-G05X1A-02-M2

Fabricado con materiales naturales
susceptibles a variaciones de color y trama.
Made with natural materials susceptible
to variations in color and pattern.





NELL

By Novolux Technical Studio




ALU + INOX + RATAN 

Acabado grafito — Graphite finish

Lamps P_855



LED COB AC 6W 515lm 3000K

■ 857H-L3106B-58

NELL

By Novolux Technical Studio




ALU + INOX + RATAN (PC OPAL)



Acabado grafito — Graphite finish

Lamps P_855



E27 LED 15W max.

■ 857D-G05X1A-58

NELL

By Novolux Technical Studio

ALU + INOX + RATAN 

Acabado grafito – Graphite finish




LED SMD AC 2W 200lm 3000K

■ 857C-L3102L-58


ALU + INOX + RATAN 

Acabado grafito – Graphite finish



LED COB AC 6W 515lm 3000K


■ 857C-L3106B-58



Ø560

E27 LED 15W max.

■ 857B-G05XIA-58



Ø780

E27 LED 15W max.

■ 857A-G05XIA-58



Lamps P_855




Wall Lights_

FLAT ^{NEW}




Acabado antracita – Anthracite finish



LED SMD 6W 900lm 3000K

1086A-L3105A90-04






ORBITA



Acabado antracita – Anthracite finish



LED SMD 8W 1300lm 3000K

■ 1054A-L3110B-04

P_574






MURA




Acabado blanco o negro – White or black finish



LED SMD 2x 2,5W

□ 1034A-L4106B-01

■ 1034A-L4106B-02



LED SMD 2x 4W

□ 1034B-L4110B-01

■ 1034B-L4110B-02

K SELECT	2700K	2x 370lm
	3200K	2x 410lm
	4000K	2x 430lm



K SELECT	2700K	2x 525lm
	3200K	2x 600lm
	4000K	2x 700lm



EVEN



Acabado antracita – Anthracite finish



LED SMD 11W 1500lm 3000K


1050A-L3113B-04



IKONA



Acabado negro – Black finish



LED SMD 7W

■ 1072A-L4108BBF-02

K SELECT	3000K	790lm
	4000K	845lm


P_576



CROMA



Acabado blanco o negro — White or black finish




LED SMD 9W

□ 1071A-L4110BBF-01

■ 1071A-L4110BBF-02

K SELECT	2700K	1230lm
	3200K	1350lm
	4000K	1530lm




LED SMD 14W

□ 1071B-L4115BBF-01

■ 1071B-L4115BBF-02

K SELECT	2700K	1830lm
	3200K	1900lm
	4000K	2040lm




SELECT OPTION		K SELECT
■ UP		2700K/3200K /4000K
■ UP+DOWN		2700K/3200K/4000K + 2700K/3200K/4000K
■ DOWN		2700K/3200K/4000K

SIMIL



Acabado antracita – Anthracite finish

Imitación madera
Wood imitation

LED SMD 6,5W 1020lm 3000K


■ 1027A-L3107BX0-04

P_578





LUG



Acabado blanco o antracita – White or anthracite finish

Lamps P_855



E27 Led/Fluo 18W max.



□ 1015A-G05X1A-01

■ 1015A-G05X1A-04


P_580



LOOP



Acabado negro – Black finish



LED SMD 9,5W 1295lm **3000K**


■ 982A-L3109A-02

LED SMD 9,5W 1405lm **4000K**


■ 982A-L3309A-02



ADAY



Acabado antracita – Anthracite finish



LED SMD 10W 1300lm 3000K

■ 848A-L0109A-04




AVON



Acabado antracita – Anthracite finish

Lamps P_855




E27 Led/Fluo 15W max.

■ 1016A-G05XIA-04






CASTELLO




Acabado antracita – Anthracite finish



LED SMD 10W 1200lm 3000K

■ 534A-L0109A-04



LED SMD 10W 1200lm 3000K

■ 534C-L0109B-04



Regulación de:
 - Distancia: 0>8 m.
 - Tiempo de activación: de 5 seg. a 8 min.
 - Intensidad de la luz: 10 - 2000lux
 - Ángulo de detección: 100°

Adjustable:
 - Distance: 0>8 m.
 - Activation time: from 5 sec. to 8 min.
 - Light intensity: 10 - 2000lux
 - Detection angle: 100°






ARLEN



Acabado antracita — Anthracite finish



LED COB 12W 1300lm 3000K


■ 791A-L0112A-04

P_592







BEAM



Acabado blanco, negro, antracita o marrón óxido – White, black, anthracite or oxide brown finish



LED COB **2x 3W** 290lm 3000K

□ 960A-L3106B-01

■ 960A-L3106B-02

■ 960A-L3106B-04

■ 960A-L3106B-90


P_486







BEAM

RANGE
EXTENSION



Acabado blanco, negro, antracita o marrón óxido — White, black, anthracite or oxide brown finish



LED COB 2x 6W 2x 660lm 3000K

- 960B-L3112B-01
- 960B-L3112B-02
- 960B-L3112B-04
- 960B-L3112B-90

P_484






RHIN



Acabado antracita – Anthracite finish



LED COB 7W 448lm 3000K


■ 443A-L0107A-04



FROST



Acabado blanco o antracita – White or anthracite finish



LED SMD 6.5W 800lm 3000K


□ 953A-L3108A-01

■ 953A-L3108A-04

CLOUD



Acabado blanco o antracita – White or anthracite finish



LED SMD AC 7.5W 800lm 3000K

□ 952A-L3107A-01

■ 952A-L3107A-04





CUB



Acabado blanco o antracita – White or anthracite finish

Lamps P_855



GU10 LED 4,5W max.




- 555F-G2IXIA-01
- 555F-G2IXIA-04

GU10 LED 2x 4,5W max.



- 555G-G2IXIA-01
- 555G-G2IXIA-04






CUB



Acabado blanco, negro, gris o antracita – White, black, grey or anthracite finish


Lamps P_855



GU10 LED 4,5W max.



- 555C-G2IXIA-01
- 555C-G2IXIA-02
- 555C-G2IXIA-03
- 555C-G2IXIA-04



GU10 LED 2x 4,5W max.



- 555D-G2IXIA-01
- 555D-G2IXIA-02
- 555D-G2IXIA-03
- 555D-G2IXIA-04






SUEVIS



Acabado antracita – Anthracite finish



LED COB 7W 750lm 3000K

■ 452B-L0107A-04

P_587



CAIRO



Acabado antracita — Anthracite finish




LED COB 7W 760lm 3000K

■ 537A-L0107A-04


P_588



GUIU



Acabado antracita — Anthracite finish



LED SMD 6W 642lm 3000K

■ 447B-L01D6A-04


P_586



ARTAL



Acabado antracita – Anthracite finish




LED COB 7W 780lm 3000K

■ 445A-L0107A-04

CENADI




Acabado antracita – Anthracite finish



LED SMD 7W 800lm 3000K



■ 536A-L0106A-04

CICLON



Acabado antracita — Anthracite finish

Lamps P_855



E27 Led/Fluo 20W max.

E27 Led/Fluo 20W max.


■ 051A-G05X1A-04

■ 051B-G05X1A-04

ABAR



Acabado blanco, negro o antracita – White, black or anthracite finish



LED SMD 7W 780lm 3000k

□ 847A-L0107B-01

■ 847A-L0107B-02


■ 847A-L0107B-04

PAMPERO



Acabado blanco o gris – White or grey finish

Lamps P_855



E27 Led/Fluo 11W max.

□ 232A-G05X1A-01


■ 232A-G05X1A-03

CAYU

By Fumagalli



Acabado negro – Black finish



GX53 LED T2 4x 10W

■ 571A-G3IXIA-02


K SELECT	3000K	1190lm
	4000K	1290lm
	6500K	1210lm

KIRA



Acabado gris o antracita — Grey or anthracite finish


Lamps P_855



E27 Led/Fluo 23W max.

■ 321A-G05XIA-03


■ 321A-G05XIA-04



E27 Led/Fluo 2x 20W max.

■ 169A-G05XIA-03

■ 169A-G05XIA-04



E27 Led/Fluo 2x 18W max.

■ 169C-G05XIA-04


IK 08



FLOC




Acabado blanco o negro – White or black finish



LED SMD AC 20W 2200lm 3000K

□ 1049A-L3120B-01

■ 1049A-L3120B-02



LED SMD AC 30W 3000lm 3000K

□ 1049B-L3130B-01


■ 1049B-L3130B-02




ABREGO



Acabado inox – Stainless steel finish



Lamps P_855



E27 Led/Fluo 11W max.

003A-G05XIA-30


P_608




GALERNA



Acabado inox — Stainless steel finish



Lamps P_855



E27 Led/Fluo 18W max.

■ 117C-G05X1A-30

P_609




ESTEL

By Fumagalli



Acabado blanco, negro o gris – White, black or grey finish



GU10 2x 3,5W

- 793A-G2IX1A-01
- 793A-G2IX1A-02
- 793A-G2IX1A-03


K SELECT	2700K	329lm
	4000K	366lm

STORM

By Fumagalli



Acabado blanco, negro o gris — White, black or grey finish




LED R7S Bulb 3,2W

□ 947A-L3104A-01

■ 947A-L3104A-02

■ 947A-L3104A-03




LED R7S Bulb 7,5W

□ 947B-L3109A-01

■ 947B-L3109A-02

■ 947B-L3109A-03



LED R7S Bulb 10,5W

□ 947C-L3111A-01

■ 947C-L3111A-02

■ 947C-L3111A-03


K SELECT	3,2W	7,5W	10,5W
2700K	325lm	680lm	1000lm
4000K	365lm	775lm	1030lm
6500K	365lm	790lm	1060lm

CALM

By Fumagalli



Acabado blanco, negro o gris – White, black or grey finish



E27 LED 6W 800lm 2700K

□ 646A-G05XIA-01

■ 646A-G05XIA-02

■ 646A-G05XIA-03

□ 646B-G05XIA-01

■ 646B-G05XIA-02

■ 646B-G05XIA-03



Regulación de:

- Distancia: 0>6 m.
- Tiempo de activación: de 5 seg. a 8 min.
- Ángulo de detección: 120°
- Daylight on: <10 lux

Adjustable:

- Distance: 0>6 m.
- Activation time: from 5 sec. to 8 min.
- Detection angle: 120°
- Daylight on: <10 lux




BELENLUX

By Fumagalli



Acabado blanco – White finish



GX53 LED T2 11W

□ 579C-G31X1A-01



Regulación de:

- Distancia: 0>8 m.
- Tiempo de activación: de 6 seg. a 8 min.
- Ángulo de detección: 160°

Adjustable:

- Distance: 0>8 m.
- Activation time: from 6 sec. to 8 min.
- Detection angle: 160°

K SELECT	2700K	1380lm
	4000K	1510lm
	6500K	1510lm



LED SMD 15W 2000lm 4000K + EMERGENCY LED 2,4W 250lm 4000K (3h max.)


□ 579C-L0216R-01



DELFI



Acabado gris – Grey finish



Doble entrada lateral.
Double side inlet.



LED SMD 12,5W 1150lm 4000K


■ 522A-L0214B-03

MIR



Acabado blanco o negro – White or black finish

Lamps P_855



E27 Led/Fluo 23W max.

□ 203B-G05X1A-01


■ 203B-G05X1A-02

PIRO

By Fumagalli




Acabado blanco, negro o gris – White, black or grey finish



GX53 LED T2 3W

□ 559A-G3IX1A-01

■ 559A-G3IX1A-03




GX53 LED T2 11W

□ 559B-G3IX1A-01

■ 559B-G3IX1A-02

■ 559B-G3IX1A-03



GX53 LED T2 11W

□ 559C-G3IX1A-01

■ 559C-G3IX1A-02

K SELECT	3000K	405lm
	4000K	410lm
	6500K	410lm

K SELECT	2700K	1380lm
	4000K	1510lm
	6500K	1510lm

K SELECT	2700K	1380lm
	4000K	1510lm
	6500K	1510lm




TELA

By Fumagalli



Acabado blanco, negro o gris — White, black or grey finish

Lamps P_855



E27 Led/Fluo 23W max.



□ 317A-G05XIA-01

■ 317A-G05XIA-02

■ 317A-G05XIA-03

E27 Led/Fluo 23W max.



□ 317B-G05XIA-01

■ 317B-G05XIA-02

■ 317B-G05XIA-03

E27 Led/Fluo 23W max.



□ 317C-G05XIA-01


■ 317C-G05XIA-02

■ 317C-G05XIA-03

FAR




Acabado blanco o negro – White or black finish



LED SMD 12W 840lm 4000K

□ 107J-L0212B-01

■ 107J-L0212B-02



LED SMD 12W 840lm 4000K

□ 107J-L0212B-01

■ 107J-L0212B-02



Con entrada lateral.
With side inlet.





FAR



Acabado blanco, negro o gris – White, black or grey finish



Lamps P_855




E27 Led/Fluo 12W max.



□ 107B-G05X1A-01

■ 107B-G05X1A-02




E27 Led/Fluo 12W max.



□ 107G-G05X1A-01

■ 107G-G05X1A-02

■ 107G-G05X1A-03



E27 Led/Fluo 21W max.




□ 107H-G05X1A-01

■ 107H-G05X1A-02

KAPPA




Acabado blanco o negro — White or black finish

 Disponible versión con portalámparas E27
 E27 socket version available
LED SMD AC 9W 1160lm **3000K**

- 166A-L0109B-01
- 166A-L0109B-02

LED SMD AC 9W 1240lm **4000K**

- 166A-L0209B-01
- 166A-L0209B-02

LED SMD AC 9W 1160lm **3000K**

- 166B-L0109B-01
- 166B-L0109B-02

LED SMD AC 9W 1240lm **4000K**


- 166B-L0209B-01
- 166B-L0209B-02

DEVON

By Fumagalli




Acabado blanco, negro o gris – White, black or grey finish



GX53 LED T2 3W

■ 084K-G3IX1A-02


■ 084K-G3IX1A-03



GX53 LED T2 3W

■ 084Q-G3IX1A-02

■ 084Q-G3IX1A-03

**2x** GX53 LED T2 3W

□ 084U-G3IX2A-01

■ 084U-G3IX2A-02

■ 084U-G3IX2A-03


K SELECT	3000K	405lm
	4000K	410lm
	6500K	410lm

K SELECT	3000K	405lm
	4000K	410lm
	6500K	410lm


K SELECT	3000K	810lm
	4000K	820lm
	6500K	820lm

DEVON

By Fumagalli




Acabado blanco, negro o gris — White, black or grey finish



GX53 LED T2 3W

- 084A-G3IXIA-01
- 084A-G3IXIA-02
- 084A-G3IXIA-03


K SELECT	3000K	405lm
	4000K	410lm
	6500K	410lm



GX53 LED T2 3W

- 084G-G3IXIA-01
- 084G-G3IXIA-02
- 084G-G3IXIA-03

K SELECT	3000K	405lm
	4000K	410lm
	6500K	410lm



2x GX53 LED T2 3W

- 084A-G3IX2A-01
- 084A-G3IX2A-02
- 084A-G3IX2A-03


K SELECT	3000K	810lm
	4000K	820lm
	6500K	820lm

DEVON

By Fumagalli




Acabado blanco, negro o gris – White, black or grey finish



GX53 LED T2 3W

□ 084C-G31X1A-01

■ 084C-G31X1A-03




GX53 LED T2 3W

□ 084I-G31X1A-01

■ 084I-G31X1A-02

■ 084I-G31X1A-03



2x GX53 LED T2 3W

□ 084C-G31X2A-01

■ 084C-G31X2A-02

■ 084C-G31X2A-03

K SELECT	3000K	405lm
	4000K	410lm
	6500K	410lm

K SELECT	3000K	405lm
	4000K	410lm
	6500K	410lm


K SELECT	3000K	810lm
	4000K	820lm
	6500K	820lm

DEVON

By Fumagalli




Acabado negro o gris — Black or grey finish

**2x** GX53 LED T2 3W

■ 084B-G3IX2A-02

■ 084B-G3IX2A-03

K SELECT	3000K	810lm
	4000K	820lm
	6500K	820lm




GX53 LED T2 3W

■ 084D-G3IX1A-02

■ 084D-G3IX1A-03

K SELECT	3000K	405lm
	4000K	410lm
	6500K	410lm



GX53 LED T2 3W

■ 084F-G3IX1A-02


■ 084F-G3IX1A-03

K SELECT	3000K	405lm
	4000K	410lm
	6500K	410lm

DAMBEL




Acabado gris o antracita – Grey or anthracite finish



LED SMD 3W 170lm 3000K

■ 543A-L0103A-03

■ 543A-L0103A-04



LED SMD 3W 170lm 3000K

■ 543B-L0103A-03


■ 543B-L0103A-04



LARA




Acabado blanco o antracita – White or anthracite finish



LED SMD 4W 480lm 3000K

□ 854A-L0104A-01

■ 854A-L0104A-04




LED SMD 4W 480lm 3000K


□ 854B-L0104A-01

■ 854B-L0104A-04

AMBERES




Acabado antracita – Anthracite finish



LED SMD 9W 760lm 3000K


■ 643A-L0109A-04

XALOC



Acabado blanco, negro o inox – White, black or stainless steel finish

Lamps P_855




E27 Led/Fluo 20W max.



□ 350A-G05X1A-01


■ 350A-G05X1A-02



E27 Led/Fluo 20W max.



■ 350C-G05X1A-30



E27 Led/Fluo 20W max.




■ 350D-G05X1A-30

WIND

By Fumagalli



Acabado blanco, negro o gris – White, black or grey finish



R7s LED Bulb 10,5W max. 1100lm


□ 949A-L3111A-01

■ 949A-L3111A-02


■ 949A-L3111A-03

K SELECT	2700K	1000lm
	4000K	1130lm
	6500K	1060lm

DONISI



Acabado inox — Stainless steel finish



LED SMD 1W 105lm 3000K

546A-L0101A-30


NO BOX INCLUDED
Ø32mm PVC TUBE

Posibilidad de añadir filtros de colores (no incluidos).
Possibility to add colour filters (not included).




MIST

By Fumagalli



Acabado blanco, negro o gris — White, black or grey finish



GX53 LED T2 10W

□ 948A-L3110A-01

■ 948A-L3110A-02

■ 948A-L3110A-03

K SELECT	3000K	1190lm
	4000K	1290lm
	6500K	1210lm



CUB

RANGE
EXTENSION



Acabado blanco, negro, gris o antracita — White, black, grey or anthracite finish

Lamps P_855



GU10 LED 4,5W max.



GU10 LED 4,5W max.

□ 555E-G2IXIA-01

■ 555E-G2IXIA-02

■ 555E-G2IXIA-03

■ 555E-G2IXIA-04

E □ 555H-G2IXIA-01

E ■ 555H-G2IXIA-04



¿Cómo instalar un empotrable en el suelo?

Video




How to install a recessed floor?

Video






Uplights__

SHINNY



Acabado antracita — Anthracite finish



LED SMD 2,5W 170lm 3000K

■ 951A-L3103A-04




BERNA



Acabado inox — Stainless steel finish

Connectors P_857



LED SMD 1W 105lm 3000K

912A-L0101F-30

Alimentador — Power supply
12W (max. 9 unit.)


IN OUT

B02Q-X3312F-01


90V
255V
AC24V
DCIP
30

Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.


SIO



Acabado inox — Stainless steel finish



Ø114



Ø114

GX53 LED T2 3W 350lm 4000K

■ 379A-G31XIA-30

GX53 LED T2 3W 350lm 4000K

■ 379B-G31XIA-30



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.


CLOT NEW



Acabado inox — Stainless steel finish



Connectors P_857



LED SMD 5W 850lm 3000K

1083A-L3106A-30



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.


BORA



Acabado inox — Stainless steel finish




Lamps P_856



Doble posición del portalámparas.
Double positioning of the lamp holder.

GU10 LED 4,5W max.


037A-G2IXIA-30



Doble posición del portalámparas.
Double positioning of the lamp holder.

GU10 LED 4,5W max.

037B-G2IXIA-30



GU10 LED 3,5W max.

037D-G2IXIA-30




Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

ADGO



Acabado inox — Stainless steel finish



LED COB 15W 1600lm 3000K

792B-L3115A-30



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.



349A-L0107B-30



Acabado inox — Stainless steel finish

Lamps P_855




349A-G05X1A-30



RAIN




Acabado blanco, negro o gris — White, black or grey finish



G9 LED Bulb 1,7W max. 150lm 3000K

- 950B-L3102A-01
- 950B-L3102A-02
- 950B-L3102A-03




G9 LED Bulb 1,7W max. 150lm 3000K

- 950C-L3102A-01
- 950C-L3102A-02
- 950C-L3102A-03




Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

RAIN




Acabado blanco, negro o gris — White, black or grey finish



G9 LED Bulb 1,7W max. 150lm 3000K

- ● 950A-L1002A-01
- ● 950A-L1002A-02
- ● 950A-L1002A-03
- ○ 950A-L3102A-01
- ○ 950A-L3102A-02
- ○ 950A-L3102A-03



G9 LED Bulb 1,7W max. 150lm 3000K

- ● 950D-L1002A-01
- ● 950D-L1002A-02
- ● 950D-L1002A-03
- ○ 950D-L3102A-01
- ○ 950D-L3102A-02
- ○ 950D-L3102A-03




Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

BELGRADO

By Fumagalli



Acabado negro – Black finish




GU10 LED 3.5W

■ 557A-G2IXIA-02

■ 557B-G2IXIA-02

■ 557C-G2IXIA-02

K SELECT	2700K	329lm
	4000K	366lm




GX53 LED T2 3W

■ 373A-G3IXIA-02

■ 373B-G3IXIA-02

■ 373C-G3IXIA-02

K SELECT	3000K	405lm
	4000K	410lm
	6500K	410lm



GX53 LED T2 10W


■ 372A-G3IXIA-02

■ 372B-G3IXIA-02

■ 372C-G3IXIA-02

K SELECT	3000K	1190lm
	4000K	1290lm
	6500K	1210lm

Posibilidad de añadir filtros de colores (no incluidos).
Possibility to add colour filters (not included).




Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

MARTINA



Acabado antracita — Anthracite finish

Connectors P_857



LED SMD 7W 700lm **3000K**

■ 645A-L0107A-04



LED SMD 7W 700lm **3000K**

■ 645B-L0107A-04



LED SMD 7W 744lm **4000K**

■ 645A-L0207A-04



LED SMD 7W 744lm **4000K**

■ 645B-L0207A-04



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

Spotlights_

KERO



Acabado negro — Black finish



LED SMD AC 30W 3335lm **3000K**

■ 1047A-L3130B-02

LED SMD AC 30W 3425lm **4000K**

■ 1047A-L3330B-02

LED SMD AC 30W 3425lm **6500K**

■ 1047A-L3730B-02



LED SMD AC 50W 5190lm **3000K**


■ 1047B-L3150B-02

LED SMD AC 50W 5535lm **4000K**

■ 1047B-L3350B-02

LED SMD AC 50W 5535lm **6500K**

■ 1047B-L3750B-02



LED SMD AC 100W 10478lm **3000K**


■ 1047C-L31A1B-02

LED SMD AC 100W 11113lm **4000K**

■ 1047C-L33A1B-02

LED SMD AC 100W 11113lm **6500K**

■ 1047C-L37A1B-02



LED SMD AC 150W 15640lm **3000K**


■ 1047D-L31A4B-02

LED SMD AC 150W 16175lm **4000K**

■ 1047D-L33A4B-02

LED SMD AC 150W 16175lm **6500K**

■ 1047D-L37A4B-02



LED SMD AC 200W 19555lm **3000K**

■ 1047E-L31A5B-02

LED SMD AC 200W 20805lm **4000K**

■ 1047E-L33A5B-02

LED SMD AC 200W 20805lm **6500K**


■ 1047E-L37A5B-02



ABADIA



Acabado antracita — Anthracite finish




GU10 LED 4,5W max.

■ 538A-G2IXIA-04

NAGORE UPDATED



Acabado antracita — Anthracite finish



LED COB 7W 830lm 3000K

■ 851A-L3107A-04

LED COB 7W 830lm 3000K

■ 851B-L3107A-04

Boutique



PREMIUM QUALITY



LULU


By Fumagalli



Acabado negro — Black finish



Lamps P_856
Connectors P_857



GU10 LED 3,5W

■ 572A-G2IX1A-02

K SELECT	2700K	329lm
	4000K	366lm



GERONIMO



PA

GLASS
TRANS110V
240V
ACIP
67IK
07

355°



IP44


2m

SEA SIDE
SUITABLE

Acabado negro — Black finish

Lamps P_856

Connectors P_857



GUI0 LED 4,5W max.

■ 463A-G2IX1A-02

BRANCA ^{NEW}

Acabado negro — Black finish

Lamps P_856
Connectors P_857

GUI0 LED 4,5W max.

■ 1085A-G2IXIA-02

GUI0 LED 4,5W max.

■ 1085B-G2IXIA-02

2x GUI0 LED 4,5W max.

■ 1085C-G2IXIA-02




BARNI



Acabado antracita — Anthracite finish



Connectors P_857



LED SMD 8W 430lm 3000K

■ 551B-L0108A-04



TEVA^{NEW}


RGB+W (3000K)



Acabado negro — Black finish



Connectors P_857



LED 3W (RGB) + 6W (WHITE) 380lm 3000K

■ 1081A-L1406E2T-02

tuya[®]



Alimentador — Power supply

max. 30W

max. 75W

220V
240V
AC

12V

50Hz
60Hz

IP
65

B02E-X3330E-00

B02E-X3375E-00




TERRA

RANGE
EXTENSION



Acabado antracita, verde y marrón — Anthracite green, and brown finish

Connectors P_857



1700K

LED SMD AC 6W max. 640lm

3000K

LED SMD AC 6W max. 640lm

4000K

LED SMD AC 6W max. 660lm

■ 996A-L3106B-04

E ■ 996A-L3106B-05

E ■ 996A-L3106B-90

■ 996A-L3306B-04

220V
240V
AC

E ■ 996A-L2806C-04


■ 996A-L3106C-04

110V
130V

1700K



3000K




4000K






CATANIA



Acabado antracita — Anthracite finish



LED COB 7W 777lm 3000K

■ 482A-L0107A-04

ARAMO




Acabado antracita — Anthracite finish



Lamps P_856


Connectors P_857



GU10 LED 4,5W max.


■ 539A-G2IXIA-04

KOBE



Acabado inox — Stainless steel finish


Lamps P_856



GU10 LED 4,5W max.


■ I72A-G2IXIA-30

SEDNA




Acabado inox — Stainless steel finish

Connectors P_857



LED SMD 3W 250lm 4000K

642A-L0203D-30



GU5,3 LED HAL 3,5W max.

642A-G23XID-30



Alimentador / Power supply
IN 220-240 V AC / OUT 12 V AC max. 50W

B02J-X3350D-02

220V 240V AC	12V AC	IP 65
IN	OUT	



RIGA



Acabado gris — Grey finish



Connectors P_857

LED SMD 18Wmax. 2430lm **3000K**

1025A-L3118F40-03

1025A-L3118FK0-03

LED SMD 36W 4860lm **3000K**

1025B-L3136F40-03

1025B-L3136FK0-03

LED SMD 18Wmax. 2610lm **4000K**

1025A-L3318F40-03

1025A-L3318FK0-03

LED SMD 36W 5220lm **4000K**

1025B-L3336F40-03

1025B-L3336FK0-03



Regulable con dispositivos de control específicos y Led Driver 24V DC remotos (P_859)
Adjustable with specific control devices and remote Led Driver 24V DC (P_859)

**Alimentador — Power supply**

35W

B02R-X3335F-00

60W

B02R-X3360F-00





RIGA

RGB+W (4000K)



Acabado gris — Grey finish




Led Driver 24V DC remotos a consultar P_859

Remote Led Driver 24V DC under request P_859




Connectors P_857



LED SMD RGBW (4000K) 18W max. 1200lm

1025C-L1418F4X-03

1025C-L1418FKX-03



LED SMD RGBW (4000K) 36W max. 2400lm

1025D-L1436F4X-03

1025D-L1436FKX-03



Kit Controlador y mando a distancia para RGB/RGBW
Controller and remote control kit for RGB/RGBW
CONT.R9+XC

Controller
Control: RF 2.4Ghz
Exit sign: DMX512
Input Voltage: 5-24Vdc
10 static colors
32 dynamics modes

Remote Control
Control: 1 zone (30m)
Power supply: 1xCR2032
Non include (3Vdc)
Exit sign: RF 2.4Ghz



¿Cómo instalar una baliza?

Video



How to install a bollard?

Video




Bollards__


FLAT ^{NEW}



Acabado antracita — Anthracite finish




Conector IP67 incluido
IP67 connector included



LED SMD 10W 1550lm 3000K

■ 1086B-L3109A90-04



LED SMD 10W 1550lm 3000K

■ 1086C-L3109A90-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

P_464






ORBITA



Acabado antracita — Anthracite finish



Conector incluido
Connector included



LED SMD 8W 1300lm 3000K

■ 1054B-L3110B-04

P_466



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.







IKONA



Acabado negro — Black finish



Connectors P_857



K SELECT	3000K	790lm
	4000K	845lm

LED SMD 7W

■ 1072B-L4108BBF-02

LED SMD 7W

■ 1072C-L4108BBF-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

P_472






SIMIL



Acabado antracita — Anthracite finish

Imitación madera
Imitation wood

Conector IP67 incluido
IP67 connector included



LED SMD 7W 810lm 3000K

■ 1027B-L3107B30-04

P_474



 Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.




LUG



Acabado blanco o antracita — White or anthracite finish



Lamps P_855




E27 Led/Fluo 18W max.

- 1015B-G05X1A-01
- 1015B-G05X1A-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



E27 Led/Fluo 18W max.

- 1015C-G05X1A-01
- 1015C-G05X1A-04

P_476






LOOP



Acabado negro — Black finish




LED SMD 9,5W 1295lm **3000K**

■ 982B-L3109A-02

LED SMD 9,5W 1405lm **4000K**

■ 982B-L3309A-02



LED SMD 9,5W 1295lm **3000K**

■ 982C-L3109A-02

LED SMD 9,5W 1405lm **4000K**

■ 982C-L3309A-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastro de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

P_477






AVON



Acabado antracita — Anthracite finish

Lamps P_855



E27 Led/Fluo 15W max.

■ 1016B-G05XIA-04




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

P_478






GUIU



Acabado antracita — Anthracite finish

Lamps P_854



GX53 LED T2 3W 350lm 4000K

■ 447A-G3IXIA-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.


P_497



SUEVIS



Acabado antracita — Anthracite finish



LED COB 7W 750lm 3000K

■ 452A-L0107A-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

P_496



CAIRO



Acabado antracita — Anthracite finish



LED COB 7W 760lm 3000K

■ 537B-L0107A-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.


P_497



CASTELLO




Acabado antracita — Anthracite finish



LED SMD 10W 1200lm 3000K

■ 534B-L0109A-04



LED SMD 10W 1200lm 3000K

■ 534D-L0109B-04



Regulación de:
- Distancia: 0-8 m.
- Tiempo de activación: de 6 seg. a 8 min.
- Ángulo de detección: 160°

Adjustable:
- Distance: 0-8 m.
- Activation time: from 6 sec. to 8 min.
- Detection angle: 160°



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.


P_480



ADAY



Acabado antracita — Anthracite finish



LED SMD 19W 2500lm 3000K

■ 848B-L0118A-04

LED SMD 19W 2500lm 3000K

■ 848C-L0118A-04

P_478




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



ARLEN



Acabado antracita — Anthracite finish



LED COB 12W 1300lm 3000K

791B-L0112A-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

P_482






ADRANO



Acabado antracita — Anthracite finish



LED COB 8W 800lm 3000K

■ 552A-L0108A-04




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



SIBILA



Acabado antracita — Anthracite finish




LED COB 7W 750lm 3000K

■ 455A-L0105A-04




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

SIBILA



Acabado blanco o antracita — White or anthracite finish



LED COB AC 10W 1100lm 3000K

□ 455B-L0110B-01

■ 455B-L0110B-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.


ODIN



ALU PC OPAL + PC TRANS



Acabado antracita — Anthracite finish



LED SMD 7W 850lm 3000K

■ 941A-L0106A-04



LED SMD 7W 850lm 3000K

■ 941B-L0106A-04




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



LUA



Acabado antracita — Anthracite finish

2 Schuko (type C/F)
16A/ 250V max 3680W

G9 2,5W 160lm 3000K

■ 995A-H20XIA-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.




JASMIN



Acabado gris o antracita — Grey or anthracite finish

Lamps P_855



E27 Led/Fluo 23W max.

■ 159A-G05X1A-03

■ 159A-G05X1A-04




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

NATAN



Acabado antracita — Anthracite finish

Lamps P_855



E27 Fluo 20W max. (Ø48mm)

■ 448A-G05X1A-04







Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

OMO



Acabado blanco, negro, antracita, verde o marrón cobrizo
White, black, anthracite, green or copper brown

Lamps P_855



E27 Led/Fluo 23W max.

- 228A-G05XIA-01
- 228A-G05XIA-02
- 228A-G05XIA-04
- 228A-G05XIA-05
- 228A-G05XIA-9I

E27 Led/Fluo 23W max.

- 228B-G05XIA-01
- 228B-G05XIA-02
- 228B-G05XIA-04
- 228B-G05XIA-05
- 228B-G05XIA-9I

E27 Led/Fluo 23W max.

- 228C-G05XIA-01
- 228C-G05XIA-02
- 228C-G05XIA-04
- 228C-G05XIA-05
- 228C-G05XIA-9I

E27 Led/Fluo 23W max.

- 228D-G05XIA-01
- 228D-G05XIA-02
- 228D-G05XIA-04
- 228D-G05XIA-05
- 228D-G05XIA-9I



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.




SIROCO



Acabado gris o antracita — Grey or anthracite finish

Lamps P_855



E27 Led/Fluo 14W max.

■ 286A-G05X1A-03

■ 286A-G05X1A-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
 Install on rigid ground. On grass or earth, add pilaster cement.

SAURO

By Fumagalli




E27

GX53




Acabado negro — Black finish

Lamps P_855




E27 Led/Fluo 30W max.

■ 272A-G05XIA-02



E27 Led/Fluo 30W max.

■ 272B-G05XIA-02



E27 Led/Fluo 30W max.

■ 272C-G05XIA-02



GX53 LED T2 10W

■ 272A-G3IXIA-02

GX53 LED T2 10W

■ 272B-G3IXIA-02

GX53 LED T2 10W

■ 272C-G3IXIA-02



K SELECT	3000K	1190lm
	4000K	1290lm
	6500K	1210lm




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

ABREGO



Acabado inox — Stainless steel finish

Lamps P_855



E27 Led/Fluo 11W max.

003B-G05XIA-30



Instalar sobre suelo rígido. En césped o tierra, añadir pilastro de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



GALERNA



INOX
AISI
304

PC
TRANS



110V
240V
AC



IP
44




120mm



Acabado inox — Stainless steel finish

Lamps P_855



E27 Led/Fluo 18W max.

117B-G05X1A-30



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

P_507



Solar_

ERGO



Acabado negro — Black finish

Tiempo de carga: 6/8h. Duración carga completa: Hasta 12h
 Loading time: 6/8h. Full load duration: Up to 12h




LED SMD 4,5W

■ 1044A-L4105K-02



LED SMD 4,5W

■ 1044B-L4105K-02



■ 1044C-L4105K-02



☀ ☾	🔆	LED
< 25 lux	1st H.	100%
	2nd H.	80%
	3rd-4th H.	60%
	5th-7th H.	40%
	8th-12th H.	30%



MODE A 3000K 435lm
 MODE B 4000K 445lm
 MODE C OFF -



Instalar sobre suelo rígido. En césped o tierra, añadir pilastera de cemento.
 Install on rigid ground. On grass or earth, add pilaster cement.



100% Seguro — Safety
 >2000 Ciclos — Cycles
 Carga rápida — Fast charge



VERSA




Micro
USB



Acabado negro — Black finish

Tiempo de carga: 8h (solar) / 4h (USB)
Loading time: 8h (sunshine) / 4h (USB)



LED SMD 10W 1000lm 3000K

■ 1041A-L4103K-02

< 25 lux	MODE A	100lm	10h
	MODE B	500lm	5h
	MODE C	1000lm	1,5h
	MODE D	OFF	-




LUMBER



Acabado negro — Black finish

Tiempo de carga: 5/6h
Loading time: 5/6h



LED SMD 2W 160lm 3000K

■ 1043A-L4I03K-02

< 25 lux	MODE A	100%	12h
	MODE B	60%	20h
	MODE C	OFF	-







TONA



Acabado negro — Black finish



Tiempo de carga: 8h
Loading time: 8h




LED SMD 6W 600lm 3000K

■ 1042A-L4106K-02

LED SMD 6W 600lm 3000K

■ 1042B-L4106K-02

< 25 lux	MODE A	75lm	75lm	16h
	MODE B	75lm	400lm x25seg.	10h
	MODE C	OFF	600lm x25seg.	3h(ONx430)







COMO



Acabado antracita — Anthracite finish

Tiempo de carga: 6/8h
Loading time: 6/8h



LED SMD 2,2W 480lm 3000K

■ 916B-L0103K-04

< 20 lux	ON	100%	✓	2,5 h
		15%	X	20 h
-	OFF	0%	-	-





COMO



Acabado antracita – Anthracite finish

Tiempo de carga: 6/8h
Loading time: 6/8h



LED SMD 2,2W 480lm 3000K



■ 916A-L0103K-04

LED SMD 2,2W 525lm 3000K



■ 916C-L0103K-04

< 20 lux	ON	100%	✓	2,5 h
-	OFF	15%	X	20 h
-	-	0%	-	-



Instalar sobre suelo rígido. En césped o tierra, añadir pilastro de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



Incluye piqueta
Spike included

TECNO
POLIM

SOLEI





Acabado antracita — Anthracite finish



Tiempo de carga: 8h. Duración carga completa: Hasta 8h.
Loading time: 8h. Full load duration: Up to 8h.

Posibilidad de fijar a suelo — Possibility to fix to the ground



LED SMD 2,2W 23lm 3000K

■ 853A-L0IXIK-04

LED SMD 3,5W 300lm 3000K

■ 853B-L0IXIK-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastro de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



Incluye piqueta
Spike included





LITTA





Video



Acabado blanco o negro
White or black finish.

Cargador USB incluido — USB charger included
5V DC/1A (110/240V 50/60Hz)



LED SMD 2,2W 200lm 3000K

□ 914A-L0103L-01

■ 914A-L0103L-02

LED SMD 2,2W 200lm 3000K

□ 914B-L0103L-01

■ 914B-L0103L-02



No utilizar mientras se está cargando
Do not use while charging




ERICE



Acabado antracita — Anthracite finish



Cargador USB incluido — USB charger included
5V DC/1A (110/240V 50/60Hz)



No utilizar mientras se está cargando
Do not use while charging



LED SMD 2,2W 187lm 3000K

■ 918A-L0103L-04



GLOU



Acabado negro — Black finish

Lamps P_855



E27 Led/Fluo 15W max.
 ■ 129E-G05X1A-02



E27 Led/Fluo 23W max.
 ■ 129F-G05X1A-02



E27 Led/Fluo 30W max.
 ■ 129G-G05X1A-02



E27 Led/Fluo 30W max.
 ■ 129H-G05X1A-02



Opciones de instalación
 Installation Options

PORTOFINO



TERMO
PLASTIC



110V
240V
AC




IP
65



IP44



Acabado negro — Black finish



Ampliable por tramos de 12 lámparas/tramo;
máximo 720W totales.
Scalable by sections of 12 lamps/section;
maximum 720w total.

E27 LED 12 lampholder lamp Ø45

■ 858A-G05X1B-02

Complet transparent kit

858AK-632H-01



+



Complet opal kit

858AK-632J-01



+





OTTONE



Acabado latón — Brass finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

573A-G05XIA-34

E27 Led/Hal/Fluo 42W max.

573B-G05XIA-34


MEDI UPDATED

ALU



Acabado negro o blanco texturado – White or black textured finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 194B-G05XIA-01T

■ 194B-G05XIA-02T



E27 Led/Hal/Fluo 42W max.


□ 194A-G05XIA-01T

■ 194A-G05XIA-02T






KEO UPDATED

ALU



Acabado negro texturado – Black textured finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

■ 167B-G05XIA-02T

E27 Led/Hal/Fluo 42W max.

■ 167A-G05XIA-02T

E27 Led/Hal/Fluo 42W max.

■ 167H-G05XIA-02T





Instalar sobre suelo rígido. En césped o tierra, añadir pilastera de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

TROM UPDATED



Acabado negro o blanco texturado — White or black textured finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 332B-G05XIA-01T

■ 332B-G05XIA-02T



E27 Led/Hal/Fluo 42W max.

□ 332G-G05XIA-01T

■ 332G-G05XIA-02T




TROM UPDATED



Acabado negro o blanco texturado — White or black textured finish

Lamps P_855



Base y anclaje no incluido — Base and anchor not included

E27 Led/Hal/Fluo 42W max.

□ 332D-G05XIA-01T

■ 332D-G05XIA-02T

2x E27 Led/Hal/Fluo 42W max.

□ 332E-G05XIA-01T

■ 332E-G05XIA-02T

3x E27 Led/Hal/Fluo 42W max.

□ 332F-G05XIA-01T

■ 332F-G05XIA-02T

Postes — Poles



□ Base-VbT

■ Base-VnT



□ Base-NbT

■ Base-NnT



□ Base-RbT

■ Base-RnT

Anclajes Anchorages



For -Vb/Vn

A02C-004-00



For -Nb/Nn

A02A-004-00



For -Rb/Rn

A02B-004-00





Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

BOOM UPDATED



Acabado negro o blanco texturado — White or black textured finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 036B-G05XIA-01T

■ 036B-G05XIA-02T



E27 Led/Hal/Fluo 42W max.

□ 036A-G05XIA-01T

■ 036A-G05XIA-02T



BOOM UPDATED

Doble posición
Double position



ALU

PMMA
MAT110V
240V
ACIP
44

Acabado negro o blanco texturado – White or black textured finish

Lamps P_855



Base y anclaje no incluido – Base and anchor not included

E27 Led/Hal/Fluo 42W max.

□ 036D-G05XIA-01T

■ 036D-G05XIA-02T

2x E27 Led/Hal/Fluo 42W max.

□ 036E-G05XIA-01T


■ 036E-G05XIA-02T

3x E27 Led/Hal/Fluo 42W max.

□ 036F-G05XIA-01T

■ 036F-G05XIA-02T

Postes – Poles



□ Base-VbT

■ Base-VnT



□ Base-NbT

■ Base-NnT



□ Base-RbT


■ Base-RnT

Anclajes Anchorages




For -Vb/Vn

A02C-004-00



For -Nb/Nn

A02A-004-00



For -Rb/Rn

A02B-004-00



Instalar sobre suelo rígido. En césped o tierra, añadir pilastro de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

CAST UPDATED




ALU

110V
240V
ACIP
44

Acabado negro o blanco texturado — White or black textured finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 046C-G05XIA-01T

■ 046C-G05XIA-02T





ALU

110V
240V
ACIP
44

Acabado negro o blanco texturado — White or black textured finish

Lamps P_855

Postes — Poles P_641



E27 Led/Hal/Fluo 42W max.

□ 046E-G05XIA-01T

■ 046E-G05XIA-02T



E27 Led/Hal/Fluo 42W max.

□ 046G-G05XIA-01T

■ 046G-G05XIA-02T



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

CAST UPDATED

ALU



Acabado negro o blanco texturado — White or black textured finish



Globos no incluidos — Globes not included

Postes — Poles

□ C07A-11-01T

■ C07A-11-02T

□ C07B-12-01T

■ C07B-12-02T

□ C07C-12-01T

■ C07C-12-02T

Anclajes Anchors



For - C07A

A02C-004-00



For - C07B

A02A-004-00



For - C07C

A02B-004-00



Incremento de altura (h400mm)
Height extension (h400mm)

□ A08A-C07-01T

■ A08A-C07-02T



INDURA GLOBO

By Fumagalli



Acabado negro — Black finish

Lamps P_855



E27 Led/Hal/Fluo 70W max.

■ 151A-G05X1A-02

■ 057B-G05X1A-02



INDURA GLOBO

By Fumagalli

RESIN

PMMA
OPAL110V
240V
ACIP
55U.V.
TREATEDSEA SIDE
SUITABLE

Acabado negro – Black finish

Lamps P_855



E27 Led/Hal/Fluo 70W max.

■ 151H-G05X1A-02



E27 Led/Hal/Fluo 70W max.

■ 148H-G05X1A-02



E27 Led/Hal/Fluo 70W max.

■ 151I-G05X1A-02



E27 Led/Hal/Fluo 70W max.

■ 145I-G05X1A-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

INDURA GLOBO

By Fumagalli




Acabado negro — Black finish

Lamps P_855



E27 Led/Hal/Fluo 70W max.

■ I51D-G05X1A-02




2x E27 Led/Hal/Fluo 70W max.

■ I51E-G05X1A-02




E27 Led/Hal/Fluo 70W max.

■ I48D-G05X1A-02




2x E27 Led/Hal/Fluo 70W max.

■ I48E-G05X1A-02



Postes — Poles

■ C08B-3I-02



■ C08C-3I-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



INDURA GLOBO

By Fumagalli




Acabado negro – Black finish

Lamps P_855




E27 Led/Hal/Fluo 105W max.

■ 057D-G05XIA-02





2x E27 Led/Hal/Fluo 105W max.

■ 057E-G05XIA-02



3x E27 Led/Hal/Fluo 105W max.

■ 057F-G05XIA-02



Postes – Poles

■ C10A-3I-02

■ C10B-3I-02




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

VIC





Acabado negro — Black finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

■ 344E-G05XIA-02






E27 Led/Hal/Fluo 42W max.

■ 345A-G05XIA-02

■ 345B-G05XIA-02

■ 345C-G05XIA-02

■ 345D-G05XIA-02



E27 Led/Hal/Fluo 42W max.

■ 344A-G05XIA-02

■ 344B-G05XIA-02

■ 344C-G05XIA-02





Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

GLOBI UPDATED



Acabado negro o blanco texturado — White or black textured finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 127G-G05XIA-01T

■ 127G-G05XIA-02T

E27 Led/Hal/Fluo 42W max.

□ 127K-G05XIA-01T

■ 127K-G05XIA-02T




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add plaster cement.

CLIC-CLAC GLOBO



Acabado blanco o negro — White or black finish


Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 061B-G05X1A-01


■ 061B-G05X1A-02



E27 Led/Hal/Fluo 42W max.

□ 061G-G05X1A-01


■ 061G-G05X1A-02



E27 Led/Hal/Fluo 42W max.

□ 061H-G05X1A-01

■ 061H-G05X1A-02



E27 Led/Hal/Fluo 42W max.

□ 061I-G05X1A-01

■ 061I-G05X1A-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

CLIC-CLAC GLOBO



Acabado blanco o negro – White or black finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 061J-G05X1A-01

■ 061J-G05X1A-02

E27 Led/Hal/Fluo 42W max.

□ 061D-G05X1A-01

■ 061D-G05X1A-02

2x E27 Led/Hal/Fluo 42W max.


□ 061E-G05X1A-01

■ 061E-G05X1A-02




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

GLOBOS — GLOBES UPDATED




Acabado blanco o negro — White or black finish

Lamps P_855



Acabado negro o blanco texturado — White or black textured finish



Anclajes Anchorage



For -Vb/Vn

A02C-004-00



For -Nb/Nn

A02A-004-00



For -Rb/Rn

A02B-004-00

Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

Incremento de altura (h400mm) Height extension (h400mm)

- ☐ A08A-C07-01T
- ☒ A08A-C07-02T

GLOBOS – GLOBES



Acabado negro – Black finish

Lamps P_855

PMMA
TRANS

- A22A-128-29 (Ø400)
- A22B-128-29 (Ø500)

PMMA
TRANS

- A22C-128-29 (Ø400)
- A22D-128-29 (Ø500)

PMMA
OPAL

- A22E-128-01 (Ø400)
- A22F-128-01 (Ø500)

PMMA
PRISM

- A22G-128-29 (Ø400)
- A22H-128-29 (Ø500)



E27 HAL 70W max.

■ BI2A-G05XIA-02




E27 HAL 70W max.

■ BI2M-G05XIA-02

**Reflector – Reflector**

A07A-128-00

for BI2M



Acabado negro – Black finish

Lamps P_855

PMMA
PRISM

- A23A-128-29 (Ø300)
- A23B-128-29 (Ø400)

PMMA
OPAL

- A23D-128-01 (Ø250)
- A23E-128-01 (Ø300)
- A23F-128-01 (Ø400)

PMMA
TRANS

- A23I-128-29 (Ø250)
- A23G-128-29 (Ø300)
- A23H-128-29 (Ø400)



E27 HAL 70W max.

- BI2F-G05XIA-02 (Ø250)
- BI2G-G05XIA-02 (Ø300)
- BI2H-G05XIA-02 (Ø400)

POSTES — POLES




By Fumagalli



RESIN

SEA SIDE
SUITABLE

Acabado negro — Black finish

Bayoneta
Bayonet

Postes — Poles

- C06A-3I-02 (h2000)
- C06B-3I-02 (h2400)



- C04A-32-02 (h3000)
- C04B-32-02 (h3500)
- C04C-32-02 (h4000)
- C04D-32-02 (h4500)
- C04E-32-02 (h5000)







Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

POSTES — POLES

ACER



Acabado acero cincado — Zinc-plated Steel finish



Es necesario pintar
It is necessary to paint

Postes — Poles

■ C30E-32-38 (h2500)

■ C30F-32-38 (h3000)

■ C30D-31-38 (h2000)

■ C30E-31-38 (h2500)

■ C30F-31-38 (h3000)

■ C30B-31-38



Anclajes Anchorages



A02G-004-00



A02F-004-00

ALU
ANOD

Acabado negro o aluminio anodizado — Black or anodised aluminium finish



Caja de conexión opcional
Optional junction box

500V 80A D01/E14-I6A (273x90x76cm)

B03F-X33X1A-29



Anclajes Anchorages



A02D-004-00

Postes — Poles

■ C02B-32-02 (h3000)

■ C02C-32-02 (h3500)

■ C02D-32-02 (h4000)

■ C02F-32-02 (h5000)

■ C03B-32-39 (h3000)


■ C03C-32-39 (h3500)

■ C03D-32-39 (h4000)

■ C03F-32-39 (h5000)





Instalar sobre suelo rígido. En césped o tierra, añadir pilaster de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



GLOBOS — GLOBES UPDATED

PA

Bayoneta
Bayonet110V
240V
ACIP
44

Acabado negro texturado — Black textured finish

Lamps P_855

PMMA
PRISM

A23B-128-29

PMMA
OPAL

A23F-128-01

PMMA
TRANS

A23H-128-29



E27 HAL 70W max.



BI2I-G05X1A-02T

ALU



Acabado negro — Black finish

Lamps P_855



Postes — Poles

C07D-42-02T (h2300)

C07E-42-02T (h2600)

C07F-42-02T (h2900)

Anclajes
Anchorage

A02A-004-00



A02B-004-00




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

ROUND



Acabado antracita – Anthracite finish

Lamps P_855



E27 Led/Hal/Fluo 105W max.

■ 405C-G05XIA-04



E27 Led/Hal/Fluo 105W max.

■ 405D-G05XIA-04



Anclajes Anchorages



A02A-406-00



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



Reflector antideslumbrantes
Anti-glare reflector

A07A-406-39

QUADRA



Acabado antracita — Anthracite finish

Lamps P_855



E27 Led/Hal/Fluo 105W max.

406C-G05XIA-04



E27 Led/Hal/Fluo 105W max.

406D-G05XIA-04



Anclajes
Anchorage



A02A-406-00



Instalar sobre suelo rígido. En césped o tierra, añadir pilastro de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



Reflector antideslumbrantes
Anti-glare reflector

A07A-406-39




ROB UPDATED

ALU

110V
240V
ACIP
44

Acabado negro o blanco texturado — White or black textured finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 264C-G05XIA-01T

■ 264C-G05XIA-02T



□ 264D-G05XIA-01T

■ 264D-G05XIA-02T



E27 Led/Hal/Fluo 70W max.


□ 264E-G05XIA-01T

■ 264E-G05XIA-02T


Adaptador de esquina
 Corner adaptor

□ A06A-004-01

■ A06A-004-02



E27 Led/Hal/Fluo 42W max.

□ 264A-G05XIA-01T

■ 264A-G05XIA-02T




□ 264B-G05XIA-01T

■ 264B-G05XIA-02T



ROB UPDATED

ALU



Acabado negro o blanco texturado — White or black textured finish

Lamps P_855




E27 Led/Hal/Fluo 42W max.

- 264G-G05X1A-01T
- 264G-G05X1A-02T



- 264H-G05X1A-01T
- 264H-G05X1A-02T



E27 Led/Hal/Fluo 42W max.

- 264K-G05X1A-01T
- 264K-G05X1A-02T



- 264L-G05X1A-01T
- 264L-G05X1A-02T




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

ROB UPDATED





ALU



Acabado negro o blanco texturado — White or black textured finish

Lamps P_855



E27 Led/Hal/Fluo 70W max.

2x E27 Led/Hal/Fluo 42W max.

3x E27 Led/Hal/Fluo 42W max.

□ 264M-G05XIA-01T

■ 264M-G05XIA-02T

□ 264O-G05XIA-01T

■ 264O-G05XIA-02T

□ 264Q-G05XIA-01T

■ 264Q-G05XIA-02T



□ 264N-G05XIA-01T

■ 264N-G05XIA-02T

□ 264P-G05XIA-01T

■ 264P-G05XIA-02T

□ 264R-G05XIA-01T

■ 264R-G05XIA-02T



POSTES — POLES UPDATED

ALU



Acabado negro o blanco texturado — White or black textured finish



Postes — Poles

□ C07A-11-01T

■ C07A-11-02T

□ C07B-12-01T

■ C07B-12-02T



□ C07C-12-01T

■ C07C-12-02T



Anclajes

Anchorage

For — C07A

A02C-004-00

For — C07B

A02A-004-00

For — C07C

A02B-004-00



Incremento de altura (h400mm)
Height extension (h400mm)

□ A08A-C07-01T

■ A08A-C07-02T



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
 Install on rigid ground. On grass or earth, add pilaster cement.

CLIC-CLAC 4



Acabado blanco o negro — White or black finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 059A-G05XIA-01

■ 059A-G05XIA-02



E27 Led/Hal/Fluo 42W max.

□ 059G-G05XIA-01

■ 059G-G05XIA-02



E27 Led/Hal/Fluo 42W max.

□ 059H-G05XIA-01

■ 059H-G05XIA-02



E27 Led/Hal/Fluo 42W max.

□ 059I-G05XIA-01

■ 059I-G05XIA-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

CLIC-CLAC 4



Acabado blanco o negro – White or black finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 059J-G05XIA-01

■ 059J-G05XIA-02

E27 Led/Hal/Fluo 42W max.

□ 059C-G05XIA-01

■ 059C-G05XIA-02

E27 Led/Hal/Fluo **2x** 42W max.


□ 059B-G05XIA-01

■ 059B-G05XIA-02




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

VILLA CHAP UPDATED




Acabado negro texturado — Black textured finish

Lamps P_855




E27 Led/Hal/Fluo 70W max.

■ 348B-G05XIA-02T



E27 Led/Hal/Fluo 70W max.

■ 348D-G05XIA-02T



Postes — Poles

■ C07D-42-02T

■ C07E-42-02T

■ C07F-42-02T



Anclajes
Anchorage

For C07D-

A02A-004-00



For C07E- / C07F-

A02B-004-00



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.


CITY INDURA

By Fumagalli




Acabado negro — Black finish

Lamps P_855




E27 Led/Hal/Fluo 70W max.

■ 056B-G05X1A-02



E27 Led/Hal/Fluo 70W max.

■ 056D-G05X1A-02



Postes — Poles

■ C10A-3I-02

■ C10B-3I-02

■ C12A-32-02

■ C12B-32-02

■ C12C-32-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

INDURA MEDIUM 4

By Fumagalli



Acabado negro — Black finish

Lamps P_855




E27 Led/Hal/Fluo 42W max.

■ I46B-G05X1A-02



(Basket diffuser)



E27 Led/Hal/Fluo 42W max.

■ I46H-G05X1A-02



(Basket diffuser)



E27 Led/Hal/Fluo 70W max.

■ I46D-G05X1A-02



2x E27 Led/Hal/Fluo 70W max.

■ I46E-G05X1A-02

E27
(Basket diffuser)

GX53 LED T2 4x10W

■ I46D-G31X1A-02

2x GX53 LED T2 4x10W

■ I46E-G31X1A-02


GX53
(Flat diffuser)

No es posible Kit de sustitución LED. La luminaria está construida específicamente para portalámparas GX53.
Substitution LED KIT not available. Fitting is meant for GX53 lamp holder.

INDURA MEDIUM 4

By Fumagalli

RESIN



Acabado negro — Black finish

Lamps P_855



Postes — Poles

h1750

■ C08B-3I-02

h2000

■ C08C-3I-02

h2500

■ C10A-3I-02

h3000

■ C10B-3I-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.


INDURA MINI 4

By Fumagalli



Acabado negro — Black finish

Lamps P_855

Doble posición
Double position



E27 Led/Hal/Fluo 42W max.

■ 149B-G05X1A-02



E27 Led/Hal/Fluo 42W max.

■ 149G-G05X1A-02



E27 Led/Hal/Fluo 42W max.

■ 149H-G05X1A-02

E27 Led/Hal/Fluo 42W max.

■ 149I-G05X1A-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

INDURA MINI 6


By Fumagalli

RESIN

PMMA
TRANS110V
240V
ACIP
55U.V.
TREATEDSEA SIDE
SUITABLE

Acabado negro – Black finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

■ 150B-G05XIA-02



E27 Led/Hal/Fluo 42W max.

■ 150G-G05XIA-02



E27 Led/Hal/Fluo 42W max.

■ 150H-G05XIA-02

E27 Led/Hal/Fluo 42W max.

■ 150I-G05XIA-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastro de cemento.
Install on rigid ground. On grass or earth, add plaster cement.

INDURA MEDIUM 6

By Fumagalli



Acabado negro — Black finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

■ I47A-G05XIA-02



E27 Led/Hal/Fluo 42W max.

■ I47B-G05XIA-02



E27 Led/Hal/Fluo 42W max.

■ I47H-G05XIA-02




E27 Led/Hal/Fluo 42W max.

■ I47I-G05XIA-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.




INDURA MEDIUM 6

By Fumagalli




Acabado negro – Black finish

Lamps P_855




E27 Led/Hal/Fluo 42W max.

■ I47D-G05XIA-02




2x E27 Led/Hal/Fluo 42W max.

■ I47E-G05XIA-02




3x E27 Led/Hal/Fluo 42W max.

■ I47F-G05XIA-02



Postes – Poles

■ C08B-31-02




■ C08C-31-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastro de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



INDURA BIG 6

By Fumagalli



Acabado negro — Black finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

■ I44B-G05XIA-02



E27 Led/Hal/Fluo 42W max.

■ I44G-G05XIA-02



INDURA BIG 6


By Fumagalli

RESIN

PMMA
TRANS110V
240V
ACIP
55U.V.
TREATEDSEA SIDE
SUITABLE


Acabado negro — Black finish

Lamps P_855




E27 Led/Hal/Fluo 70W max.

■ I44D-G05X1A-02




E27 Led/Hal/Fluo 2x 70W max.

■ I44E-G05X1A-02




E27 Led/Hal/Fluo 3x 70W max.


■ I44F-G05X1A-02




■ C08B-3I-02



■ C08C-3I-02



■ C10A-3I-02



■ C10B-3I-02



Postes — Poles




Instalar sobre suelo rígido. En césped o tierra, añadir pilastro de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

CLIC-CLAC 6



Acabado blanco o negro — White or black finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 060A-G05XIA-01

■ 060A-G05XIA-02

E27 Led/Hal/Fluo 42W max.

□ 060B-G05XIA-01

■ 060B-G05XIA-02



E27 Led/Hal/Fluo 42W max.

□ 060G-G05XIA-01

■ 060G-G05XIA-02

E27 Led/Hal/Fluo 42W max.

□ 060H-G05XIA-01

■ 060H-G05XIA-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

CLIC-CLAC 6



Acabado blanco o negro – White or black finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 060J-G05X1A-01

■ 060J-G05X1A-02

E27 Led/Hal/Fluo 42W max.

□ 060D-G05X1A-01

■ 060D-G05X1A-02

E27 Led/Hal/Fluo 2x 42W max.

□ 060E-G05X1A-01

■ 060E-G05X1A-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.


ELITE 6

ALU




Acabado blanco o negro — White or black finish

Lamps P_855



E14 Led/Hal/Fluo 42W max.

- 096A-G04XIA-01T
 ■ 096A-G04XIA-02T




E27 Led/Hal/Fluo 42W max.

- 096D-G05XIA-01T
 ■ 096D-G05XIA-02T




- 096E-G05XIA-01T
 ■ 096E-G05XIA-02T




E14 Led/Hal/Fluo 42W max.

- 096F-G05XIA-01T
 ■ 096F-G05XIA-02T



E27 Led/Hal/Fluo 42W max.

- 096G-G05XIA-01T
 ■ 096G-G05XIA-02T



E27 Led/Hal/Fluo 42W max.

- 096I-G05XIA-01T
 ■ 096I-G05XIA-02T



- 096H-G05XIA-01T
 ■ 096H-G05XIA-02T

- 096J-G05XIA-01T
 ■ 096J-G05XIA-02T



For h450 & h550



Adaptador de esquina
Corner adaptor

- A06A-004-01
 ■ A06A-004-02

ELITE 6

ALU

110V
240V
ACIP
44

Acabado blanco o negro – White or black finish

Lamps P_855



E27 Led/Hal/Fluo 70W max.

□ 096B-G05XIA-01T


■ 096B-G05XIA-02T

GLASS
MAT

E27 Led/Hal/Fluo 70W max.

□ 096C-G05XIA-01T


■ 096C-G05XIA-02T

GLASS
TRANS

E27 Led/Hal/Fluo 42W max.

□ 096K-G05XIA-01T


■ 096K-G05XIA-02T



E27 Led/Hal/Fluo 42W max.

□ 096M-G05XIA-01T

■ 096M-G05XIA-02T



E27 Led/Hal/Fluo 42W max.

□ 096O-G05XIA-01T

■ 096O-G05XIA-02T


GLASS
MATGLASS
TRANS

Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

ELITE 6 UPDATED






ALU



Acabado negro o blanco texturado — White or black textured finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 096Q-G05XIA-01T
 ■ 096Q-G05XIA-02T

2x E27 Led/Hal/Fluo 42W max.

□ 096S-G05XIA-01T
 ■ 096S-G05XIA-02T

3x E27 Led/Hal/Fluo 42W max.

□ 096U-G05XIA-01T
 ■ 096U-G05XIA-02T



□ 096R-G05XIA-01T
 ■ 096R-G05XIA-02T

□ 096T-G05XIA-01T
 ■ 096T-G05XIA-02T

□ 096V-G05XIA-01T
 ■ 096V-G05XIA-02T



POSTES — POLES UPDATED

ALU



Acabado negro o blanco texturado — White or black textured finish



Postes — Poles

□ C07A-11-01T

■ C07A-11-02T

□ C07B-12-01T

■ C07B-12-02T



□ C07C-12-01T

■ C07C-12-02T



Anclajes

Anchorages



For - C07A

A02C-004-00



For - C07B

A02A-004-00



For - C07C

A02B-004-00



Incremento de altura (h400mm)
Height extension (h400mm)

□ A08A-C07-01T

■ A08A-C07-02T




Instalar sobre suelo rígido. En césped o tierra, añadir pilastro de cemento.
 Install on rigid ground. On grass or earth, add pilaster cement.

VILLA BIG UPDATED



Acabado negro texturado — Black textured finish

Lamps P_855



E27 Led/Hal/Fluo 70W max.

■ 346B-G05XIA-02T

VILLA BIG UPDATED




Acabado negro texturado – Black textured finish

Lamps P_855



E27 Led/Hal/Fluo 70W max.

■ 346D-G05X1A-02T



Postes – Poles




■ C07D-42-02

■ C07E-42-02


■ C07F-42-02

Anclajes
Anchorages




For - C07D

A02A-004-00



For - C07E

A02B-004-00



For - C07F

A02B-004-00



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.


GUNTHER Ø48

By Fumagalli



Acabado negro — Black finish

Lamps P_854



GX53 LED T2 (6x 10W)

■ 407B-G3IXIA-02



GUNTHER Ø48

By Fumagalli



Acabado negro – Black finish

Lamps P_854





GX53 LED T2 (6x 10W)

2x GX53 LED T2 (6x 10W)

■ 407D-G3IXIA-02

■ 407E-G3IXIA-02



Postes – Poles

■ C04A-32-02

■ C04B-32-02



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.




GUNTHER Ø60

By Fumagalli



Acabado negro — Black finish

Lamps P_854



GX53 LED T2 (9x 10W)

■ 408B-G3IX1A-02



GX53 LED T2 (9x 10W)

■ 408D-G3IX1A-02

2x GX53 LED T2 (9x 10W)

■ 408E-G3IX1A-02



GUNTHER TOP

By Fumagalli





Acabado negro – Black finish

Lamps P_854

GX53 LED T2 (9x 10W)

■ 655A-G3IXIA-02



Postes
Poles

■ C04A-32-02



■ C04B-32-02



■ C04C-32-02




■ C04D-32-02




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

DAU^{NEW}




Acabado negro – Black finish
Opciones de acabado a consultar – Finish options available for consultation



LED SMD 8W
■ 1090A-L4108BBF-02

K SELECT	2700K	920lm
	3200K	960lm
	4000K	1020lm



LED SMD 15W
■ 1090B-L4115BBF-02

K SELECT	2700K	1955lm
	3000K	2035lm
	4000K	2160lm



MinniM


DUOMO

RANGE
EXTENSION



Acabado antracita – Anthracite finish

Opciones de acabado a consultar – Finish options available for consultation



Drivers P_858



LED SMD 11W 1420lm **2700K**

■ 1069A-L3011FC0-04

LED SMD 11W 1420lm **3000K**

■ 1069A-L3111FC0-04

LED SMD 11W 1510lm **4000K**

■ 1069A-L3311FC0-04



LED SMD 11W 1300lm **3000K**

E ■ 1069A-L3112AC0-04



Alimentador – Power supply

100W (max. 7 unit.)

B02R-X33A1F-01



P_802






BUCKET



Acabado antracita – Anthracite finish



LED SMD 10,5W 1680lm **3000K**

- 976A-L3110B-04
- 976A-L31RCB-04

LED SMD 10,5W 1770lm **4000K**

- 976A-L3310B-04
- 976A-L33RCB-04






DION

By Jordi Blasi



Acabado antracita – Anthracite finish





LED SMD 8,5W 1500lm 3000K

- 926D-L3109B-80
- 926D-L3109B-81
- 926D-L3109B-82
- 926D-L3109B-83





STONE



Conector IP67 incluido
IP67 connector included


Lamps P_856

GU10 2x 12W max.

- 965A-G2IX1A-NB
- 965A-G2IX1A-NN
- 965A-G2IX1A-NR
- 965A-G2IX1A-NW


GU10 2x 12W max.

- 965B-G2IX1A-NB
- 965B-G2IX1A-NN
- 965B-G2IX1A-NR
- 965B-G2IX1A-NW






STONE




Adaptable a iluminación mono emisión.
Adaptable to mono emission lighting.

Conector IP67 incluido
IP67 connector included



LED SMD 10W 2x 475lm 3000K

- 965C-L3112A-NB
- 965C-L3112A-NN
- 965C-L3112A-NR
- 965C-L3112A-NW






LANCE



Acabado antracita – Anthracite finish



LED SMD 10,5W 1150lm **3000K**


■ 1024B-L3112BX0-04

■ 1024B-L3112BXD-04

LED SMD 10,5W 1280lm **4000K**

■ 1024B-L3312BX0-04

■ 1024B-L3312BXD-04






HERA



Acabado antracita o marrón óxido
Anthracite or oxide brown finish



Consultar otras opciones de acabado y regulación
Consult other finishing and regulation options



LED SMD 12W 2x 990lm **3000K**


- 931A-L3117B-04
- 931A-L3117B-90
- 931A-L31RDB-04
- 931A-L31RDB-90

LED SMD 12W 2x 1037lm **4000K**


- 931A-L3317B-04
- 931A-L3317B-90
- 931A-L33RDB-04
- 931A-L33RDB-90



ISORA



Acabado blanco, negro, gris, antracita o marrón cobrizo
White, black, grey, anthracite or copper brown finish

**2700K**

LED COB AC 4W 315lm

- 157A-L3805B-01
- 157A-L3805B-02
- 157A-L3805B-03
- 157A-L3805B-04
- 157A-L3805B-91

3000K

LED COB AC 4W 345lm

- 157A-L0105B-01
- 157A-L0105B-02
- 157A-L0105B-03
- 157A-L0105B-04
- 157A-L0105B-91

4000K

LED COB AC 4W 355lm

- 157A-L0205B-01
- 157A-L0205B-02
- 157A-L0205B-03
- 157A-L0205B-04
- 157A-L0205B-91

**2x LED COB AC 4W 315lm**

- 157B-L38G8B-01
- 157B-L38G8B-02
- 157B-L38G8B-03
- 157B-L38G8B-04
- 157B-L38G8B-91

2x LED COB AC 4W 345lm

- 157B-L01G8B-01
- 157B-L01G8B-02
- 157B-L01G8B-03
- 157B-L01G8B-04
- 157B-L01G8B-91


2x LED COB AC 4W 355lm

- 157B-L02G8B-01
- 157B-L02G8B-02
- 157B-L02G8B-03
- 157B-L02G8B-04
- 157B-L02G8B-91



Acabado blanco, negro, gris, antracita o marrón cobrizo
White, black, grey, anthracite or copper brown finish

Lamps P_856

**G9 Hal 40W max.**


- 157A-H20X1A-01
- 157A-H20X1A-02
- 157A-H20X1A-03
- 157A-H20X1A-04
- 157A-H20X1A-91

**G9 Hal 40W max.**


- 157B-H20X1A-01
- 157B-H20X1A-02
- 157B-H20X1A-03
- 157B-H20X1A-04
- 157B-H20X1A-91



ISORA



Acabado blanco, negro, gris, antracita o marrón cobrizo – White, black, grey, anthracite or copper brown finish

**2700K**

LED SMD 6W 950lm

- 157C-L3006B-01
- 157C-L3006B-02
- 157C-L3006B-03
- 157C-L3006B-04
- 157C-L3006B-91

3000K

LED SMD 8,3W 1500lm

- 157C-L0109B-01
- 157C-L0109B-02
- 157C-L0109B-03
- 157C-L0109B-04
- 157C-L0109B-91

4000K

LED COB AC 8,3W 1595lm

- 157C-L0209B-01
- 157C-L0209B-02
- 157C-L0209B-03
- 157C-L0209B-04
- 157C-L0209B-91



- 157C-L30RDB-01
- 157C-L30RDB-02
- 157C-L30RDB-03
- 157C-L30RDB-04
- 157C-L30RDB-91

- 157C-L01RDB-01
- 157C-L01RDB-02
- 157C-L01RDB-03
- 157C-L01RDB-04
- 157C-L01RDB-91

- 157C-L02RDB-01
- 157C-L02RDB-02
- 157C-L02RDB-03
- 157C-L02RDB-04
- 157C-L02RDB-91

**2700K**

2x LED SMD 6W 950lm

- 157D-L30G6B-01
- 157D-L30G6B-02
- 157D-L30G6B-03
- 157D-L30G6B-04
- 157D-L30G6B-91

3000K

2x LED SMD 8,3W 1500lm

- 157D-L01G9B-01
- 157D-L01G9B-02
- 157D-L01G9B-03
- 157D-L01G9B-04
- 157D-L01G9B-91

4000K

2x LED COB AC 8,3W 1595lm

- 157D-L02G9B-01
- 157D-L02G9B-02
- 157D-L02G9B-03
- 157D-L02G9B-04
- 157D-L02G9B-91




- 157D-L30RDB-01
- 157D-L30RDB-02
- 157D-L30RDB-03
- 157D-L30RDB-04
- 157D-L30RDB-91

- 157D-L01RDB-01
- 157D-L01RDB-02
- 157D-L01RDB-03
- 157D-L01RDB-04
- 157D-L01RDB-91


- 157D-L02RDB-01
- 157D-L02RDB-02
- 157D-L02RDB-03
- 157D-L02RDB-04
- 157D-L02RDB-91





Acabado blanco, negro, gris, antracita o marrón cobrizo
White, black, grey, anthracite or copper brown finish

Lamps P_855



E27 (Ø54mm) 20W max.

- 157C-G05XIA-01
- 157C-G05XIA-02
- 157C-G05XIA-03
- 157C-G05XIA-04
- 157C-G05XIA-91



E27 (Ø54mm) 20W max.


- 157D-G05XIA-01
- 157D-G05XIA-02
- 157D-G05XIA-03
- 157D-G05XIA-04
- 157D-G05XIA-91



BUIT ^{NEW}



Acabado antracita o marrón óxido – Anthracite or oxide brown finish



2700K

LED COB 8W 770lm

- 1084A-L3008A10-04
- 1084A-L3008A10-90
- 1084A-L3008A20-04
- 1084A-L3008A20-90
- 1084A-L3008A30-04
- 1084A-L3008A30-90

3000K


LED COB 8W 800lm

- 1084A-L3108A10-04
- 1084A-L3108A10-90
- 1084A-L3108A20-04
- 1084A-L3108A20-90
- 1084A-L3108A30-04
- 1084A-L3108A30-90

4000K

LED COB 8W 830lm

- 1084A-L3308A10-04
- 1084A-L3308A10-90
- 1084A-L3308A20-04
- 1084A-L3308A20-90
- 1084A-L3308A30-04
- 1084A-L3308A30-90



2700K

LED COB 2x 6W 2x 610lm

- 1084B-L3102A10-04
- 1084B-L3102A10-90
- 1084B-L3102A20-04
- 1084B-L3102A20-90
- 1084B-L3102A30-04
- 1084B-L3102A30-90

3000K

LED COB 2x 6W 2x 660lm

- 1084B-L3112A10-04
- 1084B-L3112A10-90
- 1084B-L3112A20-04
- 1084B-L3112A20-90
- 1084B-L3112A30-04
- 1084B-L3112A30-90

4000K

LED COB 2x 6W 2x 690lm


- 1084B-L3312A10-04
- 1084B-L3312A10-90
- 1084B-L3312A20-04
- 1084B-L3312A20-90
- 1084B-L3312A30-04
- 1084B-L3312A30-90






CUS

BUIT ^{NEW}



Acabado antracita o marrón óxido – Anthracite or oxide brown finish



2700K

LED COB 12W 1200lm

1084C-L3012A10-04

1084C-L3012A10-90

1084C-L3012A20-04

1084C-L3012A20-90

1084C-L3012A30-04

1084C-L3012A30-90

3000K

LED COB 12W 1260lm

1084C-L3112A10-04

1084C-L3112A10-90

1084C-L3112A20-04

1084C-L3112A20-90

1084C-L3112A30-04

1084C-L3112A30-90

4000K

LED COB 12W 1310lm


1084C-L3312A10-04

1084C-L3312A10-90

1084C-L3312A20-04

1084C-L3312A20-90

1084C-L3312A30-90



2700K

LED COB 2x12W 2x 1200lm

1084D-L3026A10-04

1084D-L3026A10-90

1084D-L3026A20-04

1084D-L3026A20-90

1084D-L3026A30-04

1084D-L3026A30-90

3000K

LED COB 2x12W 2x 1260lm

1084D-L3126A10-04

1084D-L3126A10-90

1084D-L3126A20-04

1084D-L3126A20-90

1084D-L3126A30-04

1084D-L3126A30-90

4000K

LED COB 2x12W 2x 1310lm

1084D-L3326A10-04

1084D-L3326A10-90

1084D-L3326A20-04

1084D-L3326A20-90

1084D-L3326A30-04

1084D-L3326A30-90






SETH



Acabado antracita o marrón óxido – Anthracite or oxide brown finish

Lamps P_856



3000K

LED SMD AC 4W 500lm

- 399E-L0105B-04
- 399E-L0105B-90

4000K


LED SMD AC 4W 510lm

- 399E-L0205B-04
- 399E-L0205B-90



GU10 LED 3,5W/4,5W – GU10 HAL 50W max.

- 399E-G2IX1A-04
- 399E-G2IX1A-90



3000K

2x LED SMD AC 4W 500lm

- 399B-L0108B-04
- 399B-L0108B-90

4000K

2x LED SMD AC 4W 510lm

- 399B-L0208B-04
- 399B-L0208B-90



2x GU10 LED 3,5W/4,5W – 2x GU10 HAL 50W max.

- 399B-G2IX1A-04
- 399B-G2IX1A-90




SETH



Acabado antracita o marrón óxido — Anthracite or oxide brown finish

Lamps P_855

**3000K**

LED SMD AC 17,5W 2125lm

- 399C-L0118B-04
- 399C-L0118B-90

4000K

LED SMD AC 17,5W 2270lm

- 399C-L0218B-04
- 399C-L0218B-90

**3000K**

2x LED SMD AC 17,5W 2125lm

- 399C-L01H3B-04
- 399C-L01H3B-90

4000K


2x LED SMD AC 4W 510lm

- 399C-L02H3B-04
- 399C-L02H3B-90



E27 LED/HAL 75W max.

- 399C-G05X1A-04
- 399C-G05X1A-90



2x E27 LED/HAL 75W max.

- 399D-G05X1A-04
- 399D-G05X1A-90




SETH



Acabado antracita o marrón óxido – Anthracite or oxide brown finish

Lamps p. 856

**3000K**

LED SMD AC 4W 500lm

■ 398A-L0105B-04

■ 398A-L0105B-90

4000K

LED SMD AC 4W 510lm

■ 398A-L0205B-04


■ 398A-L0205B-90



GU10 LED 3,5W/4,5W – GU10 HAL 50W max.

■ 398A-G21X1A-04

■ 398A-G21X1A-90

**3000K**

2x LED SMD AC 4W 500lm

■ 398B-L01C4B-04

■ 398B-L01C4B-90

4000K

2x LED SMD AC 4W 510lm

■ 398B-L02C4B-04

■ 398B-L02C4B-90

**2x** GU10 LED 3,5W/4,5W – **2x** GU10 HAL 50W max.

■ 398B-G21X1A-04

■ 398B-G21X1A-90




SETH



Acabado antracita o marrón óxido — Anthracite or oxide brown finish

Lamps p. 856

**3000K**

LED SMD AC 8,5W 1050lm

- 398C-L0109B-04
- 398C-L0109B-90

4000K

LED SMD AC 8,5W 1120lm

- 398C-L0209B-04
- 398C-L0209B-90

**3000K**

2x LED SMD AC 8,5W 1050lm

- 398C-L01G9B-04
- 398C-L01G9B-90

4000K


2x LED SMD AC 8,5W 1120lm

- 398C-L02G9B-04
- 398C-L02G9B-90



GUI0 LED 3,5W/4,5W – GUI0 HAL 50W max.

- 398C-G2IXIA-04
- 398C-G2IXIA-90



2x GUI0 LED 3,5W/4,5W – 2x GUI0 HAL 50W max.

- 398E-G2IXIA-04
- 398E-G2IXIA-90




TASCA NEW



Acabado antracita – Anthracite finish


Drivers P_858

Opciones de acabado a consultar – Finish options available for consultation




LED SMD 2W 280lm **2700K**

■ 1078A-L3002FC0-04



LED SMD 4W 560lm **2700K**

■ 1078B-L3004FC0-04



LED SMD 6W 840lm **2700K**

■ 1078C-L3006FC0-04

LED SMD 2W 280lm **3000K**

■ 1078A-L3102FC0-04

LED SMD 4W 560lm **3000K**

■ 1078B-L3104FC0-04

LED SMD 6W 840lm **3000K**

■ 1078C-L3106FC0-04

LED SMD 2W 280lm **4000K**

■ 1078A-L3302FC0-04

LED SMD 4W 560lm **4000K**

■ 1078B-L3304FC0-04

LED SMD 6W 840lm **4000K**

■ 1078C-L3306FC0-04

Compatible – 502E Electrical box

Compatible – 503E Electrical box

Compatible – 504E Electrical box



Alimentador – Power supply

12W

B02D-X3312F-00

220V
240V
AC

24V
DC

IP
65


IN OUT




RIMA



Acabado antracita – Anthracite finish

Consultar otras opciones de acabado
Consult other finishing optionsLED SMD AC 5W 540lm **3000K**

■ 923B-L3105B-04

LED SMD AC 13W 1410lm **3000K**

■ 923A-L3113B-04

LED SMD AC 5W 580lm **4000K**

■ 923B-L3305B-04


LED SMD AC 13W 1510lm **4000K**

■ 923A-L3313B-04


RIMA



Acabado antracita — Anthracite finish

Consultar otras opciones de acabado
Consult other finishing optionsLED SMD AC 4W 500lm **3000K**

■ 261C-L0105B-04

LED SMD AC 13W 1710lm **3000K**

■ 261A-L0109B-04

LED SMD AC 4W 510lm **4000K**

■ 261C-L0205B-04


LED SMD AC 13W 1790lm **4000K**

■ 261A-L0209B-04

SLIM




Acabado gris o antracita – Grey or anthracite finish



LED SMD 3W 367lm **3000K**

- 580A-L0104B-03
- 580A-L0104B-04



LED SMD 9W 1100lm **3000K**

- 580B-L0110B-03
- 580B-L0110B-04



LED SMD 3W 389lm **4000K**

- 580A-L0204B-03
- 580A-L0204B-04



LED SMD 9W 1165lm **4000K**


- 580B-L0210B-03
- 580B-L0210B-04



SLIM




Acabado gris o antracita — Grey or anthracite finish



LED SMD 4W 544lm **3000K**

- 580C-L0104B-03
- 580C-L0104B-04



LED SMD 9W 1100lm **3000K**

- 580D-L0110B-03
- 580D-L0110B-04



LED SMD 4W 576lm **4000K**

- 580C-L0204B-03
- 580C-L0204B-04



LED SMD 9W 1165lm **4000K**



- 580D-L0210B-03
- 580D-L0210B-04



SLIM



Acabado gris o antracita — Grey or anthracite finish



LED SMD 3W 367lm **3000K**

■ 289B-L0104B-03

■ 289B-L0104B-04



LED SMD 9W 1100lm **3000K**

■ 289C-L0110B-03

■ 289C-L0110B-04



LED SMD 3W 389lm **4000K**

■ 289B-L0204B-03

■ 289B-L0204B-04



LED SMD 9W 1165lm **4000K**

■ 289C-L0210B-03


■ 289C-L0210B-04



SLIM




Acabado gris o antracita — Grey or anthracite finish



LED SMD 4W 544lm **3000K**

- 289D-L0104B-03
- 289D-L0104B-04



LED SMD 9W 1100lm **3000K**

- 289E-L0110B-03
- 289E-L0110B-04



LED SMD 4W 576lm **4000K**

- 289D-L0204B-03
- 289D-L0204B-04



LED SMD 9W 1165lm **4000K**

- 289E-L0210B-03
- 289E-L0210B-04





DAIN



Acabado blanco, negro, gris o marrón óxido – White, black, grey or oxide brown finish

Conector IP67 incluido
IP67 connector included



Disponible en 91°
Available in 91°



LED SMD 9W 1000lm 3000K

- ☐ 929A-L3109B-01
- ☒ 929A-L3109B-02
- ☒ 929A-L3109B-03
- ☒ 929A-L3109B-90

LED SMD 4,5W 500lm 3000K

- ☐ 929B-L3105B-01
- ☒ 929B-L3105B-02
- ☒ 929B-L3105B-03
- ☒ 929B-L3105B-90

Reflector decorativo opcional – Optional decorative reflector

- ☐ A13A-929-01
- ☒ A13A-929-02
- ☒ A13A-929-03
- ☒ A13A-929-90

- ☐ A13B-929-01
- ☒ A13B-929-02
- ☒ A13B-929-03
- ☒ A13B-929-47
- ☒ A13B-929-90





Blanco
White

Negro
Black

Gris
Grey

Oro
Gold

Marrón óxido
Oxide brown





VIENA




Acabado blanco – White finish




Consultar otras opciones de acabado y regulación
Consult other finishing and regulation options

Consultar 4000K
Consult 4000K




LED COB 12W 1800lm 3000K

□ 403A-L01I2B-01



LED COB 12W 1700lm 3000K

□ 569B-L01I2B-01




LED COB 30W 3800lm 3000K

□ 403B-L0130B-01



□ 403B-L01RDB-01



LED COB 30W 3600lm 3000K

□ 569A-L0130B-01



□ 569A-L01RDB-01




DAIRA



Acabado blanco o antracita — White or anthracite finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.


□ 575B-G05X1A-01

■ 575B-G05X1A-04

LED SMD AC 17,5W 1550lm 3000K

□ 575B-L0118B-01

■ 575B-L0118B-04



2x E27 Led/Hal/Fluo 42W max.

□ 575A-G05X1A-01

■ 575A-G05X1A-04



LED SMD AC 29W 3830lm 3000K


□ 575A-L0129R-01

■ 575A-L0129R-04

EMERGENCY (3h max.)
LED 3W 250lm 4000K

Acabado blanco o antracita — White or anthracite finish


Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 575C-G05X1A-01

■ 575C-G05X1A-04



LED SMD AC 17,5W 1550lm 3000K

□ 575C-L0118B-01

■ 575C-L0118B-04




PLAFF




Acabado blanco o negro – White or black finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 240B-G05X1A-01
 ■ 240B-G05X1A-02




E27 Led/Hal/Fluo 42W max.

□ 240C-G05X1A-01
 ■ 240C-G05X1A-02



E27 Led/Hal/Fluo 42W max.

□ 240E-G05X1A-01
 ■ 240E-G05X1A-02



E27 Led/Hal/Fluo 42W max.

□ 240A-G05X1A-01
 ■ 240A-G05X1A-02



E27 Led/Hal/Fluo 42W max.

□ 240D-G05X1A-01
 ■ 240D-G05X1A-02





COC



Acabado blanco o negro — White or black finish

Lamps P_855



E27 Led/Hal/Fluo 42W max.

□ 063A-G05X1A-01

■ 063A-G05X1A-02

E27 Led/Hal/Fluo 42W max.


□ 063B-G05X1A-01

■ 063B-G05X1A-02

RUA ^{NEW}



Acabado inox — Stainless steel finish

LED SMD 4W 505lm **2700K**


■ I088A-L3004F90-30

LED SMD 4W 520lm **3000K**

■ I088A-L3104F90-30

LED SMD 4W 555lm **4000K**

■ I088A-L3304F90-30

LED SMD 4W 505lm **2700K**


■ I088B-L3004F90-30

LED SMD 4W 520lm **3000K**

■ I088B-L3104F90-30

LED SMD 4W 555lm **4000K**

■ I088B-L3304F90-30

LED SMD 6W 685lm **2700K**


■ I088C-L3006F90-30

LED SMD 6W 720lm **3000K**

■ I088C-L3106F90-30

LED SMD 6W 790lm **4000K**

■ I088C-L3306F90-30

LED SMD 6W 685lm **2700K**

■ I088D-L3006F90-30

LED SMD 6W 720lm **3000K**

■ I088D-L3106F90-30


LED SMD 6W 790lm **4000K**

■ I088D-L3306F90-30

**Alimentador — Power supply**

60 W (I088A- I088B- max.13 unit.) (I088C- I088D- max.8 unit.)

B02R-X3360F-00





TRAU ^{NEW}



ALU



Acabado antracita – Anthracite finish
Opciones de acabado a consultar
Finish options available for consultation

Incorpora válvula depresora para evitar la entrada de humedad
It incorporates a depressor valve to prevent the entry of moisture



290x45

LED SMD 4W 570lm **2700K**



■ 1087A-L3004AA0-04

LED SMD 4W 600lm **3000K**

■ 1087A-L3104AA0-04

LED SMD 4W 625lm **4000K**

■ 1087A-L3304AA0-04



290x45

LED SMD 4W 570lm **2700K**



■ 1087B-L3004AA0-04

LED SMD 4W 600lm **3000K**


■ 1087B-L3104AA0-04

LED SMD 4W 625lm **4000K**

■ 1087B-L3304AA0-04




DUBLIN



Acabado gris o antracita – Grey or anthracite finish

Lamps P_855




LED SMD AC 13W 1790lm 3000K

- 401A-L0113B-03
- 401A-L0113B-04



E27 Led/Hal/Fluo 42W max.

- 401A-G05X1A-03
- 401A-G05X1A-04



LED SMD AC 13W 1790lm 3000K

- 401B-L0113B-03
- 401B-L0113B-04



E27 Led/Hal/Fluo 42W max.

- 401B-G05X1A-03
- 401B-G05X1A-04






SYNA




Acabado inox – Stainless steel finish




LED SMD 3W 300lm 3000K

■ 305B-L0104H-30





Acabado inox – Stainless steel finish



LED SMD 1,3W 200lm 3500K

■ 305C-L0102F-30






STONE




Conector IP67 incluido
IP67 connector included

Lamps P_856



GU10 12W max.

- 965D-G2IXIA-NB
- 965D-G2IXIA-NN
- 965D-G2IXIA-NR
- 965D-G2IXIA-NW






ATIC



Acabado blanco – White finish

LED COB 9W 1940lm **3000K**

□ 1040A-L3109H30-01

LED COB 9W 2000lm **4000K**


□ 1040A-L3309H30-01


Alimentador – Power supply
 max. 17W 350mA DC



B02A-X3317H-01


Alimentador – Power supply
 max. 26W 350mA DC


B02P-X3326HI-01



Acabado blanco – White finish

LED COB 18W 2845lm **3000K**

□ 1040B-L3118I50-01

LED COB 18W 2960lm **4000K**

□ 1040B-L3318I50-01



Alimentador – Power supply
 max. 17W 350mA DC


B02A-X3317H-01



Alimentador – Power supply
 max. 26W 350mA DC


B02P-X3326HI-01

ATIC



Acabado blanco – White finish



LED COB 24W 4115lm **3000K**

LED COB 24W 4266lm **4000K**

□ 1040C-L3124J70-01

□ 1040C-L3324J70-01




Alimentador – Power supply
max. 30W 700mA DC

B02N-X3330J-01




Alimentador – Power supply
max. 40W 700mA DC

B02P-X3340JM-01



Acabado blanco – White finish



LED COB 37W 5925lm **3000K**

LED COB 37W 6155lm **4000K**

□ 1040D-L3137M90-01

□ 1040D-L3337M90-01



Alimentador – Power supply
max. 30W 700mA DC

B02N-X3330J-01



Alimentador – Power supply
max. 40W 700mA DC


B02P-X3340JM-01



NABUCO




Acabado inox — Stainless steel finish




LED COB **3W** 350lm 3000K

980A-L0103H-30




980A-

Disponible en 30°, 45° o asimétrico
Available in 45° or asymmetric




LED COB **4W** 534lm 3000K

980B-L0104H-30



LED COB **6,5W** 785lm 3000K

980B-L0106H-30



980B-

Disponible en 52°
Available in 52°

P_748



Regulable con dispositivos de control específicos (alimentadores P_858)
Adjustable with specific control devices (power supplies P_858)



¿Cómo instalar un empotrable en el suelo?

Video



How to install a recessed floor?

Video




Uplights__

CROSCAT^{NEW}



Acabado inox — Stainless steel finish



LED SMD 5W 710lm **3000K**

LED SMD 5W 750lm **4000K**

1082A-L3105F10-30

1082A-L3305F10-30



1082A-L3105F40-30

1082A-L3305F40-30



Alimentador — Power supply


12W

B02D-X3312F-00

220V 240V AC	24V DC	IP 65
IN	OUT	




NABUCO



Acabado inox — Stainless steel finish

Connectors P_857

Regulable con dispositivos de control específicos (alimentadores P_858)
Adjustable with specific control devices (power supplies P_858)



LED COB 3W 350lm 3000K

980H-L0103H-30

**Alimentador — Power supply**


max. 12W 700mA DC

B02A-X3317J-01



980H-

Disponible en 45° o asimétrico
Available in 45° or asymmetric



LED COB 4W 534lm 3000K

980I-L0104H-30

**Alimentador — Power supply**

max. 12W 350mA DC

B02A-X3317H-01



LED COB 6,5W 785lm 3000K

980I-L0106H-30

**Alimentador — Power supply**

max. 12W 700mA DC

B02A-X3317J-01



980I-

Disponible en 52°
Available in 52°

P_742



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.



ESTAMBUL



Acabado inox o latón — Stainless steel or brass finish

Tornillos antihurto, posición de portalámparas variable
Anti-theft screws, adjustable lampholder position




Connectors P_857

Lamps P_856



GU10 Led/Hal 35W max.

410A-G21XIA-30



GU10 Led/Hal 35W max.

410A-G21XIA-34



FOCUS



Acabado negro — Black finish



GU10 LED 3000K 5W (36°)

113A-L2105A-02



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.





MALVA

RANGE
EXTENSION




Acabado inox — Stainless steel finish

Connectors P_857

Marco cuadrado disponible
Square frame available



Sistema AcquaStop en el interior del prensaestopas.
AcquaStop system inside the cable gland.



LED COB 6W 817lm **2700K**

LED COB 6W 860lm **3000K**

LED COB 6W 890lm **4000K**

E 1023A-L3007B10-30

1023A-L3107B10-30

1023A-L3307B10-30



E 1023A-L3007B20-30

1023A-L3107B20-30

1023A-L3307B20-30



E 1023A-L3007B50-30

1023A-L3107B50-30

1023A-L3307B50-30



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

MALVA

RGB+W (6500K)




Acabado inox — Stainless steel finish

Drivers P_859



Connectors P_859

Marco cuadrado disponible
Square frame availableSistema AcquaStop en el interior del prensaestopas.
AcquaStop system inside the cable gland.

LED SMD 12W 1650lm

1023F-LI412F3X-30

15°

1023F-LI412F3X-30

35°

1023F-LI412F6X-30

60°

**Alimentador — Power supply**

100W (max. 7 unit.)

B02R-X33AIF-01

90V 264V AC	24V DC	IP 67
IN	OUT	

Kit Controlador y mando a distancia para RGB/RGBW
Controller and remote control kit for RGB/RGBW

CONT.R9+XC

ControllerControl: RF 2.4Ghz
Exit sign: DMX512
Input Voltage: 5-24Vdc
10 static colors
32 dynamics modes**Telecomando**Control: 1 zone (30m)
power supply: lxCR2032 non incluse (3Vdc)
Exit sign: RF 2.4GhzEvite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

MALVA NEW

TILT



Acabado inox — Stainless steel finish

Connectors P_857




Marco cuadrado disponible

Square frame available



Sistema AcquaStop en el interior del prensaestopas.

AcquaStop system inside the cable gland.

LED COB 16W 2400lm **2700K**LED COB 16W 2400lm **3000K**LED COB 16W 2550lm **4000K**

1023G-L3016B10-30

1023G-L3116B10-30

1023G-L3316B10-30

16°

1023G-L3016B30-30

1023G-L3116B30-30

1023G-L3316B30-30

33°

1023G-L3016B50-30

1023G-L3116B50-30

1023G-L3316B50-30

54°

1023G-L3016BP0-30

1023G-L3116BP0-30

1023G-L3316BP0-30

25x60°

LED COB 16W 2400lm **2700K**LED COB 16W 2400lm **3000K**LED COB 16W 2550lm **4000K**

1023G-L3016B1D-30

1023G-L3116B1D-30

1023G-L3316B1D-30

DALI 16°

1023G-L3016B3D-30

1023G-L3116B3D-30

1023G-L3316B3D-30

DALI 33°

1023G-L3016B5D-30

1023G-L3116B5D-30

1023G-L3316B5D-30

DALI 54°

1023G-L3016BPD-30

1023G-L3116BPD-30

1023G-L3316BPD-30

DALI 25x60°



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.



MALVA

RANGE
EXTENSION
UPDATED




Acabado inox — Stainless steel finish



Connectors P_857

Marco cuadrado disponible
Square frame available



Sistema AcquaStop en el interior del prensaestopas.
AcquaStop system inside the cable gland.

LED COB 18W 2565lm **2700K**

LED COB 18W 2700lm **3000K**

LED COB 18W 2850lm **4000K**

E 1023B-L3018B10-30

U 1023B-L3118B10-30

U 1023B-L3318B10-30



E 1023B-L3018B20-30

U 1023B-L3118B20-30

U 1023B-L3318B20-30



E 1023B-L3018B30-30

U 1023B-L3118B30-30

U 1023B-L3318B30-30



LED COB 18W 2565lm **2700K**

LED COB 18W 2700lm **3000K**

LED COB 18W 2850lm **4000K**

E 1023B-L3018B1D-30

U 1023B-L3118B1D-30

U 1023B-L3318B1D-30



E 1023B-L3018B2D-30

U 1023B-L3118B2D-30

U 1023B-L3318B2D-30



E 1023B-L3018B3D-30

U 1023B-L3118B3D-30

U 1023B-L3318B3D-30



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

MALVA


RANGE
EXTENSION
UPDATED



Acabado inox — Stainless steel finish

Connectors P_857

Marco cuadrado disponible
Square frame available



Sistema AcquaStop en el interior del prensaestopas.
AcquaStop system inside the cable gland.

LED COB 18W 2565lm **2700K**

LED COB 18W 2700lm **3000K**

LED COB 18W 2850lm **4000K**

E 1023B-L3018BZD-30

U 1023B-L3118BZD-30

U 1023B-L3318BZD-30

LED COB 18W 2565lm **2700K**

LED COB 18W 2700lm **3000K**

LED COB 18W 2850lm **4000K**

E 1023B-L3018BZD-30

U 1023B-L3118BZD-30

U 1023B-L3318BZD-30



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

MALVA

**RANGE
EXTENSION**


Acabado inox — Stainless steel finish


Connectors P_857

Consultar otras opciones de regulación
Consult other regulation options

Marco cuadrado disponible
Square frame available



Sistema AcquaStop en el interior del prensaestopas.
AcquaStop system inside the cable gland.



LED COB 32W 4605lm **2700K**

LED COB 32W 4850lm **3000K**

LED COB 32W 5100lm **4000K**

E 1023D-L3025B10-30

1023D-L3125B10-30

1023D-L3325B10-30



E 1023D-L3025B30-30

1023D-L3125B30-30

1023D-L3325B30-30



E 1023D-L3025B40-30

1023D-L3125B40-30

1023D-L3325B40-30



LED COB 32W 4605lm **2700K**

LED COB 32W 4850lm **3000K**

LED COB 32W 5100lm **4000K**

E 1023D-L3025B1D-30

1023D-L3125B1D-30

1023D-L3325B1D-30



E 1023D-L3025B3D-30

1023D-L3125B3D-30

1023D-L3325B3D-30



E 1023D-L3025B4D-30

1023D-L3125B4D-30

1023D-L3325B4D-30



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

MALVA

RANGE
EXTENSION




Acabado inox — Stainless steel finish

 Connectors P_857

Consultar otras opciones de regulación
Consult other regulation options

Marco cuadrado disponible
Square frame available 

Sistema AcquaStop en el interior del prensaestopas.
AcquaStop system inside the cable gland.



LED COB 32W 4605lm **2700K**

LED COB 32W 4850lm **3000K**

LED COB 32W 5100lm **4000K**

 1023E-L3025B30-30

 1023E-L3125B30-30

 1023E-L3325B30-30

LED COB 32W 4605lm **2700K**

LED COB 32W 4850lm **3000K**

LED COB 32W 5100lm **4000K**

 1023E-L3025B3D-30

 1023E-L3125B3D-30

 1023E-L3325B3D-30





Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

NAT-LED



Acabado inox — Stainless steel finish
Luz blanco o azul — White or blue light



LED SMD 1,5W 180lm **3500K**

■ ○ 213A-L1012F-30

LED SMD 1,5W 180lm **3500K**

■ ○ 213B-L1012F-30

LED SMD 1,5W **Azul — Blue**

■ ● 213A-L1002F-30

LED SMD 1,5W **Azul — Blue**

■ ● 213B-L1002F-30



Alimentador — Power supply
15W (max. 8 unit.)

B02A-X33X2F-01



IN OUT



Alimentador — Power supply
12W (max. 6 unit.)

B02Q-X3312F-01



IN OUT


NODY



665B-
665C-




665E-
665F-



Acabado inox cepillado — Brushed stainless steel finish

Connectors P_857



LED COB 1,5W 170lm **3000K**


665B-L0102F-43

665E-L0102F-43

LED COB 1,5W 180lm **4000K**

665B-L0202F-43

665E-L0202F-43



LED COB 2W 320lm **3000K**

665C-L0102F-43

665F-L0102F-43

LED COB 2W 340lm **4000K**

665C-L0202F-43

665F-L0202F-43




Alimentador — Power supply

max. 12W (0>5)

B02Q-X3312F-01

max. 35W (0>14)

B02Q-X3335F-01



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

GARDA



1070A-



1070B-




1070C-



Acabado antracita — Anthracite finish
Opciones de acabado a consultar
Finish options available for consultation

Drivers P_858

LED SMD 2W 170lm **2700K**

■ 1070A-L3002FX0-04

LED SMD 2W 170lm **3000K**

■ 1070A-L3102FX0-04

LED SMD 2W 190lm **4000K**

■ 1070A-L3302FX0-04

LED SMD 2W 170lm **2700K**

■ 1070B-L3002FX0-04

LED SMD 2W 170lm **3000K**

■ 1070B-L3102FX0-04

LED SMD 2W 190lm **4000K**

■ 1070B-L3302FX0-04

LED SMD 2W 170lm **2700K**


■ 1070C-L3002FX0-04

LED SMD 2W 170lm **3000K**

■ 1070C-L3102FX0-04

LED SMD 2W 190lm **4000K**

■ 1070C-L3302FX0-04



Sistema AcquaStop en el interior del prensaestopas.
AcquaStop system inside the cable gland.



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

GARDA



1070D-



1070E-




1070F-



Acabado antracita — Anthracite finish
Opciones de acabado a consultar
Finish options available for consultation

Drivers P_858

LED SMD 6W 690lm **2700K**

■ 1070D-L3006FX0-04

LED SMD 6W 690lm **3000K**

■ 1070D-L3106FX0-04

LED SMD 6W 750lm **4000K**

■ 1070D-L3306FX0-04

LED SMD 6W 690lm **2700K**

■ 1070E-L3006FX0-04

LED SMD 6W 690lm **3000K**

■ 1070E-L3106FX0-04

LED SMD 6W 750lm **4000K**

■ 1070E-L3306FX0-04

LED SMD 6W 690lm **2700K**

■ 1070F-L3006FX0-04

LED SMD 6W 690lm **3000K**

■ 1070F-L3106FX0-04

LED SMD 6W 750lm **4000K**

■ 1070F-L3306FX0-04



Alimentador — Power supply
100W (max. 14 unit.)

B02R-X33A1F-01

90V 264V AC	24V DC	IP 67
IN	OUT	

Sistema AcquaStop en el interior del prensaestopas.
AcquaStop system inside the cable gland.



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

SURI



302A-




302B-



302C-



Acabado antracita — Anthracite finish



LED SMD AC 4W 500lm **3000K**

■ 302A-L0105B-04

LED SMD AC 4W 510lm **4000K**

■ 302A-L0205B-04



LED SMD AC 4W 500lm **3000K**

■ 302B-L0105B-04

LED SMD AC 4W 510lm **4000K**

■ 302B-L0205B-04



LED SMD AC 4W 500lm **3000K**

■ 302C-L0105B-04

LED SMD AC 4W 510lm **4000K**

■ 302C-L0205B-04



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

SURI BIG



303A-




303B-



303C-



Acabado antracita — Anthracite finish



LED SMD 6W 800lm **3000K**

■ 303A-L0106A-04



LED SMD 6W 800lm **4000K**

■ 303A-L0206A-04



LED SMD 6W 800lm **3000K**

■ 303B-L0106A-04



LED SMD 6W 800lm **4000K**

■ 303B-L0206A-04



LED SMD 6W 800lm **3000K**

■ 303C-L0106A-04



LED SMD 6W 800lm **4000K**

■ 303C-L0206A-04




Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

LANCE



Acabado antracita – Anthracite finish

Conector IP67 incluido
IP67 connector included




LED SMD AC 15W 1500lm **3000K**

■ 1024C-L3115BX0-04

LED SMD AC 15W 1620lm **4000K**

■ 1024C-L3315BX0-04





WALK



Video



Acabado gris – Grey finish



Connectors P_857

LED SMD 24W 2905lm **3000K**LED SMD 24W 3050lm **4000K**


■ 920A-L3122B-03

■ 920A-L3322B-03



■ 920B-L3122B-03

■ 920B-L3322B-03

LED SMD 51W 5810lm **3000K**LED SMD 51W 6100lm **4000K**

■ 920C-L3147B-03

■ 920C-L3347B-03



■ 920D-L3147B-03

■ 920D-L3347B-03



P_772



Sistema AcquaStop en el interior del prensaestopas – AcquaStop system inside the cable gland.

Consultar otras longitudes, ópticas y versiones regulables disponibles.

Consult other available lengths, optics, and adjustable versions.

WALK

RGB+W (6500K)





Video



Acabado gris — Grey finish

Connectors P_857



LED SMD **24W** 3300lm

920A-L1440F-03

LED SMD **48W** 6600lm

920C-L1480F-03



Kit Controlador y mando a distancia para RGB/RGBW
Controller and remote control kit for RGB/RGBW

CONT.R9+XC

Controller

Control: RF 2.4Ghz
Exit sign: DMX512
Input Voltage: 5-24Vdc
10 statics colors
32 dynamics modes

Telecomando

Control: 1 zone (30m)
power supply: 1xCR2032 non inclue (3vdc)
Exit sign: RF 2.4Ghz

Sistema AcquaStop en el interior del prensaestopas — AcquaStop system inside the cable gland.

Sistema control DMX integrado — Integrated DMX control system.

Led Driver 24V DC remotos a consultar — Remote Led Driver 24V DC under request.

Consultar otras longitudes, ópticas y versiones regulables disponibles.

Consult other available lengths, optics, and adjustable versions.

P_773



WALK




Video

920G-
920H-920M- / 920N-
920O- / 920P-

Acabado inox – Stainless steel finish



Connectors P_857

**3000K**

LED SMD 12W 1740lm

920G-L3112B-30

4000K

LED SMD 12W 1840lm

920G-L3312B-30



LED SMD 24W 2905lm

920M-L3122B-30


LED SMD 24W 3050lm

920M-L3322B-30



920N-L3122B-30

920N-L3322B-30

**3000K**

LED SMD 24W 3480lm

920H-L3124B-30

4000K

LED SMD 24W 3680lm

920H-L3324B-30



LED SMD 51W 5810lm

920O-L3147B-30

LED SMD 51W 6100lm

920O-L3347B-30



920P-L3147B-30

920P-L3347B-30



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

Sistema AcquaStop en el interior del prensaestopas – AcquaStop system inside the cable gland.

Consultar otras longitudes, ópticas y versiones regulables disponibles
Consult other available lengths, optics, and adjustable versions

P_770



WALK

RGB+W (6500K)




Video




Acabado inox — Stainless steel finish



Connectors P_857

LED SMD **24W** 3300lm

920M-L1440F-30

LED SMD **48W** 6600lm

920O-L1480F-30

Kit Controlador y mando a distancia para RGB/RGBW
Controller and remote control kit for RGB/RGBW

CONT.R9+XC

ControllerControl: RF 2.4Ghz
Exit sign: DMX512
Input Voltage: 5-24Vdc
10 statics colors
32 dynamics modes**Telecomando**Control: 1 zone (30m)
power supply: 1xCR2032 non incluye (3Vdc)
Exit sign: RF 2.4Ghz

Evite Driver 24V DC remotos a consultar — Remote Led Driver 24V DC under request.

Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.

Sistema AquaStop en el interior del prensaestopas — AquaStop system inside the cable gland.

Consultar otras longitudes, ópticas y versiones regulables disponibles
Consult other available lengths, optics, and adjustable versions


P_771



INTI UPDATED



Acabado gris — Grey finish
Consultar otros colores disponibles — Check other available colors



Luz blanco o naranja — White or orange light

Nuevo acabado anticorrosión
New anti-corrosion finish

Pseudo-Condensador
Pseudo-Capacitor
Vida útil — Life span
>100.000 Ciclos — Cycles
100% Seguro — Safety
-40°C / 75°C

Intermitente — Flashing

152A-L02XIK-03S
152A-L07XIK-03S

152C-L02XIK-03S
152C-L07XIK-03S

Fijo — Steady

152B-L02XIK-03S
152B-L07XIK-03S


152D-L02XIK-03S
152D-L07XIK-03S

3 LED

3+3 LED


Tiempo de carga: 3/8h. Duración carga completa: 16h. Nivel sensor: 150/350 lux.
Loading time: 3/8h. Full load duration: 16h. Sensor level: 150/350 lux

MITRA



Acabado gris — Grey finish

Luz blanco o naranja — White or orange light



Pseudo-Condensador
Pseudo-Capacitor

Vida útil — Life span
>100.000 Ciclos — Cycles
100% Seguro — Safety
-40°C / 75°C

Intermitente — Flashing

- ○ 208A-L02XIK-03
- ● 208A-L07XIK-03

- ○ 208C-L02XIK-03
- ● 208C-L07XIK-03

Fijo — Steady

- ○ 208B-L02XIK-03
- ● 208B-L07XIK-03

- ○ 208D-L02XIK-03
- ● 208D-L07XIK-03

3 LED

3+3 LED

Tiempo de carga: 3/8h. Duración carga completa: 16h. Nivel sensor: 150/350 lux.
Loading time: 3/8h. Full load duration: 16h. Sensor level: 150/350 lux



Evite siempre colocar las luminarias en vaguadas o depresiones del terreno. Es indispensable realizar un drenaje.
Always avoid placing the lights in valleys or depressions of the ground. It is essential to carry out an efficient drainage.


FUJI ^{NEW}

RGB+W (3000K)



Acabado negro — Black finish

Incorpora válvula depresora para evitar la entrada de humedad
It incorporates a depressor valve to prevent the entry of moisture



LED SMD DMX 6W RGBW

■ 1089A-L1406FIX-02



■ 1089A-L1406FKX-02



■ 1089A-L1406F2X-02



■ 1089A-L1406F6X-02



Piqueta
Spike

PVC



■ A05A-1089A-02

Aro fijación cincado
Zinc plated fastening ring



A06A-1089A-38

Resistencia de terminación DMX (120ohm)
DMX terminating resistor (120ohm)

■ RES-1089A-38



Kit Controlador y mando a distancia para RGB/RGBW
Controller and remote control kit for RGB/RGBW

CONT.R9+XC

Controller

Control: RF 2.4Ghz
Exit sign: DMX512
Input Voltage: 5-24Vdc
10 statics colors
32 dynamics modes

Telecomando

Control: I zone (30m)
Power supply: IxCR2032 non inclue (3Vdc)
Exit sign: RF 2.4Ghz



KALOS UPDATED



Acabado antracita — Anthracite finish




Connectors P_857

**2700K**


LED COB 5W 460lm

■ 1052A-L3806BV0-04

**3000K**

LED COB 10,5W 1140lm

■ 1052B-L3812BV0-04

**2700K**

LED COB 24,5W 2580lm

■ 1052C-L3828BV0-04

3000K

LED COB 5W 485lm

■ 1052A-L3906BV0-04

3000K

LED COB 10,5W 1240lm

■ 1052B-L3912BV0-04

3000K

LED COB 24,5W 3035lm

■ 1052C-L3928BV0-04

4000K

LED COB 5W 505lm

■ 1052A-L4006BV0-04

4000K

LED COB 10,5W 1260lm

■ 1052B-L4012BV0-04

4000K

LED COB 24,5W 3160lm

■ 1052C-L4028BV0-04

For 1052A





For 1052B-1052C





STONE



Conector IP67 incluido
IP67 connector included
Lamps P_856

GU10 12W max.

- 965H-G2IXIA-NB
- 965H-G2IXIA-NN

Antracita
Anthracite



Natural
Natural






BAMBOLA



Acabado negro — Black finish



Connectors P_857



LED COB 4W 534lm **3000K**

■ 025C-L3106B10-02

■ 025C-L3106B30-02

LED COB 4W 561lm **4000K**

■ 025C-L3306B10-02

■ 025C-L3306B30-02




HAMELIN



Acabado negro o gris — Black or grey finish

Disponibile en 42°
Available in 42° **42°**



Connectors P_857

LED COB 30W 3500lm **3000K**

■ 930A-L3130B-02

■ 930A-L3130B-03


LED COB 30W 3590lm **4000K**

■ 930A-L3330B-02

■ 930A-L3330B-03




DISC



Acabado blanco o antracita — White or anthracite finish

Consultar opciones de regulación

Consult regulation options



2700K

LED COB **9W** 1098lm

□ 1000A-L3009B10-01
■ 1000A-L3009B10-04

□ 1000A-L3009B30-01
■ 1000A-L3009B30-04

□ 1000A-L3009B50-01
■ 1000A-L3009B50-04

3000K

LED COB **9W** 1155lm

□ 1000A-L3109B10-01
■ 1000A-L3109B10-04

□ 1000A-L3109B30-01
■ 1000A-L3109B30-04

□ 1000A-L3109B50-01
■ 1000A-L3109B50-04

4000K

LED COB **9W** 1200lm

□ 1000A-L3309B10-01
■ 1000A-L3309B10-04

□ 1000A-L3309B30-01
■ 1000A-L3309B30-04

□ 1000A-L3309B50-01
■ 1000A-L3309B50-04



2700K

LED COB **13W** 1405lm

□ 1000A-L3013B10-01
■ 1000A-L3013B10-04

□ 1000A-L3013B30-01
■ 1000A-L3013B30-04

□ 1000A-L3013B50-01
■ 1000A-L3013B50-04

3000K

LED COB **13W** 1480lm

□ 1000A-L3113B10-01
■ 1000A-L3113B10-04

□ 1000A-L3113B30-01
■ 1000A-L3113B30-04

□ 1000A-L3113B50-01
■ 1000A-L3113B50-04

4000K

LED COB **13W** 1540lm

□ 1000A-L3313B10-01
■ 1000A-L3313B10-04

□ 1000A-L3313B30-01
■ 1000A-L3313B30-04

□ 1000A-L3313B50-01
■ 1000A-L3313B50-04






DADO



Acabado antracita — Anthracite finish
Opciones de acabado a consultar
Finish options available for consultation

Connectors P_857



LED COB AC 7W 680lm **3000K**


■ 922A-L3108B-04

■ 922B-L3108B-04


LED COB AC 7W 700lm **4000K**

■ 922A-L3308B-04

■ 922B-L3308B-04




DADO



Acabado antracita — Anthracite finish
Opciones de acabado a consultar
Finish options available for consultation

Consultar opciones de regulación
Consult regulation options



LED COB 12W 1586lm **3000K**

LED COB AC 12W 1650lm **4000K**

■ 922C-L31I4B-04

■ 922C-L33I4B-04



■ 922C-L31RDB-04

■ 922C-L33RDB-04




■ 922D-L31I4B-04

■ 922D-L33I4B-04



■ 922D-L31RDB-04



■ 922D-L33RDB-04



GIBSON



Acabado negro — Black finish

Conector IP67 incluido
IP67 connector included

LED 6W 680lm 3000K

■ 998A-L3106E-02



LED 6W 680lm 4000K

■ 998A-L3306E-02



LED 10W 1200lm 3000K

■ 998B-L3110E-02



LED 10W 1200lm 4000K

■ 998B-L3310E-02



LED 6W 680lm 3000K

■ 998C-L3106E-02



LED 6W 680lm 4000K

■ 998C-L3306E-02



LED 10W 1200lm 3000K

■ 998D-L3110E-02



LED 10W 1200lm 4000K

■ 998D-L3310E-02



Alimentador — Power supply

max. 30W

max. 75W

B02E-X3330E-00

B02E-X3375E-00







LANCE



Acabado antracita — Anthracite finish
Opciones de acabado a consultar
Finish options available for consultation

Conector IP67 incluido
IP67 connector included



LED SMD AC 12W 1150lm **3000K**

■ 1024A-L3112BX0-04

LED SMD AC 12W 1280lm **4000K**


■ 1024A-L3312BX0-04

LED SMD AC 18W 1800lm **3000K**

■ 1024A-L3118BX0-04

LED SMD AC 18W 2000lm **4000K**

■ 1024A-L3318BX0-04







TIR



Acabado negro o gris — Black or grey finish



GU10 LED 5W 3000K 345lm (36°)

■ 319A-L2105A-02

■ 319A-L2105A-03


ABBI



Acabado antracita — Anthracite finish

Lamps P_856

Connectors P_857



GU10 Led/Hal 50W max.

■ 485A-G2IXIA-04

¿Cómo instalar una baliza?

Video



How to install a bollard?

Video



Bollards__



PALAU



Acabado negro — Black finish

Conector IP67 incluido
IP67 connector included

Con tornillos antirrobo
With anti-theft screws



LED SMD 21W 2500lm **2200K**

■ 1051A-L2925AB0-02

■ 1051A-L2925ABD-02

■ 1051A-L2925ABG-02



LED SMD 21W 2500lm **2200K**

■ 1051B-L2925AB0-02

■ 1051B-L2925ABD-02

■ 1051B-L2925ABG-02



LED SMD 21W 2900lm **2700K**

■ 1051A-L3025AB0-02

■ 1051A-L3025ABD-02

■ 1051A-L3025ABG-02



LED SMD 21W 2900lm **2700K**

■ 1051B-L3025AB0-02

■ 1051B-L3025ABD-02

■ 1051B-L3025ABG-02



LED SMD 21W 3100lm **3000K**

■ 1051A-L3125AB0-02

■ 1051A-L3125ABD-02

■ 1051A-L3125ABG-02



LED SMD 21W 3100lm **3000K**

■ 1051B-L3125AB0-02

■ 1051B-L3125ABD-02

■ 1051B-L3125ABG-02



LED SMD 21W 3100lm **4000K**

■ 1051A-L3325AB0-02

■ 1051A-L3325ABD-02

■ 1051A-L3325ABG-02



LED SMD 21W 3100lm **4000K**

■ 1051B-L3325AB0-02

■ 1051B-L3325ABD-02

■ 1051B-L3325ABG-02




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

Versión con sensor PIR o kit de emergencia a consultar
Version with PIR sensor or emergency kit to be consulted




DUOMO



Acabado antracita — Anthracite finish



Drivers P_858



LED SMD 11W 1420lm **2700K**
 ■ 1069B-L3011FC0-04

LED SMD 11W 1420lm **3000K**
 ■ 1069B-L3111FC0-04


LED SMD 11W 1510lm **4000K**
 ■ 1069B-L3311FC0-04



LED SMD 11W 1420lm **2700K**
 ■ 1069C-L3011FC0-04

LED SMD 11W 1420lm **3000K**
 ■ 1069C-L3111FC0-04



LED SMD 11W 1510lm **4000K**
 ■ 1069C-L3311FC0-04



LED SMD 11W 1420lm **2700K**
 ■ 1069D-L3011FC0-04

LED SMD 11W 1420lm **3000K**
 ■ 1069D-L3111FC0-04

LED SMD 11W 1510lm **4000K**
 ■ 1069D-L3311FC0-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
 Install on rigid ground. On grass or earth, add pilaster cement.







BUCKET



Acabado antracita — Anthracite finish



LED SMD 10,5W 1680lm **3000K**

■ 976B-L3110B-04

LED SMD 10,5W 1770lm **4000K**

■ 976B-L3310B-04

LED SMD 10,5W 1680lm **3000K**

■ 976B-L31RCB-04



LED SMD 10,5W 1770lm **4000K**

■ 976B-L33RCB-04



LED SMD 10,5W 1680lm **3000K**

■ 976C-L3110B-04

LED SMD 10,5W 1770lm **4000K**

■ 976C-L3310B-04

LED SMD 10,5W 1680lm **3000K**

■ 976C-L31RCB-04



LED SMD 10,5W 1770lm **4000K**

■ 976C-L33RCB-04




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

P_692





STONE



Conector IP67 incluido
IP67 connector included



LED SMD 6W 400lm 3000K

■ 965F-L3106B-NB

■ 965F-L3106B-NN

 Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

Antracita
Anthracite



Natural
Natural





DION

By Jordi Blasi


Delta Selection
ADI Awards 2020



ALU + STONE (PMMA MAT)


110V 240V AC, E, L, IP 65, IK 10, 50.000h, L80 B10, 120°, CRI >80, STEP

Acabado antracita — Anthracite finish




LED SMD 8,5W 1500lm 3000K

- 926A-L3109B-80
- 926A-L3109B-81
- 926A-L3109B-82
- 926A-L3109B-83



LED SMD 8,5W 1500lm 3000K

- 926B-L3109B-80
- 926B-L3109B-81
- 926B-L3109B-82
- 926B-L3109B-83




LED SMD 8,5W 1500lm 3000K

- 926C-L3109B-80
- 926C-L3109B-81
- 926C-L3109B-82
- 926C-L3109B-83

Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

Neolight Nero Zimbabwe Neolight Phedra Satin Neolight Iron Moss Satin Neolight La Bohème NH



P_694







DAIN



Acabado blanco, negro, gris o marrón óxido
White, black, grey or oxide brown finish

Disponible en 91°
Available in 91°



LED SMD 4,5W 500lm 3000K

- 929C-L3105B-02
- 929C-L3105B-03
- 929C-L3105B-90


LED SMD 4,5W 500lm 3000K

- 929D-L3105B-02
- 929D-L3105B-03
- 929D-L3105B-90


Reflector decorativo opcional — Optional decorative reflector

- A13B-929-01
- A13B-929-02
- A13B-929-03
- A13B-929-47
- A13B-929-90


Blanco — White



Negro — Black




Gris — Grey



Oro — Gold



Marrón óxido
Oxide brown




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

P_722





TURRET



Acabado antracita — Anthracite finish

Conector IP67 incluido
IP67 connector included




LED SMD 10W 1300lm **3000K**

■ 1018A-L3109AA0-04

LED SMD 10W 1400lm **4000K**

■ 1018A-L3309AA0-04



LED SMD 13W 1750lm **3000K**

■ 1018B-L3112AA0-04

LED SMD 13W 1850lm **4000K**

■ 1018B-L3312AA0-04






Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.



AURA



Acabado negro o marrón óxido — Black or oxide brown finish

Consultar opciones de regulación
Consult regulation optionsLED SMD 12W 1760lm **3000K**

■ 932C-L3114B-02

■ 932C-L3114B-90

■ 932C-L31RDB-02

■ 932C-L31RDB-90

LED SMD 23W 3480lm **3000K**

■ 932D-L3125B-02

■ 932D-L3125B-90

■ 932D-L31RDB-02

■ 932D-L31RDB-90

LED SMD 34W 5000lm **3000K**

■ 932A-L3133B-02

■ 932A-L3133B-90

■ 932A-L31RDB-02

■ 932A-L31RDB-90

LED SMD 12W 1840lm **4000K**

■ 932C-L3314B-02

■ 932C-L3314B-90

■ 932C-L33RDB-02

■ 932C-L33RDB-90

LED SMD 23W 3680lm **4000K**

■ 932D-L3325B-02

■ 932D-L3325B-90

■ 932D-L33RDB-02

■ 932D-L33RDB-90

LED SMD 34W 5240lm **4000K**

■ 932A-L3333B-02

■ 932A-L3333B-90

■ 932A-L33RDB-02

■ 932A-L33RDB-90

Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.


AURA



Video



Acabado negro o marrón óxido — Black or oxide brown finish

Consultar opciones de regulación
Consult regulation optionsLED SMD 34W 5000lm **3000K**

■ 932B-L3133B-02

■ 932B-L3133B-90

■ 932B-L31RDB-02

■ 932B-L31RDB-90

LED SMD 34W 5240lm **4000K**

■ 932B-L3333B-02

■ 932B-L3333B-90

■ 932B-L33RDB-02

■ 932B-L33RDB-90

Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

MAXIMA





Acabado antracita — Anthracite finish

Disponible en 4000K — Available in 4000K

Disponibile con difusor opal — Available with opal diffuser

Opciones de acabado a consultar

Finish options available for consultation



LED SMD 24W 3870lm **2700K**

LED SMD 24W 3870lm **2700K**

■ 388A-L3020B-04

■ 388B-L3020B-04

■ 388A-L30RDB-04

■ 388B-L30RDB-04



LED SMD 24W 3964lm **3000K**

LED SMD 24W 3964lm **3000K**

■ 388A-L3120B-04

■ 388B-L3120B-04

■ 388A-L31RDB-04

■ 388B-L31RDB-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

MAXIMA






Acabado antracita — Anthracite finish

Disponible con difusor opal — Available with opal diffuser

Opciones de acabado a consultar

Finish options available for consultation

Disponible en 4000K — Available in 4000K



LED SMD 42W 6193lm **2700K**

■ 388C-L3036B-04

■ 388C-L30RDB-04

LED SMD 42W 6193lm **2700K**

■ 388D-L3036B-04

■ 388D-L30RDB-04

LED SMD 42W 6193lm **2700K**

■ 388E-L3036B-04

■ 388E-L30RDB-04



LED SMD 42W 6342lm **3000K**

■ 388C-L3136B-04

■ 388C-L31RDB-04

LED SMD 42W 6342lm **3000K**

■ 388D-L3136B-04

■ 388D-L31RDB-04

LED SMD 42W 6342lm **3000K**

■ 388E-L3136B-04

■ 388E-L31RDB-04



Versión con puerta de registro. Consulte disponibilidad.
Available with inspection door. Please ask availability.




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

BINDELLA



Acabado antracita — Anthracite finish



LED SMD 7W 960lm 3000K

■ 554A-L0108A-04

■ 554A-L01RDB-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

Versión con kit de emergencia a consultar
Version with emergency kit to be consulted




MINI NICO



Acabado gris, antracita o marrón óxido — Grey, anthracite or oxide brown finish

Lamps P_855



E27 Led/Hal/Fluo 70W max.

- 201A-G05X1A-03
- 201A-G05X1A-04
- 201A-G05X1A-90

E27 Led 15W max.

- 201B-G05X1A-03
- 201B-G05X1A-04
- 201B-G05X1A-90




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.




CLINA

By Novolux Technical Studio



Acabado negro o marrón óxido — Black or oxide brown finish

LED COB AC 10W 830lm **2700K**

■ 492A-L3805B-02

■ 492A-L3805B-90

LED COB AC 10W 900lm **3000K**

■ 492A-L0105B-02

■ 492A-L0105B-90

LED COB AC 10W 940lm **4000K**

■ 492A-L0205B-02

■ 492A-L0205B-90



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.





NOVA



Acabado negro — Black finish

Consultar otras opciones de acabado
Consult other finishing options

Lamps P_855

LED SMD AC 15W 2300lm **3000K**

■ 222B-L3115B-02

LED SMD AC 15W 2300lm **3000K**

■ 222C-L3115B-02

LED SMD AC 15W 2300lm **4000K**

■ 222B-L3315B-02

LED SMD AC 15W 2300lm **4000K**

■ 222C-L3315B-02



E27 Led 15W max.

■ 222B-G05X1A-02




E27 Led 15W max.

■ 222C-G05X1A-02

Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.


COK



Acabado negro o antracita — Black or anthracite finish


Consultar otras opciones de acabado
Consult other finishing options

Lamps P_855




E27 Led/Hal/Fluo 70W max.

■ 068A-G05X1A-02
■ 068A-G05X1A-04




E27 Led/Hal/Fluo 70W max.

■ 068B-G05X1A-02
■ 068B-G05X1A-04



E27 Led/Hal/Fluo 70W max.

■ 068C-G05X1A-02
■ 068C-G05X1A-04



E27 Led/Hal/Fluo 70W max.

■ 068D-G05X1A-02
■ 068D-G05X1A-04



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

MIRCO UPDATED

PPH



IP 65


IK 07



SEA SIDE SUITABLE

Acabado negro — Black finish

Lamps P_855

LED SMD AC 13W 1530lm **3000K**LED SMD AC 13W 1590lm **4000K**

U ■ 669B-L0113B-02

U ■ 669B-L0213B-02

220V
240V
AC

CRI >90

LC




E27 Led/Fluo 11W max.

■ 669C-G05X1A-02



E27 Led/Fluo 11W max.

■ 669D-G05X1A-02



E27 Led/Fluo 23W max.

■ 669A-G05X1A-02

110V
240V
AC

Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.




FRAM



Acabado negro o gris — Black or grey finish

Consultar otras opciones de acabado
Consult other finishing options

Lamps P_855



E27 Led/Hal/Fluo 42W max.

■ 114A-G05X1A-02

■ 114A-G05X1A-03



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.





FANAL



Acabado negro – Black finish

Disponibile **MidNight**
Multi-Step Dimming

Postes – Poles P_ 840-841

LED SMD 47W 8240lm **3000K**

■ 1035A-L3150AA0-02

LED SMD 47W 9050lm **4000K**

■ 1035A-L3350AA0-02





VENT



Video



Acabado antracita – Anthracite finish

Consultar otras opciones de regulación
Consult other regulation optionsDisponible **MidNight**
Multi-Step Dimming

Postes – Poles P_ 840-841

LED SMD **36W** 5770lm **3000K**

■ 1001A-L3140A90-04

■ 1001A-L3140A9D-04

LED SMD **68W** 10750lm **3000K**

■ 1001A-L3175A90-04

■ 1001A-L3175A9D-04

LED SMD **36W** 6000lm **4000K**


■ 1001A-L3340A90-04

■ 1001A-L3340A9D-04

LED SMD **68W** 11800lm **4000K**

■ 1001A-L3375A90-04

■ 1001A-L3375A9D-04

LED SMD **36W** 5770lm **3000K**

■ 1001B-L3140A90-04

■ 1001B-L3140A9D-04

LED SMD **68W** 10750lm **3000K**

■ 1001B-L3175A90-04

■ 1001B-L3175A9D-04

LED SMD **36W** 6000lm **4000K**


■ 1001B-L3340A90-04

■ 1001B-L3340A9D-04

LED SMD **68W** 11800lm **4000K**

■ 1001B-L3375A90-04

■ 1001B-L3375A9D-04

Incorpora válvula depresora para evitar la entrada de humedad.
It incorporates a depressor valve to prevent the entry of moisture.



FENDER



Video




Acabado antracita – Anthracite finish
(RAL7037)



Conector IP67 incluido – IP67 connector included
Consultar opciones de regulación – Consult regulation options

Postes – Poles P_ 840-841



LED SMD **21W** 3025lm **3000K**

■ 999A-L0125A-04

LED SMD **47W** 6770lm **3000K**

■ 999A-L0150A-04

LED SMD **21W** 3505lm **4000K**

■ 999A-L0225A-04

LED SMD **47W** 7615lm **4000K**

■ 999A-L0250A-04

LED SMD **21W** 3025lm **3000K**

■ 999B-L0125A-04

LED SMD **47W** 6770lm **3000K**



■ 999B-L0150A-04

LED SMD **21W** 3505lm **4000K**

■ 999B-L0225A-04

LED SMD **47W** 7615lm **4000K**

■ 999B-L0250A-04



2 posiciones y orientación de $\pm 15^\circ$
2 positions and $\pm 15^\circ$ orientable



ARYA



■ Negro – Black



Acabado aluminio anodizado – Anodized aluminium finish


IK06 (lente – lens)

IK10 (cubierta – cover)

Consultar opciones de regulación

Consult regulation options

Postes – Poles P_ 840-841



LED SMD 27W 4450lm **2700K**

■ 673A-L3024A-39

LED SMD 27W 4150lm **2700K**

■ 673A-L3024AAD-39

LED SMD 36W 5350lm **2700K**

■ 673A-L3036A-39

LED SMD 36W 5550lm **2700K**

■ 673A-L3036AAD-39

LED SMD 27W 4700lm **3500K**

■ 673A-L0224A-39

LED SMD 27W 4400lm **3500K**


■ 673A-L3224AAD-39

LED SMD 36W 5700lm **3500K**

■ 673A-L0236A-39

LED SMD 36W 5900lm **3500K**

■ 673A-L3236AAD-39




VICO



Acabado antracita — Anthracite finish

Disponibile  MidNight

Postes — Poles P_ 840-841



LED SMD 32W 4040lm **3000K**

■ 568A-L0135B-04

LED SMD 32W 4230lm **4000K**

■ 568A-L0235B-04

LED SMD 50W 5530lm **3000K**

■ 568A-L0150B-04

LED SMD 50W 5785lm **4000K**

■ 568A-L0250B-04

POSTES — POLES

ALU
ANOD





SEA SIDE
SUITABLE



Acabado negro o aluminio anodizado — Black or anodised aluminium finish

Consultar disponibilidad de acabados pintados RAL

Consult availability of RAL painted finishes



- C02B-32-02 (h3000)
- C02C-32-02 (h3500)
- C02D-32-02 (h4000)
- C02F-32-02 (h5000)

- C03B-32-39 (h3000)
- C03C-32-39 (h3500)
- C03D-32-39 (h4000)
- C03F-32-39 (h5000)



Anclaje — Anchorage

A02D-004-00



Caja de conexión opcional
Optional junction box

500V 80A D01/E14-16A (273x90x76cm)

B03F-X33X1A-29



IP
54




Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.

POSTES — POLES


RESIN

SEA SIDE
SUITABLE


Acabado negro — Black finish



- C04A-32-02 (h3000)
- C04B-32-02 (h3500)
- C04C-32-02 (h4000)
- C04D-32-02 (h4500)
- C04E-32-02 (h5000)



Instalar sobre suelo rígido. En césped o tierra, añadir pilastra de cemento.
Install on rigid ground. On grass or earth, add pilaster cement.




CONTROL RGB NEW



	WiFi wireless Control		TUYA APP Control		Remote Control
	Bluetooth Control		20 Scene Mode		Support scene customization
	Voice control Alexa, Google, etc		Device sharing		Brightness Adjustment
	Music Rhythm		Speed Adjustment		Timer Shedule

B05Q-X33X2X-03

- Máximo 1 controlador para conectar 20 luminarias (potencia máxima 600W)
- Máximo 1 amplificador para conectar 10 luminarias (potencia máxima 300W)
- Utilice el amplificador para mejorar la señal si conecta más de 20 luminarias.
- Asegúrese de que la línea de alimentación pueda soportar una tensión de 12V AC.
- Para mantener una buena señal WiFi, por favor, elija un router 2.4G.
- 1 controller maximum connect with 20pcs lamps (max power 600W)
- 1 amplifier maximum connect with 10pcs lamps (max power 300W)
- Use the amplifier to enhance the signal if lamps more than 20pcs
- Make sure the power line is strong enough to carry the voltage 12V AC).
- To maintain good WiFi signal, please choose 2.4G router



¿Cómo sustituir o instalar una lámpara RGB de piscina y su sistema de control?



Vídeo

How to replace or install an RGB pool light and its control system?



Vídeo




PAR56 NEW



Acabado blanco — White finish



En funcionamiento SIEMPRE SUMERGIDA (hasta 2m).
Keep ALWAYS UNDER WATER when ON (up to 2m).



6500K

LED SMD 18W 2500lm

□ 233D-L0318D-01



RGB (2 hilos/wires)

LED SMD 18W 730lm

□ 233D-L0418D-01



BELT NEW




Acabado blanco — White finish



Instalación en piscinas hormigonadas.
En funcionamiento SIEMPRE SUMERGIDA (hasta 2m).

Suitable for installation in concrete pools.
Keep ALWAYS UNDER WATER when ON (up to 2m).



6500K

LED SMD 18W 2500lm

□ 030D-L0318D-01



RGB (2 hilos/wires)

LED SMD 18W 730lm

□ 030D-L0418D-01




Alimentador — Power supply

Max. 350W (160x130x100mm)


B02I-X33F9D-02

Max. 700W (210x140x110mm)

B02I-X33G1D-02




MINI PRAGA ^{NEW}



Acabado blanco — White finish

Instalación en piscinas hormigonadas.
En funcionamiento SIEMPRE SUMERGIDA (hasta 2m).

Suitable for installation in concrete pools.
Keep ALWAYS UNDER WATER when ON (up to 2m).



6500K

LED SMD 12W 1680lm

□ 253D-L0312D-01




RGB (2 hilos/wires)

LED SMD 12W 530lm

□ 253D-L0412D-01




PRAGA ^{NEW}



Acabado blanco — White finish

Instalación en piscinas hormigonadas.
En funcionamiento SIEMPRE SUMERGIDA (hasta 2m).

Suitable for installation in concrete pools.
Keep ALWAYS UNDER WATER when ON (up to 2m).



6500K

LED SMD 18W 2500lm

□ 253E-L0318D-01



RGB (2 hilos/wires)

LED SMD 18W 730lm

□ 253E-L0418D-01




Alimentador — Power supply

Max. 350W (160x130x100mm)


B02I-X33F9D-02

Max. 700W (210x140x110mm)

B02I-X33G1D-02




IN OUT

CUP ^{NEW}

Acabado blanco — White finish

Instalación en piscinas hormigonadas.
Suitable for installation in concrete pools.

En funcionamiento SIEMPRE SUMERGIDA (hasta 2m).
Keep ALWAYS UNDER WATER when ON (up to 2m).

**6500K**

LED SMD 3W 420lm

□ 077C-L0303D-01

**RGB** (2 hilos/wires)

LED SMD 3W 90lm


□ 077C-L0403D-01

**Alimentador — Power supply****Max. 350W** (160x130x100mm)

B02I-X33F9D-02

Max. 700W (210x140x110mm)


B02I-X33G1D-02




FOCUS



Acabado negro – Black finish





En funcionamiento SIEMPRE SUMERGIDA (hasta 2m).
Keep ALWAYS UNDER WATER when ON (up to 2m).



GU5,3 LED 3000K 5W (36°)

■ 113A-L2305B-02



GU5,3 LED 3000K 5W (36°)

■ 113A-L2305D-02



Alimentador – Power supply

Max. 50W (80x78x60mm)

B02J-X3350D-02



P_750




FOCUS



IP66

Acabado negro — Black finish

En funcionamiento SIEMPRE SUMERGIDA (hasta 2m).
Keep ALWAYS UNDER WATER when ON (up to 2m).



GU5,3 LED 3000K 3x5W (36°)



■ 113B-L2305B-02





P_750




LED T2

GX53 LED T2 3W 350lm **3000K/4000K/6500K**


378A-L3103A-01

GX53 LED T2 3W 350lm **4000K**


378A-L3103A-02

GX53 LED T2 6W 480lm **3000K**


378A-L3106A-01

GX53 LED T2 6W 480lm **4000K**


378A-L3106A-02

GX53 LED T2 7W 700lm **4000K**


378B-L3107A-02

GX53 LED T2 10W 1200lm **3000K/4000K/6500K**

378B-L5210A-01

GX53 LED T2 11W 1300lm **2700K/3000K/4000K**

378C-L4111A-01



GX53 LED T2 11W 1300lm **3000K**

378C-L3111A-01

GX53 LED T2 11W 900lm **4000K**


378C-L3111A-02

LED FILAMENT



E27 LED 6W 800lm **2700K**

632C-L0506B-01




E27 LED 6W 800lm **4000K**

632C-L0506B-02



E27 LED 4W 450lm 2000K-2700K (Ø45)

632H-L0504B-01




E27 LED 4W 470lm **2700K**

632G-L0504B-01




E27 LED 3W 330lm (Ø45) **3000K**

632J-L0503B-01




E14 LED 4W 470lm **2700K**

632D-L0404B-01



E27 LED 4W 470lm **2700K**


632F-L0504B-01



E14 LED 4W 470lm **2700K**

632E-L0404B-01

LED PRO



GU10 LED 3,5W 350lm **2700K/4000K**

578A-L4104A-01

GU10 LED 3,5W 400lm **4000K**

578A-L2104A-02



LED MODUL 6W 570lm/650 lm **2700K/4000K**

U 578C-L4106B-01



G9



G9 LED 2,5W 160lm **3000K**

369D-L2003B-01

G9 LED 2,5W 160lm **4000K**

369D-L2003B-02



G9 LED 1,7W 150lm **3000K**

967A-L0102A-01

G9 LED 1,7W 150lm **4000K**

967A-L0102A-02

R7s



R7s LED 3,5W

968A-L4104A-02


2700K	325lm
4000K	365lm
6500K	365lm



R7s LED 7,5W

968B-L4108A-02

2700K	680lm
4000K	775lm
6500K	790lm



R7s LED 10,5W

968C-L4111A-02

2700K	1000lm
4000K	1130lm
6500K	1160lm

CONECTORES — CONNECTORS




Doble conector (3 polos) para cables-manguera entre Ø5-13 mm.
Double connector (3 poles) for wires-hoses between Ø5-13 mm.

B03A-X33X2A-02




Triple conector (3 polos) para cables-manguera entre Ø7-13,5 mm.
Triple connector (3 poles) for wires-hoses between Ø7-13,5 mm.

B03B-X33X2A-02




Triple conector (3 polos) para cables-manguera de Ø13,5 mm.
Triple connector (3 poles) for wires-hoses between Ø13,5 mm.

B03C-X33X2A-02



Triple conector (3 polos) para cables-manguera de Ø13,5 mm.
Triple connector (3 poles) for wires-hoses between Ø13,5 mm.

B03D-X33X2A-02



Doble conector (2 polos) para cables-manguera entre Ø5-9mm.
Double connector (2 poles) for wires-hoses between Ø5-9mm.

B03K-X33X2A-02

IP
68



Doble conector (3 polos) para cables-manguera entre Ø5-9mm.
Double connector (3 poles) for wires-hoses between Ø5-9mm.

B03L-X33X2A-02

IP
68



Doble conector (4 polos) para cables-manguera entre Ø5-9mm.
Double connector (4 poles) for wires-hoses between Ø5-9mm.

B03M-X33X2A-02

IP
68




Doble conector (5 polos) para cables-manguera entre Ø5-13 mm.
Double connector (5 poles) for wires-hoses between Ø5-13 mm.

B03I-X33X2A-02



Triple conector (5 polos) para cables-manguera entre Ø7-13,5 mm.
Double connector (5 poles) for wires-hoses between Ø7-13,5 mm.

B03J-X33X2A-02



ALIMENTADORES — POWER SUPPLIES

	REF.	OUT				IN		SIZES	IP
		V	C	220-240V	110-127V	V	Freq.		
	B02A-X3317H-01	-	350 mA DC	0-17W	0-12W	100-240V AC	50/60 Hz	122x38x28	20
	B02A-X3320H-01	-	500 mA DC	0-20W				120x40x20	20
	B02A-X3317J-01	-	700 mA DC	0-17W				122x38x28	20
	B02G-X3306J-01	-	700 mA DC	6W	-	100-240V AC	50/60 Hz	58x40x20	20
	B02N-X3330J-01	-	700 mA DC	30W	-	220-240V AC	50/60 Hz	147x44x22	20



Corriente de salida ajustable — Adjustable output current

	REF.	OUT				IN		SIZES	IP
		V	C	220-240V	110-127V	V	Freq.		
	B02N-X3340M-01	-	800 mA DC 900 mA DC 1050 mA DC	40W	-	220-240V AC	50/60 Hz	147x43x30	20
	B02P-X3326H-01	-	350 mA DC 500 mA DC 700 mA DC	26W	26W	100-240V AC	50/60 Hz	108x64x32	67
	B02P-X3340JM-01	-	500 mA DC 700 mA DC 1050 mA DC	40W	40W	100-240V AC	50/60 Hz	116x64x32	67

12V
AC

	REF.	OUT				IN		SIZES	IP
		V	C	220-240V	110-127V	V	Freq.		
	B02B-X3360B-01	12V AC	-	60W	-	220-240V AC	50/60 Hz	22x36x103	20
	B02B-X33A4B-01		-	150W	-			33x37x185	20
	B02E-X3330E-00	12V DC	-	30W	-	220-240V AC	50/60 Hz	131x42x34	67
	B02E-X3375E-00		-	75W	-			155x50x32	65
	B02J-X3350D-02	12V AC	-	50W	-	220-240V AC	50/60 Hz	80x78x60	65
	B02M-X33A5D-03	12V AC	-	200W	-	230V AC	50/60 Hz	108x104x99	20
	B02M-X33A9D-03		-	500W	-			120x132x108	20
	B02C-X33A7D-02	12V AC	-	300W	-	230V AC	50 Hz	120x140	66
	B02F-X33F9D-02	12V AC	-	350W	-	220-240V AC	50/60 Hz	175x155x110	65
	B02F-X33G1D-02	12V AC	-	700W	-	220-240V AC	50/60 Hz	175x155x110	65
	B02F-X33A8D-32	12V AC	-	400W	-	230V AC	50 Hz	220x110	20

ALIMENTADORES — POWER SUPPLIES

	REF.	OUT				IN		SIZES	IP
		V	C	220-240V	110-127V	V	Freq.		
	B02A-X33X2F-01	24V DC	-	15W	-	200-240V AC	50/60 Hz	111,5x44x19,1	20
	B02Q-X3335F-00	24V DC	-	35W	35W	90-264V AC	50/60 Hz	84x57x29,5	42
	B02Q-X3312F-01	24V DC	-	12W	12W	90-264V AC	50/60 Hz	77x40x29	42
	B02Q-X3396F-00	24V DC	-	96W	96W	90-264V AC	50/60 Hz	200,5x69,5x35	20
	B02C-X3330F-00	24V DC	-	30W	-	220-240V AC	50/60 Hz	153x41x32	20
	B02C-X3360F-00		-	60W	-	220-240V AC	50/60 Hz	180x52x30	20
	B02C-X3375F-00		-	75W	-	220-240V AC	50/60 Hz	180x52x30	20
	B02C-X33A3F-00		-	120W	-	220-240V AC	50/60 Hz	330x40x30	20
	B02L-X3340F-00 DALI - PUSH	24V DC	-	40W	-	220-240V AC	50/60 Hz	187x45x31	20
	B02L-X3380F-00 DALI - PUSH		-	80W	-	220-240V AC	50/60 Hz	290x45x31	20
	B02L-X33A4F-00 DALI - PUSH		-	150W	-	220-240V AC	50/60 Hz	290x45x31	20
	B02L-X33A6F-00 DALI - PUSH		-	250W	-	220-240V AC	50/60 Hz	431x45x31	20

N		B02D-X3312F-00	24V DC	-	12W	-	220-240V AC	50/60 Hz	50x49x24	65
		B02R-X3335F-00	24V DC	-	35W	35W	90-264V AC	50/60 Hz	148x40x30	67
		B02R-X3360F-00		-	60W	60W	90-264V AC	50/60 Hz	162,5x42,5x32	67
		B02R-X33A1F-01		-	100W	100W	90-264V AC	50/60 Hz	191x63x37,5	67
		B02R-X33A4F-00		-	150W	-	180-305V AC	50/60 Hz	191x63x37,5	67
		B02H-X3360F-00 DALI	24V DC	-	60W	60W	90-305V AC	50/60 Hz	150x53x35	67
		B02H-X3390F-00 DALI		-	90W	90W	90-305V AC	50/60 Hz	171x63x37,5	67
		B02H-X33A3F-00 DALI		-	120W	120W	90-305V AC	50/60 Hz	190x52x37,5	67
		B02H-X33A5F-00 DALI		-	200W	200W	100-305V AC	50/60 Hz	195x63x39,5	67

Más opciones de alimentadores de tensión constante de 24V en pag. 211
More 24V constant voltage power supply options on page 211

	REF.	OUT				IN		SIZES	IP
		V	C	220-240V	110-127V	V	Freq.		
	B02V-X3375V-00	48V DC	-	75W	-	220-240 V AC	50/60 Hz	180x52x30	20
	B02V-X33J5V-00	48V DC	-	120W	-	220-240 V AC	50/60 Hz	300x40x30	20
	B32N-X33A1V-02	48V DC	-	100W	-	220-240 V AC	50/60 Hz	207,5x16x19	20
	B32N-X33A6V-02	48V DC	-	250W	-	220-240 V AC	50/60 Hz	268x22x43,5	20

ACABADOS — FINISHES

Los artículos de este catálogo se suministran según el modelo, con diferentes acabados. Estos vienen representados por las dos últimas cifras del código o en algunos modelos, podremos encontrar incluso 4 cifras de acabado y un recuadro de color. El color en las fotografías de producto es orientativo debido a las variaciones de las tonalidades que ocasiona el proceso de impresión.

Articles in this catalogue are supplied in different finishes. They are represented by the last two digits of the code or in some models, we can even find 4 finishing digits and a colored inset. The color in the product photographs is a guiding one due to the variations in the color tones caused by the printing process.

 -01 Blanco — White

 -01T Blanco texturado — White textured

 -02 Negro — Black

 -02T Negro texturado — Black textured

 -03 Gris — Grey

 -04 Antracita — Anthracite

 -05 Verde — Green

 -06 Azul — Blue

 -07 Rojo — Red

 -09 Beige — Beige

 -14 Marrón — Brown

 -27 Cristal Opal — Opal Glass

 -28 Matizado — Frosted

 -29 Transparente — Transparent

 -30 Inox — Stainless steel

 -32 Cromo — Chrome

 -33 Latón envejecido — Antique brass

 -34 Latón — Laiton

 -35 Níquel satinado — Satin nickel

 -37 Cobre — Copper

 -38 Acero cincado — Zinc-plated Steel

 -39 Aluminio anodizado — Anodized aluminum

 -40 Aluminio cepillado — Brushed aluminum

 -41 Acero Galvanizado — Galvanized Steel

 -43 Inox cepillado — Brushed stainless steel

 -45 Cromado mate — Matt chrome

 -46 Oro mate — Matt gold

 -47 Oro — Gold

 -48 Níquel mate — Matt nickel

 -50 Madera Haya — Beech Wood

 -51 Madera Roble — Oak Wood

 -57 Madera Arce — Maple Wood

 -58 Ratán Grafito — Graphite rattan

 -59 Madera Nogal — Walnut Wood

 -80 Neolith Nero Zimbabwe

 -81 Neolith Phedra Satin

 -82 Neolith Iron Moss Satin

 -83 Neolith La Bohème NH

 -90 Marrón óxido — Oxide brown

 -91 Marrón cobrizo — Copper brown

 -92 Cristal transparente — Transparent glass


 -BL	Azul claro — Light blue	 -NB	Hormigón antracita — Antracite concrete
 -BR	Bronze — Bronze	 -NN	Hormigón natural — Natural concrete
 -CA	Cotton White	 -NR	Hormigón rojo — Red concrete
 -CB	Cotton Black	 -NW	Hormigón blanco — White concrete
 -CC	Cotton Beige	 -PK	Rosa — Pink
 -CE	Cotton Capuccino	 -RI	Rafia Bali — Bali Raffia
 -CG	Cotton Earth	 -RA	Ribbon wrapped white
 -CJ	Cotton Red	 -RB	Ribbon wrapped Black
 -CK	Cotton Grey	 -RC	Ribbon wapped beige
 -CR	Crema — Cream	 -SA	Synthetic white
 -D1	White synthetic fabric	 -SB	Synthetic black
 -D2	Beige synthetic fabric	 -SC	Lino Marrón — Brown Linen
 -D3	Brown synthetic fabric	 -SG	Synthetic gold
 -D4	Black synthetic fabric	 -SL	Salmón — Salmon
 -DC	Eco Beige	 -SH	Sherry
 -FG	Gris Fourné	 -SM	Synthetic Copper
 -HC	Yute Beige	 -T1	Trama 1 — Pattern 1
 -M1	Mimbre claro — Light wicker	 -W1	Madera oscura — Dark wood
 -M2	Mimbre oscuro — Dark wicker	 -W2	Madera clara — Light wood
 -MK	Moka — Moka	 -W3	Madera natural — Natural wood

ACABADOS ESPECIALES SPECIAL FINISHES



Todos nuestros modelos con acabados en color negro, pueden suministrarse patinados a mano. La uniformidad de esta técnica es aleatoria debido al proceso artesanal y tienen un recargo del 18% y un plazo de entrega máximo de 6 días hábiles posteriores a la entrega standard.

All of our models in black aluminium, polyamide, nylon or glass can be supplied in hand-polished finishes (special finishes). The uniformity of this technique is random due to the manual processes involved. A surcharge of 18% is applicable to these special finishes, and their delivery term is six days.



*
Negro-plata patinado
Black-silver



Negro-marrón patinado
Black-brown



Negro-verde patinado
Black-green

*
Acabado no garantizado por 3 años, ya que se puede deteriorar con el contacto del agua y la radiación solar.

*
Finish not guaranteed for 3 years, as it can be deteriorated with contact with water and solar radiation.

MATERIALES — MATERIALS



Cuerpo — Body



Marco (Aro) — Frame (Ring)



Reflector — Reflector



Difusor — Diffuser

ABS	Plástico ABS	ABS plastic
ACER	Acero	Steel
ALU	Aluminio	Aluminium
ALU ANOD	Aluminio anodizado	Anodized aluminum
ALU FACET	Aluminio facetado	Faceted aluminum
BRASS	Latón	Brass
CERAMIC	Cerámica	Ceramic
COTTON	Algodón	Cotton
CONCRETE	Hormigón	Concrete
Cu	Cobre	Copper
GLASS	Cristal	Glass
GLASS ALABAS	Cristal alabastro	Alabaster glass
GLASS AMBER	Cristal ambar	Amber glass
GLASS FACET	Cristal facetado	Faceted glass
GLASS MAT	Cristal matizado	Frosted glass
GLASS OPAL	Cristal opalizado	Opal glass
GLASS PRISM	Cristal prismático	Prismatic glass
GLASS TRANS	Cristal transparente	Transparent glass
INOX	Acero inoxidable	Stainless steel
LINEN	Lino	Linen
NAT FIBER	Fibra natural	Natural fiber
PA	Poliamida	Polyamide
PC	Policarbonato	Polycarbonate
PC MAT	Policarbonato matizado	Frosted polycarbonate
PC OPAL	Policarbonato opalizado	Opal polycarbonate
PC PRISM	Policarbonato prismático	Prismatic polycarbonate
PC TRANS	Policarbonato transparente	Transparent polycarbonate
PE	Poliétileno	Polyethylene
PES	Políéster	Polyester
PLASTER	Yeso	Plaster
PMMA	Metacrilato	Methacrylate
PMMA FUME	Metacrilato ahumado	Smoked methacrylate
PMMA MAT	Metacrilato matizado	Frosted methacrylate
PMMA OPAL	Metacrilato opalizado	Opal methacrylate
PMMA PRISM	Metacrilato prismático	Prismatic methacrylate
PMMA TRANS	Metacrilato transparente	Transparent methacrylate
PPH	Polipropileno homopolímero	Polypropylene homopolymer
PS	Poliestireno	Polystyrene
PVC	Policloruro de vinilo	Polyvinylchloride
RAFIA	Rafia	Raffia
RATAN	Ratán	Rattan
RESIN	Resina	Resin
RIBBON WRAPPED	Cinta envuelta	Ribbon wrapped
SILICON	Silicona	Silicone
STONE	Piedra	Stone
SYNT	Sintética	Synthetic
SYNT FIBER	Fibra sintética	Synthetic fiber
TECNO POLIM	Tecnopolímero	Technopolymer
TERMO PLASTIC	Termoplástico	Thermoplastic
WOOD	Madera	Wood
ZAMAK	Aleación Zamak	Zamak Alloy

MATERIALES — MATERIALS

Productos de acero inoxidable

Stainless steel products



El acero inoxidable es un tipo de acero resistente a la corrosión, dado que el cromo que contiene posee gran afinidad por el oxígeno y reacciona con él formando una capa pasiva de aproximadamente un átomo de grosor, evitando así la corrosión del hierro. Sin embargo, esta capa puede ser afectada por algunos ácidos, dando lugar a que el hierro sea atacado y oxidado por mecanismos intergranulares o picaduras generalizadas.

El acero inoxidable que nosotros normalmente usamos para nuestros productos es el tipo AISI 304, AISI 316 y AISI 316L con un acabado satinado o brillante. Este tipo de acabado garantiza una actuación excelente por lo que se refiere a la durabilidad, fuerza, además de su fácil limpieza.

Sobre el acero inoxidable pueden aparecer pequeñas manchas como resultado del contacto con la atmósfera marina, ambientes húmedos, así como la cal proveniente de los riegos. Este tipo de contaminación sobre el acero inoxidable se eliminará con la aplicación de productos limpiadores que contengan ácido fosfórico.

Stainless steel is a type of steel resistant to corrosion, since the chromium it contains has a great affinity for oxygen and reacts with it to form a passive layer approximately one atom thick, thus preventing the corrosion of iron. However, this layer can be affected by some acids, leading to the iron being attacked and oxidized by intergranular mechanisms or generalized pitting.

The stainless steel that we normally use for our products is AISI 304, AISI 316 and AISI 316L with a satin or bright finish. This type of finish guarantees excellent performance in terms of durability, strength, as well as easy cleaning.

Small stains may appear on stainless steel as a result of contact with the marine atmosphere, humid environments, as well as lime from irrigation. This type of contamination on stainless steel will be eliminated with the application of cleaning products that contain phosphoric acid.

Productos en aluminio

Aluminium products



El aluminio es un elemento químico, de símbolo Al y número atómico 13. Se trata de un metal no ferroso. Es el tercer elemento más común encontrado en la corteza terrestre. Los compuestos de aluminio forman el 8% de la corteza de la tierra y se encuentran presentes en la mayoría de las rocas, de la vegetación y de los animales. En estado natural se encuentra en muchos silicatos (feldespatos, plagioclasas y micas). Como metal se extrae del mineral conocido con el nombre de bauxita, por transformación primero en alúmina mediante el proceso Bayer y a continuación en aluminio mediante electrólisis. Nuestros artículos han sido protegidos con cromatización y acabados con pinturas de poliéster y su deterioro puede producirse por: **1.** Contacto continuado con aguas de alto porcentaje de sal o aguas ácidas contaminadas por abonos o insecticidas. **/ 2.** La electrólisis producida por el contacto del aluminio con los tornillos de sujeción si son de acero (se aconsejan de acero inoxidable). **/ 3.** La corriente vagante existente en el terreno, únicamente evitable con una correcta toma-tierra. **/ 4.** La no protección rápida del aluminio en el caso de verse arrancada la pintura por roce o golpe.

Aluminum is a chemical element, with the symbol Al and atomic number 13. It is a non-ferrous metal. It is the third most common element found in the earth's cortex. Aluminum compounds make up 8% of the earth's cortex and they are present in most rocks, vegetation, and animals. In its natural state it is found in many silicates (feldspars, plagioclase and micas). As a metal, it is extracted from the mineral known as bauxite, by transformation first into alumina through the Bayer process and then into aluminum through electrolysis. Our articles have been protected with chromatinization and finished with polyester paints and their deterioration can be caused by: **1.** Continuous contact with waters with a high percentage of salt or acid waters contaminated by fertilizers or insecticides. **/ 2.** The electrolysis produced by the contact of the aluminum with the fixing screws if they are made of steel (stainless steel is recommended). **/ 3.** The existing wandering current in the land, avoidable only with a correct grounding. **/ 4.** The non-rapid protection of the aluminum in the event of the paint being torn off by rubbing or hitting.

Productos poliamida

Produits en polyamide



Una poliamida es un tipo de polímero que contiene enlaces de tipo amida. Las poliamidas se pueden encontrar en la naturaleza, como la lana o la seda, y también ser sintéticas, como el nylon o el Kevlar. La poliamida, de uso cada vez más frecuente en la industria, agrupa materiales como el Policarbonato, Polivinilo o el Nylon. Todos ellos con unas características comunes: su difícil destrucción y su larga duración. Considerado uno de los materiales más adecuados en productos expuestos a temperaturas extremas, a la humedad, al salitre del mar, a los rayos UV y a los fertilizantes químicos. La composición de los materiales poliamida, son garantía de una larga duración, tanto en zonas secas como húmedas. Su deterioro puede producirse por: **1.** Maltrato o fuerte impacto. **/ 2.** Aproximación a espacios de alta temperatura. **/ 3.** Contacto con productos químicos de mucha acidez.

A polyamide is a type of polymer that contains amide-type linkages. Polyamides can be found in nature, like wool or silk, and can also be synthetic, like nylon or Kevlar. Polyamide, increasingly used in industry, groups materials such as Polycarbonate, Polyvinyl or Nylon. All of them with some common characteristics: its difficult destruction and its long duration. Considered one of the most suitable materials in products exposed to extreme temperatures, humidity, sea salt, UV rays and chemical fertilizers. The composition of the polyamide materials is a guarantee of a long life, both in dry and humid areas. Its deterioration can be caused by: **1.** Mistreatment or strong impact. **/ 2.** Approach to high temperature spaces. **/ 3.** Contact with highly acidic chemicals.

MATERIALES — MATERIALS

Productos de resina

Resin products



Luminarias fabricadas con resina destacan por estas cualidades: **1.** Protegidas contra la corrosión química en un amplio rango de ácidos, bases, cloruros, sales y solventes orgánicos. / **2.** Protegidas contra el impacto en la pintura de los rayos UV. / **3.** Excelente comportamiento en aislamiento térmico y eléctrico (doble aislamiento). / **4.** Sobre-saliente resistencia al impacto y a la fatiga. / **5.** Fabricadas con materiales ignífugos. **6.** ligeras y fáciles de transportar. **7.** Mantenimiento mínimo: precisa de mantenimiento periódico con aceite sintético para recuperar el brillo.

Luminaires made of resin stand out for these qualities:

1. Protected against chemical corrosion in a wide range of acids, bases, chlorides, salts and organic solvents. / **2.** Protected against the impact of UV rays on the paint. / **3.** Excellent behavior in thermal and electrical insulation (double insulation). / **4.** Outstanding resistance to impact and fatigue. **5.** Made with fireproof materials. / **6.** Light and easy to transport. / **7.** Minimal maintenance: requires periodic maintenance with synthetic oil to restore shine.

Composición de nuestras columnas de resina — Composition of our resin posts

1. Resina exterior: poste de una sola pieza, resistente a golpes, UV, ignífugo y sin agentes corrosivos. — 1. Outdoor resin: one-piece post, shock-resistant, UV-protected, fireproof, and free of corrosive agents.

2. Relleno de poliuretano expandido
2. Expanded polyurethane filling

3. Estructura de acero galvanizado Mediante inmersión en bañera de zinc.
3. Steel structure galvanised By means of zinc bath immersion.



CONSEJOS USO E INSTALACIÓN

USAGE AND INSTALLATION TIPS

Empotrables de suelo y balizas

Floor recessed and bollards



En instalaciones de luminarias empotradas, deberán ser realizadas por personal cualificado, teniendo la máxima precaución y de acuerdo con las instrucciones de montaje adjuntadas con el producto y conforme a las normas de instalación electrónica de la normativa vigente. Para tener en cuenta en este tipo de instalaciones: **1.** Evite colocar las luminarias en vaguadas o depresiones del terreno. **2.** Es indispensable realizar un drenaje para todos los aparatos (arena de gravilla de 25 a 30 mm) con el objetivo de evitar el estancamiento de agua en el fondo del surco donde se instalan los aparatos. Un drenaje correcto debe permitir la absorción de 5 litros de agua en 8 minutos. **3.** En lo referente a los aparatos encastrados en cemento u hormigón y habida cuenta de la tendencia de estos materiales a sufrir dilatación o compresión debido a los cambios de temperatura, es preciso prever un recubrimiento de dilatación y asegurarse de que el surco esté nivelado con el pavimento. **4.** La conexión entre los aparatos debe efectuarse mediante cable flexible tipo H05RN-F o H07RN-F con el fin de facilitar su mantenimiento y evitar los esfuerzos sobre los pasacables durante la instalación. Se tiene que evitar la instalación de varios cables por una sola salida o la instalación con cables unipolares. Al igual que se recomienda la utilización de conectores estancos en instalaciones soterradas con el fin de evitar posibles daños por humedad.


Para conservar balizas/postes, instálelos sobre una pilastra elevada, nunca a nivel del suelo, tierra o césped. Los cambios de presión por condiciones ambientales y altitud pueden ser causados por el calor al encender y enfriar la luminaria o por golpes térmicos de lluvia, nieve o lavado.

Para reducir la condensación en aparatos con alto IP, opere la luminaria 1 hora sin el cristal de protección y luego ciérrela de inmediato. Las decisiones técnicas deben ser tomadas por el responsable del departamento técnico, limitando sugerencias externas.

For recessed lighting installations, they must be carried out by qualified personnel, with the utmost caution and in accordance with the assembly instructions provided with the product and in compliance with the current electrical installation regulations. Points to consider for such installations: **1.** Avoid placing the lights in dips or depressions in the ground. **2.** It is essential to ensure effective drainage for all fixtures (gravel sand of 25 to 30 mm) to prevent water from pooling at the bottom of the trench where the fixtures are installed. Proper drainage should absorb 5 liters of water in 8 minutes. **3.** For fixtures embedded in concrete or cement, considering the tendency of these materials to expand or contract due to temperature changes, a dilation covering must be provided, and the trench must be level with the pavement. **4.** The connection between fixtures should be made using flexible cable type H05RN-F or H07RN-F to facilitate maintenance and avoid stress on cable glands during installation. Avoid installing multiple cables through a single outlet or using single-core cables. It is also recommended to use waterproof connectors in buried installations to prevent potential damage from moisture.

To preserve bollards/poles, install them on an elevated pedestal, never at ground level, on soil or grass. Pressure changes due to environmental conditions and altitude can be caused by heat from turning the light on and off or by thermal shocks from rain, snow, or washing.

To reduce condensation in high IP-rated fixtures, operate the light for 1 hour without the protective glass, then close it immediately. Technical decisions should be made by the technical department head, limiting external suggestions.



En el cambio de las lámparas y antes de cerrar las luminarias se debe limpiar las juntas para evitar que se depositen restos de tierra y/o hierba. — When changing the lamps, the joints should be cleaned prior to closing the luminaire to avoid the accumulation of earth and/or grass.

No instalar más de un cable por cada salida. Instalar sobre una pilastra a un nivel superior. — Do not install more than one cable in each outlet. Install on a plinth at a higher level.

CONSEJOS USO E INSTALACIÓN TIRAS LED

1. NO doblar la tira u otros componentes ya que podría dañar el conexionado. (1) / NO tocar ni ejercer presión sobre los LEDS durante la instalación. (2)

2. NO conecte directamente la tira de LED a la red eléctrica. Sólo debe conectarse a un controlador adecuado de 24V.

3. Evitar ubicar las tiras en zonas con temperatura elevada o luz directa del sol. Se recomienda el uso de perfiles de aluminio para reducir la temperatura de trabajo. (Imprescindible para tiras de más de 5W/m).

4. Los productos pueden dañarse por descarga electrostática (ESD). La puesta a tierra evita los efectos dañinos de la ESD. Durante el montaje, use un sistema de puesta a tierra personal para evitar la acumulación de carga estática.

5. Dependiendo de la superficie, utilice un limpiador multiuso (por ejemplo, alcohol isopropílico) para proporcionar una superficie de montaje limpia y seca, libre de aceites, revestimientos antiadherentes y partículas de suciedad.

6. Si el producto necesita ser cortado a medida; por favor mida cuidadosamente y corte en ángulo recto las marcas de corte señaladas usando solamente unas tijeras afiladas.

USAGE AND INSTALLATION TIPS LED STRIPS

1. DO NOT touch or press the LED strips or other components during the installation. (1) / DO NOT twist or bend the LED strip, or connection may be damaged. (2)






2. DO NOT connect the LED strip directly to mains supply. It must only be connected to a suitable 24V LED driver.

3. Avoid placing the strips in areas with high temperature or direct sunlight. We recommend the use of aluminum profile to reduce the temperature. (Required for more than 5W/m strips).

4. Products can be damaged by electrostatic discharge (ESD). Grounding prevents the harmful effects of ESD. During assembly, use a personal grounding system to avoid static charge buildup.

5. Depending on the surface, use a multi-purpose cleaner (e.g. isopropyl alcohol) to provide a clean and dry mounting surface which is free of oils, release coatings and dirt particles.

6. If the product needs to be custom cut; please measure carefully and cut at right angle by the appropriate cut marks by using sharp scissors.



CONSEJOS USO E INSTALACIÓN TIRAS LED

La máxima distancia posible del convertidor a las tiras vendrá dada por la sección del cable utilizado. No se debe exceder la caída de tensión de 2V en el conductor entre la tira o tiras en el convertidor. La sección (S) en mm² del cable necesario viene determinado por la siguiente fórmula, siendo:

- "r" la resistividad (Cu = 0,017)
- "L" la longitud en metros de la línea
- "I" la intensidad en Amperios
- "V" la caída de tensión máxima admisible


Los convertidores deben contemplar las pérdidas en la distribución, es aconsejable sobredimensionar la potencia de éstos en un 20% para cubrir estas pérdidas.

USAGE AND INSTALLATION TIPS LED STRIPS

The longest distance from the converter to the strips will be given by the section of the cable to be used. The 2V voltage drop in the conductor between the strip(s) and the converter should not be exceeded. The section (S) in mm² of the required cable is determined by the following formula, they are:

- "r" the resistivity (Cu = 0,017)
- "L" Line length in meters
- "I" Intensity in amps
- "V" the maximum allowable voltage drop

The converters must consider the losses in the distribution, it is advisable to oversize their power by 20% to cover these losses.



PICTOGRAFÍA — SYMBOLOGY

	ICONOGRAFÍA GENÉRICA	GENERIC ICONOGRAPHY
N	Novedad	New
E	Extensión de gama	Range extension
U	Actualización de producto	Product update

APLICACIONES		APPLICATIONS
	Luminaria para superficie en pared	Wall-mounted luminaire
	Luminaria para superficie en techo	Ceiling surface-mounted luminaire
	Luminaria para superficie en suelo	Ceiling floor luminaire
	Luminaria para empotrar en pared	Recessed wall luminaire
	Luminaria para empotrar en techo	Recessed ceiling luminaire
	Luminaria para empotrar en suelo	Recessed floor luminaire
	Luminaria de suspensión	Pendant luminaire
	Luminaria de pie	Floor lamps
	Luminaria de sobremesa	Table lamps
	Baliza o luminaria de sobremuro	Bollard or wall-top luminaire
	Luminaria de columna	Column luminaire
	Proyector de pared	Spotlight for wall
	Proyector de suelo	Spotlight for floor
	Proyector de techo	Ceiling projector
	Proyector para empotrar	Recessed projector
	Luminaria de suspensión para carril	Pendant luminaire for track
	Proyector para carril	Projector for track
	Ventilador con luz.	Fan with lamp.
	Ventilador	Fan
	Proyector sumergible	Underwater lights
	Luminaria sumergible para superficie en pared	Ceiling wall underwater luminaire
	Luminaria sumergible para emportar en pared	Recessed wall underwater luminaire

PICTOGRAFÍA — SYMBOLOGY

ICONOGRAFIA TÉCNICA

TECHNICAL ICONOGRAPHY

Alimentación

Power supply

	Luminaria con alimentación solar	Solar-powered luminaire
	Corriente de la luminaria en corriente continua	Luminaire current in direct current
	Voltaje de la luminaria en corriente continua	DC voltage of the luminaire
	Voltaje de la luminaria en corriente alterna	AC voltage of the luminaire
	Frecuencia	Frequency
	Motor con corriente alterna	Alternate current motor
	Motor con corriente continua	Direct current motor

Equipo

Equipment

	Equipo electrónico incluido / NO incluido	Luminaire with electronic equipment Included /not included
---	---	--

Dimerización

Dimerization

	Regulación por Corte al final de fase	Trailing Edge dimming
	Regulación por Corte en inicio y/o final de fase	Dimmable Trailing and Leading Edge dimming
	Regulable mediante protocolo DMX	Dimmable by DMX protocol
	Regulable mediante protocolo DMX-RDM	Dimmable by DMX-RDM protocol
	Regulable mediante pulsador	Dimmable by push
	Regulable mediante protocolo 1-10V	Dimmable by 1-10V protocol

	Aplicación que permite a los usuarios conectar y gestionar dispositivos inteligentes en sus hogares.	Application that allows users to connect and manage smart devices in their homes.
---	--	---

	Control de iluminación inalámbrico CASAMBI	CASAMBI wireless lighting control
---	--	-----------------------------------

	Regulable mediante protocolo DALI	Dimmable by DALI protocol
---	-----------------------------------	---------------------------

	La función MidNight regula la luz automáticamente sin control externo, permitiendo ajustar los niveles de salida según el horario o un reloj astronómico.	The MidNight function automatically regulates the light without external control, allowing output levels to be adjusted based on a schedule or an astronomical clock.
---	---	---

Clase

Class

	Clase I; Luminaria provista de dispositivos de toma-tierra	Class I; luminaire fitted with earth-ground devices
	Clase II; Luminaria que aísla doblemente las partes con tensión y no precisa dispositivos de toma-tierra	Class II; luminaire that doubly insulates the electrified parts and does not require an earth-ground device
	Clase III; Luminaria alimentada a muy baja tensión y que no debe tener dispositivos toma-tierra	Class III; luminaire with very low voltage power supply which does not require earth-ground devices.

PICTOGRAFÍA — SYMBOLOGY

Grado de protección IP	Degree of IP protection
IP Según la normativa EN 60598-1, las luminarias se clasifican en función de la protección derivada de sus elementos const liza mediante las letras IP seguidas de tres cifras, aunque sólo se muestren las dos primeras. 1ª cifra: Indica la protección del material contra el ingreso de objetos sólidos externos, así como de las personas respecto a la tensión de los componentes de la luminaria. 0- No protegido 1- > 50 mm diámetro 2- > 12,5 mm diámetro 3- > 2,5 mm diámetro 4- > 1,0 mm diámetro 5- Polvo-protegido 6- Hermético al polvo 2ª cifra: Indica la protección contra el ingreso de agua con efectos perjudiciales 0- (no-protegido) 1- Goteando verticalmente 2- Goteando (inclinado 15º) 3- Rociando 4- Salpicando 5- Chorreado 6- Chorro de gran alcance 7- Inmersión transitoria 8- Inmersión continua	In accordance with standard EN 60598-1, luminaires are classified on the basis of the protection derived from their elements of construction. The degree of protection is indicated by the letters IP followed by a 3-figure number, though only the first two numbers are shown. 1st figure: Indicates the protection of the material against ingress of solid foreign objects, as well of people coming into contact with live parts in the device. 0- Not Protected. 1- > 50 mm diameter 2- > 12,5 mm diameter 3- > 2,5 mm diameter 4- > 1,0 mm diameter 5- Dust protected 6- Dust tight 2nd figure: Indicates the protection of the material against ingress of water with harmful effects 0- Not Protected. 1- Vertically dripping 2- Dripping (15º tilted) 3- Spraying 4- Splashing 5- Jetting 6- Powerful jetting 7- Temporary immersion 8- Continuous immersion

Grado de protección IK					Degree of IK protection					
IK	Código IK Sistema de codificación para indicar el grado de protección proporcionado por una envolvente contra los impactos mecánicos nocivos. Energía de impacto (J)					IK Code The IK code is an international numerical classification for the degree of protection provided by enclosures for electrical equipment against external mechanical impact. Impact energy (J)				
	IK01	IK02	IK03	IK04	IK05	IK06	IK07	IK08	IK09	IK10
	0,15	0,2	0,35	0,5	0,7	1	2	5	10	20





Vida	Life
Vida útil (horas)	Life (hours)
Mantenimiento del flujo luminoso LED	LED luminous flux maintenance
Luminaria recargable	Rechargeable luminaire
Autonomía de la batería (horas)	Battery Autonomy (hours)
Tiempo de carga completa (horas)	Charge Time (hours)

PICTOGRAFÍA — SYMBOLOGY

Haz de luz	Light beam	
	Emisión de luz directa o indirecta	Emission of direct or indirect light
	Emisión de luz directa y indirecta	Emission of direct and indirect light
	Emisión de luz periférica	Periferic emission light
	Emisión de luz asimétrica	Asymmetric light emission
	Multi-emisión de luz	Multi-emission light
	Ángulo de emisión de luz	Light emission angle
	Flujo hacia el hemisferio superior	Upward light ratio
	Índice de deslumbramiento unificado	Unified glare rating

Tipos de distribución luminica para iluminación exterior

Lighting Distribution Types for Outdoor Area Light

			
Type II	Type II	Type III	Type IV
			

CRI		CRI	
CRI >xx	Índice de reproducción cromática	Color rendering index	

Step	Step
	
Consistencia del color	Color consistency

Resistencia	Resistance	
	Luminaria adaptada para tránsito no rodado	Luminaire adapted for non-vehicular traffic
	Luminaria adaptada para tránsito rodado	Luminaire adapted for vehicular traffic
	Luminaria con una excelente resistencia a la corrosión (aluminio con doble recubrimiento de pintura, acero con proceso de galvanizado, resina o poliamida)	Luminaire with excellent resistance to corrosion (aluminum with double painting process, steel galvanizing process, resin or polyamide)
	Temperatura máxima de la superficie de la luminaria (°C)	Maximum temperature (°C) of the glass surface at an average room temperature
	Luminarias con alta resistencia a los rayos Ultra Violeta para evitar que el color se deteriore	Luminaires with high resistance to Ultra-Violet rays to prevent color deterioration

PICTOGRAFÍA — SYMBOLOGY

Funcionalidades	Features
 K SELECT	Luminaria con opción de seleccionar la temperatura de color Light fixture with option to select the color temperature
 W SELECT	Luminaria con opción de seleccionar la potencia Light fixture with option to select the power
	Dimerable Dimmable
	Ángulo máximo de basculación de la luminaria Maximum angle of tilting of the lamp.
	Ángulo de rotación máximo Maximum angle of rotation
	Luminaria con sensor de Movimiento Luminaire with sensor motion detection
	Luminaria con sensor Crepuscular Luminaire with twilight sensor
	Luminaria con sensor Crepuscular Subordinado a la Detección de Movimiento Luminaire with twilight sensor subordinated to motion detection
	Luminaria con luz de emergencia Luminaire with emergency light
	Luminaria con conexión USB (5V max. 2A) Luminaire with USB port (5V max. 2A)
	Función inversa para usarlo todo el año Inverse function to use it the whole year

Equipamiento para instalación	Installation equipment
	Luminaria con una salida de cable Luminaire with one cable outlets
	Luminaria con dos salidas de cable Luminaire with two cable outlets
	Longitud en metros de cable conductor suministrado Longueur en mètres du câble conducteur fourni
	Luminaria con cable clavija incorporada Lighting with plug-electrical wire Included
	Luminaria con toma corriente IP44 Luminaire with IP44 plug
	Luminaria con interruptor Incorporado Lighting with switch Included
	Número de aspas del ventilador Number of fan blades.

Características de instalación	Installation features
	Medidas de empotramiento (mm) Recess dimensions (mm)
	Caja de empotrar Incluida Recessing box Included
	Precisa drenaje Requires drainage
	Anclaje Incluido Anchorage Included
	Instalar sobre una pilastra a un nivel superior Install on a plinth at a higher level
	No utilizar atornilladores mecánicos Never use mechanical screwdrivers
	Adecuado al lado del mar Sea side suitable
	Resistencia a la sal y la corrosión hasta 1000 horas Salt and corrosion resistance up to 1000 hours
	Resistencia a la sal y la corrosión hasta 500 horas Salt and corrosion resistance up to 500 hours

Clásico	Classic
	Globo con cierre bayoneta Globe with bayonet fitting
	Globo con cierre hermético Hermetically sealed globe
	Poste con registro Post with inspection chamber

PICTOGRAFÍA — SYMBOLOGY

Mantenimiento		Maintenance	
	Luminaria de acero inoxidable que precisa de un mantenimiento periódico		Stainless steel luminaire which requires periodical maintenance
	Luminaria de latón que precisa de mantenimiento periódico con pulimento específico para recuperar el brillo		Brass luminaires require a periodic maintenance with specific polishing to restore the brightness
	Luminaria o poste de resina que precisa de mantenimiento periódico con aceite sintético para recuperar el brillo		Resin luminaries or posts that require a periodic maintenance with synthetic oil to restore the brightness
	Luminaria de acero inoxidable que precisa de un mantenimiento periódico		Stainless steel luminaire which requires periodical maintenance
	Posibilidad de aplicar acabados especiales		Possibility of special finishings
Tiras LED		LED Stripes	
	Longitud de la tira led (mínima unidad de venta)		Standard length (Minimum Order)
	Tramo mínimo de corte		Minimum cutting section
	Incorpora cinta autoadhesiva 3M en el dorso		Includes 3M self-adhesive tape on the back
	Conectar a red Wifi de banda 2,4 GHz		Connect to a 2.4 GHz Wi-Fi network
Sumergibles		Waterproof	
	No apto para piscinas		Not suitable for swimming pool
	Número de colores		Number of colors
	Número de secuencias de cambio de color		Number of color change sequences
Accesorios		Accessories	
	Luminaria con lámpara Incluida		Luminaire with lamp included
	Luminaria con lámpara NO Incluida		Luminaire with lamp NOT included
	Pantalla incluida		Shade included
	Incluye mando a distancia		Include remote control
	Carga inalámbrica para dispositivos móviles		Wireless charging for mobile devices
	Luminaria con packaging corporativo		Luminaire with corporate packaging
Filtros		Filters	
	Verdura		Vegetables
	Pescado		Fish
	Marisco		Seafood
	Pan		Bread
	Carne		Meat
	Fashion		Fashion

CONDITIONS GÉNÉRALES DE VENTE (FRANCE)

Pour toutes livraisons en France métropolitaine, Corse et Dom-Tom, il convient de consulter nos services commerciaux: france@novoluxlighting.com

CONDIZIONI GENERALI DI VENDITA (ITALIA)

Per tutti gli ordini in Italia, si prega di contattare il nostro ufficio vendite: italia@novoluxlighting.com

CONDIÇÕES GERAIS DE VENDA (PORTUGAL)

Para todas as entregas em Portugal, por favor contacte o nosso departamento de vendas: info@novoluxlighting.com

GENERAL CONDITIONS OF SALE (EXPORT)

For all export deliveries, please contact our sales department: export@novoluxlighting.com

CONDICIONES GENERALES DE VENTA (ESPAÑA, ANDORRA Y PORTUGAL)

NOVOLUX LIGHTING S.L. se reserva el derecho a realizar las variaciones que considere oportunas a sus productos no siendo responsable de la posible información errada que aparezca en dicho catálogo. Todas las solicitudes realizadas a Novolux Lighting, S.L. (en adelante, "NOVOLUX") suponen la aceptación plena e incondicional por parte del comprador de las presentes Condiciones Generales de Venta, salvo que existan acuerdos de colaboración o condiciones particulares previamente pactadas.

1. Precios

- Todos los pedidos, ya sean de **Oferta Comercial Estándar o Bajo Pedido (referencias incluidas en catálogo)**, estarán sujetos a las tarifas y condiciones comerciales vigentes en la fecha de recepción del pedido.
- Para pedidos de servicios **Ejecuciones Especiales (sin referencias en catálogo)**, será imprescindible la presentación de una oferta por escrito por parte de NOVOLUX, junto con el compromiso de aceptación por parte del cliente. Estos pedidos no tendrán opción de devolución una vez iniciado el proceso de fabricación.
- Únicamente serán válidos los **precios especiales reflejados en las ofertas** por escrito, siempre y cuando el pedido se realice en su totalidad conforme a dicha oferta. Cualquier modificación por parte del cliente sobre la oferta original podrá implicar una revisión de las condiciones iniciales de la venta.

2. Gestión de Pedidos

- Un pedido no se considerará recibido de manera efectiva hasta que todos sus elementos (referencias, color, accesorios, P.V.P., etc.) hayan sido correctamente especificados.
- La formalización de un pedido a NOVOLUX expresará la voluntad de compra del cliente. En caso de que no sea posible atender el pedido por cualquier motivo, NOVOLUX informará al cliente de dicha circunstancia a la mayor brevedad posible. Los pedidos que contengan precios incorrectos o discrepancias con las condiciones registradas y/o acordadas con NOVOLUX no serán procesados hasta obtener una confirmación por escrito de ambas partes. NOVOLUX solicitará esta confirmación y aceptación a través del correo electrónico especificado en el pedido enviado por el cliente.
- Todo pedido que incluya referencias que impliquen Ejecuciones Especiales y/o Bajo Pedido requerirá la aceptación previa de NOVOLUX, confirmando la viabilidad de producción, precio y plazo de entrega antes de su procesamiento. NOVOLUX exigirá un anticipo no inferior al 30% del valor total del pedido (incluyendo impuestos).
- Para todos los pedidos inferiores a **100€** con destino en la zona del Barcelonés y sus centros logísticos en Barcelona provincia, se aplicará un cargo de transporte. Para pedidos que superen este importe, los costos de envío serán asumidos por NOVOLUX.
- Los pedidos recibidos, salvo que se indique lo contrario, podrán ser entregados parcialmente en caso de que no haya disponibilidad de stock para la totalidad de los artículos solicitados. En tal caso, los gastos de envío mantendrán las mismas condiciones que el pedido original, y el resto de los artículos pendientes será enviado con portes pagados si el pedido original cumplía con dicha condición.
- Para aquellos pedidos en los que no se especifique de manera expresa un plazo de entrega, se gestionarán conforme al punto anterior. Si el cumplimiento del plazo de entrega total o parcial es un requisito indispensable para el cliente, este deberá solicitarlo por escrito a NOVOLUX.

- **No se aceptarán o tramitarán** pedidos inferiores a **100€ netos**. Sujeta a condiciones comerciales autorizadas por dirección.

- Para todos los envíos a **Península** a partir de **400€ netos**, se enviarán a portes pagados. Los envíos a **Canarias** serán de **700€ netos**, excepto pedidos sujetos a verificación comercial por su gran volumen (consultar condiciones).

3. Política de Devoluciones

- Todas las devoluciones deben contar con la autorización previa de NOVOLUX. Para proceder, el cliente debe proporcionar el número de autorización asignado por el Departamento de Incidencias (incidencias@novoluxlighting.com). Cualquier devolución que no incluya dicho número será rechazada en nuestros almacenes.
- No se aceptarán devoluciones de productos fabricados bajo ejecuciones especiales, por pedido específico o descatalogados, incluso si el cliente propone una depreciación. Los productos a devolver deben haber sido facturados en un plazo no mayor a 60 días desde la fecha de venta. De no cumplir con esta condición, NOVOLUX se reserva el derecho de rechazar la solicitud de devolución.
- Los productos devueltos deben estar en perfectas condiciones para su reventa, incluyendo su embalaje original. En caso contrario, si el cliente solicita la devolución del material rechazado, el envío correrá a portes debidos.
- Una vez autorizada la devolución, el material debe ser enviado a NOVOLUX en un plazo máximo de 30 días.
- A toda devolución autorizada se le aplicará la siguiente depreciación sin excepción:
 - Para solicitudes dentro de los primeros 30 días desde la fecha de factura: se aplicará una depreciación del 15% sobre el valor de la devolución, con un cargo mínimo de 30€ por gestión administrativa.

- No se aceptará ningún envío de devolución que llegue a portes debidos.

- Si se recibe material no autorizado, en mal estado o sin cumplir con las condiciones establecidas, se notificará al cliente que debe retirar el producto de las instalaciones de NOVOLUX en un plazo máximo de 15 días desde la notificación. Pasado este plazo, el material se considerará abandonado y será destruido, sin responsabilidad para NOVOLUX.

4. Entregas y Transporte

- Para envíos internacionales, las mercancías viajarán bajo la responsabilidad y riesgo del comprador, en condiciones **EXW (Ex Works)**, salvo que se acuerden otros términos entre ambas partes.
- Los importes de transporte se establecerán según la zona de venta correspondiente (consulte las tarifas de su zona). El servicio será a portes pagados y dichos costes se reflejarán en la factura.
- Cualquier incidencia, rotura o falta de material deberá constar explícitamente en el albarán de entrega del transportista. La falta de esta información exime de toda responsabilidad tanto al transportista como a NOVOLUX.
- No se aceptarán reclamaciones por roturas o incidencias relacionadas con el transporte después de **5 días** desde la recepción de la mercancía.
- NOVOLUX solo asumirá la responsabilidad por incidencias en la entrega cuando el envío se haya realizado a portes pagados (a cargo de NOVOLUX).
- Los riesgos relacionados con la devolución de mercancías no autorizadas por NOVOLUX serán siempre asumidos por el comprador.

5. Plazos de Disponibilidad (EXW – Franco Fábrica)

- Los plazos de disponibilidad proporcionados por NOVOLUX son siempre aproximados y pueden estar sujetos a variaciones derivadas de los propios procesos de gestión de pedidos, producción o de factores externos, como el transporte de mercancías y el suministro de componentes por terceros.
- Cualquier variación en los plazos de entrega no implicará, en ningún caso, la aceptación de responsabilidad ni la aplicación de penalizaciones por demora por parte de NOVOLUX.

6. Servicio Especial CRISTHER en 1 Hora

(Incluye todas las marcas: CRISTHER, DOPO, EXO, INDELUX)

- Nuestro servicio especial garantiza la preparación del pedido y su disponibilidad para el transitario o transportista designado en un plazo de 1 hora.
- Este servicio conlleva un recargo del 6% sobre los artículos solicitados.
- Los plazos de transporte no son responsabilidad de NOVOLUX.

7. Proyectos de Iluminación

- Como servicio adicional para nuestros clientes, ponemos a su disposición nuestro propio **Departamento Técnico de Proyectos**, especializado en asesoramiento para cualquier necesidad lumínica, tanto de interior como de exterior.
- El nivel de prestación de nuestros servicios se ajusta a las particularidades de cada proyecto. Nos reservamos el derecho de aplicar un coste en aquellos proyectos de especial relevancia, que podrá ser bonificado en el pedido final de compra del material.

8. Muestras

- Las muestras de material deberán ser solicitadas a través de un pedido formal y serán facturadas.
- El plazo máximo para la devolución de las muestras a NOVOLUX es de **60 días** desde la fecha de entrega, y su devolución deberá realizarse a portes pagados por el cliente.
- No se aceptarán muestras devueltas que no se encuentren en condiciones óptimas para la venta, es decir, en perfecto estado y con su embalaje original.

9. Calidad

- Los productos suministrados por NOVOLUX cumplen con la Directiva RoHS 2011/65/UE y con la Directiva 2014/35/UE, según lo establecido en la normativa europea. Esta conformidad está claramente indicada tanto en el producto como en su embalaje exterior. Además, todos los productos han pasado rigurosos controles de calidad que garantizan su correcto funcionamiento.
- En NOVOLUX trabajamos con un enfoque de mejora continua, adaptando nuestros productos al mercado actual y cumpliendo con las normativas vigentes.
- Por lo tanto, nos reservamos el derecho de modificar, suprimir o ampliar nuestro catálogo de productos sin previo aviso, sin que ello pueda ser motivo de reclamaciones.
- Para asegurar la máxima durabilidad y rendimiento de los productos, NOVOLUX recomienda seguir las instrucciones adjuntas y realizar el mantenimiento adecuado con la periodicidad recomendada, teniendo en cuenta los materiales de fabricación.

10. Garantía

- Todos los productos de NOVOLUX cuentan con un periodo de garantía de 3 años a partir de la fecha de factura emitida por NOVOLUX.
- Bajo solicitud, se podrá evaluar una extensión de la garantía o la posibilidad de ofrecer una garantía personalizada para proyectos, según las condiciones específicas de aplicación.
- Cualquier reparación realizada por técnicos de NOVOLUX tendrá una garantía adicional de 6 meses sobre la pieza reparada o sustituida.
- En el caso de las lámparas, se garantiza un periodo de 6 meses, al ser consideradas consumibles, siempre y cuando se cumplan las siguientes condiciones de uso:
 - Temperatura ambiente entre -10°C y +40°C.
 - Al menos 10 mm de espacio libre alrededor del cuerpo de la lámpara.
 - La instalación eléctrica no debe estar sujeta a fluctuaciones de tensión que superen el rango nominal de la red de +/- 10%.
 - Un máximo de 50,000 conmutaciones rápidas (intervalo entre encendido y apagado inferior a 30 segundos).
- Si no se cumplen estas condiciones, se aplicará la garantía legal de 6 meses por defectos de fabricación.
- El Departamento Técnico de NOVOLUX es el único autorizado para determinar, tras un análisis, si un producto presenta un defecto de

fabricación. Para ello, es necesario que el cliente envíe por escrito la incidencia, acompañada de fotografías del equipo y su ubicación, junto con la factura de compra para verificar la fecha de venta.

- La responsabilidad de NOVOLUX se limita a la sustitución del producto defectuoso por el mismo modelo o uno similar, o al reembolso de su valor si el modelo ya no se fabrica o no está disponible. No se asumirá ninguna otra responsabilidad adicional bajo ningún concepto, salvo la establecida en esta garantía.
- NOVOLUX no se hará cargo de los costes de mano de obra para la sustitución o renovación de los materiales cubiertos por la garantía, una condición que se acepta al momento de la compra de nuestros productos.
- NOVOLUX no asume responsabilidad por el uso indebido o la incorrecta aplicación de sus productos. La garantía se invalidará en caso de manipulación inadecuada o instalación incorrecta. Quedan excluidos de la garantía los defectos y daños ocasionados por desgaste normal, causas de fuerza mayor, mantenimiento deficiente o uso inadecuado del producto que no esté especificado ni autorizado por el vendedor.

- Las intervenciones realizadas en virtud de la garantía no extenderán la duración de la misma.

Garantía de Productos – NOVOLUX LIGHTING

En cumplimiento con la Ley para la Defensa de los Consumidores, NOVOLUX LIGHTING garantiza que los productos adquiridos están protegidos contra posibles **vicios ocultos** o **defectos de fabricación**. La durabilidad y correcto funcionamiento de los productos dependerán del cumplimiento de las siguientes condiciones:

- **Instalación de empotrables de suelo:** Está estrictamente prohibido el uso de atornilladores mecánicos en estos productos, ya que podría causar roturas o aplicar un par de apriete incorrecto en los tornillos.
- **Uso de cableado:** Es obligatorio utilizar el cable recomendado por el fabricante o uno de calidad superior. En ningún caso deben dejarse cables expuestos o sin protección, para evitar daños graves o problemas relacionados con la humedad o la capilaridad.
- **Sustitución de piezas:** Cualquier sustitución de una pieza **NO** original suministrada por el fabricante (incluyendo la tornillería) **anulará automáticamente la garantía** del producto.
- **Uso de silicona:** La aplicación de silicona exime a NOVOLUX de toda responsabilidad sobre el producto.
- **Manipulación no autorizada:** La manipulación del producto por personal no cualificado o sin la debida autorización anulará automáticamente la garantía.
- **Racor (prensaestopas):** Un uso incorrecto del racor **anulará la garantía** del producto.
- **Responsabilidad del instalador:** NOVOLUX recuerda a sus clientes que la instalación de sus productos en lugares de concurrencia pública es responsabilidad exclusiva del **prescriptor o instalador**, ya que NOVOLUX se dedica únicamente a la venta de iluminación para interiores y exteriores residenciales.

- **Selección del material:** La correcta selección del material es responsabilidad del cliente. Cualquier aplicación incorrecta del mismo **exime a NOVOLUX de responsabilidad**.

- **Responsabilidad limitada:** NOVOLUX solo se hará responsable de la calidad de sus productos si se siguen las recomendaciones indicadas. Queda exonerada de cualquier responsabilidad en casos de:

- Aplicación incorrecta de las luminarias o lámparas.
- Suministro eléctrico inadecuado.
- Incumplimiento de las instrucciones de instalación y mantenimiento.
- Cualquier daño causado por agentes externos.

- **Gastos adicionales:** Los costos derivados de la solución de problemas ajenos a la calidad de la luminaria (como desplazamientos de técnicos o reparaciones no relacionadas con defectos del producto) **serán facturados al cliente**.

11. Reserva de Propiedad

- NOVOLUX se reserva el derecho de propiedad sobre todos los materiales suministrados hasta que el comprador haya realizado el pago total de los mismos.

12. Jurisdicción

- Para cualquier discrepancia o litigio que surja de las presentes Condiciones Generales de Venta, ambas partes se someten a la jurisdicción de los Juzgados y Tribunales de Barcelona, renunciando expresamente a su propio fuero.

REF.	FAM.	BRAND	PAG.
003A-G05X1A-30	ABREGO	DOPO	506
003B-G05X1A-30	ABREGO	DOPO	608
025C-L3106B10-02	BAMBOLA	CRISTHER	786
025C-L3106B30-02	BAMBOLA	CRISTHER	786
025C-L3306B10-02	BAMBOLA	CRISTHER	786
025C-L3306B30-02	BAMBOLA	CRISTHER	786
030D-L0318D-01	BELT	CRISTHER	847
030D-L0418D-01	BELT	CRISTHER	847
036A-G05X1A-01T	BOOM	DOPO	638
036A-G05X1A-02T	BOOM	DOPO	638
036B-G05X1A-01T	BOOM	DOPO	638
036B-G05X1A-02T	BOOM	DOPO	638
036D-G05X1A-01T	BOOM	DOPO	639
036D-G05X1A-02T	BOOM	DOPO	639
036E-G05X1A-01T	BOOM	DOPO	639
036E-G05X1A-02T	BOOM	DOPO	639
036F-G05X1A-01T	BOOM	DOPO	639
036F-G05X1A-02T	BOOM	DOPO	639
037A-G21X1A-30	BORA	DOPO	539
037B-G21X1A-30	BORA	DOPO	539
037D-G21X1A-30	BORA	DOPO	539
046C-G05X1A-01T	CAST	DOPO	640
046C-G05X1A-02T	CAST	DOPO	640
046E-G05X1A-01T	CAST	DOPO	640
046E-G05X1A-02T	CAST	DOPO	640
046G-G05X1A-01T	CAST	DOPO	640
046G-G05X1A-02T	CAST	DOPO	640
051A-G05X1A-04	CICLON	DOPO	499
051B-G05X1A-04	CICLON	DOPO	499
056B-G05X1A-02	CITY INDURA	DOPO	665
056D-G05X1A-02	CITY INDURA	DOPO	665
057B-G05X1A-02	INDURA GLOBO	DOPO	642
057D-G05X1A-02	INDURA GLOBO	DOPO	645
057E-G05X1A-02	INDURA GLOBO	DOPO	645
057F-G05X1A-02	INDURA GLOBO	DOPO	645
059A-G05X1A-01	CLIC-CLAC 4	DOPO	662
059A-G05X1A-02	CLIC-CLAC 4	DOPO	662
059B-G05X1A-01	CLIC-CLAC 4	DOPO	663
059B-G05X1A-02	CLIC-CLAC 4	DOPO	663
059C-G05X1A-01	CLIC-CLAC 4	DOPO	663
059C-G05X1A-02	CLIC-CLAC 4	DOPO	663
059G-G05X1A-01	CLIC-CLAC 4	DOPO	662
059G-G05X1A-02	CLIC-CLAC 4	DOPO	662
059H-G05X1A-01	CLIC-CLAC 4	DOPO	662
059H-G05X1A-02	CLIC-CLAC 4	DOPO	662
059I-G05X1A-01	CLIC-CLAC 4	DOPO	662
059I-G05X1A-02	CLIC-CLAC 4	DOPO	662
059J-G05X1A-01	CLIC-CLAC 4	DOPO	663
059J-G05X1A-02	CLIC-CLAC 4	DOPO	663
060A-G05X1A-01	CLIC-CLAC 6	DOPO	674
060A-G05X1A-02	CLIC-CLAC 6	DOPO	674
060B-G05X1A-01	CLIC-CLAC 6	DOPO	674
060B-G05X1A-02	CLIC-CLAC 6	DOPO	674
060D-G05X1A-01	CLIC-CLAC 6	DOPO	675
060D-G05X1A-02	CLIC-CLAC 6	DOPO	675
060E-G05X1A-01	CLIC-CLAC 6	DOPO	675
060E-G05X1A-02	CLIC-CLAC 6	DOPO	675
060G-G05X1A-01	CLIC-CLAC 6	DOPO	674
060G-G05X1A-02	CLIC-CLAC 6	DOPO	674
060H-G05X1A-01	CLIC-CLAC 6	DOPO	674
060H-G05X1A-02	CLIC-CLAC 6	DOPO	674
060J-G05X1A-01	CLIC-CLAC 6	DOPO	675
060J-G05X1A-02	CLIC-CLAC 6	DOPO	675
061B-G05X1A-01	CLIC-CLAC GLOBO	DOPO	648
061B-G05X1A-02	CLIC-CLAC GLOBO	DOPO	648
061D-G05X1A-01	CLIC-CLAC GLOBO	DOPO	649
061D-G05X1A-02	CLIC-CLAC GLOBO	DOPO	649
061E-G05X1A-01	CLIC-CLAC GLOBO	DOPO	649

REF.	FAM.	BRAND	PAG.
061E-G05X1A-02	CLIC-CLAC GLOBO	DOPO	649
061G-G05X1A-01	CLIC-CLAC GLOBO	DOPO	648
061G-G05X1A-02	CLIC-CLAC GLOBO	DOPO	648
061H-G05X1A-01	CLIC-CLAC GLOBO	DOPO	648
061H-G05X1A-02	CLIC-CLAC GLOBO	DOPO	648
061I-G05X1A-01	CLIC-CLAC GLOBO	DOPO	648
061I-G05X1A-02	CLIC-CLAC GLOBO	DOPO	648
061J-G05X1A-01	CLIC-CLAC GLOBO	DOPO	649
061J-G05X1A-02	CLIC-CLAC GLOBO	DOPO	649
063A-G05X1A-01	COC	CRISTHER	727
063A-G05X1A-02	COC	CRISTHER	727
063B-G05X1A-01	COC	CRISTHER	727
063B-G05X1A-02	COC	CRISTHER	727
068A-G05X1A-02	COK	CRISTHER	825
068A-G05X1A-04	COK	CRISTHER	825
068B-G05X1A-02	COK	CRISTHER	825
068B-G05X1A-04	COK	CRISTHER	825
068C-G05X1A-02	COK	CRISTHER	825
068C-G05X1A-04	COK	CRISTHER	825
068D-G05X1A-02	COK	CRISTHER	825
068D-G05X1A-04	COK	CRISTHER	825
077C-L0303D-01	CUP	CRISTHER	849
077C-L0403D-01	CUP	CRISTHER	849
084A-G31X1A-01	DEVON	DOPO	521
084A-G31X1A-02	DEVON	DOPO	521
084A-G31X1A-03	DEVON	DOPO	521
084A-G31X2A-01	DEVON	DOPO	521
084A-G31X2A-02	DEVON	DOPO	521
084A-G31X2A-03	DEVON	DOPO	521
084B-G31X2A-02	DEVON	DOPO	523
084B-G31X2A-03	DEVON	DOPO	523
084C-G31X1A-01	DEVON	DOPO	522
084C-G31X1A-03	DEVON	DOPO	522
084C-G31X2A-01	DEVON	DOPO	522
084C-G31X2A-02	DEVON	DOPO	522
084C-G31X2A-03	DEVON	DOPO	522
084D-G31X1A-02	DEVON	DOPO	523
084D-G31X1A-03	DEVON	DOPO	523
084F-G31X1A-02	DEVON	DOPO	523
084F-G31X1A-03	DEVON	DOPO	523
084G-G31X1A-01	DEVON	DOPO	521
084G-G31X1A-02	DEVON	DOPO	521
084G-G31X1A-03	DEVON	DOPO	521
084I-G31X1A-01	DEVON	DOPO	522
084I-G31X1A-02	DEVON	DOPO	522
084I-G31X1A-03	DEVON	DOPO	522
084K-G31X1A-02	DEVON	DOPO	520
084K-G31X1A-03	DEVON	DOPO	520
084Q-G31X1A-02	DEVON	DOPO	520
084Q-G31X1A-03	DEVON	DOPO	520
084U-G31X2A-01	DEVON	DOPO	520
084U-G31X2A-02	DEVON	DOPO	520
084U-G31X2A-03	DEVON	DOPO	520
096A-G04X1A-01T	ELITE 6	DOPO	676
096A-G04X1A-02T	ELITE 6	DOPO	676
096B-G05X1A-01T	ELITE 6	DOPO	677
096B-G05X1A-02T	ELITE 6	DOPO	677
096C-G05X1A-01T	ELITE 6	DOPO	677
096C-G05X1A-02T	ELITE 6	DOPO	677
096D-G05X1A-01T	ELITE 6	DOPO	676
096D-G05X1A-02T	ELITE 6	DOPO	676
096E-G05X1A-01T	ELITE 6	DOPO	676
096E-G05X1A-02T	ELITE 6	DOPO	676
096F-G05X1A-01T	ELITE 6	DOPO	676
096F-G05X1A-02T	ELITE 6	DOPO	676
096G-G05X1A-01T	ELITE 6	DOPO	676
096G-G05X1A-02T	ELITE 6	DOPO	676
096H-G05X1A-01T	ELITE 6	DOPO	676

REF.	FAM.	BRAND	PAG.
096H-G05XIA-02T	ELITE 6	DOPO	676
096I-G05XIA-01T	ELITE 6	DOPO	676
096I-G05XIA-02T	ELITE 6	DOPO	676
096J-G05XIA-01T	ELITE 6	DOPO	676
096J-G05XIA-02T	ELITE 6	DOPO	676
096K-G05XIA-01T	ELITE 6	DOPO	677
096K-G05XIA-02T	ELITE 6	DOPO	677
096L-G05XIA-01T	ELITE 6	DOPO	677
096L-G05XIA-02T	ELITE 6	DOPO	677
096M-G05XIA-01T	ELITE 6	DOPO	677
096M-G05XIA-02T	ELITE 6	DOPO	677
096N-G05XIA-01T	ELITE 6	DOPO	677
096N-G05XIA-02T	ELITE 6	DOPO	677
096O-G05XIA-01T	ELITE 6	DOPO	677
096O-G05XIA-02T	ELITE 6	DOPO	677
096P-G05XIA-01T	ELITE 6	DOPO	677
096P-G05XIA-02T	ELITE 6	DOPO	677
096Q-G05XIA-01T	ELITE 6	DOPO	678
096Q-G05XIA-02T	ELITE 6	DOPO	678
096R-G05XIA-01T	ELITE 6	DOPO	678
096R-G05XIA-02T	ELITE 6	DOPO	678
096S-G05XIA-01T	ELITE 6	DOPO	678
096S-G05XIA-02T	ELITE 6	DOPO	678
096T-G05XIA-01T	ELITE 6	DOPO	678
096T-G05XIA-02T	ELITE 6	DOPO	678
096U-G05XIA-01T	ELITE 6	DOPO	678
096U-G05XIA-02T	ELITE 6	DOPO	678
096V-G05XIA-01T	ELITE 6	DOPO	678
096V-G05XIA-02T	ELITE 6	DOPO	678
107B-G05XIA-01	FAR	DOPO	518
107B-G05XIA-02	FAR	DOPO	518
107G-G05XIA-01	FAR	DOPO	518
107G-G05XIA-02	FAR	DOPO	518
107G-G05XIA-03	FAR	DOPO	518
107H-G05XIA-01	FAR	DOPO	518
107H-G05XIA-02	FAR	DOPO	518
107I-L0212B-01	FAR	DOPO	516
107I-L0212B-02	FAR	DOPO	516
107J-L0212B-01	FAR	DOPO	516
107J-L0212B-02	FAR	DOPO	516
113A-L2105A-02	FOCUS	CRISTHER	750
113A-L2305B-02	FOCUS	CRISTHER	850
113A-L2305D-02	FOCUS	CRISTHER	850
113B-L2305B-02	FOCUS	CRISTHER	851
114A-G05XIA-02	FRAM	CRISTHER	828
114A-G05XIA-03	FRAM	CRISTHER	828
117B-G05XIA-30	GALERNA	DOPO	609
117C-G05XIA-30	GALERNA	DOPO	507
127G-G05XIA-01T	GLOBI	DOPO	647
127G-G05XIA-02T	GLOBI	DOPO	647
127K-G05XIA-01T	GLOBI	DOPO	647
127K-G05XIA-02T	GLOBI	DOPO	647
129F-G05XIA-02	GLOU	DOPO	630
129F-G05XIA-02	GLOU	DOPO	630
129G-G05XIA-02	GLOU	DOPO	630
129H-G05XIA-02	GLOU	DOPO	630
144B-G05XIA-02	INDURA BIG 6	DOPO	672
144D-G05XIA-02	INDURA BIG 6	DOPO	673
144E-G05XIA-02	INDURA BIG 6	DOPO	673
144F-G05XIA-02	INDURA BIG 6	DOPO	673
144G-G05XIA-02	INDURA BIG 6	DOPO	672
145I-G05XIA-02	INDURA GLOBO	DOPO	643
146B-G05XIA-02	INDURA MEDIUM 4	DOPO	666
146D-G05XIA-02	INDURA MEDIUM 4	DOPO	666
146D-G31XIA-02	INDURA MEDIUM 4	DOPO	666
146E-G05XIA-02	INDURA MEDIUM 4	DOPO	666
146E-G31XIA-02	INDURA MEDIUM 4	DOPO	666
146H-G05XIA-02	INDURA MEDIUM 4	DOPO	666

REF.	FAM.	BRAND	PAG.
147A-G05XIA-02	INDURA MEDIUM 6	DOPO	670
147B-G05XIA-02	INDURA MEDIUM 6	DOPO	670
147D-G05XIA-02	INDURA MEDIUM 6	DOPO	671
147E-G05XIA-02	INDURA MEDIUM 6	DOPO	671
147F-G05XIA-02	INDURA MEDIUM 6	DOPO	671
147H-G05XIA-02	INDURA MEDIUM 6	DOPO	670
147I-G05XIA-02	INDURA MEDIUM 6	DOPO	670
148D-G05XIA-02	INDURA GLOBO	DOPO	644
148E-G05XIA-02	INDURA GLOBO	DOPO	644
148H-G05XIA-02	INDURA GLOBO	DOPO	643
148B-G05XIA-02	INDURA MINI 4	DOPO	668
149G-G05XIA-02	INDURA MINI 4	DOPO	668
149H-G05XIA-02	INDURA MINI 4	DOPO	668
149I-G05XIA-02	INDURA MINI 4	DOPO	668
150B-G05XIA-02	INDURA MINI 6	DOPO	669
150G-G05XIA-02	INDURA MINI 6	DOPO	669
150H-G05XIA-02	INDURA MINI 6	DOPO	669
150I-G05XIA-02	INDURA MINI 6	DOPO	669
151A-G05XIA-02	INDURA GLOBO	DOPO	642
151D-G05XIA-02	INDURA GLOBO	DOPO	644
151E-G05XIA-02	INDURA GLOBO	DOPO	644
151H-G05XIA-02	INDURA GLOBO	DOPO	643
151I-G05XIA-02	INDURA GLOBO	DOPO	643
152A-L02XIK-03S	INTI	CRISTHER	776
152A-L07XIK-03S	INTI	CRISTHER	776
152B-L02XIK-03S	INTI	CRISTHER	776
152B-L07XIK-03S	INTI	CRISTHER	776
152C-L02XIK-03S	INTI	CRISTHER	776
152C-L07XIK-03S	INTI	CRISTHER	776
152D-L02XIK-03S	INTI	CRISTHER	776
152D-L07XIK-03S	INTI	CRISTHER	776
157A-H20XIA-01	ISORA	CRISTHER	703
157A-H20XIA-02	ISORA	CRISTHER	703
157A-H20XIA-03	ISORA	CRISTHER	703
157A-H20XIA-04	ISORA	CRISTHER	703
157A-H20XIA-9I	ISORA	CRISTHER	703
157A-L0105B-01	ISORA	CRISTHER	703
157A-L0105B-02	ISORA	CRISTHER	703
157A-L0105B-03	ISORA	CRISTHER	703
157A-L0105B-04	ISORA	CRISTHER	703
157A-L0105B-9I	ISORA	CRISTHER	703
157A-L0205B-01	ISORA	CRISTHER	703
157A-L0205B-02	ISORA	CRISTHER	703
157A-L0205B-03	ISORA	CRISTHER	703
157A-L0205B-04	ISORA	CRISTHER	703
157A-L0205B-9I	ISORA	CRISTHER	703
157A-L3805B-01	ISORA	CRISTHER	703
157A-L3805B-02	ISORA	CRISTHER	703
157A-L3805B-03	ISORA	CRISTHER	703
157A-L3805B-04	ISORA	CRISTHER	703
157A-L3805B-9I	ISORA	CRISTHER	703
157B-H20XIA-01	ISORA	CRISTHER	703
157B-H20XIA-02	ISORA	CRISTHER	703
157B-H20XIA-03	ISORA	CRISTHER	703
157B-H20XIA-04	ISORA	CRISTHER	703
157B-H20XIA-9I	ISORA	CRISTHER	703
157B-L01G8B-01	ISORA	CRISTHER	703
157B-L01G8B-02	ISORA	CRISTHER	703
157B-L01G8B-03	ISORA	CRISTHER	703
157B-L01G8B-04	ISORA	CRISTHER	703
157B-L01G8B-9I	ISORA	CRISTHER	703
157B-L02G8B-01	ISORA	CRISTHER	703
157B-L02G8B-02	ISORA	CRISTHER	703
157B-L02G8B-03	ISORA	CRISTHER	703
157B-L02G8B-04	ISORA	CRISTHER	703
157B-L02G8B-9I	ISORA	CRISTHER	703
157B-L38G8B-01	ISORA	CRISTHER	703
157B-L38G8B-02	ISORA	CRISTHER	703

REF.	FAM.	BRAND	PAG.
157B-L38G8B-03	ISORA	CRISTHER	703
157B-L38G8B-04	ISORA	CRISTHER	703
157B-L38G8B-91	ISORA	CRISTHER	703
157C-G05X1A-01	ISORA	CRISTHER	705
157C-G05X1A-02	ISORA	CRISTHER	705
157C-G05X1A-03	ISORA	CRISTHER	705
157C-G05X1A-04	ISORA	CRISTHER	705
157C-G05X1A-91	ISORA	CRISTHER	705
157C-L0109B-01	ISORA	CRISTHER	704
157C-L0109B-02	ISORA	CRISTHER	704
157C-L0109B-03	ISORA	CRISTHER	704
157C-L0109B-04	ISORA	CRISTHER	704
157C-L0109B-91	ISORA	CRISTHER	704
157C-L01RDB-01	ISORA	CRISTHER	704
157C-L01RDB-02	ISORA	CRISTHER	704
157C-L01RDB-03	ISORA	CRISTHER	704
157C-L01RDB-04	ISORA	CRISTHER	704
157C-L01RDB-91	ISORA	CRISTHER	704
157C-L0209B-01	ISORA	CRISTHER	704
157C-L0209B-02	ISORA	CRISTHER	704
157C-L0209B-03	ISORA	CRISTHER	704
157C-L0209B-04	ISORA	CRISTHER	704
157C-L0209B-91	ISORA	CRISTHER	704
157C-L02RDB-01	ISORA	CRISTHER	704
157C-L02RDB-02	ISORA	CRISTHER	704
157C-L02RDB-03	ISORA	CRISTHER	704
157C-L02RDB-04	ISORA	CRISTHER	704
157C-L02RDB-91	ISORA	CRISTHER	704
157C-L3006B-01	ISORA	CRISTHER	704
157C-L3006B-02	ISORA	CRISTHER	704
157C-L3006B-03	ISORA	CRISTHER	704
157C-L3006B-04	ISORA	CRISTHER	704
157C-L3006B-91	ISORA	CRISTHER	704
157C-L30RDB-01	ISORA	CRISTHER	704
157C-L30RDB-02	ISORA	CRISTHER	704
157C-L30RDB-03	ISORA	CRISTHER	704
157C-L30RDB-04	ISORA	CRISTHER	704
157C-L30RDB-91	ISORA	CRISTHER	704
157D-G05X1A-01	ISORA	CRISTHER	705
157D-G05X1A-02	ISORA	CRISTHER	705
157D-G05X1A-03	ISORA	CRISTHER	705
157D-G05X1A-04	ISORA	CRISTHER	705
157D-G05X1A-91	ISORA	CRISTHER	705
157D-L01G9B-01	ISORA	CRISTHER	704
157D-L01G9B-02	ISORA	CRISTHER	704
157D-L01G9B-03	ISORA	CRISTHER	704
157D-L01G9B-04	ISORA	CRISTHER	704
157D-L01G9B-91	ISORA	CRISTHER	704
157D-L01RDB-01	ISORA	CRISTHER	704
157D-L01RDB-02	ISORA	CRISTHER	704
157D-L01RDB-03	ISORA	CRISTHER	704
157D-L01RDB-04	ISORA	CRISTHER	704
157D-L01RDB-91	ISORA	CRISTHER	704
157D-L02G9B-01	ISORA	CRISTHER	704
157D-L02G9B-02	ISORA	CRISTHER	704
157D-L02G9B-03	ISORA	CRISTHER	704
157D-L02G9B-04	ISORA	CRISTHER	704
157D-L02G9B-91	ISORA	CRISTHER	704
157D-L02RDB-01	ISORA	CRISTHER	704
157D-L02RDB-02	ISORA	CRISTHER	704
157D-L02RDB-03	ISORA	CRISTHER	704
157D-L02RDB-04	ISORA	CRISTHER	704
157D-L02RDB-91	ISORA	CRISTHER	704
157D-L30G6B-01	ISORA	CRISTHER	704
157D-L30G6B-02	ISORA	CRISTHER	704
157D-L30G6B-03	ISORA	CRISTHER	704
157D-L30G6B-04	ISORA	CRISTHER	704
157D-L30G6B-91	ISORA	CRISTHER	704

REF.	FAM.	BRAND	PAG.
157D-L30RDB-01	ISORA	CRISTHER	704
157D-L30RDB-02	ISORA	CRISTHER	704
157D-L30RDB-03	ISORA	CRISTHER	704
157D-L30RDB-04	ISORA	CRISTHER	704
157D-L30RDB-91	ISORA	CRISTHER	704
159A-G05X1A-03	JASMIN	DOPO	602
159A-G05X1A-04	JASMIN	DOPO	602
166A-L0109B-01	KAPPA	DOPO	519
166A-L0109B-02	KAPPA	DOPO	519
166A-L0209B-01	KAPPA	DOPO	519
166A-L0209B-02	KAPPA	DOPO	519
166B-L0109B-01	KAPPA	DOPO	519
166B-L0109B-02	KAPPA	DOPO	519
166B-L0209B-01	KAPPA	DOPO	519
166B-L0209B-02	KAPPA	DOPO	519
167A-G05X1A-02T	KEO	DOPO	635
167B-G05X1A-02T	KEO	DOPO	635
167H-G05X1A-02T	KEO	DOPO	635
169A-G05X1A-03	KIRA	DOPO	503
169A-G05X1A-04	KIRA	DOPO	503
169C-G05X1A-04	KIRA	DOPO	503
172A-G21X1A-30	KOBE	DOPO	564
194A-G05X1A-01T	MEDI	DOPO	635
194A-G05X1A-02T	MEDI	DOPO	635
194B-G05X1A-01T	MEDI	DOPO	635
194B-G05X1A-02T	MEDI	DOPO	635
200AS-L0407FC0-00	NILO RGB	INDELUZ	184
200AS-L0414FC0-00	NILO RGB	INDELUZ	184
200AS-L1416FC0-00	NILO RGB+W	INDELUZ	186
200AS-L3805FC0-00	NILO 8-10	INDELUZ	178
200AS-L3810FC0-00	NILO 8-10	INDELUZ	178
200AS-L3814FC0-00	NILO 8-10	INDELUZ	179
200AS-L3819FC0-00	NILO 8-10	INDELUZ	179
200AS-L3905FC0-00	NILO 8-10	INDELUZ	178
200AS-L3910FC0-00	NILO 8-10	INDELUZ	178
200AS-L3914FC0-00	NILO 8-10	INDELUZ	179
200AS-L3919FC0-00	NILO 8-10	INDELUZ	179
200AS-L4005FC0-00	NILO 8-10	INDELUZ	178
200AS-L4010FC0-00	NILO 8-10	INDELUZ	178
200AS-L4014FC0-00	NILO 8-10	INDELUZ	179
200AS-L4019FC0-00	NILO 8-10	INDELUZ	179
200DS-L0407FC0-00	NILO RGB	INDELUZ	185
200DS-L0414FC0-00	NILO RGB	INDELUZ	185
200DS-L1416FC0-00	NILO RGB+W	INDELUZ	186
200DS-L3805FC0-00	NILO 8-10	INDELUZ	180
200DS-L3810FC0-00	NILO 8-10	INDELUZ	180
200DS-L3814FC0-00	NILO 8-10	INDELUZ	181
200DS-L3819FC0-00	NILO 8-10	INDELUZ	181
200DS-L3905FC0-00	NILO 8-10	INDELUZ	180
200DS-L3910FC0-00	NILO 8-10	INDELUZ	180
200DS-L3914FC0-00	NILO 8-10	INDELUZ	181
200DS-L3919FC0-00	NILO 8-10	INDELUZ	181
200DS-L4005FC0-00	NILO 8-10	INDELUZ	180
200DS-L4010FC0-00	NILO 8-10	INDELUZ	180
200DS-L4014FC0-00	NILO 8-10	INDELUZ	181
200DS-L4019FC0-00	NILO 8-10	INDELUZ	181
201A-G05X1A-03	MINI NICO	CRISTHER	820
201A-G05X1A-04	MINI NICO	CRISTHER	820
201A-G05X1A-90	MINI NICO	CRISTHER	820
201AS-L1416FC0-00	NILO RGB+W	INDELUZ	186
201AS-L3012FC0-00	NILO BASIC	INDELUZ	176
201AS-L3112FC0-00	NILO BASIC	INDELUZ	176
201AS-L3312FC0-00	NILO BASIC	INDELUZ	176
201B-G05X1A-03	MINI NICO	CRISTHER	820
201B-G05X1A-04	MINI NICO	CRISTHER	820
201B-G05X1A-90	MINI NICO	CRISTHER	820
201DS-L1416FC0-00	NILO RGB+W	INDELUZ	186
201DS-L3012FC0-00	NILO BASIC	INDELUZ	177

REF.	FAM.	BRAND	PAG.
201DS-L3112FC0-00	NILO BASIC	INDELUX	177
201DS-L3312FC0-00	NILO BASIC	INDELUX	177
202AC-L3810FC0-00	RINS	INDELUX	190
202AC-L3914FC0-00	RINS	INDELUX	190
202AC-L3910FC0-00	RINS	INDELUX	190
202AC-L3914FC0-00	RINS	INDELUX	190
202AC-L4010FC0-00	RINS	INDELUX	190
202AC-L4014FC0-00	RINS	INDELUX	190
202AS-L1416FC0-00	NILO RGB+W	INDELUX	186
202DC-L3810FC0-00	RINS	INDELUX	191
202DC-L3814FC0-00	RINS	INDELUX	191
202DC-L3910FC0-00	RINS	INDELUX	191
202DC-L3914FC0-00	RINS	INDELUX	191
202DC-L4010FC0-00	RINS	INDELUX	191
202DC-L4014FC0-00	RINS	INDELUX	191
202DS-L1416FC0-00	NILO RGB+W	INDELUX	186
203AS-L3809FC0-00	NILO 5	INDELUX	182
203AS-L3814FC0-00	NILO 5	INDELUX	182
203AS-L3909FC0-00	NILO 5	INDELUX	182
203AS-L3914FC0-00	NILO 5	INDELUX	182
203AS-L4009FC0-00	NILO 5	INDELUX	182
203AS-L4014FC0-00	NILO 5	INDELUX	182
203B-G05XIA-01	MIR	DOPO	513
203B-G05XIA-02	MIR	DOPO	513
203DS-L3809FC0-00	NILO 5	INDELUX	183
203DS-L3814FC0-00	NILO 5	INDELUX	183
203DS-L3909FC0-00	NILO 5	INDELUX	183
203DS-L3914FC0-00	NILO 5	INDELUX	183
203DS-L4009FC0-00	NILO 5	INDELUX	183
203DS-L4014FC0-00	NILO 5	INDELUX	183
204AS-L3011FC0-00	NILO EFFICIENCY	INDELUX	188
204AS-L3022FC0-00	NILO EFFICIENCY	INDELUX	188
204AS-L3111FC0-00	NILO EFFICIENCY	INDELUX	188
204AS-L3122FC0-00	NILO EFFICIENCY	INDELUX	188
204AS-L3111FC0-00	NILO EFFICIENCY	INDELUX	188
204AS-L3322FC0-00	NILO EFFICIENCY	INDELUX	188
204CH-L3013BC0-00	VOLGA	INDELUX	194
204CH-L3017BC0-00	VOLGA	INDELUX	195
204CH-L3113BC0-00	VOLGA	INDELUX	194
204CH-L3117BC0-00	VOLGA	INDELUX	195
204CH-L3313BC0-00	VOLGA	INDELUX	194
204CH-L3317BC0-00	VOLGA	INDELUX	195
204DS-L3011FC0-00	NILO EFFICIENCY	INDELUX	189
204DS-L3022FC0-00	NILO EFFICIENCY	INDELUX	189
204DS-L3111FC0-00	NILO EFFICIENCY	INDELUX	189
204DS-L3122FC0-00	NILO EFFICIENCY	INDELUX	189
204DS-L3311FC0-00	NILO EFFICIENCY	INDELUX	189
204DS-L3322FC0-00	NILO EFFICIENCY	INDELUX	189
205CN-L0414FC0-00	SENA RGB	INDELUX	193
205CN-L3012FC0-00	SENA	INDELUX	192
205CN-L3112FC0-00	SENA	INDELUX	192
205CN-L3312FC0-00	SENA	INDELUX	192
206AS-L5213FC0-00	NILO DUAL	INDELUX	187
207CN-L3012FC0-00	SENA	INDELUX	192
207CN-L3112FC0-00	SENA	INDELUX	192
207CN-L3312FC0-00	SENA	INDELUX	192
208A-L02XIK-03	MITRA	CRISTHER	777
208A-L07XIK-03	MITRA	CRISTHER	777
208B-L02XIK-03	MITRA	CRISTHER	777
208B-L07XIK-03	MITRA	CRISTHER	777
208C-L02XIK-03	MITRA	CRISTHER	777
208C-L07XIK-03	MITRA	CRISTHER	777
208D-L02XIK-03	MITRA	CRISTHER	777
208D-L07XIK-03	MITRA	CRISTHER	777
213A-L0102F-30	NAT-LED	CRISTHER	760
213A-L1002F-30	NAT-LED	CRISTHER	760
213B-L0102F-30	NAT-LED	CRISTHER	760
213B-L1002F-30	NAT-LED	CRISTHER	760

REF.	FAM.	BRAND	PAG.
222B-G05XIA-02	NOVA	CRISTHER	824
222B-L3115B-02	NOVA	CRISTHER	824
222B-L3315B-02	NOVA	CRISTHER	824
222C-G05XIA-02	NOVA	CRISTHER	824
222C-L3115B-02	NOVA	CRISTHER	824
222C-L3315B-02	NOVA	CRISTHER	824
228A-G05XIA-01	OMO	DOPO	604
228A-G05XIA-02	OMO	DOPO	604
228A-G05XIA-04	OMO	DOPO	604
228A-G05XIA-05	OMO	DOPO	604
228A-G05XIA-91	OMO	DOPO	604
228B-G05XIA-01	OMO	DOPO	604
228B-G05XIA-02	OMO	DOPO	604
228B-G05XIA-04	OMO	DOPO	604
228B-G05XIA-05	OMO	DOPO	604
228B-G05XIA-91	OMO	DOPO	604
228C-G05XIA-01	OMO	DOPO	604
228C-G05XIA-02	OMO	DOPO	604
228C-G05XIA-04	OMO	DOPO	604
228C-G05XIA-05	OMO	DOPO	604
228C-G05XIA-91	OMO	DOPO	604
228D-G05XIA-01	OMO	DOPO	604
228D-G05XIA-02	OMO	DOPO	604
228D-G05XIA-04	OMO	DOPO	604
228D-G05XIA-05	OMO	DOPO	604
228D-G05XIA-91	OMO	DOPO	604
232A-G05XIA-01	PAMPERO	DOPO	501
232A-G05XIA-03	PAMPERO	DOPO	501
233D-L0318D-01	PAR56	CRISTHER	847
233D-L0418D-01	PAR56	CRISTHER	847
240A-G05XIA-01	PLAFF	CRISTHER	726
240A-G05XIA-02	PLAFF	CRISTHER	726
240B-G05XIA-01	PLAFF	CRISTHER	726
240B-G05XIA-02	PLAFF	CRISTHER	726
240C-G05XIA-01	PLAFF	CRISTHER	726
240C-G05XIA-02	PLAFF	CRISTHER	726
240D-G05XIA-01	PLAFF	CRISTHER	726
240D-G05XIA-02	PLAFF	CRISTHER	726
240E-G05XIA-01	PLAFF	CRISTHER	726
240E-G05XIA-02	PLAFF	CRISTHER	726
253D-L0312D-01	MINI PRAGA	CRISTHER	848
253D-L0412D-01	MINI PRAGA	CRISTHER	848
253E-L0318D-01	PRAGA	CRISTHER	848
253E-L0418D-01	PRAGA	CRISTHER	848
261A-L0109B-04	RIMA	CRISTHER	717
261A-L0209B-04	RIMA	CRISTHER	717
261C-L0105B-04	RIMA	CRISTHER	717
261C-L0205B-04	RIMA	CRISTHER	717
264A-G05XIA-01T	ROB	DOPO	658
264A-G05XIA-02T	ROB	DOPO	658
264B-G05XIA-01T	ROB	DOPO	658
264B-G05XIA-02T	ROB	DOPO	658
264C-G05XIA-01T	ROB	DOPO	658
264C-G05XIA-02T	ROB	DOPO	658
264D-G05XIA-01T	ROB	DOPO	658
264D-G05XIA-02T	ROB	DOPO	658
264E-G05XIA-01T	ROB	DOPO	658
264E-G05XIA-02T	ROB	DOPO	658
264G-G05XIA-01T	ROB	DOPO	659
264G-G05XIA-02T	ROB	DOPO	659
264H-G05XIA-01T	ROB	DOPO	659
264H-G05XIA-02T	ROB	DOPO	659
264I-G05XIA-01T	ROB	DOPO	659
264I-G05XIA-02T	ROB	DOPO	659
264M-G05XIA-01T	ROB	DOPO	660
264M-G05XIA-02T	ROB	DOPO	660

REF.	FAM.	BRAND	PAG.
264N-G05X1A-01T	ROB	DOPO	660
264N-G05X1A-02T	ROB	DOPO	660
264O-G05X1A-01T	ROB	DOPO	660
264O-G05X1A-02T	ROB	DOPO	660
264P-G05X1A-01T	ROB	DOPO	660
264P-G05X1A-02T	ROB	DOPO	660
264Q-G05X1A-01T	ROB	DOPO	660
264Q-G05X1A-02T	ROB	DOPO	660
264R-G05X1A-01T	ROB	DOPO	660
264R-G05X1A-02T	ROB	DOPO	660
272A-G05X1A-02	SAURO	DOPO	607
272A-G31X1A-02	SAURO	DOPO	607
272B-G05X1A-02	SAURO	DOPO	607
272B-G31X1A-02	SAURO	DOPO	607
272C-G05X1A-02	SAURO	DOPO	607
272C-G31X1A-02	SAURO	DOPO	607
286A-G05X1A-03	SIROCO	DOPO	606
286A-G05X1A-04	SIROCO	DOPO	606
289B-L0104B-03	SLIM	CRISTHER	720
289B-L0104B-04	SLIM	CRISTHER	720
289B-L0204B-03	SLIM	CRISTHER	720
289B-L0204B-04	SLIM	CRISTHER	720
289C-L010B-03	SLIM	CRISTHER	720
289C-L010B-04	SLIM	CRISTHER	720
289C-L020B-03	SLIM	CRISTHER	720
289C-L020B-04	SLIM	CRISTHER	720
289D-L0104B-03	SLIM	CRISTHER	721
289D-L0104B-04	SLIM	CRISTHER	721
289D-L0204B-03	SLIM	CRISTHER	721
289D-L0204B-04	SLIM	CRISTHER	721
289E-L010B-03	SLIM	CRISTHER	721
289E-L010B-04	SLIM	CRISTHER	721
289E-L020B-03	SLIM	CRISTHER	721
289E-L020B-04	SLIM	CRISTHER	721
302A-L0105B-04	SURI	CRISTHER	764
302A-L0205B-04	SURI	CRISTHER	764
302B-L0105B-04	SURI	CRISTHER	764
302B-L0205B-04	SURI	CRISTHER	764
302C-L0105B-04	SURI	CRISTHER	764
302C-L0205B-04	SURI	CRISTHER	764
303A-L0106A-04	SURI BIG	CRISTHER	765
303A-L0206A-04	SURI BIG	CRISTHER	765
303B-L0106A-04	SURI BIG	CRISTHER	765
303B-L0206A-04	SURI BIG	CRISTHER	765
303C-L0106A-04	SURI BIG	CRISTHER	765
303C-L0206A-04	SURI BIG	CRISTHER	765
305B-L0104H-30	SYNA	CRISTHER	734
305C-L0102F-30	SYNA	CRISTHER	734
317A-G05X1A-01	TEIA	DOPO	515
317A-G05X1A-02	TEIA	DOPO	515
317A-G05X1A-03	TEIA	DOPO	515
317B-G05X1A-01	TEIA	DOPO	515
317B-G05X1A-02	TEIA	DOPO	515
317B-G05X1A-03	TEIA	DOPO	515
317C-G05X1A-01	TEIA	DOPO	515
317C-G05X1A-02	TEIA	DOPO	515
317C-G05X1A-03	TEIA	DOPO	515
319A-L2105A-02	TIR	CRISTHER	796
319A-L2105A-03	TIR	CRISTHER	796
321A-G05X1A-03	KIRA	DOPO	503
321A-G05X1A-04	KIRA	DOPO	503
332B-G05X1A-01T	TROM	DOPO	636
332B-G05X1A-02T	TROM	DOPO	636
332D-G05X1A-01T	TROM	DOPO	637
332D-G05X1A-02T	TROM	DOPO	637
332E-G05X1A-01T	TROM	DOPO	637
332E-G05X1A-02T	TROM	DOPO	637
332F-G05X1A-01T	TROM	DOPO	637

REF.	FAM.	BRAND	PAG.
332F-G05X1A-02T	TROM	DOPO	637
332G-G05X1A-01T	TROM	DOPO	636
332G-G05X1A-02T	TROM	DOPO	636
344A-G05X1A-02	VIC	DOPO	646
344B-G05X1A-02	VIC	DOPO	646
344C-G05X1A-02	VIC	DOPO	646
344E-G05X1A-02	VIC	DOPO	646
345A-G05X1A-02	VIC	DOPO	646
345B-G05X1A-02	VIC	DOPO	646
345C-G05X1A-02	VIC	DOPO	646
345D-G05X1A-02	VIC	DOPO	646
346B-G05X1A-02T	VILLA BIG	DOPO	680
346D-G05X1A-02T	VILLA BIG	DOPO	681
348B-G05X1A-02T	VILLA CHAP	DOPO	664
348D-G05X1A-02T	VILLA CHAP	DOPO	664
349A-G05X1A-30	WALKER	DOPO	541
349A-L0107B-30	WALKER	DOPO	541
350A-G05X1A-01	XALOC	DOPO	527
350A-G05X1A-02	XALOC	DOPO	527
350C-G05X1A-30	XALOC	DOPO	527
350D-G05X1A-30	XALOC	DOPO	527
369D-L2003B-01	G9	NX Lighting	856
369D-L2003B-02	G9	NX Lighting	856
372A-G31X1A-02	BELGRADO	DOPO	544
372B-G31X1A-02	BELGRADO	DOPO	544
372C-G31X1A-02	BELGRADO	DOPO	544
373A-G31X1A-02	BELGRADO	DOPO	544
373B-G31X1A-02	BELGRADO	DOPO	544
373C-G31X1A-02	BELGRADO	DOPO	544
378A-L3103A-02	LED T2	NX Lighting	854
378A-L3106A-01	LED T2	NX Lighting	854
378A-L3106A-02	LED T2	NX Lighting	854
378A-L4103A-01	LED T2	NX Lighting	854
378B-L3107A-02	LED T2	NX Lighting	854
378B-L5210A-01	LED T2	NX Lighting	854
378C-L3111A-01	LED T2	NX Lighting	854
378C-L3111A-02	LED T2	NX Lighting	854
378C-L4111A-01	LED T2	NX Lighting	854
379A-G31X1A-30	SIO	DOPO	537
379B-G31X1A-30	SIO	DOPO	537
388A-L3020B-04	MAXIMA	CRISTHER	816
388A-L30RDB-04	MAXIMA	CRISTHER	816
388A-L3120B-04	MAXIMA	CRISTHER	816
388A-L31RDB-04	MAXIMA	CRISTHER	816
388B-L3020B-04	MAXIMA	CRISTHER	816
388B-L30RDB-04	MAXIMA	CRISTHER	816
388B-L3120B-04	MAXIMA	CRISTHER	816
388B-L31RDB-04	MAXIMA	CRISTHER	816
388C-L3036B-04	MAXIMA	CRISTHER	817
388C-L30RDB-04	MAXIMA	CRISTHER	817
388C-L3136B-04	MAXIMA	CRISTHER	817
388C-L31RDB-04	MAXIMA	CRISTHER	817
388D-L3036B-04	MAXIMA	CRISTHER	817
388D-L30RDB-04	MAXIMA	CRISTHER	817
388D-L3136B-04	MAXIMA	CRISTHER	817
388D-L31RDB-04	MAXIMA	CRISTHER	817
388E-L3036B-04	MAXIMA	CRISTHER	817
388E-L30RDB-04	MAXIMA	CRISTHER	817
388E-L3136B-04	MAXIMA	CRISTHER	817
388E-L31RDB-04	MAXIMA	CRISTHER	817
398A-G21X1A-04	SETH	CRISTHER	712
398A-G21X1A-90	SETH	CRISTHER	712
398A-L0105B-04	SETH	CRISTHER	712
398A-L0105B-90	SETH	CRISTHER	712
398A-L0205B-04	SETH	CRISTHER	712
398A-L0205B-90	SETH	CRISTHER	712
398B-G21X1A-04	SETH	CRISTHER	712
398B-G21X1A-90	SETH	CRISTHER	712

REF.	FAM.	BRAND	PAG.
398B-L01C4B-04	SETH	CRISTHER	712
398B-L01C4B-90	SETH	CRISTHER	712
398B-L02C4B-04	SETH	CRISTHER	712
398B-L02C4B-90	SETH	CRISTHER	712
398C-G21X1A-04	SETH	CRISTHER	713
398C-G21X1A-90	SETH	CRISTHER	713
398C-L0109B-04	SETH	CRISTHER	713
398C-L0109B-90	SETH	CRISTHER	713
398C-L01G9B-04	SETH	CRISTHER	713
398C-L01G9B-90	SETH	CRISTHER	713
398C-L0209B-04	SETH	CRISTHER	713
398C-L0209B-90	SETH	CRISTHER	713
398C-L02G9B-04	SETH	CRISTHER	713
398C-L02G9B-90	SETH	CRISTHER	713
398E-G21X1A-04	SETH	CRISTHER	713
398E-G21X1A-90	SETH	CRISTHER	713
399B-G21X1A-04	SETH	CRISTHER	710
399B-G21X1A-90	SETH	CRISTHER	710
399B-L0108B-04	SETH	CRISTHER	710
399B-L0108B-90	SETH	CRISTHER	710
399B-L0208B-04	SETH	CRISTHER	710
399B-L0208B-90	SETH	CRISTHER	710
399C-G05X1A-04	SETH	CRISTHER	711
399C-G05X1A-90	SETH	CRISTHER	711
399C-L0118B-04	SETH	CRISTHER	711
399C-L0118B-90	SETH	CRISTHER	711
399C-L01H3B-04	SETH	CRISTHER	711
399C-L01H3B-90	SETH	CRISTHER	711
399C-L0218B-04	SETH	CRISTHER	711
399C-L0218B-90	SETH	CRISTHER	711
399C-L02H3B-04	SETH	CRISTHER	711
399C-L02H3B-90	SETH	CRISTHER	711
399D-G05X1A-04	SETH	CRISTHER	711
399D-G05X1A-90	SETH	CRISTHER	711
399E-G21X1A-04	SETH	CRISTHER	710
399E-G21X1A-90	SETH	CRISTHER	710
399E-L0105B-04	SETH	CRISTHER	710
399E-L0105B-90	SETH	CRISTHER	710
399E-L0205B-04	SETH	CRISTHER	710
399E-L0205B-90	SETH	CRISTHER	710
401A-G05X1A-03	DUBLIN	CRISTHER	732
401A-G05X1A-04	DUBLIN	CRISTHER	732
401A-L0113B-03	DUBLIN	CRISTHER	732
401A-L0113B-04	DUBLIN	CRISTHER	732
401B-G05X1A-03	DUBLIN	CRISTHER	732
401B-G05X1A-04	DUBLIN	CRISTHER	732
401B-L0113B-03	DUBLIN	CRISTHER	732
401B-L0113B-04	DUBLIN	CRISTHER	732
403A-L0112B-01	VIENA	CRISTHER	724
403B-L0130B-01	VIENA	CRISTHER	724
403B-L01RDB-01	VIENA	CRISTHER	724
405C-G05X1A-04	ROUND	DOPO	655
405D-G05X1A-04	ROUND	DOPO	655
406C-G05X1A-04	QUADRA	DOPO	656
406D-G05X1A-04	QUADRA	DOPO	656
407B-G31X1A-02	GUNTHER	DOPO	682
407D-G31X1A-02	GUNTHER	DOPO	683
407E-G31X1A-02	GUNTHER	DOPO	683
408B-G31X1A-02	GUNTHER	DOPO	684
408D-G31X1A-02	GUNTHER	DOPO	684
408E-G31X1A-02	GUNTHER	DOPO	684
410A-G21X1A-30	ESTAMBUL	CRISTHER	750
410A-G21X1A-34	ESTAMBUL	CRISTHER	750
412A-L0103B-01	BRICK	EXO	320
412A-L0103B-02	BRICK	EXO	320
412A-L0103B-40	BRICK	EXO	320
412B-L01E2B-01	BRICK	EXO	320
412B-L01E2B-02	BRICK	EXO	320

REF.	FAM.	BRAND	PAG.
412B-L01E2B-40	BRICK	EXO	320
412B-L01F1B-01	BRICK	EXO	320
412B-L01F1B-02	BRICK	EXO	320
412B-L01F1B-40	BRICK	EXO	320
443A-L0107A-04	RHIN	DOPO	488
445A-L0107A-04	ARTAL	DOPO	498
447A-G31X1A-04	GLIUJ	DOPO	586
447B-L01D6A-04	GLIUJ	DOPO	497
448A-G05X1A-04	NATAN	DOPO	603
452A-L0107A-04	SUEVIS	DOPO	587
452B-L0107A-04	SUEVIS	DOPO	496
455A-L0105A-04	SIBILA	DOPO	596
455B-L0110B-01	SIBILA	DOPO	597
455B-L0110B-04	SIBILA	DOPO	597
463A-G21X1A-02	GERONIMO	DOPO	553
462A-L0107A-04	CATANIA	DOPO	562
465A-G21X1A-04	ABBI	CRISTHER	797
492A-L0105B-02	CLINA	CRISTHER	822
492A-L0105B-90	CLINA	CRISTHER	822
492A-L0205B-02	CLINA	CRISTHER	822
492A-L0205B-90	CLINA	CRISTHER	822
492A-L3805B-02	CLINA	CRISTHER	822
492A-L3805B-90	CLINA	CRISTHER	822
500A-G05X1A-32	CARPI	EXO	437
504A-L0108B-01	RETT	EXO	312
504A-L0108B-02	RETT	EXO	312
504A-L0108B-40	RETT	EXO	312
504A-L0108B-46	RETT	EXO	312
504A-L0108B-BR	RETT	EXO	312
504B-L0124B-01	RETT	EXO	312
504B-L0124B-02	RETT	EXO	312
504B-L0124B-40	RETT	EXO	312
504B-L0124B-46	RETT	EXO	312
504B-L0124B-BR	RETT	EXO	312
504C-L0105B-01	RETT	EXO	312
504C-L0105B-02	RETT	EXO	312
504C-L0105B-40	RETT	EXO	312
504C-L0105B-46	RETT	EXO	312
504C-L0105B-BR	RETT	EXO	312
507A-Y05X1B-35-6ACA	FIRENZE	EXO	290
507A-Y05X1B-35-6ACB	FIRENZE	EXO	290
507A-Y05X1B-35-6ACC	FIRENZE	EXO	290
507A-Y05X1B-35-7ACA	FIRENZE	EXO	291
507A-Y05X1B-35-7ACB	FIRENZE	EXO	291
507A-Y05X1B-35-7ACC	FIRENZE	EXO	291
507A-Y05X1B-46-6ACA	FIRENZE	EXO	290
507A-Y05X1B-46-6ACB	FIRENZE	EXO	290
507A-Y05X1B-46-6ACC	FIRENZE	EXO	290
507A-Y05X1B-46-7ACA	FIRENZE	EXO	291
507A-Y05X1B-46-7ACB	FIRENZE	EXO	291
507A-Y05X1B-46-7ACC	FIRENZE	EXO	291
507B-G05X1A-35-6ACA	FIRENZE	EXO	292
507B-G05X1A-35-6ACB	FIRENZE	EXO	292
507B-G05X1A-35-6ACC	FIRENZE	EXO	292
507B-G05X1A-35-7ACA	FIRENZE	EXO	292
507B-G05X1A-35-7ACB	FIRENZE	EXO	292
507B-G05X1A-35-7ACC	FIRENZE	EXO	292
507C-G05X1A-35-6CCA	FIRENZE	EXO	409
507C-G05X1A-35-6CCB	FIRENZE	EXO	409
507C-G05X1A-35-6CCC	FIRENZE	EXO	409
507C-G05X1A-35-7CCA	FIRENZE	EXO	409
507C-G05X1A-35-7CCB	FIRENZE	EXO	409
507C-G05X1A-35-7CCC	FIRENZE	EXO	409
507D-G05X1A-35-6BCA	FIRENZE	EXO	408
507D-G05X1A-35-6BCB	FIRENZE	EXO	408
507D-G05X1A-35-6BCC	FIRENZE	EXO	408
507D-G05X1A-35-7BCA	FIRENZE	EXO	408
507D-G05X1A-35-7BCB	FIRENZE	EXO	408

REF.	FAM.	BRAND	PAG.
507D-G05X1A-35-7BCC	FIRENZE	EXO	408
507E-Y05X1B-35-6ACA	FIRENZE	EXO	290
507E-Y05X1B-35-6ACB	FIRENZE	EXO	290
507E-Y05X1B-35-6ACC	FIRENZE	EXO	290
507E-Y05X1B-35-7ACA	FIRENZE	EXO	291
507E-Y05X1B-35-7ACB	FIRENZE	EXO	291
507E-Y05X1B-35-7ACC	FIRENZE	EXO	291
507F-Y05X1B-35-6ACA	FIRENZE	EXO	290
507F-Y05X1B-35-6ACB	FIRENZE	EXO	290
507F-Y05X1B-35-6ACC	FIRENZE	EXO	290
507F-Y05X1B-35-7ACA	FIRENZE	EXO	291
507F-Y05X1B-35-7ACB	FIRENZE	EXO	291
507F-Y05X1B-35-7ACC	FIRENZE	EXO	291
507F-Y05X1B-46-6ACA	FIRENZE	EXO	290
507F-Y05X1B-46-6ACB	FIRENZE	EXO	290
507F-Y05X1B-46-6ACC	FIRENZE	EXO	290
507F-Y05X1B-46-7ACA	FIRENZE	EXO	291
507F-Y05X1B-46-7ACB	FIRENZE	EXO	291
507F-Y05X1B-46-7ACC	FIRENZE	EXO	291
507G-G05X1A-09-2ACA	FIRENZE	EXO	368
507G-G05X1A-09-2ACB	FIRENZE	EXO	368
507G-G05X1A-09-2ACC	FIRENZE	EXO	368
507G-G05X1A-29-2ACA	FIRENZE	EXO	368
507G-G05X1A-29-2ACB	FIRENZE	EXO	368
507G-G05X1A-29-2ACC	FIRENZE	EXO	368
513A-L0109B-32	SHEID	EXO	436
513B-L0109B-32	SHEID	EXO	436
514A-L0109B-32	LITS	EXO	436
514B-L0109B-32	LITS	EXO	436
517B-L0103B-35	LEIDEN	EXO	310
517B-L0103B-46	LEIDEN	EXO	310
517E-L0103B-35	LEIDEN	EXO	310
517E-L0103B-46	LEIDEN	EXO	310
518B-L0103A-35	OLVAS	EXO	310
522A-L0214B-03	DELFI	DOPO	513
534A-L0109A-04	CASTELLO	DOPO	480
534B-L0109A-04	CASTELLO	DOPO	589
534C-L0109B-04	CASTELLO	DOPO	480
534D-L0109B-04	CASTELLO	DOPO	589
536A-L0106A-04	CENADI	DOPO	498
537A-L0107A-04	CAIRO	DOPO	497
537B-L0107A-04	CAIRO	DOPO	588
538A-G21X1A-04	ABADIA	DOPO	550
539A-G21X1A-04	ARAMO	DOPO	563
543A-L0103A-03	DAMBEL	DOPO	524
543A-L0103A-04	DAMBEL	DOPO	524
543B-L0103A-03	DAMBEL	DOPO	524
543B-L0103A-04	DAMBEL	DOPO	524
546A-L0101A-30	DONISI	DOPO	529
551B-L0108A-04	BARNI	DOPO	556
552A-L0108A-04	ADRANO	DOPO	594
554A-L0108A-04	BINDELLA	CRISTHER	818
554A-L0108B-04	BINDELLA	CRISTHER	818
555C-G21X1A-01	CUB	DOPO	494
555C-G21X1A-02	CUB	DOPO	494
555C-G21X1A-03	CUB	DOPO	494
555C-G21X1A-04	CUB	DOPO	494
555D-G21X1A-01	CUB	DOPO	494
555D-G21X1A-02	CUB	DOPO	494
555D-G21X1A-03	CUB	DOPO	494
555D-G21X1A-04	CUB	DOPO	494
555E-G21X1A-01	CUB	DOPO	531
555E-G21X1A-02	CUB	DOPO	531
555E-G21X1A-03	CUB	DOPO	531
555E-G21X1A-04	CUB	DOPO	531
555F-G21X1A-01	CUB	DOPO	492
555F-G21X1A-04	CUB	DOPO	492
555G-G21X1A-01	CUB	DOPO	492

REF.	FAM.	BRAND	PAG.
555G-G21X1A-04	CUB	DOPO	492
555H-G21X1A-01	CUB	DOPO	531
555H-G21X1A-04	CUB	DOPO	531
557A-G21X1A-02	BELGRADO	DOPO	544
557B-G21X1A-02	BELGRADO	DOPO	544
557C-G21X1A-02	BELGRADO	DOPO	544
559A-G31X1A-01	PIRO	DOPO	514
559A-G31X1A-03	PIRO	DOPO	514
559B-G31X1A-01	PIRO	DOPO	514
559B-G31X1A-02	PIRO	DOPO	514
559B-G31X1A-03	PIRO	DOPO	514
559C-G31X1A-01	PIRO	DOPO	514
559C-G31X1A-02	PIRO	DOPO	514
568A-L0135B-04	VICO	CRISTHER	839
568A-L0150B-04	VICO	CRISTHER	839
568A-L0235B-04	VICO	CRISTHER	839
568A-L0250B-04	VICO	CRISTHER	839
569A-L0130B-01	VIENA	CRISTHER	724
569A-L0108B-01	VIENA	CRISTHER	724
569B-L0112B-01	VIENA	CRISTHER	724
571A-G31X1A-02	CAYU	DOPO	502
572A-G21X1A-02	LULU	DOPO	552
573A-G05X1A-34	OTTONE	DOPO	634
573B-G05X1A-34	OTTONE	DOPO	634
575A-G05X1A-01	DAIRA	CRISTHER	725
575A-G05X1A-04	DAIRA	CRISTHER	725
575A-L0129R-01	DAIRA	CRISTHER	725
575A-L0129R-04	DAIRA	CRISTHER	725
575B-G05X1A-01	DAIRA	CRISTHER	725
575B-G05X1A-04	DAIRA	CRISTHER	725
575B-L0118B-01	DAIRA	CRISTHER	725
575B-L0118B-04	DAIRA	CRISTHER	725
575C-G05X1A-01	DAIRA	CRISTHER	725
575C-G05X1A-04	DAIRA	CRISTHER	725
575C-L0118B-01	DAIRA	CRISTHER	725
575C-L0118B-04	DAIRA	CRISTHER	725
578A-L2104A-02	LED PRO	NX Lighting	856
578A-L4104A-01	LED PRO	NX Lighting	856
578C-L0140B-01	LED PRO	INDELUX	856
579C-G31X1A-01	BELENLUX	DOPO	512
579C-L0216R-01	BELENLUX	DOPO	512
580A-L0104B-03	SUM	CRISTHER	718
580A-L0104B-04	SUM	CRISTHER	718
580A-L0204B-03	SUM	CRISTHER	718
580A-L0204B-04	SUM	CRISTHER	718
580B-L0110B-03	SUM	CRISTHER	718
580B-L0110B-04	SUM	CRISTHER	718
580B-L0210B-03	SUM	CRISTHER	718
580B-L0210B-04	SUM	CRISTHER	718
580C-L0104B-03	SUM	CRISTHER	719
580C-L0104B-04	SUM	CRISTHER	719
580C-L0204B-03	SUM	CRISTHER	719
580C-L0204B-04	SUM	CRISTHER	719
580D-L0110B-03	SUM	CRISTHER	719
580D-L0110B-04	SUM	CRISTHER	719
580D-L0210B-03	SUM	CRISTHER	719
580D-L0210B-04	SUM	CRISTHER	719
583C-L3140B-01	HIMMEL	INDELUX	233
583C-L3340B-01	HIMMEL	INDELUX	233
585A-G05X1A-02	VINTAGE	EXO	379
588A-L0104A-02	BOOK	EXO	299
595A-G05X1A-35-2ACA	EASY	EXO	382
595A-G05X1A-35-2ACB	EASY	EXO	382
595A-G05X1A-35-2ACC	EASY	EXO	382
599A-L3106A-01	GIA	INDELUX	234
599A-L3118A-01	GIA	INDELUX	234
599A-L3124A-01	GIA	INDELUX	234
599A-L3306A-01	GIA	INDELUX	234

REF.	FAM.	BRAND	PAG.
599A-L318A-01	GIA	INDELUZ	234
599A-L324A-01	GIA	INDELUZ	234
599B-L3106A-01	GIA	INDELUZ	235
599B-L3118A-01	GIA	INDELUZ	235
599B-L324A-01	GIA	INDELUZ	235
599B-L3306A-01	GIA	INDELUZ	235
599B-L3318A-01	GIA	INDELUZ	235
599B-L324A-01	GIA	INDELUZ	235
599C-L3106A-01	GIA	INDELUZ	236
599C-L3118A-01	GIA	INDELUZ	236
599C-L3306A-01	GIA	INDELUZ	236
599C-L3318A-01	GIA	INDELUZ	236
599D-L3106A-01	GIA	INDELUZ	236
599D-L3118A-01	GIA	INDELUZ	236
599D-L3306A-01	GIA	INDELUZ	236
599D-L3318A-01	GIA	INDELUZ	236
618A-G05X1A-02	TANNA	EXO	380
620A-G05X1A-02	VINTAGE	EXO	379
621A-G05X1A-50-9BCA	WOOD	EXO	416
621A-G05X1A-50-9BCG	WOOD	EXO	416
621A-G05X1A-50-9BDC	WOOD	EXO	416
621B-G05X1A-50-9CCA	WOOD	EXO	416
621B-G05X1A-50-9CCG	WOOD	EXO	416
621B-G05X1A-50-9CDC	WOOD	EXO	416
621C-G05X1A-50-CA	COMPACT	EXO	286
621C-G05X1A-50-CG	COMPACT	EXO	286
621C-G05X1A-50-DC	COMPACT	EXO	286
621D-G05X1A-50-CA	COMPACT	EXO	410
621D-G05X1A-50-CG	COMPACT	EXO	410
621D-G05X1A-50-DC	COMPACT	EXO	410
621E-G05X1A-50-CA	COMPACT	EXO	410
621E-G05X1A-50-CG	COMPACT	EXO	410
621E-G05X1A-50-DC	COMPACT	EXO	410
632C-L0506B-01	LED FILAMENT	NX Lighting	855
632C-L0506B-02	LED FILAMENT	NX Lighting	855
632D-L0404B-01	LED FILAMENT	NX Lighting	855
632E-L0404B-01	LED FILAMENT	NX Lighting	855
632F-L0504B-01	LED FILAMENT	NX Lighting	855
632G-L0504B-01	LED FILAMENT	NX Lighting	855
632H-L0504B-01	LED FILAMENT	NX Lighting	855
632J-L0503B-01	LED FILAMENT	NX Lighting	855
634A-H35X1A-01	IONA	EXO	318
634A-H35X1A-02	IONA	EXO	318
634A-H35X1A-03	IONA	EXO	318
634A-L0113B-01	IONA	EXO	318
634A-L0113B-02	IONA	EXO	318
634A-L0113B-03	IONA	EXO	318
634B-L0113B-01	IONA	EXO	318
634B-L0113B-02	IONA	EXO	318
634B-L0113B-03	IONA	EXO	318
634C-G05X1A-01	IONA	EXO	318
634C-G05X1A-02	IONA	EXO	318
634C-G05X1A-03	IONA	EXO	318
638A-VX60B-01	FUJIL	EXO	445
642A-G23X1D-30	SEDNA	DOPO	565
642A-L0203D-30	SEDNA	DOPO	565
643A-L0109A-04	AMBERES	DOPO	526
645A-L0107A-04	MARTINA	DOPO	545
645A-L0207A-04	MARTINA	DOPO	545
645B-L0107A-04	MARTINA	DOPO	545
645B-L0207A-04	MARTINA	DOPO	545
646A-G05X1A-01	CALM	DOPO	510
646A-G05X1A-02	CALM	DOPO	510
646A-G05X1A-03	CALM	DOPO	510
646B-G05X1A-01	CALM	DOPO	510
646B-G05X1A-02	CALM	DOPO	510
646B-G05X1A-03	CALM	DOPO	510
655A-G31X1A-02	GUNTHER	DOPO	685

REF.	FAM.	BRAND	PAG.
665B-L0102F-43	NODY	CRISTHER	761
665B-L0202F-43	NODY	CRISTHER	761
665C-L0102F-43	NODY	CRISTHER	761
665C-L0202F-43	NODY	CRISTHER	761
665E-L0102F-43	NODY	CRISTHER	761
665E-L0202F-43	NODY	CRISTHER	761
665F-L0102F-43	NODY	CRISTHER	761
665F-L0202F-43	NODY	CRISTHER	761
669A-G05X1A-02	MIRCO	CRISTHER	826
669B-L0113B-02	MIRCO	CRISTHER	826
669B-L0213B-02	MIRCO	CRISTHER	826
669C-G05X1A-02	MIRCO	CRISTHER	826
669D-G05X1A-02	MIRCO	CRISTHER	826
673A-L0224A-39	ARYA	CRISTHER	838
673A-L0236A-39	ARYA	CRISTHER	838
673A-L3024A-39	ARYA	CRISTHER	838
673A-L3024AAD-39	ARYA	CRISTHER	838
673A-L3036A-39	ARYA	CRISTHER	838
673A-L3036AAD-39	ARYA	CRISTHER	838
673A-L3224AAD-39	ARYA	CRISTHER	838
673A-L3236AAD-39	ARYA	CRISTHER	838
681A-G05X1A-02-5CCA	BRITTA	EXO	288
681B-G05X1A-02-5CCA	BRITTA	EXO	412
681C-G05X1A-02-5ACA	BRITTA	EXO	412
684A-G05X1A-02	ELGA	EXO	378
685A-G05X1A-02	BAGUET	EXO	376
685B-G05X1A-02	BAGUET	EXO	376
693A-L0112A-35	ESPIGA	EXO	323
694A-L0112B-35	MENKAR	EXO	323
695A-L0112B-01	DENEB	EXO	322
695A-L0112B-32	DENEB	EXO	322
703A-G05X1A-02-9BCA	KARA	EXO	418
703A-G05X1A-02-9BCB	KARA	EXO	418
703A-G05X1A-02-9BCG	KARA	EXO	418
703A-G05X1A-02-9BDC	KARA	EXO	418
703A-G05X1A-50-9BCA	KARA	EXO	418
703A-G05X1A-50-9BCB	KARA	EXO	418
703A-G05X1A-50-9BCG	KARA	EXO	418
703A-G05X1A-50-9BDC	KARA	EXO	418
703B-G05X1A-02-9CCA	KARA	EXO	418
703B-G05X1A-02-9CCB	KARA	EXO	418
703B-G05X1A-02-9CCG	KARA	EXO	418
703B-G05X1A-02-9CDC	KARA	EXO	418
703B-G05X1A-50-9CCA	KARA	EXO	418
703B-G05X1A-50-9CCB	KARA	EXO	418
703B-G05X1A-50-9CCG	KARA	EXO	418
704A-L0103B-01	DIRK	EXO	300
704A-L0103B-02	DIRK	EXO	300
704A-L0103B-02-46	DIRK	EXO	300
704B-L0103B-01	DIRK	EXO	300
704B-L0103B-02	DIRK	EXO	300
704B-L0103B-02-46	DIRK	EXO	300
706A-L0103B-01	LIGUR	INDELUZ	243
706A-L0103B-39	LIGUR	INDELUZ	243
706B-L0103B-01	LIGUR	INDELUZ	243
706B-L0103B-39	LIGUR	INDELUZ	243
715A-L0125A-01	FRED	INDELUZ	96
715A-L0125A-02	FRED	INDELUZ	96
715A-L0125A-03	FRED	INDELUZ	96
715B-L3135A-01	FRED	INDELUZ	96
715B-L3135A-02	FRED	INDELUZ	96
715B-L3135A-03	FRED	INDELUZ	96
717D-G05X1A-01	A TU ESTILO	EXO	374
717D-G05X1A-02	A TU ESTILO	EXO	374
717D-G05X1A-32	A TU ESTILO	EXO	374
717E-G05X1A-01	A TU ESTILO	EXO	374
717E-G05X1A-02	A TU ESTILO	EXO	374

REF.	FAM.	BRAND	PAG.
717E-G05XIA-32	A TU ESTILO	EXO	374
717F-G05XIA-01	A TU ESTILO	EXO	374
717F-G05XIA-02	A TU ESTILO	EXO	374
717F-G05XIA-32	A TU ESTILO	EXO	374
726A-101038-01	WINDOW 2	INDELUZ	242
726A-101038-39	WINDOW 2	INDELUZ	242
727G-101038-01	BALTIC	EXO	308
727G-101038-02	BALTIC	EXO	308
731B-L41188-01	CARME	INDELUZ	237
731C-L41308-01	CARME	INDELUZ	237
731D-L41188-28	CARME	INDELUZ	237
731E-L41308-28	CARME	INDELUZ	237
731F-L41188-28	CARME	INDELUZ	237
731G-L4130R-28	CARME	INDELUZ	237
738F-G18RCB-01	ATOLON	INDELUZ	218
738F-G18RCB-02	ATOLON	INDELUZ	218
738F-G18RCB-03	ATOLON	INDELUZ	218
738F-G21XIB-01	ATOLON	INDELUZ	218
738F-G21XIB-02	ATOLON	INDELUZ	218
738F-G21XIB-03	ATOLON	INDELUZ	218
738Q-L3117B1M-01	ATOLON	INDELUZ	92
738Q-L3117B1M-02	ATOLON	INDELUZ	92
738Q-L3117B1M-03	ATOLON	INDELUZ	92
738Q-L3125B-01	ATOLON	INDELUZ	92
738Q-L3125B-02	ATOLON	INDELUZ	92
738Q-L3125B-03	ATOLON	INDELUZ	92
738Q-L31R2B-01	ATOLON	INDELUZ	92
738Q-L31R2B-02	ATOLON	INDELUZ	92
738Q-L31R2B-03	ATOLON	INDELUZ	92
738Q-L317B1M-01	ATOLON	INDELUZ	92
738Q-L317B1M-02	ATOLON	INDELUZ	92
738Q-L317B1M-03	ATOLON	INDELUZ	92
738Q-L3325B-01	ATOLON	INDELUZ	92
738Q-L3325B-02	ATOLON	INDELUZ	92
738Q-L3325B-03	ATOLON	INDELUZ	92
738Q-L33R2B-01	ATOLON	INDELUZ	92
738Q-L33R2B-02	ATOLON	INDELUZ	92
738Q-L33R2B-03	ATOLON	INDELUZ	92
738R-L3117B2M-01	ATOLON	INDELUZ	92
738R-L3117B2M-02	ATOLON	INDELUZ	92
738R-L3117B2M-03	ATOLON	INDELUZ	92
738R-L3125B-01	ATOLON	INDELUZ	92
738R-L3125B-02	ATOLON	INDELUZ	92
738R-L3125B-03	ATOLON	INDELUZ	92
738R-L31R2B-01	ATOLON	INDELUZ	92
738R-L31R2B-02	ATOLON	INDELUZ	92
738R-L31R2B-03	ATOLON	INDELUZ	92
738R-L3317B2M-01	ATOLON	INDELUZ	92
738R-L3317B2M-02	ATOLON	INDELUZ	92
738R-L3317B2M-03	ATOLON	INDELUZ	92
738R-L3325B-01	ATOLON	INDELUZ	92
738R-L3325B-02	ATOLON	INDELUZ	92
738R-L3325B-03	ATOLON	INDELUZ	92
738R-L33R2B-01	ATOLON	INDELUZ	92
738R-L33R2B-02	ATOLON	INDELUZ	92
738R-L33R2B-03	ATOLON	INDELUZ	92
741A-	MINI LUNA	INDELUZ	83
741A-G23XID-01	MINI LUNA	INDELUZ	223
741A-G23XID-02	MINI LUNA	INDELUZ	223
741A-G23XID-03	MINI LUNA	INDELUZ	223
741A-G23XID-32	MINI LUNA	INDELUZ	223
741A-G23XID-45	MINI LUNA	INDELUZ	223
741A-G23XID-48	MINI LUNA	INDELUZ	223
741A-G42XIB-01	MINI LUNA	INDELUZ	223
741A-G42XIB-02	MINI LUNA	INDELUZ	223
741A-G42XIB-03	MINI LUNA	INDELUZ	223
741A-G42XIB-32	MINI LUNA	INDELUZ	223
741A-G42XIB-45	MINI LUNA	INDELUZ	223

REF.	FAM.	BRAND	PAG.
741A-G42XIB-48	MINI LUNA	INDELUZ	223
749B-G23XID-01	KOS	INDELUZ	227
749B-G42XIB-01	KOS	INDELUZ	227
750A-	PALMA	INDELUZ	79
750A-G23XID-01	PALMA	INDELUZ	222
750A-G23XID-02	PALMA	INDELUZ	222
750A-G23XID-30	PALMA	INDELUZ	222
750A-G23XID-32	PALMA	INDELUZ	222
750A-G23XID-45	PALMA	INDELUZ	222
750A-G23XID-48	PALMA	INDELUZ	222
750A-G42XIB-01	PALMA	INDELUZ	222
750A-G42XIB-02	PALMA	INDELUZ	222
750A-G42XIB-30	PALMA	INDELUZ	222
750A-G42XIB-32	PALMA	INDELUZ	222
750A-G42XIB-45	PALMA	INDELUZ	222
750A-G42XIB-48	PALMA	INDELUZ	222
752A-	LEDA	INDELUZ	89
752A-G23XID-01	LEDA	INDELUZ	229
752A-G23XID-02	LEDA	INDELUZ	229
752A-G23XID-03	LEDA	INDELUZ	229
752A-G42XIB-01	LEDA	INDELUZ	229
752A-G42XIB-02	LEDA	INDELUZ	229
752A-G42XIB-03	LEDA	INDELUZ	229
753A-L3202B-01	IBIZA	INDELUZ	231
753A-L3202B-02	IBIZA	INDELUZ	231
753A-L3202B-32	IBIZA	INDELUZ	231
753A-L3202B-45	IBIZA	INDELUZ	231
753B-L3202B-01	IBIZA	INDELUZ	231
753B-L3202B-02	IBIZA	INDELUZ	231
753B-L3202B-32	IBIZA	INDELUZ	231
753B-L3202B-45	IBIZA	INDELUZ	231
757B-L3108B-01	KALE	INDELUZ	228
757C-L3120B-01	KALE	INDELUZ	228
772A-G18RCB-01	HAITI	INDELUZ	250
772A-G18RCB-02	HAITI	INDELUZ	250
772A-G18RCB-03	HAITI	INDELUZ	250
772A-G21XIB-01	HAITI	INDELUZ	251
772A-G21XIB-02	HAITI	INDELUZ	251
772A-G21XIB-03	HAITI	INDELUZ	251
772B-G18RCB-01	HAITI	INDELUZ	250
772B-G18RCB-02	HAITI	INDELUZ	250
772B-G18RCB-03	HAITI	INDELUZ	250
772B-G21XIB-01	HAITI	INDELUZ	251
772B-G21XIB-02	HAITI	INDELUZ	251
772B-G21XIB-03	HAITI	INDELUZ	251
772B-H18RCB-01	HAITI	INDELUZ	250
772B-H18RCB-02	HAITI	INDELUZ	250
772B-H18RCB-03	HAITI	INDELUZ	250
772L-L3125B-01	HAITI	INDELUZ	156
772L-L3125B-02	HAITI	INDELUZ	156
772L-L3125B-03	HAITI	INDELUZ	156
772L-L31RDB-01	HAITI	INDELUZ	156
772L-L31RDB-02	HAITI	INDELUZ	156
772L-L31RDB-03	HAITI	INDELUZ	156
772L-L3325B-01	HAITI	INDELUZ	156
772L-L3325B-02	HAITI	INDELUZ	156
772L-L3325B-03	HAITI	INDELUZ	156
772L-L33RDB-01	HAITI	INDELUZ	156
772L-L33RDB-02	HAITI	INDELUZ	156
772L-L33RDB-03	HAITI	INDELUZ	156
772M-L3125B-01	HAITI	INDELUZ	156
772M-L3125B-02	HAITI	INDELUZ	156
772M-L31RDB-01	HAITI	INDELUZ	156
772M-L31RDB-02	HAITI	INDELUZ	156
772M-L31RDB-03	HAITI	INDELUZ	156
772M-L3325B-01	HAITI	INDELUZ	156
772M-L3325B-02	HAITI	INDELUZ	156

REF.	FAM.	BRAND	PAG.
772M-L3325B-03	HAITI	INDELUX	156
772M-L33RDB-01	HAITI	INDELUX	156
772M-L33RDB-02	HAITI	INDELUX	156
772M-L33RDB-03	HAITI	INDELUX	156
772Q-L3117B1M-01	HAITI	INDELUX	157
772Q-L3117B1M-02	HAITI	INDELUX	157
772Q-L3117B1M-03	HAITI	INDELUX	157
772Q-L3125B-01	HAITI	INDELUX	157
772Q-L3125B-02	HAITI	INDELUX	157
772Q-L3125B-03	HAITI	INDELUX	157
772Q-L3317B1M-01	HAITI	INDELUX	157
772Q-L3317B1M-02	HAITI	INDELUX	157
772Q-L3317B1M-03	HAITI	INDELUX	157
772Q-L3325B-01	HAITI	INDELUX	157
772Q-L3325B-02	HAITI	INDELUX	157
772Q-L3325B-03	HAITI	INDELUX	157
772R-L3117B2M-01	HAITI	INDELUX	157
772R-L3117B2M-02	HAITI	INDELUX	157
772R-L3117B2M-03	HAITI	INDELUX	157
772R-L3125B-01	HAITI	INDELUX	157
772R-L3125B-02	HAITI	INDELUX	157
772R-L3125B-03	HAITI	INDELUX	157
772R-L3317B2M-01	HAITI	INDELUX	157
772R-L3317B2M-02	HAITI	INDELUX	157
772R-L3317B2M-03	HAITI	INDELUX	157
772R-L3325B-01	HAITI	INDELUX	157
772R-L3325B-02	HAITI	INDELUX	157
772R-L3325B-03	HAITI	INDELUX	157
780A-	NIX	INDELUX	85
780A-G23X1D-01	NIX	INDELUX	224
780A-G23X1D-02	NIX	INDELUX	224
780A-G23X1D-45	NIX	INDELUX	224
780A-G23X1D-48	NIX	INDELUX	224
780A-G42X1B-02	NIX	INDELUX	224
780A-G42X1B-21	NIX	INDELUX	224
780A-G42X1B-45	NIX	INDELUX	224
780A-G42X1B-48	NIX	INDELUX	224
780B-	NIX	INDELUX	85
780B-G23X1D-01	NIX	INDELUX	224
780B-G23X1D-02	NIX	INDELUX	224
780B-G23X1D-45	NIX	INDELUX	224
780B-G23X1D-48	NIX	INDELUX	224
780B-G42X1B-02	NIX	INDELUX	224
780B-G42X1B-21	NIX	INDELUX	224
780B-G42X1B-45	NIX	INDELUX	224
780B-G42X1B-48	NIX	INDELUX	224
780C-L3108B-01	NIX	INDELUX	225
780D-L3108B-01	NIX	INDELUX	225
780E-	NIX	INDELUX	85
780E-G23X1D-01	NIX	INDELUX	224
780E-G23X1D-02	NIX	INDELUX	224
780E-G23X1D-45	NIX	INDELUX	224
780E-G23X1D-48	NIX	INDELUX	224
780E-G42X1B-02	NIX	INDELUX	224
780E-G42X1B-21	NIX	INDELUX	224
780E-G42X1B-45	NIX	INDELUX	224
780E-G42X1B-48	NIX	INDELUX	224
780F-	NIX	INDELUX	85
780F-G23X1D-01	NIX	INDELUX	224
780F-G23X1D-02	NIX	INDELUX	224
780F-G23X1D-45	NIX	INDELUX	224
780F-G23X1D-48	NIX	INDELUX	224
780F-G42X1B-02	NIX	INDELUX	224
780F-G42X1B-21	NIX	INDELUX	224
780F-G42X1B-45	NIX	INDELUX	224
780F-G42X1B-48	NIX	INDELUX	224
781B-	CARPO	INDELUX	81
781B-G23X1D-01	CARPO	INDELUX	226

REF.	FAM.	BRAND	PAG.
781B-G42X1B-01	CARPO	INDELUX	226
782A-G23X1D-03	JANUS	INDELUX	230
782A-G42X1B-03	JANUS	INDELUX	230
791A-L0112A-04	ARLEN	DOPO	482
791B-L0112A-04	ARLEN	DOPO	592
792B-L3115A-30	ADGO	DOPO	540
793A-G21X1A-01	ESTEL	DOPO	508
793A-G21X1A-02	ESTEL	DOPO	508
793A-G21X1A-03	ESTEL	DOPO	508
796A-L3110I-01	DUBE	INDELUX	146
796A-L3110I-02	DUBE	INDELUX	146
796B-L3110I-01	DUBE	INDELUX	146
796B-L3110I-02	DUBE	INDELUX	146
798A-	LEN	INDELUX	91
798A-G21X1B-01	LEN	INDELUX	220
798B-	LEN	INDELUX	91
798B-G21X1B-01	LEN	INDELUX	220
798C-	LEN	INDELUX	91
798C-G21X1B-01	LEN	INDELUX	220
801A-L3148B-01	BLOG	INDELUX	102
801A-L3148B-02	BLOG	INDELUX	102
801A-L31RDB-01	BLOG	INDELUX	102
801A-L31RDB-02	BLOG	INDELUX	102
801A-L3348B-01	BLOG	INDELUX	102
801A-L3348B-02	BLOG	INDELUX	102
801A-L33RDB-01	BLOG	INDELUX	102
801A-L33RDB-02	BLOG	INDELUX	102
801B-L31A3B-01	BLOG	INDELUX	103
801B-L31A3B-02	BLOG	INDELUX	103
801B-L31RDB-01	BLOG	INDELUX	103
801B-L31RDB-02	BLOG	INDELUX	103
801B-L33A3B-01	BLOG	INDELUX	103
801B-L33A3B-02	BLOG	INDELUX	103
801B-L33RDB-01	BLOG	INDELUX	103
801B-L33RDB-02	BLOG	INDELUX	103
801C-L3148B-01	BLOG	INDELUX	102
801C-L3148B-02	BLOG	INDELUX	102
801C-L31RDB-01	BLOG	INDELUX	102
801C-L31RDB-02	BLOG	INDELUX	102
801C-L3348B-01	BLOG	INDELUX	102
801C-L3348B-02	BLOG	INDELUX	102
801C-L33RDB-01	BLOG	INDELUX	102
801C-L33RDB-02	BLOG	INDELUX	102
801D-L31A3B-01	BLOG	INDELUX	103
801D-L31A3B-02	BLOG	INDELUX	103
801D-L31RDB-01	BLOG	INDELUX	103
801D-L31RDB-02	BLOG	INDELUX	103
801D-L33A3B-01	BLOG	INDELUX	103
801D-L33A3B-02	BLOG	INDELUX	103
801D-L33RDB-01	BLOG	INDELUX	103
801D-L33RDB-02	BLOG	INDELUX	103
803A-L3135B-01	ENIGMA	INDELUX	155
803A-L3135B-02	ENIGMA	INDELUX	155
803A-L3335B-01	ENIGMA	INDELUX	155
803A-L3335B-02	ENIGMA	INDELUX	155
803B-L4125B6F-01	ENIGMA	INDELUX	154
803B-L4125B6F-02	ENIGMA	INDELUX	154
805A-L3115B-01	BUIS	INDELUX	98
805A-L3115B-03	BUIS	INDELUX	98
805A-L3135B-01	BUIS	INDELUX	98
805A-L3135B-03	BUIS	INDELUX	98
805B-L3125B-01	BUIS	INDELUX	98
805B-L3125B-03	BUIS	INDELUX	98
805B-L3325B-01	BUIS	INDELUX	98
805B-L3325B-03	BUIS	INDELUX	98
805C-L3135B-01	BUIS	INDELUX	98
805C-L3135B-03	BUIS	INDELUX	98
805C-L3335B-01	BUIS	INDELUX	98

REF.	FAM.	BRAND	PAG.
809H-L3925840-03-02	SIGMA	INDELUZ	123
809H-L3925840-01-01	SIGMA	INDELUZ	123
809H-L3925840-01-02	SIGMA	INDELUZ	123
809H-L3925840-03-01	SIGMA	INDELUZ	123
809H-L3925840-03-02	SIGMA	INDELUZ	123
809H-L392584M-01-01	SIGMA	INDELUZ	123
809H-L392584M-01-02	SIGMA	INDELUZ	123
809H-L392584M-03-01	SIGMA	INDELUZ	123
809H-L392584M-03-02	SIGMA	INDELUZ	123
809H-L4025840-01-01	SIGMA	INDELUZ	123
809H-L4025840-01-02	SIGMA	INDELUZ	123
809H-L4025840-03-01	SIGMA	INDELUZ	123
809H-L4025840-03-02	SIGMA	INDELUZ	123
809H-L402584D-01-01	SIGMA	INDELUZ	123
809H-L402584D-01-02	SIGMA	INDELUZ	123
809H-L402584D-03-01	SIGMA	INDELUZ	123
809H-L402584D-03-02	SIGMA	INDELUZ	123
809H-L402584M-01-01	SIGMA	INDELUZ	123
809H-L402584M-01-02	SIGMA	INDELUZ	123
809H-L402584M-03-01	SIGMA	INDELUZ	123
809H-L402584M-03-02	SIGMA	INDELUZ	123
816A-L31068-01	PEGASO	INDELUZ	221
818C-L3808830-01	JANO	INDELUZ	221
818C-L380883D-01	JANO	INDELUZ	221
818C-L3908830-01	JANO	INDELUZ	221
818C-L390883D-01	JANO	INDELUZ	221
818C-L4008830-01	JANO	INDELUZ	221
818C-L400883D-01	JANO	INDELUZ	221
835A-L412582F-01-01	HIDRA	INDELUZ	151
835A-L412582F-01-02	HIDRA	INDELUZ	151
835A-L412582F-01-47	HIDRA	INDELUZ	151
835A-L412582F-02-02	HIDRA	INDELUZ	151
835A-L412582F-02-47	HIDRA	INDELUZ	151
835A-L412583F-01-01	HIDRA	INDELUZ	151
835A-L412583F-01-02	HIDRA	INDELUZ	151
835A-L412583F-01-47	HIDRA	INDELUZ	151
835A-L412583F-02-02	HIDRA	INDELUZ	151
835A-L412583F-02-47	HIDRA	INDELUZ	151
835A-L412586F-01-01	HIDRA	INDELUZ	151
835A-L412586F-01-02	HIDRA	INDELUZ	151
835A-L412586F-01-47	HIDRA	INDELUZ	151
835A-L412586F-02-02	HIDRA	INDELUZ	151
835A-L412586F-02-47	HIDRA	INDELUZ	151
835B-L412582F-01-01	HIDRA	INDELUZ	101
835B-L412582F-01-02	HIDRA	INDELUZ	101
835B-L412582F-01-47	HIDRA	INDELUZ	101
835B-L412582F-02-02	HIDRA	INDELUZ	101
835B-L412582F-02-47	HIDRA	INDELUZ	101
835B-L412583F-01-01	HIDRA	INDELUZ	101
835B-L412583F-01-02	HIDRA	INDELUZ	101
835B-L412583F-01-47	HIDRA	INDELUZ	101
835B-L412583F-02-02	HIDRA	INDELUZ	101
835B-L412583F-02-47	HIDRA	INDELUZ	101
835B-L412586F-01-01	HIDRA	INDELUZ	101
835B-L412586F-01-02	HIDRA	INDELUZ	101
835B-L412586F-01-47	HIDRA	INDELUZ	101
835B-L412586F-02-02	HIDRA	INDELUZ	101
835B-L412586F-02-47	HIDRA	INDELUZ	101
835C-L412582F-01-01	HIDRA	INDELUZ	150
835C-L412582F-01-02	HIDRA	INDELUZ	150
835C-L412582F-01-47	HIDRA	INDELUZ	150
835C-L412582F-02-02	HIDRA	INDELUZ	150
835C-L412582F-02-47	HIDRA	INDELUZ	150
835C-L412583F-01-01	HIDRA	INDELUZ	150
835C-L412583F-01-02	HIDRA	INDELUZ	150
835C-L412583F-01-47	HIDRA	INDELUZ	150
835C-L412583F-02-02	HIDRA	INDELUZ	150
835C-L412583F-02-47	HIDRA	INDELUZ	150

REF.	FAM.	BRAND	PAG.
835C-L412586F-01-01	HIDRA	INDELUX	150
835C-L412586F-01-02	HIDRA	INDELUX	150
835C-L412586F-01-47	HIDRA	INDELUX	150
835C-L412586F-02-02	HIDRA	INDELUX	150
835C-L412586F-02-47	HIDRA	INDELUX	150
835D-L412582F-01-01	HIDRA	INDELUX	150
835D-L412582F-01-02	HIDRA	INDELUX	150
835D-L412582F-01-47	HIDRA	INDELUX	150
835D-L412582F-02-02	HIDRA	INDELUX	150
835D-L412582F-02-47	HIDRA	INDELUX	150
835D-L412583F-01-01	HIDRA	INDELUX	150
835D-L412583F-01-02	HIDRA	INDELUX	150
835D-L412583F-01-47	HIDRA	INDELUX	150
835D-L412583F-02-02	HIDRA	INDELUX	150
835D-L412583F-02-47	HIDRA	INDELUX	150
835E-L412582F-01-01	HIDRA	INDELUX	100
835E-L412582F-01-02	HIDRA	INDELUX	100
835E-L412582F-01-47	HIDRA	INDELUX	100
835E-L412582F-02-02	HIDRA	INDELUX	100
835E-L412582F-02-47	HIDRA	INDELUX	100
835E-L412583F-01-01	HIDRA	INDELUX	100
835E-L412583F-01-02	HIDRA	INDELUX	100
835E-L412583F-01-47	HIDRA	INDELUX	100
835E-L412583F-02-02	HIDRA	INDELUX	100
835E-L412583F-02-47	HIDRA	INDELUX	100
835E-L412586F-01-01	HIDRA	INDELUX	100
835E-L412586F-01-02	HIDRA	INDELUX	100
835E-L412586F-01-47	HIDRA	INDELUX	100
835E-L412586F-02-02	HIDRA	INDELUX	100
835E-L412586F-02-47	HIDRA	INDELUX	100
842A-L01038-01	TOSCANA	EXO	309
842A-L01038-02	TOSCANA	EXO	309
842A-L01038-35	TOSCANA	EXO	309
844A-G05X1A-01	VALAN	EXO	357
844A-G05X1A-BL	VALAN	EXO	357
844A-G05X1A-MK	VALAN	EXO	357
845A-G05X1A-50-6GCA	LARS	EXO	414
845A-G05X1A-50-6GDC	LARS	EXO	414
845B-G05X1A-50-6BCA	LARS	EXO	414
845B-G05X1A-50-6BDC	LARS	EXO	414
846B-G05X1A-01	VALAN	EXO	293
846B-G05X1A-BL	VALAN	EXO	293
846B-G05X1A-MK	VALAN	EXO	293
846C-G05X1A-01	VALAN	EXO	425
846C-G05X1A-BL	VALAN	EXO	425
846C-G05X1A-MK	VALAN	EXO	425
846D-G05X1A-01	VALAN	EXO	425
846D-G05X1A-BL	VALAN	EXO	425
846D-G05X1A-MK	VALAN	EXO	425
847A-L01078-01	ABAR	DOPO	500
847A-L01078-02	ABAR	DOPO	500
847A-L01078-04	ABAR	DOPO	500
848A-L0109A-04	ADAY	DOPO	478
848B-L0118A-04	ADAY	DOPO	590
848C-L0118A-04	ADAY	DOPO	590
851A-L3107A-04	NAGORE	DOPO	550
851B-L3107A-04	NAGORE	DOPO	550
853A-L01X1K-04	SOLEI	DOPO	622
853B-L01X1K-04	SOLEI	DOPO	622
854A-L0104A-01	LARA	DOPO	525
854A-L0104A-04	LARA	DOPO	525
854B-L0104A-01	LARA	DOPO	525
854B-L0104A-04	LARA	DOPO	525

REF.	FAM.	BRAND	PAG.
855A-G05X1A-01-SA	DIAGONAL	EXO	401
855A-G05X1A-02-SB	DIAGONAL	EXO	401
855A-G05X1A-37-SM	DIAGONAL	EXO	401
855B-G05X1A-01-SA	DIAGONAL	EXO	400
855B-G05X1A-02-SB	DIAGONAL	EXO	400
855B-G05X1A-37-SM	DIAGONAL	EXO	400
855C-G05X1A-01-SA	DIAGONAL	EXO	400
855C-G05X1A-02-SB	DIAGONAL	EXO	400
855C-G05X1A-37-SM	DIAGONAL	EXO	400
855D-G05X1A-01-SA	DIAGONAL	EXO	356
855D-G05X1A-02-SB	DIAGONAL	EXO	356
855D-G05X1A-37-SM	DIAGONAL	EXO	356
855E-G05X1A-01-SA	DIAGONAL	EXO	276
855E-G05X1A-02-SB	DIAGONAL	EXO	276
855E-G05X1A-37-SM	DIAGONAL	EXO	276
857A-G05X1A-58	NELL	EXO	460
857B-G05X1A-58	NELL	EXO	460
857C-L3102L-58	NELL	EXO	460
857C-L3106B-58	NELL	EXO	460
857D-G05X1A-58	NELL	EXO	459
857H-L3106B-58	NELL	EXO	458
858A-G05X1B-02	PORTOFINO	DOPO	631
858AK-632H-01	PORTOFINO	DOPO	631
858AK-632J-01	PORTOFINO	DOPO	631
859A-G05X1A-35-RA	CORA	EXO	366
859A-G05X1A-35-RB	CORA	EXO	366
859A-G05X1A-35-RC	CORA	EXO	366
859B-G05X1A-01-RA	CORA	EXO	406
859B-G05X1A-02-RB	CORA	EXO	406
859C-G05X1A-01-RA	CORA	EXO	406
859C-G05X1A-02-RB	CORA	EXO	406
859D-G05X1A-01-RA	CORA	EXO	282
859D-G05X1A-02-RB	CORA	EXO	282
906A-G21X1A-01	TANIA	EXO	273
906A-G21X1A-02	TANIA	EXO	273
906A-G21X1A-37	TANIA	EXO	273
906A-G21X1A-47	TANIA	EXO	273
906A-G21X1A-AG	TANIA	EXO	273
906B-G21X1A-01	TANIA	EXO	352
906B-G21X1A-02	TANIA	EXO	352
906B-G21X1A-37	TANIA	EXO	352
906B-G21X1A-47	TANIA	EXO	352
906B-G21X1A-AG	TANIA	EXO	352
906C-G21X1A-01	TANIA	EXO	352
906C-G21X1A-02	TANIA	EXO	352
906C-G21X1A-37	TANIA	EXO	352
906C-G21X1A-47	TANIA	EXO	352
906C-G21X1A-AG	TANIA	EXO	352
906D-L31H1B-01	TANIA	EXO	272
906D-L31H1B-02	TANIA	EXO	272
906D-L31H1B-37	TANIA	EXO	272
906D-L31H1B-47	TANIA	EXO	272
906D-L31H1B-AG	TANIA	EXO	272
906E-L3104B-01	TANIA	EXO	354
906E-L3104B-02	TANIA	EXO	354
906E-L3104B-37	TANIA	EXO	354
906E-L3104B-47	TANIA	EXO	354
906E-L3104B-AG	TANIA	EXO	354
906F-L3104B-01	TANIA	EXO	354
906F-L3104B-02	TANIA	EXO	354
906F-L3104B-37	TANIA	EXO	354
906F-L3104B-47	TANIA	EXO	354
906F-L3104B-AG	TANIA	EXO	354
906G-L3104B-01	TANIA	EXO	396
906G-L3104B-02	TANIA	EXO	396
906G-L3104B-37	TANIA	EXO	396
906G-L3104B-47	TANIA	EXO	396
906G-L3104B-AG	TANIA	EXO	396

REF.	FAM.	BRAND	PAG.
906H-G21XIA-01	TANIA	EXO	350
906H-G21XIA-02	TANIA	EXO	350
906H-G21XIA-37	TANIA	EXO	350
906H-G21XIA-47	TANIA	EXO	350
906H-G21XIA-AG	TANIA	EXO	350
906J-G21XIA-01	TANIA	EXO	350
906J-G21XIA-02	TANIA	EXO	350
906J-G21XIA-37	TANIA	EXO	350
906J-G21XIA-47	TANIA	EXO	350
906J-G21XIA-AG	TANIA	EXO	350
906K-G21XIA-01	TANIA	EXO	350
906K-G21XIA-02	TANIA	EXO	350
906K-G21XIA-37	TANIA	EXO	350
906K-G21XIA-47	TANIA	EXO	350
906K-G21XIA-AG	TANIA	EXO	350
907A-G05XIA-02-CB	MONTECARLO	EXO	427
907B-G05XIA-02-CB	MONTECARLO	EXO	298
908A-L0112B-RA	VORADA	EXO	370
908A-L0112B-RB	VORADA	EXO	370
908A-L0112B-RC	VORADA	EXO	370
908B-L0125B-RA	VORADA	EXO	370
908B-L0125B-RB	VORADA	EXO	370
908B-L0125B-RC	VORADA	EXO	370
908C-L0129B-RA	VORADA	EXO	370
908C-L0129B-RB	VORADA	EXO	370
908C-L0129B-RC	VORADA	EXO	370
908D-L0112B-RA	VORADA	EXO	371
908D-L0112B-RB	VORADA	EXO	371
908D-L0112B-RC	VORADA	EXO	371
908E-L0125B-RA	VORADA	EXO	371
908E-L0125B-RB	VORADA	EXO	371
908E-L0125B-RC	VORADA	EXO	371
908F-L0129B-RA	VORADA	EXO	371
908F-L0129B-RB	VORADA	EXO	371
908F-L0129B-RC	VORADA	EXO	371
908G-G05XIA-35-RA	AMSTERDAM	EXO	280
908G-G05XIA-35-RB	AMSTERDAM	EXO	280
908G-G05XIA-35-RC	AMSTERDAM	EXO	280
909A-G05XIA-01-9BCA	AMSTERDAM	EXO	404
909A-G05XIA-01-9BCB	AMSTERDAM	EXO	404
909A-G05XIA-01-9BCG	AMSTERDAM	EXO	404
909A-G05XIA-02-9BCA	AMSTERDAM	EXO	404
909A-G05XIA-02-9BCB	AMSTERDAM	EXO	404
909A-G05XIA-02-9BCG	AMSTERDAM	EXO	404
909B-G05XIA-01-9CCA	AMSTERDAM	EXO	404
909B-G05XIA-01-9CCB	AMSTERDAM	EXO	404
909B-G05XIA-01-9CCG	AMSTERDAM	EXO	404
909B-G05XIA-02-9CCA	AMSTERDAM	EXO	404
909B-G05XIA-02-9CCB	AMSTERDAM	EXO	404
909B-G05XIA-02-9CCG	AMSTERDAM	EXO	404
909C-G05XIA-35-CA	AMSTERDAM	EXO	280
909C-G05XIA-35-CB	AMSTERDAM	EXO	280
909C-G05XIA-35-CG	AMSTERDAM	EXO	280
912A-L0101F-30	BERNA	DOPO	536
914A-L0103L-01	LITTA	DOPO	626
914A-L0103L-02	LITTA	DOPO	626
914B-L0103L-01	LITTA	DOPO	626
914B-L0103L-02	LITTA	DOPO	626
916A-L0103K-04	COMO	DOPO	621
916B-L0103K-04	COMO	DOPO	620
916C-L0103K-04	COMO	DOPO	621
917A-G05XIA-02-CA	SINTRA	EXO	422
917B-G05XIA-02-CA	SINTRA	EXO	422
918A-L0103L-04	ERICE	DOPO	628
920A-L1440F-03	WALK	CRISTHER	771
920A-L3122B-03	WALK	CRISTHER	770
920A-L3322B-03	WALK	CRISTHER	770
920B-L3122B-03	WALK	CRISTHER	770

REF.	FAM.	BRAND	PAG.
920B-L3322B-03	WALK	CRISTHER	770
920C-L1480F-03	WALK	CRISTHER	771
920C-L3147B-03	WALK	CRISTHER	770
920C-L3347B-03	WALK	CRISTHER	770
920D-L3147B-03	WALK	CRISTHER	770
920D-L3347B-03	WALK	CRISTHER	770
920G-L3112B-30	WALK	CRISTHER	772
920G-L3312B-30	WALK	CRISTHER	772
920H-L3124B-30	WALK	CRISTHER	772
920H-L3324B-30	WALK	CRISTHER	772
920M-L1440F-30	WALK	CRISTHER	773
920M-L3122B-30	WALK	CRISTHER	772
920M-L3322B-30	WALK	CRISTHER	772
920N-L3127B-30	WALK	CRISTHER	772
920N-L3322B-30	WALK	CRISTHER	772
920O-L1480F-30	WALK	CRISTHER	773
920O-L3147B-30	WALK	CRISTHER	772
920O-L3347B-30	WALK	CRISTHER	772
920P-L3147B-30	WALK	CRISTHER	772
920P-L3347B-30	WALK	CRISTHER	772
922A-L3108B-04	DADO	CRISTHER	790
922A-L3308B-04	DADO	CRISTHER	790
922B-L3108B-04	DADO	CRISTHER	790
922B-L3308B-04	DADO	CRISTHER	790
922C-L3114B-04	DADO	CRISTHER	791
922C-L31RDB-04	DADO	CRISTHER	791
922C-L3314B-04	DADO	CRISTHER	791
922C-L33RDB-04	DADO	CRISTHER	791
922D-L3114B-04	DADO	CRISTHER	791
922D-L3314B-04	DADO	CRISTHER	791
922D-L33RDB-04	DADO	CRISTHER	791
923A-L3113B-04	RIMA	CRISTHER	716
923A-L3313B-04	RIMA	CRISTHER	716
923B-L3105B-04	RIMA	CRISTHER	716
923B-L3305B-04	RIMA	CRISTHER	716
926A-L3109B-80	DION	CRISTHER	808
926A-L3109B-81	DION	CRISTHER	808
926A-L3109B-82	DION	CRISTHER	808
926A-L3109B-83	DION	CRISTHER	808
926B-L3109B-80	DION	CRISTHER	808
926B-L3109B-81	DION	CRISTHER	808
926B-L3109B-82	DION	CRISTHER	808
926B-L3109B-83	DION	CRISTHER	808
926C-L3109B-80	DION	CRISTHER	808
926C-L3109B-81	DION	CRISTHER	808
926C-L3109B-82	DION	CRISTHER	808
926C-L3109B-83	DION	CRISTHER	808
926D-L3109B-80	DION	CRISTHER	694
926D-L3109B-81	DION	CRISTHER	694
926D-L3109B-82	DION	CRISTHER	694
926D-L3109B-83	DION	CRISTHER	694
929A-L3109B-01	DAIN	CRISTHER	722
929A-L3109B-02	DAIN	CRISTHER	722
929A-L3109B-03	DAIN	CRISTHER	722
929A-L3109B-90	DAIN	CRISTHER	722
929B-L3105B-01	DAIN	CRISTHER	722
929B-L3105B-02	DAIN	CRISTHER	722
929B-L3105B-03	DAIN	CRISTHER	722
929B-L3105B-90	DAIN	CRISTHER	722
929C-L3105B-02	DAIN	CRISTHER	810
929C-L3105B-03	DAIN	CRISTHER	810
929C-L3105B-90	DAIN	CRISTHER	810
929D-L3105B-02	DAIN	CRISTHER	810
929D-L3105B-03	DAIN	CRISTHER	810
929D-L3105B-90	DAIN	CRISTHER	810
930A-L3130B-02	HAMELIN	CRISTHER	787
930A-L3130B-03	HAMELIN	CRISTHER	787

REF.	FAM.	BRAND	PAG.
930A-L3330B-02	HAMELIN	CRISTHER	787
930A-L3330B-03	HAMELIN	CRISTHER	787
931A-L3117B-04	HERA	CRISTHER	702
931A-L3117B-90	HERA	CRISTHER	702
931A-L31RDB-04	HERA	CRISTHER	702
931A-L31RDB-90	HERA	CRISTHER	702
931A-L3317B-04	HERA	CRISTHER	702
931A-L3317B-90	HERA	CRISTHER	702
931A-L33RDB-04	HERA	CRISTHER	702
931A-L33RDB-90	HERA	CRISTHER	702
932A-L3133B-02	AURA	CRISTHER	814
932A-L3133B-90	AURA	CRISTHER	814
932A-L31RDB-02	AURA	CRISTHER	814
932A-L31RDB-90	AURA	CRISTHER	814
932A-L3333B-02	AURA	CRISTHER	814
932A-L3333B-90	AURA	CRISTHER	814
932A-L33RDB-02	AURA	CRISTHER	814
932A-L33RDB-90	AURA	CRISTHER	814
932B-L3133B-02	AURA	CRISTHER	815
932B-L3133B-90	AURA	CRISTHER	815
932B-L31RDB-02	AURA	CRISTHER	815
932B-L31RDB-90	AURA	CRISTHER	815
932B-L3333B-02	AURA	CRISTHER	815
932B-L3333B-90	AURA	CRISTHER	815
932B-L33RDB-02	AURA	CRISTHER	815
932B-L33RDB-90	AURA	CRISTHER	815
932C-L3114B-02	AURA	CRISTHER	814
932C-L3114B-90	AURA	CRISTHER	814
932C-L31RDB-02	AURA	CRISTHER	814
932C-L31RDB-90	AURA	CRISTHER	814
932C-L3314B-02	AURA	CRISTHER	814
932C-L3314B-90	AURA	CRISTHER	814
932C-L33RDB-02	AURA	CRISTHER	814
932C-L33RDB-90	AURA	CRISTHER	814
932D-L3125B-02	AURA	CRISTHER	814
932D-L3125B-90	AURA	CRISTHER	814
932D-L31RDB-02	AURA	CRISTHER	814
932D-L31RDB-90	AURA	CRISTHER	814
932D-L3325B-02	AURA	CRISTHER	814
932D-L3325B-90	AURA	CRISTHER	814
932D-L33RDB-02	AURA	CRISTHER	814
932D-L33RDB-90	AURA	CRISTHER	814
935A-L3105B-02	ARM	EXO	294
935B-L3105B-02	ARM	EXO	294
941A-L0106A-04	ODIN	DOPO	598
941B-L0106A-04	ODIN	DOPO	598
945A-L3110A-50	TWIST	EXO	386
945B-L3111A-50	TWIST	EXO	386
945C-L3110A-50	TWIST	EXO	332
945D-L3110A-50	TWIST	EXO	332
945E-L3111A-50	TWIST	EXO	386
945F-L3110A-1R	TWIST	EXO	450
945G-L3111A-1R	TWIST	EXO	450
945H-L3111A-1R	TWIST	EXO	450
947A-L3104A-01	STORM	DOPO	509
947A-L3104A-02	STORM	DOPO	509
947A-L3104A-03	STORM	DOPO	509
947B-L3109A-01	STORM	DOPO	509
947B-L3109A-02	STORM	DOPO	509
947B-L3109A-03	STORM	DOPO	509
947C-L3111A-01	STORM	DOPO	509
947C-L3111A-02	STORM	DOPO	509
947C-L3111A-03	STORM	DOPO	509
948A-L3110A-01	MIST	DOPO	530
948A-L3110A-02	MIST	DOPO	530
948A-L3110A-03	MIST	DOPO	530
949A-L3111A-01	WIND	DOPO	528
949A-L3111A-02	WIND	DOPO	528

REF.	FAM.	BRAND	PAG.
949A-L3111A-03	WIND	DOPO	528
950A-L1002A-01	RAIN	DOPO	543
950A-L1002A-02	RAIN	DOPO	543
950A-L1002A-03	RAIN	DOPO	543
950A-L3102A-01	RAIN	DOPO	543
950A-L3102A-02	RAIN	DOPO	543
950A-L3102A-03	RAIN	DOPO	543
950B-L3102A-01	RAIN	DOPO	542
950B-L3102A-02	RAIN	DOPO	542
950B-L3102A-03	RAIN	DOPO	542
950C-L3102A-01	RAIN	DOPO	542
950C-L3102A-02	RAIN	DOPO	542
950C-L3102A-03	RAIN	DOPO	542
950D-L1002A-01	RAIN	DOPO	543
950D-L1002A-02	RAIN	DOPO	543
950D-L3102A-01	RAIN	DOPO	543
950D-L3102A-02	RAIN	DOPO	543
950D-L3102A-03	RAIN	DOPO	543
951A-L3103A-04	SHINNY	DOPO	534
952A-L3107A-01	CLOUD	DOPO	490
952A-L3107A-04	CLOUD	DOPO	490
953A-L3108A-01	FROST	DOPO	490
953A-L3108A-04	FROST	DOPO	490
955A-L0102A-01	SKIN	EXO	304
955A-L0102A-02	SKIN	EXO	304
955A-L0102A-07	SKIN	EXO	304
955A-L0102A-14	SKIN	EXO	304
956A-G05X1A-01	TOSCA	EXO	348
956A-G05X1A-02	TOSCA	EXO	348
956A-G05X1A-06	TOSCA	EXO	348
956B-G05X1A-01	TOSCA	EXO	348
956B-G05X1A-02	TOSCA	EXO	348
956B-G05X1A-06	TOSCA	EXO	348
956C-G05X1A-01	TOSCA	EXO	270
956C-G05X1A-02	TOSCA	EXO	270
956C-G05X1A-06	TOSCA	EXO	270
956D-G05X1A-01	TOSCA	EXO	448
956D-G05X1A-02	TOSCA	EXO	448
956D-G05X1A-06	TOSCA	EXO	448
956E-G05X1A-01	TOSCA	EXO	448
956E-G05X1A-02	TOSCA	EXO	448
956E-G05X1A-06	TOSCA	EXO	448
959A-L0218B-01	TILT	EXO	431
959A-L0218B-02	TILT	EXO	431
959B-L0230B-01	TILT	EXO	431
959B-L0230B-02	TILT	EXO	431
960A-L3106B-01	BEAM	DOPO	484
960A-L3106B-02	BEAM	DOPO	484
960A-L3106B-04	BEAM	DOPO	484
960A-L3106B-90	BEAM	DOPO	484
960B-L3112B-01	BEAM	DOPO	486
960B-L3112B-02	BEAM	DOPO	486
960B-L3112B-04	BEAM	DOPO	486
960B-L3112B-90	BEAM	DOPO	486
962A-L3114B-02-W1	EYE	EXO	266
962A-L3114B-02-W2	EYE	EXO	266
962A-L3114B-02-W3	EYE	EXO	266
962B-L3114B-02-W1	EYE	EXO	266
962B-L3114B-02-W2	EYE	EXO	266
962B-L3114B-02-W3	EYE	EXO	266
962C-L3114B-02-W1	EYE	EXO	266
962C-L3114B-02-W2	EYE	EXO	266
962C-L3114B-02-W3	EYE	EXO	266
965A-G21X1A-NB	STONE	CRISTHER	696
965A-G21X1A-NN	STONE	CRISTHER	696
965A-G21X1A-NR	STONE	CRISTHER	696
965A-G21X1A-NW	STONE	CRISTHER	696

REF.	FAM.	BRAND	PAG.
965B-G21XIA-NB	STONE	CRISTHER	696
965B-G21XIA-NN	STONE	CRISTHER	696
965B-G21XIA-NR	STONE	CRISTHER	696
965B-G21XIA-NW	STONE	CRISTHER	696
965C-L3112A-NB	STONE	CRISTHER	698
965C-L3112A-NN	STONE	CRISTHER	698
965C-L3112A-NR	STONE	CRISTHER	698
965C-L3112A-NW	STONE	CRISTHER	698
965D-G21XIA-NB	STONE	CRISTHER	738
965D-G21XIA-NN	STONE	CRISTHER	738
965D-G21XIA-NR	STONE	CRISTHER	738
965D-G21XIA-NW	STONE	CRISTHER	738
965F-L3106B-NB	STONE	CRISTHER	806
965F-L3106B-NN	STONE	CRISTHER	806
965H-G21XIA-NB	STONE	CRISTHER	784
965H-G21XIA-NN	STONE	CRISTHER	784
967A-L0102A-01	G9	NX Lighting	856
967A-L0102A-02	G9	NX Lighting	856
968A-L4104A-02	R7s	NX Lighting	856
968B-L4108A-02	R7s	NX Lighting	856
968C-L4111A-02	R7s	NX Lighting	856
970A-L0206B-32	BLIZZARD	EXO	434
970B-L0208B-32	BLIZZARD	EXO	434
970C-L0210B-32	BLIZZARD	EXO	434
970D-L0215B-32	BLIZZARD	EXO	434
970E-L0218B-32	BLIZZARD	EXO	434
972D-L4106B-32	SLEET	EXO	432
972E-L4108B-32	SLEET	EXO	432
973A-L0206B-32	ICY	EXO	430
975A-L0220B-32	AFRODITA	EXO	438
975B-L0220B-32	AFRODITA	EXO	438
975C-L0220B-32	AFRODITA	EXO	438
976A-L3110B-04	BUCKET	CRISTHER	692
976A-L31RCB-04	BUCKET	CRISTHER	692
976A-L310B-04	BUCKET	CRISTHER	692
976A-L33RCB-04	BUCKET	CRISTHER	692
976B-L3110B-04	BUCKET	CRISTHER	804
976B-L31RCB-04	BUCKET	CRISTHER	804
976B-L310B-04	BUCKET	CRISTHER	804
976B-L33RCB-04	BUCKET	CRISTHER	804
976C-L3110B-04	BUCKET	CRISTHER	804
976C-L31RCB-04	BUCKET	CRISTHER	804
976C-L310B-04	BUCKET	CRISTHER	804
976C-L33RCB-04	BUCKET	CRISTHER	804
977A-L0103A-01	MINIMAL	EXO	302
977A-L0103A-02	MINIMAL	EXO	302
977A-L0103A-02-46	MINIMAL	EXO	302
980A-L0103H-30	NABUCO	CRISTHER	742
980B-L0104H-30	NABUCO	CRISTHER	742
980B-L0106H-30	NABUCO	CRISTHER	742
980H-L0103H-30	NABUCO	CRISTHER	748
980I-L0104H-30	NABUCO	CRISTHER	748
980I-L0106H-30	NABUCO	CRISTHER	748
982A-L3109A-02	LOOP	DOPO	477
982A-L3309A-02	LOOP	DOPO	477
982B-L3109A-02	LOOP	DOPO	582
982B-L3309A-02	LOOP	DOPO	582
982C-L3109A-02	LOOP	DOPO	582
982C-L3309A-02	LOOP	DOPO	582
983A-L41MPA-01	FALL	INDELUZ	152
983A-L41MPA-02	FALL	INDELUZ	152
984A-G05XIA-02	OXY	EXO	342
984A-G05XIA-02-27	OXY	EXO	342
984A-G05XIA-32	OXY	EXO	342
984A-G05XIA-32-27	OXY	EXO	342
984A-G05XIA-47	OXY	EXO	342
984A-G05XIA-47-27	OXY	EXO	342
984B-G05XIA-02	OXY	EXO	342

REF.	FAM.	BRAND	PAG.
984B-G05XIA-02-27	OXY	EXO	342
984B-G05XIA-32	OXY	EXO	342
984B-G05XIA-32-27	OXY	EXO	342
984B-G05XIA-47	OXY	EXO	342
984B-G05XIA-47-27	OXY	EXO	342
984C-G05XIA-02	OXY	EXO	342
984C-G05XIA-02-27	OXY	EXO	342
984C-G05XIA-32	OXY	EXO	342
984C-G05XIA-32-27	OXY	EXO	342
984C-G05XIA-47	OXY	EXO	342
984C-G05XIA-47-27	OXY	EXO	342
984D-G05XIA-02	OXY	EXO	342
984D-G05XIA-02-27	OXY	EXO	342
984D-G05XIA-32	OXY	EXO	342
984D-G05XIA-32-27	OXY	EXO	342
984D-G05XIA-47	OXY	EXO	342
984D-G05XIA-47-27	OXY	EXO	342
984E-G05XIA-02	OXY	EXO	342
984E-G05XIA-02-27	OXY	EXO	342
984E-G05XIA-32	OXY	EXO	342
984E-G05XIA-32-27	OXY	EXO	342
984E-G05XIA-47	OXY	EXO	342
984E-G05XIA-47-27	OXY	EXO	342
984F-G05XIA-02	OXY	EXO	274
984F-G05XIA-02-27	OXY	EXO	274
984F-G05XIA-32	OXY	EXO	274
984F-G05XIA-32-27	OXY	EXO	274
984F-G05XIA-47	OXY	EXO	274
984F-G05XIA-47-27	OXY	EXO	274
984H-G05XIA-02-27	OXY	EXO	344
984I-G05XIA-02-27	OXY	EXO	344
984J-G05XIA-02-27	OXY	EXO	344
984K-G05XIA-02-27	OXY	EXO	338
984K-G05XIA-02-LB	OXY	EXO	338
984L-G05XIA-02-27	OXY	EXO	338
984L-G05XIA-02-LB	OXY	EXO	338
984M-G05XIA-01-27	OXY	EXO	340
984M-G05XIA-01-LB	OXY	EXO	340
984N-G05XIA-01-27	OXY	EXO	340
984N-G05XIA-01-LB	OXY	EXO	340
984P-G05XIA-01-27	OXY	EXO	275
984P-G05XIA-01-LB	OXY	EXO	275
985A-G05XIA-02-RI	THAIS	EXO	360
985B-G05XIA-02-RI	THAIS	EXO	360
985C-G05XIA-02-RI	THAIS	EXO	360
985D-G05XIA-02-RI	THAIS	EXO	454
985E-G05XIA-02-RI	THAIS	EXO	454
985F-G05XIA-02-RI	THAIS	EXO	454
986A-G05XIA-35-CA	CLASSICAL	EXO	278
986A-G05XIA-47-CB	CLASSICAL	EXO	278
986B-G05XIA-35-CA	CLASSICAL	EXO	402
986B-G05XIA-47-CB	CLASSICAL	EXO	402
986C-G05XIA-35-CA	CLASSICAL	EXO	402
986C-G05XIA-47-CB	CLASSICAL	EXO	402
987A-L0109B-01	COOPER	EXO	316
987A-L0109B-02	COOPER	EXO	316
987A-L0109B-46	COOPER	EXO	316
987A-L0109B-BR	COOPER	EXO	316
988A-L0109B-01	CIRCULAR	EXO	315
988A-L0109B-02	CIRCULAR	EXO	315
988B-L0113B-01	CIRCULAR	EXO	315
988B-L0113B-02	CIRCULAR	EXO	315
988C-L0128B-01	CIRCULAR	EXO	315
988C-L0128B-02	CIRCULAR	EXO	315
988D-L0140B-01	CIRCULAR	EXO	315
988D-L0140B-02	CIRCULAR	EXO	315
990A-G04XIA-01	MANTIS	EXO	424
991A-G21XIA-01	TEAR	EXO	296

REF.	FAM.	BRAND	PAG.
991A-G2IXIA-02	TEAR	EXO	296
992A-G04XIA-01	TAICHI	EXO	420
992A-G04XIA-02	TAICHI	EXO	420
992B-G04XIA-01	TAICHI	EXO	420
992B-G04XIA-02	TAICHI	EXO	420
995A-H20XIA-04	LUA	DOPO	600
996A-L2806C-04	TERRA	DOPO	560
996A-L3106B-04	TERRA	DOPO	560
996A-L3106B-05	TERRA	DOPO	560
996A-L3106B-90	TERRA	DOPO	560
996A-L3106C-04	TERRA	DOPO	560
996A-L3306B-04	TERRA	DOPO	560
997A-L4125B20-01	AMY	INDELUZ	248
997A-L4125B20-02	AMY	INDELUZ	248
997A-L4125B30-01	AMY	INDELUZ	248
997A-L4125B30-02	AMY	INDELUZ	248
997A-L4125B60-01	AMY	INDELUZ	248
997A-L4125B60-02	AMY	INDELUZ	248
997B-L4130B2F-01	AMY	INDELUZ	248
997B-L4130B2F-02	AMY	INDELUZ	248
997B-L4130B3F-01	AMY	INDELUZ	248
997B-L4130B3F-02	AMY	INDELUZ	248
997B-L4130B6F-01	AMY	INDELUZ	248
997B-L4130B6F-02	AMY	INDELUZ	248
998A-L3106E-02	GIBSON	CRISTHER	792
998A-L3306E-02	GIBSON	CRISTHER	792
998B-L3110E-02	GIBSON	CRISTHER	792
998B-L3310E-02	GIBSON	CRISTHER	792
998C-L3106E-02	GIBSON	CRISTHER	792
998C-L3306E-02	GIBSON	CRISTHER	792
998D-L3110E-02	GIBSON	CRISTHER	792
998D-L3310E-02	GIBSON	CRISTHER	792
999A-L0125A-04	FENDER	CRISTHER	836
999A-L0150A-04	FENDER	CRISTHER	836
999A-L0225A-04	FENDER	CRISTHER	836
999A-L0250A-04	FENDER	CRISTHER	836
999B-L0125A-04	FENDER	CRISTHER	836
999B-L0150A-04	FENDER	CRISTHER	836
999B-L0225A-04	FENDER	CRISTHER	836
999B-L0250A-04	FENDER	CRISTHER	836
1000A-L3009B10-01	DISC	CRISTHER	788
1000A-L3009B10-04	DISC	CRISTHER	788
1000A-L3009B30-01	DISC	CRISTHER	788
1000A-L3009B30-04	DISC	CRISTHER	788
1000A-L3009B50-01	DISC	CRISTHER	788
1000A-L3009B50-04	DISC	CRISTHER	788
1000A-L3013B10-01	DISC	CRISTHER	788
1000A-L3013B10-04	DISC	CRISTHER	788
1000A-L3013B30-01	DISC	CRISTHER	788
1000A-L3013B30-04	DISC	CRISTHER	788
1000A-L3013B50-01	DISC	CRISTHER	788
1000A-L3013B50-04	DISC	CRISTHER	788
1000A-L3019B10-01	DISC	CRISTHER	788
1000A-L3019B10-04	DISC	CRISTHER	788
1000A-L3019B30-01	DISC	CRISTHER	788
1000A-L3019B30-04	DISC	CRISTHER	788
1000A-L3019B50-01	DISC	CRISTHER	788
1000A-L3019B50-04	DISC	CRISTHER	788
1000A-L3113B10-01	DISC	CRISTHER	788
1000A-L3113B10-04	DISC	CRISTHER	788
1000A-L3113B30-01	DISC	CRISTHER	788
1000A-L3113B30-04	DISC	CRISTHER	788
1000A-L3113B50-01	DISC	CRISTHER	788
1000A-L3113B50-04	DISC	CRISTHER	788
1000A-L3309B10-01	DISC	CRISTHER	788
1000A-L3309B10-04	DISC	CRISTHER	788
1000A-L3309B30-01	DISC	CRISTHER	788
1000A-L3309B30-04	DISC	CRISTHER	788

REF.	FAM.	BRAND	PAG.
1000A-L3309B50-01	DISC	CRISTHER	788
1000A-L3309B50-04	DISC	CRISTHER	788
1000A-L3313B10-01	DISC	CRISTHER	788
1000A-L3313B10-04	DISC	CRISTHER	788
1000A-L3313B30-01	DISC	CRISTHER	788
1000A-L3313B30-04	DISC	CRISTHER	788
1000A-L3313B50-01	DISC	CRISTHER	788
1000A-L3313B50-04	DISC	CRISTHER	788
1001A-L3140A90-04	VENT	CRISTHER	834
1001A-L3140A9D-04	VENT	CRISTHER	834
1001A-L3175A90-04	VENT	CRISTHER	834
1001A-L3175A9D-04	VENT	CRISTHER	834
1001A-L3340A90-04	VENT	CRISTHER	834
1001A-L3340A9D-04	VENT	CRISTHER	834
1001A-L3375A90-04	VENT	CRISTHER	834
1001A-L3375A9D-04	VENT	CRISTHER	834
1001B-L3140A90-04	VENT	CRISTHER	834
1001B-L3140A9D-04	VENT	CRISTHER	834
1001B-L3175A90-04	VENT	CRISTHER	834
1001B-L3175A9D-04	VENT	CRISTHER	834
1001B-L3340A90-04	VENT	CRISTHER	834
1001B-L3340A9D-04	VENT	CRISTHER	834
1001B-L3375A90-04	VENT	CRISTHER	834
1001B-L3375A9D-04	VENT	CRISTHER	834
1002A-	TURT	INDELUZ	143
1003A-	ARROW	INDELUZ	145
1003B-	ARROW	INDELUZ	145
1004A-	SCOP	INDELUZ	51
1004B-	SCOP	INDELUZ	51
1005A-	QUO	INDELUZ	53
1005B-	QUO	INDELUZ	55
1005C-	QUO	INDELUZ	57
1006A-	VIPI	INDELUZ	61
1007A-	VIP2	INDELUZ	65
1007B-	VIP2	INDELUZ	67
1008A-	VIP3	INDELUZ	71
1008B-	VIP3	INDELUZ	73
1009A-	VIPI	INDELUZ	63
1010A-	VIP2	INDELUZ	69
1011A-	VIP3	INDELUZ	75
1012A-G2IXIA-02-51	BRANCH	EXO	426
1013A-L3826B-01	FISH	EXO	330
1013A-L3826B-02	FISH	EXO	330
1013A-L3826B-50	FISH	EXO	330
1013A-L4026B-01	FISH	EXO	330
1013A-L4026B-02	FISH	EXO	330
1013A-L4026B-50	FISH	EXO	330
1013B-L3826A-01	FISH	EXO	328
1013B-L3826A-02	FISH	EXO	328
1013B-L3826A-50	FISH	EXO	328
1013B-L3826A-IR	FISH	EXO	451
1013B-L4026A-01	FISH	EXO	328
1013B-L4026A-02	FISH	EXO	328
1013B-L4026A-50	FISH	EXO	328
1015A-G05XIA-01	LUG	DOPO	476
1015A-G05XIA-04	LUG	DOPO	476
1015B-G05XIA-01	LUG	DOPO	580
1015B-G05XIA-04	LUG	DOPO	580
1015C-G05XIA-01	LUG	DOPO	580
1015C-G05XIA-04	LUG	DOPO	580
1016A-G05XIA-04	AVON	DOPO	478
1016B-G05XIA-04	AVON	DOPO	584
1017A-G05XIA-01-D1	NEMO	EXO	284
1017A-G05XIA-01-D2	NEMO	EXO	284
1017A-G05XIA-01-D3	NEMO	EXO	284
1017A-G05XIA-02-D4	NEMO	EXO	284
1017B-G05XIA-01-D1	NEMO	EXO	398
1017B-G05XIA-01-D2	NEMO	EXO	398

[illegible]

REF.	FAM.	BRAND	PAG.
1023D-1332584D-30	MALVA	CRISTHER	758
1023E-13025830-30	MALVA	CRISTHER	759
1023E-1302583D-30	MALVA	CRISTHER	759
1023E-13125830-30	MALVA	CRISTHER	759
1023E-1312583D-30	MALVA	CRISTHER	759
1023E-13325830-30	MALVA	CRISTHER	759
1023E-1332583D-30	MALVA	CRISTHER	759
1023F-14121FX-30	MALVA	CRISTHER	753
1023F-14121FX-30	MALVA	CRISTHER	753
1023F-1412FX-30	MALVA	CRISTHER	753
1023G-13016810-30	MALVA	CRISTHER	754
1023G-1301681D-30	MALVA	CRISTHER	754
1023G-13016830-30	MALVA	CRISTHER	754
1023G-1301683D-30	MALVA	CRISTHER	754
1023G-13016850-30	MALVA	CRISTHER	754
1023G-1301685D-30	MALVA	CRISTHER	754
1023G-130168P0-30	MALVA	CRISTHER	754
1023G-130168PD-30	MALVA	CRISTHER	754
1023G-13116810-30	MALVA	CRISTHER	754
1023G-1311681D-30	MALVA	CRISTHER	754
1023G-13116830-30	MALVA	CRISTHER	754
1023G-1311683D-30	MALVA	CRISTHER	754
1023G-13116850-30	MALVA	CRISTHER	754
1023G-1311685D-30	MALVA	CRISTHER	754
1023G-131168P0-30	MALVA	CRISTHER	754
1023G-131168PD-30	MALVA	CRISTHER	754
1023G-13316810-30	MALVA	CRISTHER	754
1023G-1331681D-30	MALVA	CRISTHER	754
1023G-13316830-30	MALVA	CRISTHER	754
1023G-1331683D-30	MALVA	CRISTHER	754
1023G-13316850-30	MALVA	CRISTHER	754
1023G-1331685D-30	MALVA	CRISTHER	754
1023G-133168P0-30	MALVA	CRISTHER	754
1023G-133168PD-30	MALVA	CRISTHER	754
1024A-131128X0-04	LANCE	CRISTHER	794
1024A-131188X0-04	LANCE	CRISTHER	794
1024A-13128X0-04	LANCE	CRISTHER	794
1024A-13188X0-04	LANCE	CRISTHER	794
1024B-131128X0-04	LANCE	CRISTHER	700
1024B-13128XD-04	LANCE	CRISTHER	700
1024B-13128X0-04	LANCE	CRISTHER	700
1024B-133128XD-04	LANCE	CRISTHER	700
1024C-131158X0-04	LANCE	CRISTHER	768
1024C-133158X0-04	LANCE	CRISTHER	768
1025A-13118F40-03	RIGA	DOPO	566
1025A-13118FK0-03	RIGA	DOPO	566
1025A-13118F40-03	RIGA	DOPO	566
1025A-13318FK0-03	RIGA	DOPO	566
1025B-13136F40-03	RIGA	DOPO	566
1025B-13336FK0-03	RIGA	DOPO	566
1025B-13336F40-03	RIGA	DOPO	566
1025B-13336FK0-03	RIGA	DOPO	566
1025C-1418F4X-03	RIGA	DOPO	568
1025C-1418FXX-03	RIGA	DOPO	568
1025D-1436F4X-03	RIGA	DOPO	568
1025D-1436FXX-03	RIGA	DOPO	568
1027A-131078X0-04	SIMIL	DOPO	474
1027B-13107830-04	SIMIL	DOPO	578
1028A-138RCB-02-05	KRISTA	EXO	336
1028A-138RCB-02-06	KRISTA	EXO	336
1028A-138RCB-02-FG	KRISTA	EXO	336
1028A-138RCB-02-SH	KRISTA	EXO	336
1028A-138RCB-02-SL	KRISTA	EXO	336
1028B-138RCB-02-05	KRISTA	EXO	336
1028B-138RCB-02-06	KRISTA	EXO	336
1028B-138RCB-02-FG	KRISTA	EXO	336
1028B-138RCB-02-SH	KRISTA	EXO	336
1028B-138RCB-02-SL	KRISTA	EXO	336

REF.	FAM.	BRAND	PAG.
1028C-L38RCB-02-05	KRISTA	EXO	336
1028C-L38RCB-02-06	KRISTA	EXO	336
1028C-L38RCB-02-FG	KRISTA	EXO	336
1028C-L38RCB-02-SH	KRISTA	EXO	336
1028C-L38RCB-02-SL	KRISTA	EXO	336
1028D-L38RCB-02-05	KRISTA	EXO	334
1028D-L38RCB-02-06	KRISTA	EXO	334
1028D-L38RCB-02-FG	KRISTA	EXO	334
1028D-L38RCB-02-SH	KRISTA	EXO	334
1028D-L38RCB-02-SL	KRISTA	EXO	334
1028E-L38RCB-02-05	KRISTA	EXO	334
1028E-L38RCB-02-06	KRISTA	EXO	334
1028E-L38RCB-02-FG	KRISTA	EXO	334
1028E-L38RCB-02-SH	KRISTA	EXO	334
1028E-L38RCB-02-SL	KRISTA	EXO	334
1028F-L38RCB-02-05	KRISTA	EXO	334
1028F-L38RCB-02-06	KRISTA	EXO	334
1028F-L38RCB-02-FG	KRISTA	EXO	334
1028F-L38RCB-02-SH	KRISTA	EXO	334
1028F-L38RCB-02-SL	KRISTA	EXO	334
1028G-L38RCB-02-05	KRISTA	EXO	268
1028G-L38RCB-02-06	KRISTA	EXO	268
1028G-L38RCB-02-FG	KRISTA	EXO	268
1028G-L38RCB-02-SH	KRISTA	EXO	268
1028G-L38RCB-02-SL	KRISTA	EXO	268
1028H-L38RCB-02-05	KRISTA	EXO	337
1028H-L38RCB-02-06	KRISTA	EXO	337
1028H-L38RCB-02-FG	KRISTA	EXO	337
1028H-L38RCB-02-SH	KRISTA	EXO	337
1028H-L38RCB-02-SL	KRISTA	EXO	337
1028I-L38RCB-02-05	KRISTA	EXO	337
1028I-L38RCB-02-06	KRISTA	EXO	337
1028I-L38RCB-02-FG	KRISTA	EXO	337
1028I-L38RCB-02-SH	KRISTA	EXO	337
1028I-L38RCB-02-SL	KRISTA	EXO	337
1028J-L38RCB-02-05	KRISTA	EXO	337
1028J-L38RCB-02-06	KRISTA	EXO	337
1028J-L38RCB-02-FG	KRISTA	EXO	337
1028J-L38RCB-02-SH	KRISTA	EXO	337
1028J-L38RCB-02-SL	KRISTA	EXO	337
1028K-L38RCB-02-05	KRISTA	EXO	392
1028K-L38RCB-02-06	KRISTA	EXO	392
1028K-L38RCB-02-FG	KRISTA	EXO	392
1028K-L38RCB-02-SH	KRISTA	EXO	392
1028K-L38RCB-02-SL	KRISTA	EXO	392
1029A-G05X1A-02-M1	NATURAL	EXO	358
1029A-G05X1A-02-M2	NATURAL	EXO	358
1029B-G05X1A-02-M1	NATURAL	EXO	358
1029B-G05X1A-02-M2	NATURAL	EXO	358
1029C-G05X1A-02-M1	NATURAL	EXO	358
1029C-G05X1A-02-M2	NATURAL	EXO	358
1029D-G05X1A-02-M1	NATURAL	EXO	452
1029D-G05X1A-02-M2	NATURAL	EXO	452
1029E-G05X1A-02-M1	NATURAL	EXO	452
1029E-G05X1A-02-M2	NATURAL	EXO	452
1029F-G05X1A-02-M1	NATURAL	EXO	452
1029F-G05X1A-02-M2	NATURAL	EXO	452
1030A-G05X1A-01-RA	MOLN	EXO	364
1030B-G05X1A-01-RA	MOLN	EXO	364
1031A-L31068-01	SERENE	EXO	306
1031A-L31068-02	SERENE	EXO	306
1031B-L31068-01	SERENE	EXO	306
1031B-L31068-02	SERENE	EXO	306
1031C-L31068-01	SERENE	EXO	306
1031C-L31068-02	SERENE	EXO	306
1032A-L3807V20-01	CRETEI	INDELUZ	158
1032A-L3807V20-02	CRETEI	INDELUZ	158
1032A-L3807V2D-01	CRETEI	INDELUZ	158

REF.	FAM.	BRAND	PAG.
1032A-L3807V2D-02	CRETEI	INDELUZ	158
1032A-L3807V30-01	CRETEI	INDELUZ	158
1032A-L3807V30-02	CRETEI	INDELUZ	158
1032A-L3807V3D-01	CRETEI	INDELUZ	158
1032A-L3807V3D-02	CRETEI	INDELUZ	158
1032A-L3907V20-01	CRETEI	INDELUZ	158
1032A-L3907V20-02	CRETEI	INDELUZ	158
1032A-L3907V2D-01	CRETEI	INDELUZ	158
1032A-L3907V2D-02	CRETEI	INDELUZ	158
1032A-L3907V30-01	CRETEI	INDELUZ	158
1032A-L3907V30-02	CRETEI	INDELUZ	158
1032A-L3907V3D-01	CRETEI	INDELUZ	158
1032A-L3907V3D-02	CRETEI	INDELUZ	158
1032A-L4007V20-01	CRETEI	INDELUZ	158
1032A-L4007V20-02	CRETEI	INDELUZ	158
1032A-L4007V2D-01	CRETEI	INDELUZ	158
1032A-L4007V2D-02	CRETEI	INDELUZ	158
1032A-L4007V30-01	CRETEI	INDELUZ	158
1032A-L4007V30-02	CRETEI	INDELUZ	158
1032A-L4007V3D-01	CRETEI	INDELUZ	158
1032A-L4007V3D-02	CRETEI	INDELUZ	158
1032B-L381V10-01	CRETEI	INDELUZ	159
1032B-L381V10-02	CRETEI	INDELUZ	159
1032B-L381VID-01	CRETEI	INDELUZ	159
1032B-L381VID-02	CRETEI	INDELUZ	159
1032B-L381V20-01	CRETEI	INDELUZ	159
1032B-L381V20-02	CRETEI	INDELUZ	159
1032B-L381V2D-01	CRETEI	INDELUZ	159
1032B-L381V2D-02	CRETEI	INDELUZ	159
1032B-L381V30-01	CRETEI	INDELUZ	159
1032B-L381V30-02	CRETEI	INDELUZ	159
1032B-L381V3D-01	CRETEI	INDELUZ	159
1032B-L381V3D-02	CRETEI	INDELUZ	159
1032B-L391V10-01	CRETEI	INDELUZ	159
1032B-L391V10-02	CRETEI	INDELUZ	159
1032B-L391VID-01	CRETEI	INDELUZ	159
1032B-L391VID-02	CRETEI	INDELUZ	159
1032B-L391V20-01	CRETEI	INDELUZ	159
1032B-L391V20-02	CRETEI	INDELUZ	159
1032B-L391V2D-01	CRETEI	INDELUZ	159
1032B-L391V2D-02	CRETEI	INDELUZ	159
1032B-L391V30-01	CRETEI	INDELUZ	159
1032B-L391V30-02	CRETEI	INDELUZ	159
1032B-L391V3D-01	CRETEI	INDELUZ	159
1032B-L391V3D-02	CRETEI	INDELUZ	159
1032B-L401V10-01	CRETEI	INDELUZ	159
1032B-L401V10-02	CRETEI	INDELUZ	159
1032B-L401VID-01	CRETEI	INDELUZ	159
1032B-L401VID-02	CRETEI	INDELUZ	159
1032B-L401V20-01	CRETEI	INDELUZ	159
1032B-L401V20-02	CRETEI	INDELUZ	159
1032B-L401V2D-01	CRETEI	INDELUZ	159
1032B-L401V2D-02	CRETEI	INDELUZ	159
1032B-L401V30-01	CRETEI	INDELUZ	159
1032B-L401V30-02	CRETEI	INDELUZ	159
1032B-L401V3D-01	CRETEI	INDELUZ	159
1032B-L401V3D-02	CRETEI	INDELUZ	159
1032C-L3818V20-01	CRETEI	INDELUZ	160
1032C-L3818V20-02	CRETEI	INDELUZ	160
1032C-L3818V2D-01	CRETEI	INDELUZ	160
1032C-L3818V2D-02	CRETEI	INDELUZ	160
1032C-L3818V30-01	CRETEI	INDELUZ	160
1032C-L3818V30-02	CRETEI	INDELUZ	160
1032C-L3818V3D-01	CRETEI	INDELUZ	160
1032C-L3818V3D-02	CRETEI	INDELUZ	160
1032C-L3918V20-01	CRETEI	INDELUZ	160
1032C-L3918V20-02	CRETEI	INDELUZ	160
1032C-L3918V2D-01	CRETEI	INDELUZ	160
1032C-L3918V2D-02	CRETEI	INDELUZ	160

REF.	FAM.	BRAND	PAG.
I032C-L39I8V2D-02	CRETEI	INDELUZ	160
I032C-L39I8V30-01	CRETEI	INDELUZ	160
I032C-L39I8V30-02	CRETEI	INDELUZ	160
I032C-L39I8V3D-01	CRETEI	INDELUZ	160
I032C-L39I8V3D-02	CRETEI	INDELUZ	160
I032C-L40I8V20-01	CRETEI	INDELUZ	160
I032C-L40I8V20-02	CRETEI	INDELUZ	160
I032C-L40I8V2D-01	CRETEI	INDELUZ	160
I032C-L40I8V2D-02	CRETEI	INDELUZ	160
I032C-L40I8V30-01	CRETEI	INDELUZ	160
I032C-L40I8V30-02	CRETEI	INDELUZ	160
I032C-L40I8V3D-01	CRETEI	INDELUZ	160
I032C-L40I8V3D-02	CRETEI	INDELUZ	160
I032D-L38I3VV0-01	CRETEI	INDELUZ	161
I032D-L38I3VV0-02	CRETEI	INDELUZ	161
I032D-L38I3VVD-01	CRETEI	INDELUZ	161
I032D-L38I3VVD-02	CRETEI	INDELUZ	161
I032D-L39I3VV0-01	CRETEI	INDELUZ	161
I032D-L39I3VV0-02	CRETEI	INDELUZ	161
I032D-L39I3VVD-01	CRETEI	INDELUZ	161
I032D-L39I3VVD-02	CRETEI	INDELUZ	161
I032D-L40I3VV0-01	CRETEI	INDELUZ	161
I032D-L40I3VV0-02	CRETEI	INDELUZ	161
I032D-L40I3VVD-01	CRETEI	INDELUZ	161
I032D-L40I3VVD-02	CRETEI	INDELUZ	161
I033B-G05X1A-01-CA	CERAMIC	EXO	394
I033B-G05X1A-02-CK	CERAMIC	EXO	394
I033B-G05X1A-47-SG	CERAMIC	EXO	394
I033C-G05X1A-01-CA	CERAMIC	EXO	394
I033C-G05X1A-02-CK	CERAMIC	EXO	394
I033C-G05X1A-47-SG	CERAMIC	EXO	394
I034A-L4I06B-01	MURA	DOPO	468
I034A-L4I06B-02	MURA	DOPO	468
I034B-L4I08-01	MURA	DOPO	468
I034B-L4I08-02	MURA	DOPO	468
I035A-L3I50AA0-02	FANAL	CRISTHER	832
I035A-L3350AA0-02	FANAL	CRISTHER	832
I036A-L4I07BA0-01	KRAO	INDELUZ	214
I036B-L4I05B30-01	KRAO	INDELUZ	214
I036C-L4I09BAC-01	KRAO	INDELUZ	215
I036D-L4I09B3C-01	KRAO	INDELUZ	215
I036E-L4I08BAZ-01	KRAO	INDELUZ	215
I037A-G05X1A-02-MI	VIETNAM	EXO	362
I037A-G05X1A-02-M2	VIETNAM	EXO	362
I037B-G05X1A-02-M1	VIETNAM	EXO	362
I037B-G05X1A-02-M2	VIETNAM	EXO	362
I037C-G05X1A-02-MI	VIETNAM	EXO	456
I037C-G05X1A-02-M2	VIETNAM	EXO	456
I038A-L3808V10-01	CRETE2	INDELUZ	162
I038A-L3808V10-02	CRETE2	INDELUZ	162
I038A-L3808VID-01	CRETE2	INDELUZ	162
I038A-L3808VID-02	CRETE2	INDELUZ	162
I038A-L3808V30-01	CRETE2	INDELUZ	162
I038A-L3808V30-02	CRETE2	INDELUZ	162
I038A-L3808V3D-01	CRETE2	INDELUZ	162
I038A-L3808V3D-02	CRETE2	INDELUZ	162
I038A-L3808V50-01	CRETE2	INDELUZ	162
I038A-L3808V50-02	CRETE2	INDELUZ	162
I038A-L3808V5D-01	CRETE2	INDELUZ	162
I038A-L3808V5D-02	CRETE2	INDELUZ	162
I038A-L3808V10-01	CRETE2	INDELUZ	162
I038A-L3808V10-02	CRETE2	INDELUZ	162
I038A-L3808VID-01	CRETE2	INDELUZ	162
I038A-L3808VID-02	CRETE2	INDELUZ	162
I038A-L3808V30-01	CRETE2	INDELUZ	162
I038A-L3808V30-02	CRETE2	INDELUZ	162
I038A-L3808V3D-01	CRETE2	INDELUZ	162
I038A-L3808V3D-02	CRETE2	INDELUZ	162
I038A-L3808V50-01	CRETE2	INDELUZ	162
I038A-L3808V50-02	CRETE2	INDELUZ	162
I038A-L3808V5D-01	CRETE2	INDELUZ	162
I038A-L3808V5D-02	CRETE2	INDELUZ	162
I038A-L3808V10-01	CRETE2	INDELUZ	162
I038A-L3808V10-02	CRETE2	INDELUZ	162
I038A-L3808VID-01	CRETE2	INDELUZ	162
I038A-L3808VID-02	CRETE2	INDELUZ	162
I038A-L3808V30-01	CRETE2	INDELUZ	162
I038A-L3808V30-02	CRETE2	INDELUZ	162
I038A-L3808V3D-01	CRETE2	INDELUZ	162
I038A-L3808V3D-02	CRETE2	INDELUZ	162

REF.	FAM.	BRAND	PAG.
I038A-L3908V50-01	CRETE2	INDELUZ	162
I038A-L3908V50-02	CRETE2	INDELUZ	162
I038A-L3908V5D-01	CRETE2	INDELUZ	162
I038A-L3908V5D-02	CRETE2	INDELUZ	162
I038A-L4008V10-01	CRETE2	INDELUZ	162
I038A-L4008V10-02	CRETE2	INDELUZ	162
I038A-L4008VID-01	CRETE2	INDELUZ	162
I038A-L4008VID-02	CRETE2	INDELUZ	162
I038A-L4008V30-01	CRETE2	INDELUZ	162
I038A-L4008V30-02	CRETE2	INDELUZ	162
I038A-L4008V3D-01	CRETE2	INDELUZ	162
I038A-L4008V3D-02	CRETE2	INDELUZ	162
I038A-L4008V50-01	CRETE2	INDELUZ	162
I038A-L4008V50-02	CRETE2	INDELUZ	162
I038A-L4008V5D-01	CRETE2	INDELUZ	162
I038A-L4008V5D-02	CRETE2	INDELUZ	162
I038B-L38I5V10-01	CRETE2	INDELUZ	163
I038B-L38I5V10-02	CRETE2	INDELUZ	163
I038B-L38I5VID-01	CRETE2	INDELUZ	163
I038B-L38I5VID-02	CRETE2	INDELUZ	163
I038B-L38I5V30-01	CRETE2	INDELUZ	163
I038B-L38I5V30-02	CRETE2	INDELUZ	163
I038B-L38I5V3D-01	CRETE2	INDELUZ	163
I038B-L38I5V3D-02	CRETE2	INDELUZ	163
I038B-L38I5V50-01	CRETE2	INDELUZ	163
I038B-L38I5V50-02	CRETE2	INDELUZ	163
I038B-L38I5V5D-01	CRETE2	INDELUZ	163
I038B-L38I5V5D-02	CRETE2	INDELUZ	163
I038B-L39I5V10-01	CRETE2	INDELUZ	163
I038B-L39I5V10-02	CRETE2	INDELUZ	163
I038B-L39I5VID-01	CRETE2	INDELUZ	163
I038B-L39I5VID-02	CRETE2	INDELUZ	163
I038B-L39I5V30-01	CRETE2	INDELUZ	163
I038B-L39I5V30-02	CRETE2	INDELUZ	163
I038B-L39I5V3D-01	CRETE2	INDELUZ	163
I038B-L39I5V3D-02	CRETE2	INDELUZ	163
I038B-L39I5V50-01	CRETE2	INDELUZ	163
I038B-L39I5V50-02	CRETE2	INDELUZ	163
I038B-L39I5V5D-01	CRETE2	INDELUZ	163
I038B-L39I5V5D-02	CRETE2	INDELUZ	163
I038B-L40I5V10-01	CRETE2	INDELUZ	163
I038B-L40I5V10-02	CRETE2	INDELUZ	163
I038B-L40I5VID-01	CRETE2	INDELUZ	163
I038B-L40I5VID-02	CRETE2	INDELUZ	163
I038B-L40I5V30-01	CRETE2	INDELUZ	163
I038B-L40I5V30-02	CRETE2	INDELUZ	163
I038B-L40I5V3D-01	CRETE2	INDELUZ	163
I038B-L40I5V3D-02	CRETE2	INDELUZ	163
I038B-L40I5V50-01	CRETE2	INDELUZ	163
I038B-L40I5V50-02	CRETE2	INDELUZ	163
I038B-L40I5V5D-01	CRETE2	INDELUZ	163
I038B-L40I5V5D-02	CRETE2	INDELUZ	163
I038C-L3806V80-01	CRETE2	INDELUZ	164
I038C-L3806V80-02	CRETE2	INDELUZ	164
I038C-L3806V8D-01	CRETE2	INDELUZ	164
I038C-L3806V8D-02	CRETE2	INDELUZ	164
I038C-L3806V80-01	CRETE2	INDELUZ	164
I038C-L3806V80-02	CRETE2	INDELUZ	164
I038C-L3806V8D-01	CRETE2	INDELUZ	164
I038C-L3806V8D-02	CRETE2	INDELUZ	164
I038C-L3806V80-01	CRETE2	INDELUZ	164
I038C-L3806V80-02	CRETE2	INDELUZ	164
I038C-L3806V8D-01	CRETE2	INDELUZ	164
I038C-L3806V8D-02	CRETE2	INDELUZ	164
I038C-L4006V80-01	CRETE2	INDELUZ	164
I038C-L4006V80-02	CRETE2	INDELUZ	164
I038D-L38I3V80-01	CRETE2	INDELUZ	164
I038D-L38I3V80-02	CRETE2	INDELUZ	164
I038D-L38I3V8D-01	CRETE2	INDELUZ	164
I038D-L38I3V8D-02	CRETE2	INDELUZ	164

REF.	FAM.	BRAND	PAG.
1038D-L3913VB0-01	CRETE2	INDELUZ	164
1038D-L3913VB0-02	CRETE2	INDELUZ	164
1038D-L3913VB0D-01	CRETE2	INDELUZ	164
1038D-L3913VB0D-02	CRETE2	INDELUZ	164
1038D-L4013VB0-01	CRETE2	INDELUZ	164
1038D-L4013VB0-02	CRETE2	INDELUZ	164
1038D-L4013VB0D-01	CRETE2	INDELUZ	164
1038D-L4013VB0D-02	CRETE2	INDELUZ	164
1038E-L3825VB0-01	CRETE2	INDELUZ	164
1038E-L3825VB0-02	CRETE2	INDELUZ	164
1038E-L3825VB0D-01	CRETE2	INDELUZ	164
1038E-L3825VB0D-02	CRETE2	INDELUZ	164
1038E-L3925VB0-01	CRETE2	INDELUZ	164
1038E-L3925VB0-02	CRETE2	INDELUZ	164
1038E-L3925VB0D-01	CRETE2	INDELUZ	164
1038E-L3925VB0D-02	CRETE2	INDELUZ	164
1038E-L4025VB0-01	CRETE2	INDELUZ	164
1038E-L4025VB0-02	CRETE2	INDELUZ	164
1038E-L4025VB0D-01	CRETE2	INDELUZ	164
1038E-L4025VB0D-02	CRETE2	INDELUZ	164
1039A-L3120B-01	PETAL	EXO	314
1039A-L3120B-02	PETAL	EXO	314
1039A-L3120B-46	PETAL	EXO	314
1040A-L3109H30-01	ATIC	CRISTHER	740
1040A-L3309H30-01	ATIC	CRISTHER	740
1040B-L318150-01	ATIC	CRISTHER	740
1040B-L3318150-01	ATIC	CRISTHER	740
1040C-L3124J70-01	ATIC	CRISTHER	741
1040C-L3324J70-01	ATIC	CRISTHER	741
1040D-L3137M90-01	ATIC	CRISTHER	741
1040D-L3337M90-01	ATIC	CRISTHER	741
1041A-L4103K-02	VERSA	DOPO	614
1042A-L4106K-02	TONA	DOPO	618
1042B-L4106K-02	TONA	DOPO	618
1043A-L4103K-02	LUMBER	DOPO	616
1044A-L4105K-02	ERGO	DOPO	612
1044B-L4105K-02	ERGO	DOPO	612
1044C-L4105K-02	ERGO	DOPO	612
1045A-G05X1A-02	FLAKE	EXO	345
1046A-L3336B-01	OFFICE	INDELUZ	244
1046A-L3336B-02	OFFICE	INDELUZ	244
1046B-L3336B-01	OFFICE	INDELUZ	244
1046B-L3336B-02	OFFICE	INDELUZ	244
1047A-L3130B-02	KERO	DOPO	548
1047A-L3330B-02	KERO	DOPO	548
1047A-L3730B-02	KERO	DOPO	548
1047B-L3150B-02	KERO	DOPO	548
1047B-L3350B-02	KERO	DOPO	548
1047B-L3750B-02	KERO	DOPO	548
1047C-L31A1B-02	KERO	DOPO	548
1047C-L33A1B-02	KERO	DOPO	548
1047C-L37A1B-02	KERO	DOPO	548
1047D-L31A4B-02	KERO	DOPO	548
1047D-L33A4B-02	KERO	DOPO	548
1047D-L37A4B-02	KERO	DOPO	548
1047E-L31A5B-02	KERO	DOPO	548
1047E-L33A5B-02	KERO	DOPO	548
1047E-L37A5B-02	KERO	DOPO	548
1048A-L33RAB-04	LAUTAN	INDELUZ	238
1048A-L37RAB-04	LAUTAN	INDELUZ	238
1048B-L33RAB-04	LAUTAN	INDELUZ	238
1048B-L37RAB-04	LAUTAN	INDELUZ	238
1048C-L33RAB-04	LAUTAN	INDELUZ	238
1048C-L37RAB-04	LAUTAN	INDELUZ	238
1049A-L3120B-01	FLOC	DOPO	504
1049A-L3120B-02	FLOC	DOPO	504
1049B-L3130B-01	FLOC	DOPO	504
1049B-L3130B-02	FLOC	DOPO	504

REF.	FAM.	BRAND	PAG.
1050A-L3113B-04	EVEN	DOPO	470
1051A-L2925AB0-02	PALAU	CRISTHER	800
1051A-L2925AB0D-02	PALAU	CRISTHER	800
1051A-L2925AB0-02	PALAU	CRISTHER	800
1051A-L3025AB0-02	PALAU	CRISTHER	800
1051A-L3025AB0D-02	PALAU	CRISTHER	800
1051A-L3025AB0-02	PALAU	CRISTHER	800
1051A-L3125AB0-02	PALAU	CRISTHER	800
1051A-L3125AB0D-02	PALAU	CRISTHER	800
1051A-L3125AB0-02	PALAU	CRISTHER	800
1051A-L3325AB0-02	PALAU	CRISTHER	800
1051A-L3325AB0D-02	PALAU	CRISTHER	800
1051B-L2925AB0-02	PALAU	CRISTHER	800
1051B-L2925AB0D-02	PALAU	CRISTHER	800
1051B-L2925AB0-02	PALAU	CRISTHER	800
1051B-L3025AB0-02	PALAU	CRISTHER	800
1051B-L3025AB0D-02	PALAU	CRISTHER	800
1051B-L3025AB0-02	PALAU	CRISTHER	800
1051B-L3125AB0-02	PALAU	CRISTHER	800
1051B-L3125AB0D-02	PALAU	CRISTHER	800
1051B-L3325AB0-02	PALAU	CRISTHER	800
1051B-L3325AB0D-02	PALAU	CRISTHER	800
1052A-L3806BV0-04	KALOS	CRISTHER	782
1052A-L3906BV0-04	KALOS	CRISTHER	782
1052A-L4006BV0-04	KALOS	CRISTHER	782
1052B-L3812BV0-04	KALOS	CRISTHER	782
1052B-L3912BV0-04	KALOS	CRISTHER	782
1052B-L4012BV0-04	KALOS	CRISTHER	782
1052C-L3828BV0-04	KALOS	CRISTHER	782
1052C-L3928BV0-04	KALOS	CRISTHER	782
1052C-L4028BV0-04	KALOS	CRISTHER	782
1053A-L4102B90-01	COVER	INDELUZ	240
1054A-L3110B-04	ORBITA	DOPO	466
1054B-L3110B-04	ORBITA	DOPO	574
1055x-	UKU	INDELUZ	131
1056x-	UKU	INDELUZ	133
1057x-	UKU	INDELUZ	135
1058x-	UKU	INDELUZ	137
1059x-	UKU	INDELUZ	139
1060x-	UKU	INDELUZ	141
1061x-	FENIX	INDELUZ	117
1062x-	FENIX	INDELUZ	111
1063x-	FENIX	INDELUZ	115
1064x-	FENIX	INDELUZ	119
1065x-	FENIX	INDELUZ	113
1066x-	FENIX	INDELUZ	109
1069A-L3011FC0-04	DUOMO	CRISTHER	690
1069A-L3111FC0-04	DUOMO	CRISTHER	690
1069A-L3112AC0-04	DUOMO	CRISTHER	690
1069A-L3311FC0-04	DUOMO	CRISTHER	690
1069B-L3011FC0-04	DUOMO	CRISTHER	802
1069B-L3111FC0-04	DUOMO	CRISTHER	802
1069B-L3311FC0-04	DUOMO	CRISTHER	802
1069C-L3011FC0-04	DUOMO	CRISTHER	802
1069C-L3111FC0-04	DUOMO	CRISTHER	802
1069C-L3311FC0-04	DUOMO	CRISTHER	802
1069D-L3011FC0-04	DUOMO	CRISTHER	802
1069D-L3111FC0-04	DUOMO	CRISTHER	802
1069D-L3311FC0-04	DUOMO	CRISTHER	802
1070A-L3002FX0-04	GARDA	CRISTHER	762
1070A-L3102FX0-04	GARDA	CRISTHER	762
1070A-L3302FX0-04	GARDA	CRISTHER	762
1070B-L3002FX0-04	GARDA	CRISTHER	762
1070B-L3102FX0-04	GARDA	CRISTHER	762
1070B-L3302FX0-04	GARDA	CRISTHER	762

REF.	FAM.	BRAND	PAG.
1070C-L3002FX0-04	GARDA	CRISTHER	762
1070C-L3102FX0-04	GARDA	CRISTHER	762
1070C-L3302FX0-04	GARDA	CRISTHER	762
1070D-L3006FX0-04	GARDA	CRISTHER	763
1070D-L3106FX0-04	GARDA	CRISTHER	763
1070D-L3306FX0-04	GARDA	CRISTHER	763
1070E-L3006FX0-04	GARDA	CRISTHER	763
1070E-L3106FX0-04	GARDA	CRISTHER	763
1070E-L3306FX0-04	GARDA	CRISTHER	763
1070F-L3006FX0-04	GARDA	CRISTHER	763
1070F-L3106FX0-04	GARDA	CRISTHER	763
1070F-L3306FX0-04	GARDA	CRISTHER	763
1071A-L4110BBF-01	CROMA	DOPO	473
1071A-L4110BBF-02	CROMA	DOPO	473
1071B-L4115BBF-01	CROMA	DOPO	473
1071B-L4115BBF-02	CROMA	DOPO	473
1072A-L4108BBF-02	IKONA	DOPO	472
1072B-L4108BBF-02	IKONA	DOPO	576
1072C-L4108BBF-02	IKONA	DOPO	576
1073A-L3110A-50	TEC	EXO	388
1073B-L3110A-50	TEC	EXO	264
1073C-L3110A-50	TEC	EXO	326
1074A-VX35B-01-01	MISTRAL	EXO	444
1074A-VX35B-01-57	MISTRAL	EXO	444
1074A-VX35B-01-59	MISTRAL	EXO	444
1074A-VX35B-02-02	MISTRAL	EXO	444
1074A-VX35B-02-57	MISTRAL	EXO	444
1074A-VX35B-02-59	MISTRAL	EXO	444
1074B-W4135B-01-01	MISTRAL	EXO	442
1074B-W4135B-01-57	MISTRAL	EXO	442
1074B-W4135B-01-59	MISTRAL	EXO	442
1074B-W4135B-02-02	MISTRAL	EXO	442
1074B-W4135B-02-57	MISTRAL	EXO	442
1074B-W4135B-02-59	MISTRAL	EXO	442
1075A-H20X1A-01	GEOMETRICAL	EXO	390
1075A-H20X1A-50	GEOMETRICAL	EXO	390
1075B-H20X1A-01	GEOMETRICAL	EXO	390
1075B-H20X1A-50	GEOMETRICAL	EXO	390
1075C-H20X1A-01	GEOMETRICAL	EXO	390
1075C-H20X1A-50	GEOMETRICAL	EXO	390
1076A-L3105B-01	SIGN	EXO	262
1076A-L3105B-02	SIGN	EXO	262
1076A-L3105B-46	SIGN	EXO	262
1076B-L3105B-01	SIGN	EXO	262
1076B-L3105B-02	SIGN	EXO	262
1076B-L3105B-46	SIGN	EXO	262
1077A-L3132B-01-02	VINYL	EXO	372
1077A-L3132B-01-47	VINYL	EXO	372
1077A-L3132B-01-50	VINYL	EXO	372
1077A-L3132B-01-T1	VINYL	EXO	372
1077B-L3144B-01-02	VINYL	EXO	372
1077B-L3144B-01-47	VINYL	EXO	372
1077B-L3144B-01-50	VINYL	EXO	372
1077B-L3144B-01-T1	VINYL	EXO	372
1078A-L3002FC0-04	TASCA	CRISTHER	714
1078A-L3102FC0-04	TASCA	CRISTHER	714
1078A-L3302FC0-04	TASCA	CRISTHER	714
1078B-L3004FC0-04	TASCA	CRISTHER	714
1078B-L3104FC0-04	TASCA	CRISTHER	714
1078B-L3304FC0-04	TASCA	CRISTHER	714
1078C-L3006FC0-04	TASCA	CRISTHER	714
1078C-L3106FC0-04	TASCA	CRISTHER	714
1078C-L3306FC0-04	TASCA	CRISTHER	714
1079A-G05X1A-01-27	LANTERN	EXO	260
1079A-G05X1A-01-29	LANTERN	EXO	260
1079A-G05X1A-02-27	LANTERN	EXO	260
1079A-G05X1A-02-29	LANTERN	EXO	260
1079A-G05X1A-37-27	LANTERN	EXO	260

REF.	FAM.	BRAND	PAG.
1079A-G05X1A-37-29	LANTERN	EXO	260
1079A-G05X1A-47-27	LANTERN	EXO	260
1079A-G05X1A-47-29	LANTERN	EXO	260
1079A-G05X1A-AG-27	LANTERN	EXO	260
1079A-G05X1A-AG-29	LANTERN	EXO	260
1079B-G05X1A-01-27	LANTERN	EXO	260
1079B-G05X1A-01-29	LANTERN	EXO	260
1079B-G05X1A-02-27	LANTERN	EXO	260
1079B-G05X1A-02-29	LANTERN	EXO	260
1079B-G05X1A-37-27	LANTERN	EXO	260
1079B-G05X1A-37-29	LANTERN	EXO	260
1079B-G05X1A-47-27	LANTERN	EXO	260
1079B-G05X1A-47-29	LANTERN	EXO	260
1079B-G05X1A-AG-27	LANTERN	EXO	260
1079B-G05X1A-AG-29	LANTERN	EXO	260
1080A-L4107B-01	CALYPSO3	INDELUZ	232
1080B-L4113B-01	CALYPSO3	INDELUZ	232
1080C-L4118B-01	CALYPSO3	INDELUZ	232
1080D-L4125B-01	CALYPSO3	INDELUZ	232
1081A-L1406E2T-02	TEVA	DOPO	558
1082A-L3105F10-30	CROSCAT	CRISTHER	746
1082A-L3105F40-30	CROSCAT	CRISTHER	746
1082A-L3305F10-30	CROSCAT	CRISTHER	746
1082A-L3305F40-30	CROSCAT	CRISTHER	746
1083A-L3106A-30	CLOT	DOPO	538
1084A-L3008A10-04	BUIT	CRISTHER	706
1084A-L3008A10-90	BUIT	CRISTHER	706
1084A-L3008A20-04	BUIT	CRISTHER	706
1084A-L3008A20-90	BUIT	CRISTHER	706
1084A-L3008A30-04	BUIT	CRISTHER	706
1084A-L3008A30-90	BUIT	CRISTHER	706
1084A-L3108A10-04	BUIT	CRISTHER	706
1084A-L3108A10-90	BUIT	CRISTHER	706
1084A-L3108A20-04	BUIT	CRISTHER	706
1084A-L3108A20-90	BUIT	CRISTHER	706
1084A-L3108A30-04	BUIT	CRISTHER	706
1084A-L3108A30-90	BUIT	CRISTHER	706
1084B-L3012A10-04	BUIT	CRISTHER	706
1084B-L3012A10-90	BUIT	CRISTHER	706
1084B-L3012A20-04	BUIT	CRISTHER	706
1084B-L3012A20-90	BUIT	CRISTHER	706
1084B-L3012A30-04	BUIT	CRISTHER	706
1084B-L3012A30-90	BUIT	CRISTHER	706
1084B-L3112A10-04	BUIT	CRISTHER	706
1084B-L3112A10-90	BUIT	CRISTHER	706
1084B-L3112A20-04	BUIT	CRISTHER	706
1084B-L3112A20-90	BUIT	CRISTHER	706
1084B-L3112A30-04	BUIT	CRISTHER	706
1084B-L3112A30-90	BUIT	CRISTHER	706
1084C-L3012A10-04	BUIT	CRISTHER	708
1084C-L3012A10-90	BUIT	CRISTHER	708
1084C-L3012A20-04	BUIT	CRISTHER	708
1084C-L3012A20-90	BUIT	CRISTHER	708
1084C-L3012A30-04	BUIT	CRISTHER	708
1084C-L3012A30-90	BUIT	CRISTHER	708
1084C-L3112A10-04	BUIT	CRISTHER	708

REF.	FAM.	BRAND	PAG.
1084C-L312A10-90	BUIT	CRISTHER	708
1084C-L312A20-04	BUIT	CRISTHER	708
1084C-L312A20-90	BUIT	CRISTHER	708
1084C-L312A30-04	BUIT	CRISTHER	708
1084C-L312A30-90	BUIT	CRISTHER	708
1084C-L332A10-04	BUIT	CRISTHER	708
1084C-L332A10-90	BUIT	CRISTHER	708
1084C-L332A20-04	BUIT	CRISTHER	708
1084C-L332A20-90	BUIT	CRISTHER	708
1084C-L332A30-04	BUIT	CRISTHER	708
1084C-L332A30-90	BUIT	CRISTHER	708
1084D-L3026A10-04	BUIT	CRISTHER	708
1084D-L3026A10-90	BUIT	CRISTHER	708
1084D-L3026A20-04	BUIT	CRISTHER	708
1084D-L3026A20-90	BUIT	CRISTHER	708
1084D-L3026A30-04	BUIT	CRISTHER	708
1084D-L3026A30-90	BUIT	CRISTHER	708
1084D-L3126A10-04	BUIT	CRISTHER	708
1084D-L3126A10-90	BUIT	CRISTHER	708
1084D-L3126A20-04	BUIT	CRISTHER	708
1084D-L3126A20-90	BUIT	CRISTHER	708
1084D-L3126A30-04	BUIT	CRISTHER	708
1084D-L3126A30-90	BUIT	CRISTHER	708
1084D-L3326A10-04	BUIT	CRISTHER	708
1084D-L3326A10-90	BUIT	CRISTHER	708
1084D-L3326A20-04	BUIT	CRISTHER	708
1084D-L3326A20-90	BUIT	CRISTHER	708
1084D-L3326A30-04	BUIT	CRISTHER	708
1084D-L3326A30-90	BUIT	CRISTHER	708
1085A-G21X1A-02	BRANCA	DOPO	554
1085B-G21X1A-02	BRANCA	DOPO	554
1085C-G21X1A-02	BRANCA	DOPO	554
1086A-L3105A90-04	FLAT	DOPO	464
1086B-L3109A90-04	FLAT	DOPO	572
1086C-L3109A90-04	FLAT	DOPO	572
1087A-L3004AA0-04	TRAU	CRISTHER	730
1087A-L3104AA0-04	TRAU	CRISTHER	730
1087A-L3304AA0-04	TRAU	CRISTHER	730
1087B-L3004AA0-04	TRAU	CRISTHER	730
1087B-L3104AA0-04	TRAU	CRISTHER	730
1087B-L3304AA0-04	TRAU	CRISTHER	730
1088A-L3004F90-30	RUA	CRISTHER	728
1088A-L3104F90-30	RUA	CRISTHER	728
1088A-L3304F90-30	RUA	CRISTHER	728
1088B-L3004F90-30	RUA	CRISTHER	728
1088B-L3104F90-30	RUA	CRISTHER	728
1088B-L3304F90-30	RUA	CRISTHER	728
1088C-L3006F90-30	RUA	CRISTHER	728
1088C-L3106F90-30	RUA	CRISTHER	728
1088C-L3306F90-30	RUA	CRISTHER	728
1088D-L3006F90-30	RUA	CRISTHER	728
1088D-L3106F90-30	RUA	CRISTHER	728
1088D-L3306F90-30	RUA	CRISTHER	728
1089A-L1406FIX-02	FUJI	CRISTHER	780
1089A-L1406F2X-02	FUJI	CRISTHER	780
1089A-L1406F6X-02	FUJI	CRISTHER	780
1089A-L1406FKX-02	FUJI	CRISTHER	780
1090A-L1408BBF-02	DAU	CRISTHER	688
1090B-L4115BBF-02	DAU	CRISTHER	688
1091A-L38RCB-01-05	BELAKIA	EXO	346
1091A-L38RCB-01-CR	BELAKIA	EXO	346
1091A-L38RCB-01-PK	BELAKIA	EXO	346
1091B-L38RCB-01-05	BELAKIA	EXO	346
1091B-L38RCB-01-CR	BELAKIA	EXO	346
1091B-L38RCB-01-PK	BELAKIA	EXO	346
1092A-	VIPI MINI	INDELUZ	77
A02A-004-00	POSTES	DOPO	637
A02A-406-00	ROUND	DOPO	655

REF.	FAM.	BRAND	PAG.
A02B-004-00	POSTES	DOPO	637
A02C-004-00	POSTES	DOPO	637
A02D-004-00	POSTES	DOPO	653
A02F-004-00	POSTES	DOPO	653
A02G-004-00	POSTES	DOPO	653
A04M-796-02	DUBE	INDELUZ	146
A04P-1002-02	ACCESORIOS	INDELUZ	50
A04P-1003-02	ACCESORIOS	INDELUZ	144
A04P-1004-02	ACCESORIOS	INDELUZ	50
A04Q-1006-02	VIP	INDELUZ	59
A04Q-1092-02	VIPI MINI	INDELUZ	76
A04R-835-20.01	HIDRA	INDELUZ	100
A04R-835-20.02	HIDRA	INDELUZ	100
A04R-835-20.47	HIDRA	INDELUZ	100
A05A-1000A-02	DISC	CRISTHER	788
A05A-1052A-02	KALOS	CRISTHER	782
A05A-1069-02	DUOMO	CRISTHER	802
A05A-1089A-02	FUJI	CRISTHER	780
A05A-409-02	NAPOLÉS-LULU	DOPO	552
A05A-922A-02	DADO	CRISTHER	790
A05A-922C-02	DADO	CRISTHER	791
A06A-004-01	ELITE 6	DOPO	676
A06A-004-02	ELITE 6	DOPO	676
A06A-1089A-38	FUJI	CRISTHER	780
A07A-128-00	GLOBOS	DOPO	651
A07A-406-39	ROUND	DOPO	655
A08A-C07-01T	POSTES	DOPO	641
A08A-C07-02T	POSTES	DOPO	641
A13A-	INEL	INDELUZ	87
A13A-1036-02	KRAO	INDELUZ	214
A13A-1053A-01	COVER	INDELUZ	240
A13A-631-01	INEL	INDELUZ	226
A13A-929-01	DAIN	CRISTHER	722
A13A-929-02	DAIN	CRISTHER	722
A13A-929-03	DAIN	CRISTHER	722
A13A-929-90	DAIN	CRISTHER	722
A13B-	INEL	INDELUZ	87
A13B-1036-01	KRAO	INDELUZ	214
A13B-1036-02	KRAO	INDELUZ	214
A13B-1053A-01	COVER	INDELUZ	240
A13B-631-01	INEL	INDELUZ	226
A13B-929-01	DAIN	CRISTHER	722
A13B-929-02	DAIN	CRISTHER	722
A13B-929-03	DAIN	CRISTHER	722
A13B-929-47	DAIN	CRISTHER	722
A13B-929-90	DAIN	CRISTHER	722
A13C-1036-02	KRAO	INDELUZ	215
A13C-1053A-01	COVER	INDELUZ	240
A13D-1053A-01	COVER	INDELUZ	240
A14A-409-05	NAPOLÉS-BELGRADO	DOPO	544
A14A-409-06	NAPOLÉS-BELGRADO	DOPO	544
A14A-409-08	NAPOLÉS-BELGRADO	DOPO	544
A14A-546-05	DONISI	DOPO	529
A14A-546-06	DONISI	DOPO	529
A14A-546-07	DONISI	DOPO	529
A14A-738-00	HAITI/ATOLON	INDELUZ	93
A14B-738-00	HAITI/ATOLON	INDELUZ	93
A14C-738-00	HAITI/ATOLON	INDELUZ	93
A20A-715-01	FRED	INDELUZ	96
A20A-715-02	FRED	INDELUZ	96
A20A-715-03	FRED	INDELUZ	96
A20B-583-01	HIMMEL/SPLAT	INDELUZ	233
A20B-715-01	FRED	INDELUZ	96
A20C-715-01	FRED	INDELUZ	96
A22A-128-29	GLOBOS	DOPO	651
A22B-128-29	GLOBOS	DOPO	651
A22C-128-29	GLOBOS	DOPO	651
A22D-128-29	GLOBOS	DOPO	651

REF.	FAM.	BRAND	PAG.
A22E-128-01	GLOBOS	DOPO	651
A22F-128-01	GLOBOS	DOPO	651
A22G-128-29	GLOBOS	DOPO	651
A22H-128-29	GLOBOS	DOPO	651
A23A-128-29	GLOBOS	DOPO	650
A23B-128-29	GLOBOS	DOPO	650
A23C-128-01	GLOBOS	DOPO	650
A23D-128-01	GLOBOS	DOPO	650
A23E-128-01	GLOBOS	DOPO	650
A23F-128-01	GLOBOS	DOPO	650
A23G-128-29	GLOBOS	DOPO	650
A23H-128-29	GLOBOS	DOPO	650
A23I-128-29	GLOBOS	DOPO	650
A44A-772-01	HAITI/ATOLON	INDELUZ	93
A44A-772-02	HAITI/ATOLON	INDELUZ	93
A44A-772-03	HAITI/ATOLON	INDELUZ	93
A45A-738-01	ATOLON	INDELUZ	93
A45A-738-02	ATOLON	INDELUZ	93
A45A-738-03	ATOLON	INDELUZ	93
A45B-738-01	ATOLON	INDELUZ	93
A45B-738-02	ATOLON	INDELUZ	93
A45B-738-03	ATOLON	INDELUZ	93
A45C-738-01	ATOLON	INDELUZ	93
A45C-738-02	ATOLON	INDELUZ	93
A45C-738-03	ATOLON	INDELUZ	93
A45D-738-01	ATOLON	INDELUZ	93
A45D-738-02	ATOLON	INDELUZ	93
A45D-738-03	ATOLON	INDELUZ	93
A45E-738-01	ATOLON	INDELUZ	93
A45E-738-02	ATOLON	INDELUZ	93
A45E-738-03	ATOLON	INDELUZ	93
A47C-796-92	DUBE	INDELUZ	146
A47D-796-92	DUBE	INDELUZ	146
A47E-796-92	DUBE	INDELUZ	146
A47F-1002-92	ACCESORIOS	INDELUZ	50
A47G-1003-92	ACCESORIOS	INDELUZ	144
A47H-1004-92	ACCESORIOS	INDELUZ	50
A47Q-1006-92	VIP	INDELUZ	59
A47Q-1092-92	VIPI MINI	INDELUZ	76
A47R-1006-92	VIP	INDELUZ	59
A47R-1092-92	VIPI MINI	INDELUZ	76
A47T-1006-92	VIP	INDELUZ	59
A50A-778-39	PERFILES	INDELUZ	196
A50C-778-00	PERFILES	INDELUZ	196
A50D-778-00	PERFILES	INDELUZ	196
A50G-778-03	PERFILES	INDELUZ	196
A50H-778-03	PERFILES	INDELUZ	196
A50I-778-00	PERFILES	INDELUZ	196
A51A-778-39	PERFILES	INDELUZ	198
A51G-778-03	PERFILES	INDELUZ	198
A51H-778-03	PERFILES	INDELUZ	198
A51I-778-00	PERFILES	INDELUZ	198
A52A-778-39	PERFILES	INDELUZ	197
A52G-778-03	PERFILES	INDELUZ	197
A52H-778-03	PERFILES	INDELUZ	197
A52I-778-00	PERFILES	INDELUZ	197
A55A-796-02	DUBE	INDELUZ	146
A55A-796-45	DUBE	INDELUZ	146
A55A-796-46	DUBE	INDELUZ	146
A58C-808-41	FENIX	INDELUZ	119
A58E-1061-41	FENIX	INDELUZ	109
A58F-1065-41	FENIX	INDELUZ	113
A61A-786-01	TRACK	INDELUZ	253
A61A-786-02	TRACK	INDELUZ	253
A61A-786-03	TRACK	INDELUZ	253
A61B-786-01	TRACK	INDELUZ	253
A61B-786-02	TRACK	INDELUZ	253
A61B-786-03	TRACK	INDELUZ	253

REF.	FAM.	BRAND	PAG.
A61C-786-01	TRACK	INDELUZ	253
A61C-786-02	TRACK	INDELUZ	253
A61D-786-01	TRACK	INDELUZ	253
A61D-786-02	TRACK	INDELUZ	253
A61E-786-01	TRACK	INDELUZ	253
A61E-786-02	TRACK	INDELUZ	253
A61E-786-03	TRACK	INDELUZ	253
A61G-786-01	TRACK	INDELUZ	252
A61G-786-02	TRACK	INDELUZ	252
A61G-786-03	TRACK	INDELUZ	252
A61H-786-01	TRACK	INDELUZ	253
A61H-786-02	TRACK	INDELUZ	253
A61H-786-03	TRACK	INDELUZ	253
A61H-786-39	TRACK	INDELUZ	253
A61J-786-01	TRACK	INDELUZ	253
A61J-786-02	TRACK	INDELUZ	253
A61J-786-03	TRACK	INDELUZ	253
A61K-786-01	TRACK	INDELUZ	255
A61K-786-02	TRACK	INDELUZ	255
A61K-786-03	TRACK	INDELUZ	255
A61L-786-01	TRACK	INDELUZ	255
A61L-786-02	TRACK	INDELUZ	255
A61L-786-03	TRACK	INDELUZ	255
A61M-786-03	TRACK	INDELUZ	253
A61N-786-00	TRACK	INDELUZ	253
A63A-778-39	PERFILES	INDELUZ	196
A63G-778-03	PERFILES	INDELUZ	196
A63H-778-03	PERFILES	INDELUZ	196
A63I-778-00	PERFILES	INDELUZ	196
A64A-778-39	PERFILES	INDELUZ	198
A64G-778-03	PERFILES	INDELUZ	198
A64H-778-03	PERFILES	INDELUZ	198
A64I-778-00	PERFILES	INDELUZ	198
A66A-778-39	PERFILES	INDELUZ	197
A66C-778-00	PERFILES	INDELUZ	197
A66D-778-00	PERFILES	INDELUZ	197
A66G-778-03	PERFILES	INDELUZ	197
A66H-778-03	PERFILES	INDELUZ	197
A66I-778-00	PERFILES	INDELUZ	197
A67A-778-39	PERFILES	INDELUZ	196
A68A-778-39	PERFILES	INDELUZ	199
A68C-778-00	PERFILES	INDELUZ	199
A68D-778-00	PERFILES	INDELUZ	199
A68G-778-03	PERFILES	INDELUZ	199
A68H-778-03	PERFILES	INDELUZ	199
A68I-778-00	PERFILES	INDELUZ	199
A69A-778-39	PERFILES	INDELUZ	200
A69C-778-00	PERFILES	INDELUZ	200
A69D-778-00	PERFILES	INDELUZ	200
A69G-778-03	PERFILES	INDELUZ	200
A69H-778-03	PERFILES	INDELUZ	200
A69I-778-00	PERFILES	INDELUZ	200
A69J-778-00	PERFILES	INDELUZ	200
A70A-778-39	PERFILES	INDELUZ	200
A70C-778-00	PERFILES	INDELUZ	200
A70D-778-00	PERFILES	INDELUZ	200
A70G-778-03	PERFILES	INDELUZ	200
A70H-778-03	PERFILES	INDELUZ	200
A71A-778-39	PERFILES	INDELUZ	197
A71C-778-00	PERFILES	INDELUZ	197
A71D-778-00	PERFILES	INDELUZ	197
A71G-778-03	PERFILES	INDELUZ	197
A71H-778-03	PERFILES	INDELUZ	197
A71I-778-00	PERFILES	INDELUZ	197
A72A-778-39	PERFILES	INDELUZ	199
A72G-778-03	PERFILES	INDELUZ	199
A72H-778-03	PERFILES	INDELUZ	199
A72I-778-00	PERFILES	INDELUZ	199

REF.	FAM.	BRAND	PAG.
A73A-1032-01	TRACK 48V	INDELUZ	169
A73A-1032-02	TRACK 48V	INDELUZ	169
A73B-1032-01	TRACK 48V	INDELUZ	169
A73B-1032-02	TRACK 48V	INDELUZ	169
A73C-1032-01	TRACK 48V	INDELUZ	167
A73C-1032-02	TRACK 48V	INDELUZ	167
A73D-1032-01	TRACK 48V	INDELUZ	167
A73D-1032-02	TRACK 48V	INDELUZ	167
A73E-1032-01	TRACK 48V	INDELUZ	171
A73E-1032-02	TRACK 48V	INDELUZ	171
A73F-1032-38	TRACK 48V	INDELUZ	173
A73G-1032-38	TRACK 48V	INDELUZ	167
A73H-1032-38	TRACK 48V	INDELUZ	167
A73J-1032-01	TRACK 48V	INDELUZ	171
A73J-1032-02	TRACK 48V	INDELUZ	171
A73L-1032-01	TRACK 48V	INDELUZ	169
A73L-1032-02	TRACK 48V	INDELUZ	169
A73M-1032-01	TRACK 48V	INDELUZ	169
A73M-1032-02	TRACK 48V	INDELUZ	169
A73N-1032-01	TRACK 48V	INDELUZ	173
A73N-1032-02	TRACK 48V	INDELUZ	173
A73P-1032-01	TRACK 48V	INDELUZ	173
A73P-1032-02	TRACK 48V	INDELUZ	173
A73Q-1032-01	TRACK 48V	INDELUZ	173
A73Q-1032-02	TRACK 48V	INDELUZ	173
A73R-1032-01	TRACK 48V	INDELUZ	167
A73R-1032-02	TRACK 48V	INDELUZ	167
A73S-1032-01	TRACK 48V	INDELUZ	167
A73S-1032-02	TRACK 48V	INDELUZ	167
A73T-1032-01	TRACK 48V	INDELUZ	169
A73T-1032-02	TRACK 48V	INDELUZ	169
A73U-1032-01	TRACK 48V	INDELUZ	167
A73V-1032-39	TRACK 48V	INDELUZ	173
A73X-1032-38	TRACK 48V	INDELUZ	173
A73Y-1032-38	TRACK 48V	INDELUZ	171
B02A-X3317H-01	ALIMENTADORES	NX Lighting	858
B02A-X3317J-01	ALIMENTADORES	NX Lighting	858
B02A-X3320I-01	ALIMENTADORES	NX Lighting	858
B02A-X33X2F-01	ALIMENTADORES	NX Lighting	859
B02B-X3360B-01	ALIMENTADORES	NX Lighting	858
B02B-X33A4B-01	ALIMENTADORES	NX Lighting	858
B02C-X3330F-00	ALIMENTADORES	INDELUZ	859
B02C-X3360F-00	ALIMENTADORES	INDELUZ	859
B02C-X3375F-00	ALIMENTADORES	INDELUZ	859
B02C-X33A3F-00	ALIMENTADORES	INDELUZ	859
B02C-X33A7D-02	ALIMENTADORES	NX Lighting	858
B02D-X3312F-00	ALIMENTADORES	CRISTHER	859
B02E-X3330E-00	ALIMENTADORES	NX Lighting	858
B02E-X3375E-00	ALIMENTADORES	NX Lighting	858
B02F-X33A8D-32	ALIMENTADORES	NX Lighting	858
B02G-X3306J-01	ALIMENTADORES	NX Lighting	858
B02H-X3360F-00	ALIMENTADORES	INDELUZ	859
B02H-X3390F-00	ALIMENTADORES	INDELUZ	859
B02H-X33A3F-00	ALIMENTADORES	INDELUZ	859
B02H-X33A5F-00	ALIMENTADORES	INDELUZ	859
B02I-X33F9D-02	ALIMENTADORES	NX Lighting	858
B02I-X336ID-02	ALIMENTADORES	NX Lighting	858
B02J-X3350D-02	ALIMENTADORES	NX Lighting	858
B02L-X3340F-00	ALIMENTADORES	INDELUZ	859
B02L-X3380F-00	ALIMENTADORES	INDELUZ	859
B02L-X33A4F-00	ALIMENTADORES	INDELUZ	859
B02L-X33A6F-00	ALIMENTADORES	INDELUZ	859
B02M-X33A5D-03	ALIMENTADORES	NX Lighting	858
B02M-X33A9D-03	ALIMENTADORES	NX Lighting	858
B02N-X3330J-01	ALIMENTADORES	NX Lighting	858
B02N-X3340M-01	ALIMENTADORES	NX Lighting	858
B02P-X3326HI-01	ALIMENTADORES	NX Lighting	858
B02P-X3340JM-01	ALIMENTADORES	NX Lighting	858

REF.	FAM.	BRAND	PAG.
B02Q-X3312F-01	ALIMENTADORES	NX Lighting	859
B02Q-X3335F-00	ALIMENTADORES	INDELUZ	859
B02Q-X3396F-00	ALIMENTADORES	INDELUZ	859
B02R-X3335F-00	ALIMENTADORES	INDELUZ	859
B02R-X3360F-00	ALIMENTADORES	INDELUZ	859
B02R-X33A1F-01	ALIMENTADORES	INDELUZ	859
B02R-X33A4F-00	ALIMENTADORES	INDELUZ	859
B02V-X3375V-00	ALIMENTADORES	INDELUZ	859
B02V-X33J5F-00	ALIMENTADORES	INDELUZ	211
B02V-X33J5V-00	ALIMENTADORES	INDELUZ	859
B02W-X3340F-00	ALIMENTADORES	INDELUZ	211
B02W-X3380F-00	ALIMENTADORES	INDELUZ	211
B02W-X33A4F-00	ALIMENTADORES	INDELUZ	211
B02Y-X3335F-00	ALIMENTADORES	INDELUZ	211
B02Y-X3360F-00	ALIMENTADORES	INDELUZ	211
B02Y-X33A1F-00	ALIMENTADORES	INDELUZ	211
B02Y-X33A4F-00	ALIMENTADORES	INDELUZ	211
B02Y-X33A6F-00	ALIMENTADORES	INDELUZ	211
B03A-X33X2A-02	CONECTORES	NX Lighting	857
B03B-X33X2A-02	CONECTORES	NX Lighting	857
B03C-X33X2A-02	CONECTORES	NX Lighting	857
B03D-X33X2A-02	CONECTORES	NX Lighting	857
B03F-X33X1A-29	POSTES	DOPO	653
B03I-X33X2A-02	CONECTORES	NX Lighting	857
B03J-X33X2A-02	CONECTORES	NX Lighting	857
B03K-X33X2A-02	CONECTORES	NX Lighting	857
B03L-X33X2A-02	CONECTORES	NX Lighting	857
B03M-X33X2A-02	CONECTORES	NX Lighting	857
B05Q-X33X2X-03	CONTROLADORES	CRISTHER	845
B12A-G05X1A-02	GLOBOS	DOPO	651
B12F-G05X1A-02	GLOBOS	DOPO	651
B12G-G05X1A-02	GLOBOS	DOPO	651
B12H-G05X1A-02	GLOBOS	DOPO	651
B12I-G05X1A-02T	GLOBOS	DOPO	654
B12J-G05X1A-01T	GLOBOS	DOPO	650
B12J-G05X1A-02T	GLOBOS	DOPO	650
B12K-G05X1A-01T	GLOBOS	DOPO	650
B12K-G05X1A-02T	GLOBOS	DOPO	650
B12L-G05X1A-01T	GLOBOS	DOPO	650
B12L-G05X1A-02T	GLOBOS	DOPO	650
B12M-G05X1A-02	GLOBOS	DOPO	651
B17F-X33X2B-01	TRACK	INDELUZ	253
B17F-X33X2B-02	TRACK	INDELUZ	253
B17F-X33X2B-03	TRACK	INDELUZ	253
B17O-X33X2B-01	TRACK	INDELUZ	253
B17O-X33X2B-02	TRACK	INDELUZ	253
B17P-X33X2B-01	ACCESORIOS	EXO	340
B17P-X33X2B-02	ACCESORIOS	EXO	340
B17P-X33X2B-03	ACCESORIOS	EXO	340
B19A-X3310B-01	DUBE	INDELUZ	147
B19A-X3310B-02	DUBE	INDELUZ	147
B19B-X3340B-01	DUBE	INDELUZ	147
B19B-X3340B-02	DUBE	INDELUZ	147
B19C-X3330B-01	DUBE	INDELUZ	147
B19C-X3330B-02	DUBE	INDELUZ	147
B19E-X3310B-01	DUBE	INDELUZ	147
B19E-X3310B-02	DUBE	INDELUZ	147
B19F-X3330B-01	DUBE	INDELUZ	147
B19F-X3330B-02	DUBE	INDELUZ	147
B19G-X3315A-01	DUBE	INDELUZ	147
B19G-X3315A-02	DUBE	INDELUZ	147
B19G-X33R1B-01	DUBE	INDELUZ	147
B19G-X33R1B-02	DUBE	INDELUZ	147
B19G-X33RDB-01	DUBE	INDELUZ	147
B19G-X33RDB-02	DUBE	INDELUZ	147
B19G-X33RFB-01	DUBE	INDELUZ	147
B19G-X33RFB-02	DUBE	INDELUZ	147
B19G-X33RMB-01	DUBE	INDELUZ	147

REF.	FAM.	BRAND	PAG.
B19G-X33RMB-02	DUBE	INDELUZ	147
B19H-X3310B-01	DUBE	INDELUZ	147
B19H-X3310B-02	DUBE	INDELUZ	147
B25-X33X2B-01	ENIGMA/FALL/LAND/AMY	INDELUZ	152
B25-X33X2B-02	ENIGMA/FALL/LAND/AMY	INDELUZ	152
B28A-X33X2B-01	TRACK	INDELUZ	252
B28A-X33X2B-02	TRACK	INDELUZ	252
B28A-X33X2B-39	TRACK	INDELUZ	252
B28B-X33X2B-01	TRACK	INDELUZ	252
B28B-X33X2B-02	TRACK	INDELUZ	252
B28B-X33X2B-39	TRACK	INDELUZ	252
B28C-X33X2B-01	TRACK	INDELUZ	252
B28C-X33X2B-02	TRACK	INDELUZ	252
B28C-X33X2B-39	TRACK	INDELUZ	252
B28D-X33X2B-01	TRACK	INDELUZ	252
B28D-X33X2B-02	TRACK	INDELUZ	252
B28D-X33X2B-03	TRACK	INDELUZ	252
B28E-X33X2B-01	TRACK	INDELUZ	252
B28E-X33X2B-02	TRACK	INDELUZ	252
B28E-X33X2B-03	TRACK	INDELUZ	252
B28G-X33X2B-01	TRACK	INDELUZ	252
B28G-X33X2B-02	TRACK	INDELUZ	252
B28G-X33X2B-03	TRACK	INDELUZ	252
B28H-X33X2B-01	TRACK	INDELUZ	252
B28H-X33X2B-02	TRACK	INDELUZ	252
B28H-X33X2B-03	TRACK	INDELUZ	252
B28I-X33X2B-01	TRACK	INDELUZ	252
B28I-X33X2B-02	TRACK	INDELUZ	252
B28I-X33X2B-03	TRACK	INDELUZ	252
B28J-X33X2B-01	TRACK	INDELUZ	252
B28J-X33X2B-02	TRACK	INDELUZ	252
B28J-X33X2B-03	TRACK	INDELUZ	252
B28K-X33X2B-01	TRACK	INDELUZ	252
B28K-X33X2B-02	TRACK	INDELUZ	252
B28K-X33X2B-03	TRACK	INDELUZ	252
B28L-X33X2B-01	TRACK	INDELUZ	252
B28L-X33X2B-02	TRACK	INDELUZ	252
B28L-X33X2B-03	TRACK	INDELUZ	252
B28M-X33X2B-01	TRACK	INDELUZ	252
B28M-X33X2B-02	TRACK	INDELUZ	252
B28M-X33X2B-03	TRACK	INDELUZ	252
B28N-X33X2B-01	TRACK	INDELUZ	252
B28N-X33X2B-02	TRACK	INDELUZ	252
B28N-X33X2B-03	TRACK	INDELUZ	252
B29A-X33X2U-01	TRACK	INDELUZ	254
B29A-X33X2U-02	TRACK	INDELUZ	254
B29A-X33X2U-39	TRACK	INDELUZ	254
B29B-X33X2U-01	TRACK	INDELUZ	254
B29B-X33X2U-02	TRACK	INDELUZ	254
B29B-X33X2U-39	TRACK	INDELUZ	254
B29C-X33X2U-01	TRACK	INDELUZ	254
B29C-X33X2U-02	TRACK	INDELUZ	254
B29C-X33X2U-39	TRACK	INDELUZ	254
B29D-X33X2U-01	TRACK	INDELUZ	254
B29D-X33X2U-02	TRACK	INDELUZ	254
B29D-X33X2U-03	TRACK	INDELUZ	254
B29E-X33X2U-01	TRACK	INDELUZ	254
B29E-X33X2U-02	TRACK	INDELUZ	254
B29E-X33X2U-03	TRACK	INDELUZ	254
B29F-X33X2U-01	TRACK	INDELUZ	254
B29F-X33X2U-02	TRACK	INDELUZ	254
B29F-X33X2U-03	TRACK	INDELUZ	254
B29H-X33X2U-01	TRACK	INDELUZ	254
B29H-X33X2U-02	TRACK	INDELUZ	254
B29H-X33X2U-03	TRACK	INDELUZ	254
B29I-X33X2U-01	TRACK	INDELUZ	255
B29I-X33X2U-02	TRACK	INDELUZ	255
B29I-X33X2U-03	TRACK	INDELUZ	255

REF.	FAM.	BRAND	PAG.
B29J-X33X2U-01	TRACK	INDELUZ	254
B29J-X33X2U-02	TRACK	INDELUZ	254
B29J-X33X2U-03	TRACK	INDELUZ	254
B29K-X33X2U-01	TRACK	INDELUZ	255
B29K-X33X2U-02	TRACK	INDELUZ	255
B29K-X33X2U-03	TRACK	INDELUZ	255
B29L-X33X2U-01	TRACK	INDELUZ	254
B29L-X33X2U-02	TRACK	INDELUZ	254
B29L-X33X2U-03	TRACK	INDELUZ	254
B29M-X33X2U-01	TRACK	INDELUZ	254
B29M-X33X2U-02	TRACK	INDELUZ	254
B29M-X33X2U-03	TRACK	INDELUZ	254
B30A-X33X2B-01	TRACK	INDELUZ	252
B30A-X33X2B-02	TRACK	INDELUZ	252
B30A-X33X2B-39	TRACK	INDELUZ	252
B30B-X33X2B-01	TRACK	INDELUZ	252
B30B-X33X2B-02	TRACK	INDELUZ	252
B30B-X33X2B-39	TRACK	INDELUZ	252
B30C-X33X2B-01	TRACK	INDELUZ	252
B30C-X33X2B-02	TRACK	INDELUZ	252
B30C-X33X2B-39	TRACK	INDELUZ	252
B31A-X33X2U-01	TRACK	INDELUZ	254
B31A-X33X2U-02	TRACK	INDELUZ	254
B31A-X33X2U-39	TRACK	INDELUZ	254
B31B-X33X2U-01	TRACK	INDELUZ	254
B31B-X33X2U-02	TRACK	INDELUZ	254
B31B-X33X2U-39	TRACK	INDELUZ	254
B31C-X33X2U-01	TRACK	INDELUZ	254
B31C-X33X2U-02	TRACK	INDELUZ	254
B31C-X33X2U-39	TRACK	INDELUZ	254
B32A-X33X2V-01	TRACK 48V	INDELUZ	166
B32A-X33X2V-02	TRACK 48V	INDELUZ	166
B32B-X33X2V-01	TRACK 48V	INDELUZ	166
B32B-X33X2V-02	TRACK 48V	INDELUZ	166
B32C-X33X2V-01	TRACK 48V	INDELUZ	166
B32C-X33X2V-02	TRACK 48V	INDELUZ	166
B32D-X33X2V-01	TRACK 48V	INDELUZ	167
B32D-X33X2V-02	TRACK 48V	INDELUZ	167
B32E-X33X2V-01	TRACK 48V	INDELUZ	167
B32E-X33X2V-02	TRACK 48V	INDELUZ	167
B32F-X33X2V-01	TRACK 48V	INDELUZ	167
B32F-X33X2V-02	TRACK 48V	INDELUZ	167
B32G-X33X2V-01	TRACK 48V	INDELUZ	167
B32G-X33X2V-02	TRACK 48V	INDELUZ	167
B32H-X33X2V-01	TRACK 48V	INDELUZ	167
B32H-X33X2V-02	TRACK 48V	INDELUZ	167
B32J-X33X2V-01	TRACK 48V	INDELUZ	167
B32J-X33X2V-02	TRACK 48V	INDELUZ	167
B32K-X33X2V-01	TRACK 48V	INDELUZ	167
B32K-X33X2V-02	TRACK 48V	INDELUZ	167
B32L-X33AIV-01	TRACK 48V	INDELUZ	167
B32L-X33AIV-02	TRACK 48V	INDELUZ	167
B32M-X33AIV-01	TRACK 48V	INDELUZ	167
B32M-X33AIV-02	TRACK 48V	INDELUZ	167
B32N-X33AIV-01	TRACK 48V	INDELUZ	859
B32N-X33AIV-02	TRACK 48V	INDELUZ	859
B33A-X33X2V-01	TRACK 48V	INDELUZ	170
B33A-X33X2V-02	TRACK 48V	INDELUZ	170
B33B-X33X2V-01	TRACK 48V	INDELUZ	170
B33B-X33X2V-02	TRACK 48V	INDELUZ	170
B33C-X33X2V-01	TRACK 48V	INDELUZ	170
B33C-X33X2V-02	TRACK 48V	INDELUZ	170
B34A-X33X2V-01	TRACK 48V	INDELUZ	168
B34A-X33X2V-02	TRACK 48V	INDELUZ	168
B34B-X33X2V-01	TRACK 48V	INDELUZ	168
B34B-X33X2V-02	TRACK 48V	INDELUZ	168
B34C-X33X2V-01	TRACK 48V	INDELUZ	168
B34C-X33X2V-02	TRACK 48V	INDELUZ	168

REF.	FAM.	BRAND	PAG.
B35A-X33X2V-01	TRACK 48V	INDELUZ	172
B35A-X33X2V-02	TRACK 48V	INDELUZ	172
B35B-X33X2V-01	TRACK 48V	INDELUZ	172
B35B-X33X2V-02	TRACK 48V	INDELUZ	172
B35C-X33X2V-01	TRACK 48V	INDELUZ	172
B35C-X33X2V-02	TRACK 48V	INDELUZ	172
B61A-	FENIX	INDELUZ	111
B64A-	FENIX	INDELUZ	119
B65A-	FENIX	INDELUZ	113
base-NbT	POSTES	DOPO	637
base-NnT	POSTES	DOPO	637
Base-RbT	POSTES	DOPO	637
Base-RnT	POSTES	DOPO	637
Base-VbT	POSTES	DOPO	637
Base-VnT	POSTES	DOPO	637
C02B-32-02	POSTES	DOPO	653
C02C-32-02	POSTES	DOPO	653
C02D-32-02	POSTES	DOPO	653
C02F-32-02	POSTES	DOPO	653
C03B-32-39	POSTES	DOPO	653
C03C-32-39	POSTES	DOPO	653
C03D-32-39	POSTES	DOPO	653
C03F-32-39	POSTES	DOPO	653
C04A-32-02	POSTES	DOPO	652
C04B-32-02	POSTES	DOPO	652
C04C-32-02	POSTES	DOPO	652
C04D-32-02	POSTES	DOPO	652
C04E-32-02	POSTES	DOPO	652
C06A-31-02	POSTES	DOPO	652
C06B-31-02	POSTES	DOPO	652
C07A-11-01T	POSTES	DOPO	641
C07A-11-02T	POSTES	DOPO	641
C07B-12-01T	POSTES	DOPO	641
C07B-12-02T	POSTES	DOPO	641
C07C-12-01T	POSTES	DOPO	641
C07C-12-02T	POSTES	DOPO	641
C07D-42-02T	POSTES	DOPO	654
C07E-42-02T	POSTES	DOPO	654
C07F-42-02T	POSTES	DOPO	654
C08B-31-02	POSTES	DOPO	644
C08C-31-02	POSTES	DOPO	644
C10A-31-02	POSTES	DOPO	645
C10B-31-02	POSTES	DOPO	645
C12A-32-02	POSTES	DOPO	665
C12B-32-02	POSTES	DOPO	665
C12C-32-02	POSTES	DOPO	665
C30B-31-38	POSTES	DOPO	653
C30D-31-38	POSTES	DOPO	653
C30E-31-38	POSTES	DOPO	653
C30E-32-38	POSTES	DOPO	653
C30F-31-38	POSTES	DOPO	653
C30F-32-38	POSTES	DOPO	653
CAB.SET.13.VOLGA	VOLGA	INDELUZ	194
CAB.SET.19.VOLGA	VOLGA	INDELUZ	195
CEM-1069-02	DIUOMO	CRISTHER	802
CONAC-B03A-KIT	CONECTORES	INDELUZ	190
CONAC-B03B-KIT	CONECTORES	INDELUZ	190
CONAS-B03A-KIT	CONECTORES	INDELUZ	176
CONAS-B03B-KIT	CONECTORES	INDELUZ	176
CONDS-B03A-KIT	CONECTORES	INDELUZ	177
CONDS-B03B-KIT	CONECTORES	INDELUZ	177
CONT.CBU-PWM4	CONTROLADORES	INDELUZ	206
CONT.DA1	CONTROLADORES	INDELUZ	210
CONT.DA4	CONTROLADORES	INDELUZ	210
CONT.DT	CONTROLADORES	INDELUZ	210
CONT.EV1-S	CONTROLADORES	INDELUZ	210
CONT.EV4	CONTROLADORES	INDELUZ	210
CONT.LIWT	CONTROLADORES	INDELUZ	209

REF.	FAM.	BRAND	PAG.
CONT.R9+XC	CONTROLADORES	NX Lighting	568
CONT.RT10	CONTROLADORES	INDELUZ	202
CONT.TI5	CONTROLADORES	INDELUZ	202
CONT.V1	CONTROLADORES	INDELUZ	203
CONT.V2-L	CONTROLADORES	INDELUZ	203
CONT.V4	CONTROLADORES	INDELUZ	204
CONT.V4WP	CONTROLADORES	INDELUZ	206
CONT.V5	CONTROLADORES	INDELUZ	205
CONT.WT1	CONTROLADORES	INDELUZ	207
CONT.WT5	CONTROLADORES	INDELUZ	208
D20-824-01-01	NOK20	INDELUZ	216
D20-824-02-02	NOK20	INDELUZ	216
D20-824-47-47	NOK20	INDELUZ	216
D30-824-01-01	NOK30	INDELUZ	217
D30-824-02-02	NOK30	INDELUZ	217
D30-824-47-47	NOK30	INDELUZ	217
GRA_205CN	SENA	INDELUZ	192
GRA_207CN	SENA	INDELUZ	192
RES-1089A-38	FUJI	CRISTHER	780
TAP.SET.IP65.SENA205CN	SENA	INDELUZ	192
TAP.SET.IP65.SENA207CN	SENA	INDELUZ	192
TAP.SET.IP65.SENARGB	SENA	INDELUZ	193

