

L A N D A<sup>®</sup>

luce italiana

Classic Collection  
1<sup>st</sup> edition

1.28 sec.

is the time that  
the #light takes  
to get from the #moon  
to the #earth.

[il tempo che impiega  
la #luce dalla #luna  
ad arrivare sulla #terra.]



# Overview

3

INTRO		PRODUCTS		INFO	
<b>4</b>	index by family	<b>28</b>	amalfi	<b>175</b>	accessories
<b>12</b>	index by mounting	<b>38</b>	augusta	<b>180</b>	how to read the catalogue
<b>14</b>	company profile	<b>44</b>	brick light	<b>182</b>	installation
		<b>50</b>	cipro	<b>186</b>	family abacus
		<b>54</b>	firenze	<b>184</b>	index by code
		<b>60</b>	lampara	<b>187</b>	general information
		<b>66</b>	lyras	<b>187</b>	quality certifications
		<b>70</b>	maiorca	<b>188</b>	finishes
		<b>74</b>	monaco	<b>189</b>	terms & conditions
		<b>80</b>	morphis		
		<b>90</b>	neway		
		<b>96</b>	nizza		
		<b>102</b>	orion		
		<b>112</b>	oslo		
		<b>116</b>	parigi		
		<b>128</b>	pisa		
		<b>132</b>	polos		
		<b>138</b>	rio		
		<b>142</b>	romantica		
		<b>152</b>	sirio		
		<b>156</b>	titano		
		<b>164</b>	pole		

# Index by family

## AMALFI



AMALFI MINI  
> 30



AMALFI MINI  
> 30



AMALFI MINI  
> 30



AMALFI MINI  
> 30



AMALFI MINI  
> 30



AMALFI  
> 32




AMALFI  
> 32




AMALFI  
> 32



AMALFI  
> 32




AMALFI  
> 32




AMALFI  
> 32



AMALFI SHORT  
> 34



AMALFI SHORT  
> 34




AMALFI SHORT  
> 34




AMALFI MAXI  
> 36




AMALFI MAXI  
> 36




AMALFI MAXI  
> 36



AMALFI MAXI  
> 36



AMALFI MAXI  
> 36



AMALFI MAXI  
> 36

## AUGUSTA



AUGUSTA  
> 40



AUGUSTA  
> 40



AUGUSTA  
> 40



AUGUSTA  
> 40



AUGUSTA  
> 40







AUGUSTA  
> 40



AUGUSTA  
> 42




AUGUSTA  
> 42

**BRICK LIGHT**BRICK LIGHT  
> 46BRICK LIGHT  
> 46BRICK LIGHT  
INOX  
> 48BRICK LIGHT  
INOX  
> 48**CIPRO**CIPRO  
> 52**FIRENZE**FIRENZE  
> 56FIRENZE  
> 56FIRENZE  
> 56FIRENZE  
> 56FIRENZE  
> 56FIRENZE  
> 58FIRENZE  
> 58FIRENZE  
> 58**LAMPARA**LAMPARA\_1  
> 62LAMPARA\_1  
> 62LAMPARA\_1  
> 62LAMPARA\_1  
> 62LAMPARA\_1  
> 62LAMPARA\_1  
> 62LAMPARA\_2  
> 64LAMPARA\_2  
> 64LAMPARA\_2  
> 64LAMPARA\_2  
> 64LAMPARA\_2  
> 64

# Index by family

**LYRAS 80.1**



LYRAS 80.1  
> 68

**MAIORCA**



MAIORCA  
> 72

**MONACO**



MONACO  
> 76



MONACO  
> 76



MONACO  
> 76



MONACO  
> 76



MONACO  
> 76



MONACO  
> 76



MONACO  
> 78




MONACO  
> 78



MONACO  
> 78

**MORPHIS**



MORPHIS\_1  
> 82




MORPHIS\_1  
> 82



MORPHIS\_1  
> 82



MORPHIS\_1  
> 82




MORPHIS\_1  
> 82




MORPHIS\_2  
> 84




MORPHIS\_2  
> 84



MORPHIS\_2  
> 84



MORPHIS\_2  
> 84


MORPHIS\_3  
> 86MORPHIS\_3  
> 86MORPHIS\_3  
> 86MORPHIS\_3  
> 86MORPHIS\_3  
> 86MORPHIS  
WALL\_1  
> 88**NEWAY**NEWAY  
> 92NEWAY  
> 94**NIZZA**NIZZA\_1  
> 98NIZZA\_1  
> 98NIZZA\_1  
> 98NIZZA\_1  
> 98NIZZA\_1  
> 98NIZZA\_1  
> 98NIZZA\_1  
> 98NIZZA\_1  
> 98NIZZA\_2  
> 100NIZZA\_2  
> 100NIZZA\_2  
> 100NIZZA\_2  
> 100NIZZA\_2  
> 100

# Index by family

## ORION




ORION\_1  
> 104



ORION\_1  
> 104




ORION\_2  
> 106



ORION\_2  
> 106




ORION INOX\_1  
> 108



ORION INOX\_1  
> 108



ORION INOX\_2  
> 110



ORION INOX\_2  
> 110

## OSLO



OSLO  
> 114



OSLO  
> 114



OSLO  
> 114



OSLO  
> 114



OSLO  
> 114



OSLO  
> 114

## PARIGI



PARIGI MINI  
> 118



PARIGI MINI  
> 118



PARIGI MINI  
> 118



PARIGI MINI  
> 118



PARIGI MINI  
> 118



PARIGI MINI  
> 118



PARIGI MINI  
> 118



PARIGI MINI  
> 118



PARIGI\_1  
> 120



PARIGI\_1  
> 120






PARIGI\_2  
> 122



PARIGI\_2  
> 122



PARIGI\_2  
> 122

PARIGI\_2  
> 122PARIGI\_2  
> 122PARIGI\_2  
> 122PARIGI\_2  
> 122PARIGI MAXI\_1  
> 124PARIGI MAXI\_1  
> 124PARIGI MAXI\_2  
> 126PARIGI MAXI\_2  
> 126PARIGI MAXI\_2  
> 126PARIGI MAXI\_2  
> 126PARIGI MAXI\_2  
> 126PARIGI MAXI\_2  
> 126PARIGI MAXI\_2  
> 126PARIGI MAXI\_2  
> 126**PISA**PISA  
> 130PISA  
> 130PISA  
> 130PISA  
> 130PISA  
> 130PISA  
> 130**POLOS**POLOS\_1  
> 134POLOS\_1  
> 134POLOS\_2  
> 136POLOS\_2  
> 136**RIO**RIO  
> 140

# Index by family

## ROMANTICA



ROMANTICA  
> 144



ROMANTICA  
> 144



ROMANTICA  
> 144



ROMANTICA  
> 144




ROMANTICA  
> 144



ROMANTICA  
> 144



ROMANTICA  
> 146



ROMANTICA  
> 146



ROMANTICA\_1  
> 148



ROMANTICA\_1  
> 148



ROMANTICA\_1  
> 148



ROMANTICA\_1  
> 148




ROMANTICA\_1  
> 148



ROMANTICA\_1  
> 148



ROMANTICA\_1  
> 150



ROMANTICA\_1  
> 150

## SIRIO



SIRIO  
> 154




SIRIO  
> 154



SIRIO  
> 154




SIRIO  
> 154




SIRIO  
> 154




SIRIO  
> 154




SIRIO  
> 154

**TITANO**

TITANO\_1  
>158



TITANO\_2  
>160



TITANO INOX  
>162

# Index by mounting

## WALL RECESSED

46	brick light	48	brick light inox
----	-------------	----	------------------

## WALL LAMPS

30	amalfi_mini	104	orion_1
32	amalfi	106	orion_2
34	amalfi_short	108	orion inox_1
36	amalfi_maxi	110	orion inox_2
40	augusta	114	oslo
52	cipro	118	parigi mini
56	firenze	120	parigi_1
62	lampara_1	122	parigi_2
64	lampara_2	124	parigi maxi_1
68	lyras 80.1	126	parigi maxi_2
72	maiorca	130	pisa
76	monaco	134	polos_1
84	morphis_2	136	polos_2
86	morphis_3	140	rio
88	morphis wall_1	144	romantica
92	neway	148	romantica_1
98	nizza_1	154	sirio
100	nizza_2		

## PENDANTS

40	augusta	114	oslo
56	firenze	118	parigi mini
62	lampara_1	122	parigi_2
64	lampara_2	126	parigi maxi_2
76	monaco	130	pisa
86	morphis_3	144	romantica
98	nizza_1	148	romantica_1
100	nizza_2	154	sirio

## BOLLARDS

30	amalfi_mini	76	monaco
32	amalfi	82	morphis_1
36	amalfi_maxi	94	neway
40	augusta	98	nizza_1
56	firenze	100	nizza_2
62	lampara_1	104	orion_1
64	lampara_2	106	orion_2

<b>108</b>	orion inox_1	<b>136</b>	polos_2
<b>110</b>	orion inox_2	<b>144</b>	romantica
<b>114</b>	oslo	<b>148</b>	romantica
<b>118</b>	parigi mini	<b>154</b>	sirio
<b>122</b>	parigi_2	<b>158</b>	titano_1
<b>126</b>	parigi maxi_2	<b>160</b>	titano_2
<b>130</b>	pisa	<b>162</b>	titano inox
<b>134</b>	polos_1		

**POLES**

<b>30</b>	amalfi_mini	<b>84</b>	morphis_2
<b>32</b>	amalfi	<b>86</b>	morphis_3
<b>34</b>	amalfi_short	<b>98</b>	nizza_1
<b>36</b>	amalfi_maxi	<b>114</b>	oslo
<b>40</b>	augusta	<b>118</b>	parigi mini
<b>42</b>	augusta	<b>122</b>	parigi_2
<b>56</b>	firenze	<b>126</b>	parigi maxi_2
<b>58</b>	firenze	<b>130</b>	pisa
<b>62</b>	lampara_1	<b>144</b>	romantica
<b>64</b>	lampara_2	<b>146</b>	romantica
<b>76</b>	monaco	<b>148</b>	romantica
<b>78</b>	monaco	<b>150</b>	romantica
<b>82</b>	morphis_1	<b>154</b>	sirio

Landa Illuminotecnica was founded and grew up in Lumezzane, Brescia, a thriving area of Northern Italy known for its strong business drive that, over the years, led the Company to stand out in several production and industrial sectors.

**IT** Landa Illuminotecnica nasce e cresce a Lumezzane, Brescia, fiorente area del Nord Italia conosciuta per il suo forte spirito imprenditoriale che, negli anni, l'ha portata a distinguersi in diversi settori produttivi e industriali.

# who we are

Present on the light market since 1987, Landa has established itself with its wide range of outdoor luminaires for the residential sector, not only at European level but also and primarily at international level.

The entire production takes place in its plants in Lumezzane, thus allowing constant monitoring of all process steps, from conception to testing, up to the time of shipment.

The company boasts a highly qualified design team that not only manages to meet the needs of the customers, but is also committed to anticipating new needs and new trends, and assisting the customer in the post installation phase.

Over the years all this has allowed a continuous growth in what is one of the most competitive markets in the world, the lighting market.

**IT** Presente sul mercato della luce dal 1987, Landa si è affermata con la sua ampia gamma di lampade da esterno per il settore residenziale, non solo su scala europea ma, in maniera preponderante, anche a livello internazionale.

L'intera produzione avviene all'interno degli stabilimenti di Lumezzane, consentendo così un costante monitoraggio di tutte le fasi produttive, dall'ideazione al collaudo, fino al momento della spedizione.

L'azienda vanta al suo interno un'equipe di progettazione altamente qualificata che non solo riesce a soddisfare le esigenze presentate dalla clientela, ma è anche attenta ad anticipare i nuovi bisogni ed i nuovi trend del gusto, affiancando poi il cliente anche nella fase successiva all'installazione.

Tutto ciò, negli anni, ha permesso una continua crescita in quello che è uno dei mercati più competitivi al mondo, quello del lighting.

**01.** 1987

Landa Illuminotecnica is founded as a manufacturing company of lighting fixtures for outdoor use in the residential sector.

**IT** Nasce Landa Illuminotecnica, azienda produttrice di apparecchi lighting per l'outdoor del settore residenziale.



**02.** 1990

Launch of the Orion Series, Landa's first iconic product.

**IT** Vede la luce Serie Orion, il primo prodotto icona di Landa.

**03.** 1997

Internal implementation of the production and painting systems in the Landa factories.

**IT** Avviene l'implementazione interna degli impianti di produzione e verniciatura negli stabilimenti Landa.



**04. 2002**

Launch of the Ibis Series, a product that marked the company's success in the early 2000s.

In 2002 Landa participates for the first time in Light+Building, an important international specialist trade fair held in Frankfurt (Germany), and in Euroluce (Milan), where it will become a constant presence in each of the subsequent editions.

*IT Nasce Serie Ibis, prodotto che segna il successo dell'azienda nei primi anni 2000.  
È in quest'anno che Landa partecipa per la prima volta a Light+Building, importante fiera internazionale di settore che si svolge nella città tedesca di Francoforte, ed Euroluce (Milano), dove sarà presente poi in ciascuna delle edizioni successive.*



## 05. 2007

Thanks to a major project aiming at expanding production and business, the architectural structure of the Landa headquarters increases to 10,000 from the original 3,000 square meters.

**IT** Grazie ad un importante progetto di ampliamento produttivo e aziendale, la struttura architettonica sede della Landa arriva a misurare da 3.000 a 10.000 m<sup>2</sup>.



## 06. 2011

The LED revolution expands the Landa catalogue and product range. Morphis is the new iconic luminaire.

**IT** La rivoluzione del LED amplia il catalogo e la gamma prodotti Landa. Si sviluppa Morphis, il nuovo apparecchio icona.



**07. 2012-2014**

Important international collaborations start. In the following three years, Germany, India and the USA are among the main players that determine the Landa's success abroad, beyond national borders.

**IT** Hanno inizio le importanti collaborazioni internazionali.  
Nei tre anni successivi saranno, tra i player principali, Germania, India e USA a determinare il successo di Landa all'estero, al di fuori dei confini nazionali.

**08. 2015**

New completion of the range with built-in products.

**IT** Nuovo completamento della gamma con prodotti da incasso.



**09. 2018**



The year of awareness.  
To continue to be a reference in the sector, the company vision is expanded with the inclusion of an Art Director: new products, new projects, the same trademark. Landa excellence grows and develops towards new horizons.

**IT** L'anno della consapevolezza.  
Per continuare a essere un punto di riferimento nel settore, si amplia la vision dell'azienda con l'inserimento della figura di un Art Director: nuovi prodotti, nuovi progetti, stesso marchio di fabbrica. L'eccellenza Landa cresce e si sviluppa verso nuovi orizzonti.

After the rebranding which returned it, once again, to the position of protagonist on the national and international scene, [LND] opens itself to a new hybrid and spontaneous conception of co-existence, outlining a concept with a strong capacity to attract. The creation and production of light fittings incorporate and integrate these two perspectives in an organic way. So, organic lighting palettes (Nest, Firefly) are born for a developed nature, accompanying, at the same time, an engineered intellect, (Kuboid, Car-Go, Eye, Fog and I-Lantern). The range of products [LND] lives in a coherent dimension, in this way making the work of project designers and prescribers highly free. Equipped with a strong identity, they live for an outdoor dimension integrated with nature and architecture, giving volume and shape to any project requirement.

**IT** Dopo il rebranding che l'ha portata di nuovo a essere protagonista del panorama nazionale e internazionale, [LND] si apre a una nuova concezione ibrida e spontanea di co-esistenza, delineando un concept dalla forte capacità attrattiva. L'ideazione e la realizzazione di apparecchi illuminanti incorpora e integra in modo organico queste due prospettive. Nascono, così, per una natura potenziata tavolozze vegetali illuminate (Nest, Firefly) che si accompagnano, di pari passo, ad un intelletto ingegnerizzato (Kuboid, Car-Go, Eye, Fog e I-Lantern). La gamma di prodotti [LND] vive in una dimensione coerente, rendendo così altamente libero il lavoro dei progettisti e dei prescrittori. Dotati di una forte identità, vivono per un outdoor integrato con la natura e l'architettura, dando volume e forma a qualsiasi esigenza progettuale.



[LND] reinterprets its own philosophy, transforming outdoor aesthetics into unexpected and charming ways.

Efficiency and performance, imperative and steadfast aspects in the company's production, are now part of a transversal thought that turns to the decorative and contemplates the inimitable authenticity of Nature.

This is how the **collection** was born. **Unexpected**. A story that narrates, made of discrete geometries and lighting accents, that are **protagonists of an organic dialogue** with the surrounding world. The new Landa lighting chapter rediscovers a dreamlike dimension, opening itself to visions that can make **matter live in synergy with the spirit of Nature**.




# UNEXPECTED

IT [LND] reinterpreta la propria filosofia, trasformando l'estetica outdoor in modi inattesi e suggestivi.

L'efficienza e la performance, imperativi saldi nella produzione dell'azienda, sono ora parte di un pensiero trasversale che volge al decorativo e che contempla l'inimitabile autenticità della Natura.

Nasce, così, la **collezione Unexpected**. Una storia da raccontare fatta di geometrie discrete e accenti luminosi, che sono **protagonisti di un dialogo organico** con il mondo circostante. Il nuovo capitolo dell'illuminazione [LND] riscopre una dimensione onirica, aprendosi a visioni capaci di far vivere la materia in sinergia con lo spirito della Natura.

# &CO / COLLECTION



**&CO/LLECTION** is the new range of products made in [LND].

They originate from the wish to **find a new place for light in its natural environment: nature**. With awareness, we have maintained all the bio-aspect features of the materials to be able to give you a new anthology of organic light.

It is for this very reason that, in this collection, you will never find aesthetically perfect products, with an icy cold, industrial look. For this reason we have taken the names of this collection from the Cactus family. The beauty of this variety of plants is that although they are all very similar, due to their thorns, aesthetic conformation and properties, they are always different from each other in shape and size.

**Uniqueness in diversity has been our design leitmotiv.**

**IT** &CO/LLECTION è la nuova gamma di prodotti made in [LND].

Nasce dalla volontà di **ri-collocare la luce nel suo ambiente naturale: la natura**. Con coscienza, abbiamo mantenuto tutte le caratteristiche di bio-aspetto dei materiali per potervi dare una nuova antologia di luce organica.

Proprio per questo motivo non troverete mai, in questa collezione, prodotti esteticamente perfetti, dall'aspetto algido e industriale. Per questo motivo abbiamo preso a piene mani i nomi di questa collezione dalla famiglia delle Cactacee. Il bello di queste varietà di piante è che pur essendo tutte molto simili, per via delle spine, della conformazione estetica e delle proprietà, sono sempre diverse l'una dall'altra per forma e dimensioni.

**L'unicità nella diversità è stato il nostro leitmotiv di progettazione.**

Landa Illuminotecnica is part of the **Bugatti La San Marco S.a.p.a. Group**, an important reality born from the initiative of the family new generations, who have allowed the evolution of the original Bugatti Company, founded in 1923 and operating in the field of cutlery and furnishings.

# Bugatti Group

IT Landa Illuminotecnica fa parte del **Gruppo Bugatti La San Marco S.a.p.a.**, importante realtà nata dall'intraprendenza delle nuove generazioni della famiglia, le quali hanno saputo evolvere quella che era la società Bugatti, nata nel 1923 e operante nel settore della posateria e degli articoli di arredamento.





**BUGATTI® 100**  
Group SINCE 1923



**BUGATTI**

Since 1923, Bugatti manufactures cutlery, kitchen appliances and table- and kitchenware. Thanks to the cooperation with designers and draughtsmen, Bugatti produces small and big jewels that surprise and enrich the daily habits and our domestic ambiences, taking marvel and an unexpected touch into daily life.

**IT** Dal 1923 Bugatti realizza posate, piccoli elettrodomestici e oggettistica per la tavola e cucina. Grazie alle collaborazioni con designer e progettisti, produce piccoli e grandi gioielli, volti a stupire e arricchire le abitudini e gli ambienti di vita, portando un tocco inaspettato e meraviglia nella quotidianità delle persone.

**AIGNEP**

Aignep operates in the "Automation Fluid Technology" sector and provides solutions in fluid technology. Today, it is a consolidated reality with 10 branches worldwide and through exclusive distributors in 102 countries.

**IT** Aignep è attiva nel settore "Automation Fluid Technology" e fornisce soluzioni nella tecnologia dei fluidi. Oggi è una realtà consolidata con 10 filiali nel mondo ed è presente con distributori esclusivi in 102 paesi.

**[LND]**

Landa, on the lighting market since 1987, designs and manufactures outdoor lighting for the residential sector with a global distribution network.

**IT** Landa, presente nel mercato dell'illuminazione dal 1987, progetta e produce apparecchi da esterno per il settore residenziale con una rete di distribuzione globale.



Picchi manufactures Transfer Machines and CNC Machining Centers, machine tools and special machines with high productivity requirements and low operating costs, responding to the needs of customers coming from different sectors.

**IT** Picchi realizza Macchine Transfer e Centri di Lavoro CNC, macchine utensili e macchine speciali dai requisiti di alta produttività e costi di esercizio contenuti, rispondendo alle esigenze di clienti in settori diversificati.



Idroimpianti is based in Italy and comprises a hydroelectric power station as well as several photovoltaic systems. Born in 2018 as a concrete response to the Group's desire to operate in a more sustainable way.


**IT** Idroimpianti comprende una centrale idroelettrica e diversi impianti fotovoltaici con sede in Italia. Nasce nel 2018 come risposta concreta all'esigenza del Gruppo di avere un impatto più sostenibile nella propria attività.



## PRODUCTS

# Amalfi

design by Landa R&D



WALL LAMP

BOLLARD

POLE


**EN** Amalfi is a wall, bollard and pole mounting luminaire with a spherical opal PMMA diffuser in three different sizes.

The pole, the bollard and the wall mounting support, in EN47100 die-cast aluminium available in 4 finishes, evoke the iconic Baroque shapes for a product that is as poetic and evocative as the coast from which it takes its name.


**IT** Amalfi è un apparecchio per applicazioni da parete, da bollard e da palo con diffusore in PMMA opale dalla forma sferica in tre diverse dimensioni.

Il palo, il bollard e il supporto di fissaggio a muro, in alluminio pressofuso EN47100 disponibile in 4 finiture, rievocano le iconiche forme barocche per un prodotto poetico ed evocativo, come la costa da cui prende il nome.


# Amalfi Mini




upwards wall lamp  
cod. 00




bollard  
cod. 33




bollard  
cod. 44



2 lights head  
cod. T2



3 lights head  
cod. T3



Pole  
cod. PF5



Pole  
cod. PR7

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Opal PMMA
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | BOLLARD

320	---	Finishing	G Black	●
		P Black/Green	●	
		S Black/Copper	●	
		U White	●	
		Installation	00 Upwards wall lamp	
			33 Bollard h. 40 cm	
			44 Bollard h. 98 cm	
		Diffuser	. Opal	
		Example	320 . 00 G	

### POLE 2 OR 3 LIGHTS

320	---	Finishing	G Black	●
		P Black/Green	●	
		S Black/Copper	●	
		U White	●	
		Lights	T2 2 lights	
			T3 3 lights	
		Pole style	PF5 pole h. 210 cm *	
			adjustable	
			PR7 h. 149-214 cm *	
		Diffuser	. Opal	
		Example	320 . PF5 T2 G	

\* post and head complete height

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 12cm

## AVAILABLE ACCESSORIES


Code	Description	Page
00APF6	Anchor bolt for poles PF5	177
00APR8	Anchor bolt for poles PR7	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176




# Amalfi



upwards wall lamp  
cod. 00




bollard  
cod. 33




bollard  
cod. 44




1 light head



2 lights head  
cod. T2




3 lights head  
cod. T3




Pole  
cod. PF4




Pole  
cod. PF7



Pole  
cod. PE7



Pole  
cod. PF5/PF6




Pole  
cod. PF8



Pole  
cod. PE8




Pole  
cod. PR4



Pole  
cod. PR5/PR6



Pole  
cod. PR7



Pole  
cod. PR8

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Opal PMMA
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | BOLLARD

322 - -	Finishing	G Black	●
		P Black/Green	●
		S Black/Copper	●
		U White	○
	Installation	00 upwards wall lamp	
		33 Bollard h. 40 cm	
		44 Bollard h. 104 cm	
	Diffuser	. Opal	
	Example	322 . 00 G	

### POLE 1 LIGHT

322 - -	Finishing	G Black	●
		P Black/Green	●
		S Black/Copper	●
		U White	○
	Pole style	PF4 pole 1L h. 149 cm *	
		PF5 pole 1L h. 205 cm *	
		PF6 pole 1L h. 243 cm *	
		PF7 pole 1L h. 185 cm *	
		PF8 pole 1L h. 243 cm *	
		PE7 pole 1L h. 185 cm *	
		PE8 pole 1L h. 243 cm *	
		PR4 pole 1L h. 129 cm *	
		PR5 adjustable h. 119-184 cm *	
		PR6 adjustable h. 138-222 cm *	
		PR7 adjustable h. 144-209 cm *	
	Diffuser	. Opal	
	Example	322 . PF5 G	

### POLE 2 OR 3 LIGHTS

322 - -	Finishing	G Black	●
		P Black/Green	●
		S Black/Copper	●
		U White	○
	Lights	T2 2 lights	
		T3 3 lights	
	Pole style	PF8 pole h. 256 cm *	
		PE8 pole h. 256 cm *	
		PR8 adjustable h 187-252 cm *	
	Diffuser	. Opal	
	Example	322 . PF5 T2 G	

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25W	Ø 6 x 15cm


## AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF4/PF5/PF6	177
00APF8	Anchor bolt for poles PF7/PF8/PE7/PE8	177
00APR6	Anchor bolt for poles PR5/PR6	177
00APR8	Anchor bolt for poles PR7/PR8	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176


\* post and head complete height

Example 322 . PF5 G


# Amalfi Short




upwards wall lamp  
cod. 00




2 lights head  
cod. T2



3 lights head  
cod. T3



Pole  
cod. PF5



Pole  
cod. PR7

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Opal PMMA
Finishing	Polyester powder paint

## ORDER CODE

**WALL LAMP**

321.00 -

Finishing	G Black	●
	P Black/Green	●
	S Black/Copper	●
	U White	○
Diffuser	. Opal	

Example    321.00 G

**POLE 2 OR 3 LIGHTS**

321 -----

Finishing	G Black	●
	P Black/Green	●
	S Black/Copper	●
	U White	○
Lights	T2 2 lights	
	T3 3 lights	
Pole style	PF5 pole h. 218 cm *	
	PR7 adjustable h. 157-222 cm *	
Diffuser	. Opal	

Example    321.PF5 T2 G

\* post and head complete height

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
LED	E27	LED 25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES


Code	Description	Page
00APF6	Anchor bolt for poles PF5	177
00APR8	Anchor bolt for poles PR7	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176




# Amalfi Maxi



upwards wall lamp  
cod. 00




bollard  
cod. 33




bollard  
cod. 44




1 light head



2 lights head  
cod. T2



3 lights head  
cod. T3




Pole  
cod. PF4




Pole  
cod. PF7




Pole  
cod. PE7



Pole  
cod. PF5/PF6




Pole  
cod. PF8/PF9



Pole  
cod. PE8/PE9




Pole  
cod. PR4



Pole  
cod. PR5/PR6



Pole  
cod. PR7



Pole  
cod. PR8

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Opal PMMA
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | BOLLARD

323	Finishing	G Black	●
	P Black/Green	●	
	S Black/Copper	●	
	U White	●	
	Installation	00 Upwards wall lamp	
	33	Bollard h. 54 cm	
	44	Bollard h. 108 cm	
	Diffuser	. Opal	
	Example	323 . 00 G	

### POLE 1 LIGHT

323	Finishing	G Black	●
	P Black/Green	●	
	S Black/Copper	●	
	U White	●	
	Pole style	PF4 pole 1L h. 156 cm *	
	PF5	pole 1L h. 212 cm *	
	PF6	pole 1L h. 250 cm *	
	PF7	pole 1L h. 192 cm *	
	PF8	pole 1L h. 250 cm *	
	PF9	pole 1L h. 288 cm *	
	PE7	pole 1L h. 192 cm *	
	PE8	pole 1L h. 250 cm *	
	PE9	pole 1L h. 288 cm *	
	PR4	pole 1L h. 136 cm *	
	PR5	adjustable h. 126-191 cm *	
	PR6	adjustable h. 145-229 cm *	
	PR7	adjustable h. 151-216 cm *	
	PR8	adjustable h. 181-246 cm *	
	Diffuser	. Opal	
	Example	323 . PF5 G	

### POLE 2 OR 3 LIGHTS

323	Finishing	G Black	●
	P Black/Green	●	
	S Black/Copper	●	
	U White	●	
	Lights	T2 2 lights	
		T3 3 lights	
	Pole style	PF8 pole h. 263 cm *	
	PF9	pole h. 301 cm *	
	PE8	pole h. 263 cm *	
	PE9	pole h. 301 cm *	
	PR6	adjustable h 162-246 cm *	
	PR8	adjustable h 198-263 cm *	
	Diffuser	. Opal	
	Example	323 . PF8 T3 G	

### ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
LED	E27	LED 25 W	Ø 6 x 15cm


### AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF4/PF5/PF6	177
00APF8	Anchor bolt for poles PF7/PF8/PF9/PE7/PE8/PE9	177
00APR6	Anchor bolt for poles PR5/PR6	177
00APR8	Anchor bolt for poles PR7/PR8	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176

\* post and head complete height

# Augusta

design by Landa R&D



WALL LAMP

PENDANT

BOLLARD

POLE

**EN** Augusta is a luminaire for wall (in two possible variants), suspension, bollard and pole mounting applications, with a classic yet linear shape. The diffuser is made of transparent polycarbonate, the finish of the body, in EN47100 die-cast aluminium, is available in 5 colour variants with the option of an aluminium or copper cap.

**IT** Augusta è un apparecchio per applicazioni da parete (in due varianti possibili), da sospensione, da bollard e da palo, dalla forma classica ma lineare. Lo schermo è in policarbonato trasparente, la finitura del corpo, in alluminio pressofuso EN47100, è disponibile in 5 varianti colore con possibilità di avere il cappello in alluminio o in rame.

# Augusta





IP43 IP44 **ERC** **CE**  
pendant






aluminium top



copper top

upwards wall lamp  
cod. 00downwards wall lamp  
cod. 01pendant  
cod. 02Bollard  
cod. 33Bollard  
cod. 44

1 light head

Pole  
cod. PF4Pole  
cod. PF7Pole  
cod. PE7Pole cod.  
PF5/PF6Pole cod.  
PE8Pole cod.  
PR4Pole cod.  
PR5/PR6Pole cod.  
PR7

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | BOLLARD | PENDANT

360	Finishing	G Black	
		P Black/Green	
		R Black/Silver	
		S Black/Copper	
		U White	
	Installation	00 Upwards wall lamp	
		01 Downwards wall lamp	
		02 Pendant	
		33 Bollard h. 58 cm	
		44 Bollard h. 120 cm	
	Variant	. Aluminium top	
		A Copper top	

Example 360 A 00 G

## POLE 1 LIGHT

360 --

Finishing	G Black	
	P Black/Green	
	R Black/Silver	
	S Black/Copper	
	U White	
Pole style	PF4 pole 1L h. 160 cm *	
	PF5 pole 1L h. 216 cm *	
	PF6 pole 1L h. 254 cm *	
	PF7 pole 1L h. 196 cm *	
	PF8 pole 1L h. 254 cm *	
	PE7 pole 1L h. 196 cm *	
	PE8 pole 1L h. 254 cm *	
	PR4 pole 1L h. 140 cm *	
	PR5 adjustable h. 130-195 cm *	
	PR6 adjustable h. 149-233 cm *	
	PR7 adjustable h. 151-220 cm *	
Variant	. Aluminium top	
	A Copper top	
Example	360 . PF5 G	

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF4/PF5/PF6	177
00APF8	Anchor bolt for poles PF7/PF8/PE7/PE8	177
00APR6	Anchor bolt for poles PR5/PR6	177
00APR8	Anchor bolt for poles PR7	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176

\* post and head complete height






# Augusta



aluminium top



copper top

2 lights head  
cod. T23 lights head  
cod. T3Pole cod.  
PF6Pole cod.  
PF8Pole cod.  
PE8Pole cod.  
PR8Pole cod.  
PR7Pole cod.  
PR8

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

POLE 2 OR 3 LIGHTS		
360	-----	Finishing
		G Black ●
		P Black/Green ●
		R Black/Silver ●
		S Black/Copper ●
		U White ○
		Lights
	T2	2 lights
	T3	3 lights
	Pole style	
	PF6	pole adjustable h. 260 cm *
	PF8	pole adjustable h. 260 cm *
	PE8	pole adjustable h. 260 cm *
	PR6	pole adjustable h. 155/239 cm *
	PR7	pole adjustable h. 161/226 cm *
	PR8	pole adjustable h. 191/256 cm *
	Variant	
	.	Aluminium top
	A	Copper top
	Example	360 A PF6 T2 G

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
●	E27	25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES


Code	Description	Page
00APF6	Anchor bolt for poles PF6	177
00APF8	Anchor bolt for poles PF8/PE8	177
00APR6	Anchor bolt for poles PR6	177
00APR8	Anchor bolt for poles PR7/PR8	177
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176

\* post and head complete height



# Brick Light

design by Landa R&D



WALL RECESSED


**EN** Brick light is an ideal luminaire for recessed wall installation, providing diffused light to outdoor environments through 5 mm sandblasted and tempered glass. A luminaire available with or without a grill, extremely easy to install; a recessed luminaire in EN47100 die-cast aluminium with a front available in 4 colours and in AISI 316L stainless steel.

**IT** Brick light è un apparecchio ideale per installazioni ad incasso a parete, in grado di fornire una luce diffusa agli ambienti esterni attraverso un vetro sabbiato e temprato da 5 mm. Un apparecchio disponibile con o senza griglia, estremamente facile da installare; un incasso in alluminio pressofuso EN47100 con frontale disponibile in 4 varianti colore e in acciaio inox AISI 316L.

# Brick Light



**ALUMINIUM FRAME**



recessed wall lamp  
cod. 410




recessed wall lamp  
cod. 411




open  
cod. 410



striped  
cod. 411



box dimension



## MATERIALS

Body	Die-Cast aluminium EN47100
Diffuser	Glass opal
Finishing	Polyester powder paint

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 12cm

## ORDER CODE

WALL LAMP

41\_ \_

Finishing      G Black        
H Grey        
L Graphite        
U White      

Type      0 Open        
1 Striped      


Example      411 G




# Brick Light Inox



STAINLESS STEEL AISI 316 L



recessed wall lamp  
cod. 412Z




recessed wall lamp  
cod. 413Z




open inox  
cod. 412Z



striped inox  
cod. 413Z



box dimension



## MATERIALS

Body	Die-Cast aluminium EN47100
Diffuser	Glass opal
Finishing	Stainless steel AISI316L frame

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 12cm

## ORDER CODE

### WALL LAMP

41\_


	Finishing	Z	Stainless steel AISI316L	
	Type	2	Open	
		3	Striped	

Example    413 Z



# Cipro

design by Landa R&D



WALL LAMP

**EN** Cipro is a wall-mounted luminaire with a faceted design. A timeless classic with high performance in terms of resistance.  
Available in five different finishes Black, Black/Green, Black/Silver, Black/Copper, White and with an opal or transparent diffuser.

**IT** Cipro è un apparecchio da parete dal design sfaccettato. Un classico senza tempo con alte performance in termini di resistenza.  
Disponibile in cinque diverse finiture Nero, Nero/Verde, Nero/Argento, Nero/Rame, Bianco e con schermo opale o trasparente.


# Cipro



Opal



transparent



half wall lamp

## MATERIALS


Body	Die-Cast aluminium EN47100
Diffuser	Polycarbonate
Finishing	Polyester powder paint

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm


## ORDER CODE

WALL LAMP	
420 --	
Finishing	G Black 
	P Black/Green 
	R Black/Silver 
	S Black/Copper 
	U White 
Diffuser	transparent
	B Opal
Example	420 B G



# Firenze

design by Landa R&D



WALL LAMP

PENDANT

BOLLARD

POLE

**EN** Firenze is a series of lighting fixtures that evokes the timeless elegance of the Renaissance city from which it takes its name. This line is distinguished by its refinement and attention to detail, with EN47100 die-cast aluminium elements with the option of an aluminium or copper cap that reflect the artistic and architectural nuances of the Tuscan city. The versatility of Firenze is reflected in its many configurations: wall sconce, suspension, pole, and bollard, each designed to create a welcoming and refined atmosphere.

**IT** Firenze è una serie di apparecchi illuminanti che evoca l'eleganza senza tempo della città rinascimentale da cui prende il nome. Questa linea si distingue per la sua raffinatezza e attenzione ai dettagli, con elementi in alluminio pressofuso EN47100 con possibilità di avere il cappello in alluminio o in rame che riflettono le sfumature artistiche e architettoniche della città toscana. La versatilità di Firenze si manifesta nelle sue molteplici configurazioni: applique da parete, sospensione, pali e bollard, ognuno progettato per creare un'atmosfera accogliente e raffinata.








# Firenze



aluminium top



copper top

upwards wall lamp  
cod. 00downwards wall lamp  
cod. 01pendant  
cod. 02bollard  
cod. 33bollard  
cod. 44pole  
cod. PF4pole  
cod. PF5pole  
cod. PR4pole  
cod. PR5pole  
cod. PR6

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | PENDANT | BOLLARD | POLE

330	---	Finishing	G Black	
		P Black/Green		
		R Black/Silver		
		S Black/Copper		
		U White		
		Installation	00 Upwards wall lamp	
		01 Downwards wall lamp		
		02 Pendant		
		33 Bollard h. 53 cm		
		44 Bollard h. 116 cm		
		PF4 pole 1L h. 155 cm *		
		PF5 pole 1L h 211 cm *		
		PR4 pole 1L h. 135 cm *		
		PR5 adjustable h. 125-190 cm *		
		PR6 adjustable h. 144-228 cm *		
		Variant	.	Aluminium top
			A	Copper top
		Example	330 A 01 G	

\* post and head complete height

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF4/PF5/PF6	177
00APR6	Anchor bolt for poles PR5/PR6	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176




# Firenze




aluminium top




1 light head



2 lights head  
cod. T2




3 lights head  
cod. T3




Pole cod.  
PF6



Pole  
cod. PF7




Pole  
cod. PE7




Pole cod.  
PF8



Pole cod.  
PE8



Pole cod.  
PR7



Pole cod.  
PR8

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint

## ORDER CODE

### POLE 1 LIGHT

330	Finishing	G Black	●
		P Black/Green	●
		R Black/Silver	●
		S Black/Copper	●
		U White	○
	Pole style	PF6 pole 1L h. 249 cm *	
		PF7 pole 1L h. 191 cm *	
		PF8 pole 1L h. 249 cm *	
		PE7 pole 1L h. 191 cm *	
		PE8 pole 1L h. 249 cm *	
		PR7 adjustable h. 150-215 cm *	
		PR8 adjustable h. 180-245 cm *	
	Variant	.	Aluminium top

Example 330.PF8 G

### POLE 2 OR 3 LIGHT

330	Finishing	G Black	●
		P Black/Green	●
		R Black/Silver	●
		S Black/Copper	●
		U White	○
	Lights	T2 2 lights	
		T3 3 lights	
	Pole style	PF8 pole h. 249 cm *	
		PE8 pole h. 249 cm *	
		PR8 adjustable h. 180-245 cm *	
	Variant	.	Aluminium top
		A Copper top	
	Example	330.PF8 T3 G	

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 15cm


## AVAILABLE ACCESSORIES

Code	Description	Page
00APF8	Anchor bolt for poles PF7/PF8/PE7/PE8	177
00APR8	Anchor bolt for poles PR7/PR8	177
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176

\* post and head complete height

# Lampara

design by Landa R&D



WALL LAMP

PENDANT

BOLLARD

POLE

**EN** A lighting system inspired by the traditional 'lampare' used by fishermen to attract fish during nights on the open sea. This collection combines the practicality of modern lighting with the rustic charm of maritime design, evoking the ancient fishing techniques of the Mediterranean. The EN47100 die-cast aluminium body is available in several finishes, including black, black/silver and with the option of a copper cap, reflecting the shimmer of the sea under the moon. Also available with an opal polycarbonate diffuser, it guarantees a soft and diffused light, ideal for creating a cosy and suggestive atmosphere in any outdoor environment. Available as wall sconce, suspension, bollard, and poles in various heights.

**IT** Sistema di illuminazione che trae ispirazione dalle tradizionali lampare usate dai pescatori per attrarre pesce durante le notti in mare aperto. Questa collezione combina la praticità dell'illuminazione moderna con il fascino rustico del design marinario, rievocando le antiche tecniche di pesca del Mediterraneo. Il corpo in alluminio pressofuso EN47100 è disponibile in diverse finiture, tra cui nero, nero/argento e con possibilità di avere il cappello rame, che riflettono il luccichio del mare sotto la luna. Disponibile anche con il diffusore in policarbonato opalino garantisce una luce morbida e diffusa, ideale per creare un'atmosfera accogliente e suggestiva in qualsiasi ambiente esterno. Disponibile come applique da parete, sospensione, bollard e pali di varie altezze.







# Lampara\_1



aluminium top



copper top

downwards wall lamp  
cod. 01pendant  
cod. 02bollard  
cod. P1.12Pole | 1 light  
cod. P1Pole | 2 lights  
cod. P2Pole | 3 lights  
cod. P3


## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | PENDANT | BOLLARD | POLE

100	---	Finishing	G Black	●
		P Black/Green	●	
		R Black/Silver	●	
		S Black/Copper	●	
		U White	●	
		Installation	01 Downwards wall lamp	
		02 Pendant		
		P1.12 Bollard		
		P1 pole 1L		
		P2 pole 2L		
		P3 pole 3L		
		Variant	.	Aluminium top
		A		Copper top
		Example	100 A 01 G	



base dimensions

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
LED	E27	LED 25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES

Code	Description	Page
00APL6	Anchor bolt	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176



# Lampara\_2







IP44  EEC  CE 



aluminium top



copper top

downwards wall lamp  
cod. 01pendant  
cod. 02bollard  
cod. P1.12Pole | 1 light  
cod. P1Pole | 2 lights  
cod. P2Pole | 3 lights  
cod. P3

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Opal polycarbonate
Finishing	Polyester powder paint


## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm
	-	LED 12 W	3000 K   1100 lm   Ra80

## ORDER CODE

### WALL LAMP | PENDANT | BOLLARD | POLE

100	---	Finishing	G Black	
		P	Black/Green	
		R	Black/Silver	
		S	Black/Copper	
		U	White	
		Source lamp	B E27	
			LHB LED	
		Installation	01 Downwards wall lamp	
		02	Pendant	
		P1.12	Bollard	
		P1	pole 1L	
		P2	pole 2L	
		P3	pole 3L	
		Variant	.	Aluminium top
			A	Copper top
		Example	100 A 01 B G	



base dimensions


## AVAILABLE ACCESSORIES

Code	Description	Page
00APL6	Anchor bolt	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176



# Lyras 80.1

design by Landa R&D



WALL LAMP


**EN** Lyras 80.1 is available with single or dual emission optics. A luminaire with an EN47100 die-cast aluminium structure, with excellent resistance to oxidation achieved through specific treatments. The mechanical couplings are protected with EPDM 70SH gaskets for a perfect seal.

The optimisations carried out on the component couplings, in fact, make it possible to achieve excellent resistance, as well as high light emission accentuated by the transparency of the mechanical couplings.

**IT** Lyras 80.1 è disponibile con ottica ad emissione singola o doppia. Un apparecchio dalla struttura in alluminio pressofuso EN47100, con ottima resistenza all'ossidazione ottenuta con specifici trattamenti. Gli accoppiamenti meccanici sono protetti con guarnizioni in EPDM 70SH, per una tenuta perfetta.

Le elevate prestazioni di Lyras 80.1 sono l'ideale per applicazioni in ambienti esterni. Le ottimizzazioni effettuate sugli accoppiamenti dei componenti, infatti, permettono di raggiungere un'ottima resistenza, oltre ad un'alta emissione luminosa accentuata dal vetro trasparente.

# Lyras 80.1



*easy installation*



*cod. X1*



*cod. X2*

## MATERIALS

Body	Die-Cast aluminium EN47100
Diffuser	Glass transparent
Finishing	Polyester powder paint

## ELECTRIFICATION

Bulb	Base type	Voltage	Max wattage	Bulb dimension
	GU10	12 V	LED 6 W	Ø 5,1 x 6,2cm
	GU10	12 V	LED 9 W	Ø 4,8 x 6,8cm
	GU5.3	12 V	LED 8 W	Ø 5,1 x 6,2cm


## ORDER CODE

### WALL LAMP

4652---

Finishing	H	Grey	
	L	Graphite	
Emission	X1	Mono	
	X2	Double	
Bulb	GU10	LED GU10*	
	GU5.3	LED GU5.3*	


Example      4652GU10X1L



\*Bulbs not included. Bulbs suggested: LED Megaman, LED Osram Parathom

# Maiorca

design by Landa R&D



WALL LAMP

**EN** Maiorca is a luminaire that captures the elegance of the Spanish island by reflecting its tranquillity through elegant design and long-lasting materials. This outdoor product combines a robust EN47100 die-cast aluminium body with opal or transparent diffusers that diffuse a welcoming light. Available in various finishes including black, black/green, black/silver, black/copper and classic white, Maiorca is perfect for adding a touch of class to gardens, pathways, and facades, adding a touch of Mediterranean flair.

**IT** Maiorca è un apparecchio d'illuminazione che cattura l'eleganza dell'isola spagnola riflettendone la tranquillità, attraverso un design elegante e materiali long lasting. Questo prodotto per esterni combina un corpo robusto in alluminio pressofuso EN47100 con diffusori in opale o trasparente che diffondono una luce accogliente. Disponibile in diverse finiture come nero, nero/verde, nero/argento, nero/rame e nel classico bianco, Maiorca è perfetta per aggiungere un tocco di classe a giardini, vialetti e facciate, portando con sé un tocco di aria mediterranea.


# Maiorca



opal



transparent



half wall lamp

## MATERIALS

Body	Die-Cast aluminium EN47100
Diffuser	Polycarbonate
Finishing	Polyester powder paint

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm

## ORDER CODE

### WALL LAMP

421_	Finishing	G Black	
		P Black/Green	
		R Black/Silver	
		S Black/Copper	
		U White	
	Diffuser	Transparent	
		B Opal	
		BSEN Opal with Sensor	 


Example 421 G

Example 421 SEN P (Optional Sensor)



# Monaco

design by Landa R&D



WALL LAMP

PENDANT

BOLLARD

POLE

**EN** Munich in Bavaria, with its unique blend of Bavarian tradition and modernity, inspires the Monaco lighting range, which combines classic design with impeccable functionality.

Multiple finishes combined with aluminium or copper caps are reflected in the carefully crafted details of each lantern, evoking the elegance and robustness of the city's architecture. This series offers versatility with various installation options: wall sconce, suspension, pole, and bollard, ideal for outdoor environments that require a touch of timeless style.

**IT** Monaco di Baviera, con il suo mix unico di tradizione bavarese e modernità, ispira la gamma di illuminazione Monaco, che combina design classico con una funzionalità impeccabile. Molteplici sono le finiture abbinate con cappello in alluminio o rame che si riflettono nei dettagli accuratamente lavorati di ciascuna lanterna, evocando l'eleganza e la robustezza delle architetture della città. Questa serie offre versatilità con varie opzioni di installazione: applique da parete, sospensione, pali e bollard, ideali per ambienti esterni che richiedono un tocco di stile senza tempo.






# Monaco



aluminium top



copper top

upwards wall lamp  
cod. 00downwards wall lamp  
cod. 01pendant  
cod. 02bollard  
cod. 33bollard  
cod. 44pole  
cod. PF4pole  
cod. PF5pole  
cod. PR4pole  
cod. PR5

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | PENDANT | BOLLARD | POLE

340---

Finishing	G	Black	●
	P	Black/Green	●
	R	Black/Silver	●
	S	Black/Copper	●
	U	White	○

Installation	00	Upwards wall lamp
	01	Downwards wall lamp
	02	Pendant
	33	Bollard h. 53 cm
	44	Bollard h. 116 cm
	PF4	pole 1L h. 155 cm *
	PF5	pole 1L h. 211 cm *
	PR4	pole 1L h. 135 cm *
	PR5	adjustable h. 125-190 cm *

Variant	.	Aluminium top
	A	Copper top

Example    340 A 01 G

\* post and head complete height

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
LED	E27	LED 25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF4/PF5	177
00APR6	Anchor bolt for poles PR5	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176



# Monaco









aluminium top



copper top



1 light head

2 lights head  
cod. T23 lights head  
cod. T3Pole cod.  
PF6Pole  
cod. PF7Pole  
cod. PE7Pole cod.  
PF8Pole cod.  
PE8Pole cod.  
PR6Pole cod.  
PR7Pole cod.  
PR8

## MATERIALS

Body	Die-Cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint

## ORDER CODE

### POLE 1 LIGHT

340 ---	Finishing	G Black
		P Black/Green
		R Black/Silver
		S Black/Copper
		U White
	Pole style	PF6 pole 1L h. 249 cm *
		PF7 pole 1L h. 191 cm *
		PF8 pole 1L h. 249 cm *
		PE7 pole 1L h. 191 cm *
		PE8 pole 1L h. 249 cm *
		PR6 adjustable h. 145-229 cm *
		PR7 adjustable h. 150-215 cm *
		PR8 adjustable h. 180-245 cm *
	Variant	.
		Aluminium top
		A Copper Top

Example 340 . PF8 G

### POLE 2 OR 3 LIGHT

340 ---	Finishing	G Black
		P Black/Green
		R Black/Silver
		S Black/Copper
		U White
	Lights	T2 2 lights
		T3 3 lights
	Pole style	PF6 pole h. 255 cm *
		PF8 pole h. 255 cm *
		PE8 pole h. 255 cm *
		PR6 adjustable h. 150-234 cm *
		PR8 adjustable h. 186-251 cm *
	Variant	.
		Aluminium top
		A Copper Top

Example 340 . PF8 T2 G

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm


## AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF6	177
00APF8	Anchor bolt for poles PF7/PF8/PE7/PE8	177
00APR6	Anchor bolt for poles PR6	177
00APR8	Anchor bolt for poles PR7/PR8	177
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176

\* post and head complete height

# Morphis

design by Landa R&D



HEAD POST

WALL LAMP

PENDANT


BOLLARD

POLE


**EN** The shape of old lanterns, typical of the outdoor lighting tradition for Morphis: the classic transported into the contemporary. Diffused light and an extra-clear polycarbonate diffuser. A luminaire for illuminating driveways and outdoor paths, available for wall, suspension, bollard, and aluminium pole applications in different heights and 6 colour variants.

**IT** La forma delle vecchie lanterne, tipiche della tradizione illuminotecnica da esterni per Morphis: il classico trasportato nella contemporaneità. Una luce diffusa e uno schermo extra chiaro in policarbonato. Un apparecchio per illuminare strade di accesso e vialetti esterni, disponibile per applicazioni a muro, sospensione, bollard e con palo in alluminio di differenti altezze e disponibile in 6 varianti colore.


# Morphis\_1



head post  
cod. TSE27



bollard  
cod. 33




bollard  
cod. 095



pole 1L  
cod. 180



pole 1L  
cod. 200



pole 1L  
cod. 300


## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### BOLLARD | POLE | HEAD POST

177	---	Finishing	G Black	●
		L Graphite	●	●
		P Black/Green	●	●
		R Black/Silver	●	●
		S Black/Copper	●	●
		V Oxide	●	●
		Installation	TSE27 Head post	
		33	bollard h. 54 cm	
		095	bollard h. 93 cm	
		180	pole 1L h. 178 cm.	
		200	pole 1L h. 200 cm.	
		300	pole 1L h. 301 cm.	
		Diffuser	.	Transparent
		Example	177 . 33 G	



base dimensions

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
LED	E27	LED 25 W	Ø 6 x 15cm

## INCLUDED ACCESSORIES


Code	Description	Page
0404M004	Single connection IP68	176

## AVAILABLE ACCESSORIES

Code	Description	Page
00A170.01P	Anchor bolt (not available for 177.33)	177
0404M003	Loop in loop out connection IP68	176
00KR175U	Refractor	176




# Morphis\_2




upwards wall lamp  
cod. 00




pendant  
cod. 02



pole 1L  
cod. P1



pole 2L  
cod. P2



pole 3L  
cod. P3

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | POLE

175	Finishing	G Black	●
		L Graphite	●
		P Black/Green	●
		R Black/Silver	●
		S Black/Copper	●
		V Oxide	●
	Installation	00 Upwards wall lamp	
		P1 pole 1L	
		P2 pole 2L	
		P3 pole 3L	
	Diffuser	.	Transparent

Example 175.P1G

### PENDANT

176.02	Finishing	G Black	●
		L Graphite	●
		P Black/Green	●
		R Black/Silver	●
		S Black/Copper	●
		V Oxide	●

Example 176.02 G

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
LED	E27	LED 25 W	Ø 6 x 15cm

## INCLUDED ACCESSORIES


Code	Description	Page
0404M004	Single connection IP68	176

## AVAILABLE ACCESSORIES


Code	Description	Page
00A170.01P	Anchor bolt	177
00596_	Corner bracket (available in different colours, see accessories section)	176
0404M003	Loop in loop out connection IP68	176
00KR175U	Refractor	176



base dimensions




# Morphis\_3




downwards wall lamp  
cod. 01




pendant  
cod. 02



pole 1L  
cod. P1



pole 2L  
cod. P2



pole 3L  
cod. P3

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

WALL LAMP | PENDANT | POLE

176 ---

Finishing      G Black

L Graphite

P Black/Green

R Black/Silver

S Black/Copper

V Oxide

Installation      01 Downwards wall lamp

02 Pendant


P1 pole 1L

P2 pole 2L

P3 pole 3L

Diffuser      . Transparent

Example      176 . P1 G



base dimensions

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm

## INCLUDED ACCESSORIES

Code	Description	Page
0404M004	Single connection IP68	176

## AVAILABLE ACCESSORIES

Code	Description	Page
00A170.01P	Anchor bolt	177
00596_-	Corner bracket (available in different colours, see accessories section)	176
0404M003	Loop in loop out connection IP68	176
00KR175U	Refractor	176




# Morphis Wall\_1



transparent



Opal



half wall lamp

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Polycarbonate
Finishing	Polyester powder paint

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm


## ORDER CODE

WALL LAMP		
175 --	Finishing	G Black 
		L Graphite 
		P Black/Green 
		R Black/Silver 
		S Black/Copper 
		V Oxide 
	Diffuser	Transparent
		B Opal
		BSEN Opal with Sensor 
Example	175 G	
Example	175 SEN P (Optional Sensor)	



# Neway

design by Landa R&D



WALL LAMP

BOLLARD

**EN** Neway's evocative and elegant shape is available for wall and bollard application. Bollards in heights of 45, 75, 100 and 125 cm, three possible finishes, Graphite, Grey, and Oxide, with a transparent polycarbonate diffuser. Transparent or opal diffuser available for the wall version. Neway stands for absolute three-dimensionality, solidity, and perfect light distribution.


**IT** Una forma evocativa ed elegante quella di Neway, disponibile per applicazione a parete e bollard. Bollard con altezze da 45, 75, 100 e 125 cm, tre possibili finiture, Grafite, Grigio e Ossido, con diffusore trasparente in policarbonato. Diffusore trasparente o opale disponibile per la versione a parete. Neway è tridimensionalità assoluta, solidità e perfetta distribuzione luminosa.



opal



transparent



half wall lamp

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Polycarbonate
Finishing	Polyester powder paint


## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 15cm

## ORDER CODE

WALL LAMP		
405 --	Finishing	H Grey 
	L Graphite 	
	V Oxide 	
	Diffuser	Transparent
	B	Opal
Example	405 BH	





## MATERIALS

Body	Die-cast aluminium EN47100 and extruded aluminium AW6060
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | PENDANT | BOLLARD

405---

Finishing	H	Grey	
	L	Graphite	
	V	Oxide	
Installation	03	Bollard h. 33 cm	
	045	Bollard h. 45 cm	
	075	Bollard h. 75 cm	
	100	Bollard h. 100 cm	
	125	Bollard h. 125 cm	
Diffuser	.	Transparent	

Example

405 . 100 L

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 15cm

## INCLUDED ACCESSORIES

Code	Description	Page
0404M004	Single connection IP68	176


## AVAILABLE ACCESSORIES

Code	Description	Page
00A405.01P	Anchor bolt	177
0404M003	Loop in loop out IP68	176
00A405	Root Mounting Kit h. 47 cm	177



# Nizza

design by Landa R&D



WALL LAMP





PENDANT

BOLLARD

POLE

**EN** Nizza, inspired by the lively atmosphere and elegance of the famous Côte d'Azur city, reflects a harmony of style and functionality. This lighting series combines a classic structure with an aged copper finish that recalls the charm of old European maritime cities. With mounting options that include wall sconces, suspension lamps, bollards, and poles of various heights, Nizza is perfect for any outdoor space, from private gardens to city streets, offering a warm and welcoming light. The series is versatile and durable, designed to withstand the elements and illuminate spaces with a touch of timeless elegance.

**IT** Nizza, ispirata alla vivace atmosfera e all'eleganza della celebre città della Costa Azzurra, riflette un'armonia di stile e funzionalità. Questa serie di apparecchi illuminanti combina una struttura classica con una finitura in rame invecchiato che richiama il fascino delle vecchie città marittime europee. Con opzioni di montaggio che includono applique da parete, lampade a sospensione, bollard e pali di varie altezze, Nizza è perfetta per ogni spazio esterno, da giardini privati a vie cittadine, offrendo una luce calda e accogliente. La serie è versatile e duratura, progettata per resistere agli elementi e illuminare gli spazi con un tocco di raffinatezza senza tempo.



## MATERIALS

Body	Die-Cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | BOLLARD | PENDANT

391---	Finishing	G Black	●
		P Black/Green	●
		S Black/Copper	●
		U White	○
	Installation	00 Upwards wall lamp	
		01 Downwards wall lamp	
		02 Pendant	
		33 Bollard h. 54 cm	
		44 Bollard h. 115 cm	
	Diffuser	.	Transparent
	Example	391.00 G	

### POLE 1 LIGHT

391---	Finishing	G Black	●
		P Black/Green	●
		S Black/Copper	●
		U White	○
	Pole style	PF4 pole 1L h. 156 cm *	
		PF5 pole 1L h. 212 cm *	
		PF6 pole 1L h. 250 cm *	
		PF7 pole 1L h. 192 cm *	
		PF8 pole 1L h. 250 cm *	
		PE7 pole 1L h. 192 cm *	
		PE8 pole 1L h. 250 cm *	
		PR4 pole 1L h. 136 cm *	
		PR5 adjustable h. 126/191 cm *	
		PR6 adjustable h. 145/229 cm *	
		PR7 adjustable h. 151/216 cm *	
	Diffuser	.	Transparent
	Example	391.PF5 G	

### POLE 2 OR 3 LIGHTS

391---	Finishing	G Black	●
		P Black/Green	●
		S Black/Copper	●
		U White	○
	Lights	T2 2 lights	
		T3 3 lights	
	Pole style	PF8 pole h. 255 cm *	
		PE8 pole h. 255 cm *	
		PR8 adjustable h. 186/251 cm *	
	Diffuser	.	Transparent

Example 391.PF8 T2 G

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 12cm

## AVAILABLE ACCESSORIES


Code	Description	Page
00APF6	Anchor bolt for poles PF4/PF5/PF6	177
00APF8	Anchor bolt for poles PF7/PF8/PE7/PE8	177
00APR6	Anchor bolt for poles PR5/PR6	177
00APR8	Anchor bolt for poles PR7/PR8	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176

\* post and head complete height


Example 391.PF5 G



upwards wall lamp  
cod. 00




downwards wall lamp  
cod. 01



pendant  
cod. 02



Bollard  
cod. 33



Bollard  
cod. 44

## MATERIALS

Body	Die-Cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint

## ORDER CODE

WALL LAMP   BOLLARD   PENDANT		
390	---	
	Finishing	<p>G Black </p> <p>P Black/Green </p> <p>S Black/Copper </p> <p>U White </p>
	Installation	<p>00 Upwards wall lamp</p> <p>01 Downwards wall lamp</p> <p>02 Pendant</p> <p>33 Bollard h. 49 cm</p> <p>44 Bollard h. 110 cm</p>
	Diffuser	.
	Example	390 . 00 G

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 12cm

## AVAILABLE ACCESSORIES

Code	Description	Page
0404M004	Single connection IP68	176
0404M003	Loop in loop out IP68	176
00108G	Corner bracket	176

# Orion

design by Landa R&D




WALL LAMP

BOLLARD


**EN** The Orion series is designed with an emphasis on durability and modern aesthetics, making it an ideal choice for lighting outdoor spaces. Made of EN47100 die-cast aluminium, extruded AW6060 aluminium and AISI316L stainless steel, these bollards are not only robust and durable, but also strikingly elegant. The opal polycarbonate diffuser ensures a uniform spread of light, ideal for creating luminous pathways or accentuating the night landscape. Available in different heights and finishes including black, grey, graphite, white, and oxide, the Orion series bollards can transform any outdoor area.

**IT** La serie Orion è progettata con un'attenzione particolare alla durabilità e all'estetica moderna, rendendola una scelta ideale per l'illuminazione di spazi esterni. Realizzati in alluminio pressofuso EN47100, estruso AW6060 e acciaio inossidabile AISI316L, questi bollard sono non solo robusti e resistenti, ma anche sorprendentemente eleganti. Il diffusore in policarbonato opalino garantisce una diffusione uniforme della luce, ideale per creare sentieri luminosi o per accentuare il paesaggio notturno. Disponibili in diverse altezze e finiture come il nero, grigio, grafite, bianco, e ossido, i bollard della serie Orion possono trasformare qualsiasi area outdoor.


# Orion\_1




upwards wall lamp  
cod. 00




bollard  
cod. 03




bollard  
cod. 045



bollard  
cod. 075



bollard  
cod. 100



bollard  
cod. 125

Body	Die-cast aluminium EN47100 and extruded aluminium AW6060
Diffuser	Polycarbonate opal
Finishing	Polyester powder paint

## ORDER CODE

WALL LAMP BOLLARD		
400	---	
	Finishing	G Black
		H Grey
		L Graphite
		U White
		V Oxide
	Installation	00 Upwards wall lamp
		03 Bollard h. 30 cm
		045 Bollard h. 45 cm
		075 Bollard h. 75 cm
		100 Bollard h. 100 cm
		125 Bollard h. 125 cm
	Diffuser	. Opal
Example		
400 . 045 G		

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES


Code	Description	Page
00A400	Root Mounting Kit h. 47 cm accessories not available for: 03	177
00A400.01P	Anchor bolt accessories not available for: 03	177
0404M003	Loop in loop out IP68 accessories not available for: 03	176
0404M004	Single connection IP68 accessories not available for: 03	176




# Orion\_2




upwards wall lamp  
cod. 00




bollard  
cod. 03




bollard  
cod. 045



bollard  
cod. 075



bollard  
cod. 100



bollard  
cod. 125

Body	Die-cast aluminium EN47100 and extruded aluminium AW6060
Diffuser	Polycarbonate opal
Finishing	Polyester powder paint

## ORDER CODE

## WALL LAMP | BOLLARD

401 ---	Finishing	G Black	
	H Grey		
	L Graphite		
	U White		
	V Oxide		
	Installation	00 Upwards wall lamp	
		03 Bollard h. 30 cm	
		045 Bollard h. 45 cm	
		075 Bollard h. 75 cm	
		100 Bollard h. 100 cm	
		125 Bollard h. 125 cm	
	Diffuser	. Opal	
Example	401.045 G		

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES


Code	Description	Page
00A400	Root Mounting Kit h. 47 cm accessories not available for: 03	177
00A400.01P	Anchor bolt accessories not available for: 03	177
0404M003	Loop in loop out IP68 accessories not available for: 03	176
0404M004	Single connection IP68 accessories not available for: 03	176




# Orion Inox\_1




upwards wall lamp  
cod. 00Z




bollard  
cod. 03Z




bollard  
cod. 045Z



bollard  
cod. 075Z



bollard  
cod. 100Z



bollard  
cod. 125Z

## MATERIALS

Body	Stainless steel AISI 316L
Diffuser	Polycarbonate opal

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 15cm

## ORDER CODE


WALL LAMP   BOLLARD	
800 _ _	
Installation	<b>00Z</b> Upwards wall lamp
	<b>03Z</b> Bollard h. 30 cm
	<b>045Z</b> Bollard h. 45 cm
	<b>075Z</b> Bollard h. 75 cm
	<b>100Z</b> Bollard h. 100 cm
	<b>125Z</b> Bollard h. 125 cm
Diffuser	. Opal
Example	800 . <b>045Z</b>

## AVAILABLE ACCESSORIES


Code	Description	Page
<b>00A400</b>	Root Mounting Kit h. 47 cm accessories not available for: 03Z	177
<b>00A400.01P</b>	Anchor bolt accessories not available for: 03Z	177
<b>0404M003</b>	Loop in loop out IP68 accessories not available for: 03Z	176
<b>0404M004</b>	Single connection IP68 accessories not available for: 03Z	176




# Orion Inox\_2




upwards wall lamp  
cod. 00Z




bollard  
cod. 03Z




bollard  
cod. 045Z



bollard  
cod. 075Z



bollard  
cod. 100Z



bollard  
cod. 125Z

## MATERIALS

Body	Stainless steel AISI 316L
Diffuser	Polycarbonate opal

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 15cm

## ORDER CODE

WALL LAMP   BOLLARD	
801_	
	Installation
	00Z Upwards wall lamp
	03Z Bollard h. 30 cm
	045Z Bollard h. 45 cm
	075Z Bollard h. 75 cm
	100Z Bollard h. 100 cm
	125Z Bollard h. 125 cm
	Diffuser
	. Opal
Example	801.045Z


## AVAILABLE ACCESSORIES

Code	Description	Page
00A400	Root Mounting Kit h. 47 cm accessories not available for: 03Z	177
00A400.01P	Anchor bolt accessories not available for: 03Z	177
0404M003	Loop in loop out IP68 accessories not available for: 03Z	176
0404M004	Single connection IP68 accessories not available for: 03Z	176



# Oslo

design by Landa R&D



WALL LAMP

PENDANT


BOLLARD

POLE

**EN** Oslo is inspired by the majestic forms of Norwegian 'stavkirke' (stave churches) and Scandinavian architecture. The notoriously elaborate and imposing Gothic structures are reflected in the tapered lines and ornate details of Oslo, made of EN47100 die-cast aluminium with a glass diffuser. With options ranging from wall sconces to suspensions and from bollards to poles, this range offers versatile lighting solutions for pathways, gardens, and façades, embellishing any environment with a touch of Nordic austerity.

**IT** Oslo è ispirata alle forme maestose delle stavkirke norvegesi e all'architettura scandinava. Le strutture gotiche, notoriamente elaborate e imponenti, si rispecchiano nelle linee affusolate e nei dettagli ornati di Oslo, realizzate in alluminio pressofuso EN47100 con diffusore in vetro. Con opzioni che vanno dalle applique murali alle sospensioni e dai bollard ai pali, questa gamma offre soluzioni di illuminazione versatile per vialetti, giardini e facciate, impreziosendo ogni ambiente con un tocco di austeriorità nordica.


# Oslo



upwards wall lamp  
cod. 00




downwards wall lamp  
cod. 01




pendant  
cod. 02



Bollard  
cod. 33



Bollard  
cod. 44



Pole cod.  
PF5/PF6

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | PENDANT | BOLLARD

301---

Finishing	G Black	●
	P Black/Green	●
	S Black/Copper	●
	U White	○
Installation	00 Upwards wall lamp	
	01 Downwards wall lamp	
	02 Pendant	
	33 Bollard h. 49 cm	
	44 Bollard h. 121 cm	
Diffuser	.	Transparent

Example 301.00 G

### POLE 3 LIGHTS

301--T3-

Finishing	G Black	●
	P Black/Green	●
	S Black/Copper	●
	U White	○
Pole style	PF5 pole h. 209 cm *	
	PF6 pole h. 247 cm *	
Diffuser	.	Transparent

Example 301.PF5 T3 G

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
●	E27	25 W	Ø 6 x 12cm

## AVAILABLE ACCESSORIES


Code	Description	Page
00APF6	Anchor bolt for poles PF5/PF6	177
00108G	Corner bracket	176
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176



\* post and head complete height

# Parigi

design by Landa R&D



WALL LAMP

PENDANT


BOLLARD

POLE




**EN** The Parigi range captures the essence of the flair and elegance of the French capital. Each piece is meticulously designed to reflect the city's classic allure, characterised by its ornamental details and timeless aesthetics. The range includes several options, wall, suspension, bollard, and pole lamps, allowing for versatile application in both residential and commercial spaces. Perfect for adding a touch of romance to any outdoors, the Parigi series combines functionality with decorative grace, ensuring that each lighting element not only illuminates but also enhances its surroundings. Whether installed in a picturesque garden or along a busy street, these lights promise to bring a piece of Parisian flair to any setting.

**IT** La gamma Parigi cattura l'essenza del fascino e dell'eleganza della capitale francese. Ogni pezzo è progettato meticolosamente per riflettere l'allure classica della città, caratterizzata dai suoi dettagli ornamentali e dall'estetica senza tempo. La gamma include diverse opzioni, lampade da parete, sospensione, bollard e pali, consentendo un'applicazione versatile sia in spazi residenziali che commerciali. Perfette per aggiungere un tocco di atmosfera romantica a qualsiasi esterno, le serie Parigi combinano funzionalità con grazia decorativa, garantendo che ogni elemento illuminante non solo illumini ma anche valorizzi il suo ambiente. Che siano installate in un giardino pittoresco o lungo una strada affollata, questi apparecchi promettono di portare un pezzo di flair parigino in qualsiasi contesto.





# Parigi Mini



half lantern

upwards wall lamp  
cod. 00downwards wall lamp  
cod. 01pendant  
cod. 02Bollard  
cod. 33Bollard  
cod. 44

1 light head

2 lights head  
cod. T23 lights head  
cod. T3Pole  
cod. PF4Pole  
cod. PF5/PF6Pole  
cod. PR4Pole  
cod. PR5/PR6Pole  
cod. PR7

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | BOLLARD | PENDANT

370	Finishing	G Black	●
	P Black/Green	●	
	S Black/Copper	●	
	U White	●	
	Installation	Half lantern	
	00	Upwards wall lamp	
	01	Downwards wall lamp	
	02	Pendant	
	33	Bollard h. 55 cm	
	44	Bollard h. 120 cm	
	Diffuser	Transparent	
	Example	370 . 00 G	

### POLE 1 LIGHT

370	Finishing	G Black	●
	P Black/Green	●	
	S Black/Copper	●	
	U White	●	
	Pole style	PF4 pole 1L h. 160 cm *	
		PF5 pole 1L h. 216 cm *	
		PR4 pole 1L h. 138 cm *	
		PR5 adjustable h. 127-192 cm *	
	Diffuser	Transparent	
	Example	370 . PF5 G	

\* post and head complete height

### POLE 2 OR 3 LIGHTS

370	Finishing	G Black	●
	P Black/Green	●	
	S Black/Copper	●	
	U White	●	
	Lights	T2 2 lights	
		T3 3 lights	
	Pole style	PF5 pole h. 227 cm *	
		PF6 pole h. 265 cm *	
		PR6 adjustable h. 160-243 cm *	
		PR7 adjustable h. 165-230 cm *	
	Diffuser	.	Transparent
	Example	370 . PR6 T2 G	


## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
LED	E27	LED 25 W	Ø 6 x 15cm


## AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF4/PF5/PF6	177
00APR6	Anchor bolt for poles PR5/PR6	177
00APR8	Anchor bolt for poles PR7	177
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176

# Parigi\_1



upwards wall lamp  
cod. 00



downwards wall lamp  
cod. 01

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm

## ORDER CODE


WALL LAMP		
371---	Finishing	G Black 
		P Black/Green 
		S Black/Copper 
		U White 
	Installation	00 Upwards wall lamp
		01 Downwards wall lamp
	Diffuser	. Transparent
Example		
371.01G		




# Parigi\_2



upwards wall lamp  
cod. 00




downwards wall lamp  
cod. 01



pendant  
cod. 02




Bollard  
cod. 33




Bollard  
cod. 44




1 light head




2 lights head  
cod. T2




3 lights head  
cod. T3




Pole  
cod. PF4




Pole  
cod. PF7




Pole  
cod. PE7




Pole  
cod. PF5/PF6




Pole  
cod. PF8




Pole  
cod. PE8



Pole  
cod. PR4



Pole  
cod. PR5/PR6



Pole  
cod. PR7



Pole  
cod. PR8

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | BOLLARD | PENDANT

372	Finishing	G Black	●
		P Black/Green	●
		S Black/Copper	●
		U White	○
	Installation	00 Upwards wall lamp	
		01 Downwards wall lamp	
		02 Pendant	
		33 Bollard h. 62 cm	
		44 Bollard h. 130 cm	
	Diffuser	.	Transparent
	Example	372.00G	

### POLE 1 LIGHT

372	Finishing	G Black	●
		P Black/Green	●
		S Black/Copper	●
		U White	○
	Pole style	PF4 pole 1L h. 167 cm*	
		PF5 pole 1L h. 223 cm*	
		PF6 pole 1L h. 261 cm*	
		PF7 pole 1L h. 203 cm*	
		PE7 pole 1L h. 203 cm*	
		PR4 pole 1L h. 145 cm*	
		PR5 adjustable h. 134-199 cm*	
		PR6 adjustable h. 153-237 cm*	
		PR7 adjustable h. 160-224 cm*	
	Diffuser	.	Transparent
	Example	372.PF5 G	

### POLE 2 OR 3 LIGHTS

372	Finishing	G Black	●
		P Black/Green	●
		S Black/Copper	●
		U White	○
	Lights	T2 2 lights	
		T3 3 lights	
	Pole style	PF8 pole h. 272 cm*	
		PE8 pole h. 272 cm*	
		PR8 adjustable h. 202-267 cm*	
	Diffuser	.	Transparent

Example 372.PF8 T3 G

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF4/PF5/PF6	177
00APF8	Anchor bolt for poles PF7/PF8/PE8/PE7	177
00APR6	Anchor bolt for poles PR5/PR6	177
00APR8	Anchor bolt for poles PR7/PR8	177
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176

\* post and head complete height

# Parigi Maxi\_1



upwards wall lamp  
cod. 00



downwards wall lamp  
cod. 01

## MATERIALS


Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm

## ORDER CODE

WALL LAMP		
<b>373---</b>		
	Finishing	G Black 
		P Black/Green 
		S Black/Copper 
		U White 
	Installation	00 Upwards wall lamp
		01 Downwards wall lamp
	Diffuser	.
		Transparent
Example	<u>373 . 01 G</u>	




# Parigi Maxi\_2



upwards wall lamp  
cod. 00




downwards wall lamp  
cod. 01



pendant  
cod. 02




Bollard  
cod. 33



Bollard  
cod. 44




1 light head




2 lights head  
cod. T2



3 lights head  
cod. T3



Pole  
cod. PF4



Pole  
cod. PF5/PF6



Pole  
cod. PF7



Pole  
cod. PF8/PF9




Pole  
cod. PE7



Pole  
cod. PE8/PE9




Pole  
cod. PR4



Pole  
cod. PR5/PR6



Pole  
cod. PR7



Pole  
cod. PR8

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | BOLLARD | PENDANT

374	Finishing	G Black	
		P Black/Green	
		S Black/Copper	
		U White	
	Installation	00 Upwards wall lamp	
		01 Downwards wall lamp	
		02 Pendant	
		33 Bollard h. 66 cm	
		44 Bollard h. 133 cm	
	Diffuser	.	Transparent
	Example	374 . 00 G	

### POLE 1 LIGHT

374	Finishing	G Black	
		P Black/Green	
		S Black/Copper	
		U White	
	Pole style	PF4 pole 1L h. 168 cm *	
		PF5 pole 1L h. 224 cm *	
		PF6 pole 1L h. 262 cm *	
		PF7 pole 1L h. 204 cm *	
		PF8 pole 1L h. 262 cm *	
		PF9 pole 1L h. 300 cm *	
		PE7 pole 1L h. 204 cm *	
		PE8 pole 1L h. 262 cm *	
		PE9 pole 1L h. 300 cm *	
		PR4 pole 1L h. 148 cm *	
		PR5 adjustable h. 138-203 cm *	
		PR6 adjustable h. 157-241 cm *	
		PR7 adjustable h. 136-228 cm *	
		PR8 adjustable h. 193-258 cm *	
	Diffuser	.	Transparent
	Example	374 . PF5 G	

### POLE 2 OR 3 LIGHTS

374	Finishing	G Black	
		P Black/Green	
		S Black/Copper	
		U White	
	Lights	T2 2 lights	
		T3 3 lights	
	Pole style	PF8 pole h. 277 cm *	
		PF9 pole h. 315 cm *	
		PE8 pole h. 277 cm *	
		PE9 pole h. 315 cm *	
		PR8 adjustable h. 208-273 cm *	
	Diffuser	.	Transparent
	Example	374 . PF8 T2 G	

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES


Code	Description	Page
00APF6	Anchor bolt for poles PF4/PF5/PF6	177
00APF8	Anchor bolt for poles PF7/PF8/PE7/PE9/PR9	177
00APR6	Anchor bolt for poles PR5/PR6	177
00APR8	Anchor bolt for poles PR7/PR8	177
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176

\* post and head complete height

Example 374 . PF5 G

# Pisa

design by Landa R&D



WALL LAMP

PENDANT


BOLLARD

POLE

**EN** Pisa combines robust materials and a classic design to offer an elegant and durable lighting solution. The lamp body is made of EN47100 die-cast aluminium, known for its corrosion resistance and durability. The glass diffuser not only protects the internal components, but also ensures optimal light fruition. Complemented by a polyester powder coating finish, this product is ideal for adding a touch of traditional style to outdoor spaces.

**IT** Pisa combina materiali robusti e un design classico per offrire una soluzione di illuminazione elegante e durevole. Il corpo della lampada è realizzato in alluminio pressofuso EN47100, noto per la sua resistenza alla corrosione e durata. Il diffusore in vetro non solo protegge i componenti interni, ma garantisce anche una fruizione ottimale della luce. Completata da una finitura in vernice a polvere di poliestere, questo prodotto è ideale per aggiungere un tocco di stile tradizionale agli spazi esterni.


# Pisa



upwards wall lamp  
cod. 00




downwards wall lamp  
cod. 01




pendant  
cod. 02



Bollard  
cod. 33



Bollard  
cod. 44



Pole cod.  
PF5/PF6

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Glass
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | PENDANT | BOLLARD

300	---	Finishing	G Black	●
		P Black/Green	●	
		S Black/Copper	●	
		U White	●	
		Installation	00 Upwards wall lamp	
			01 Downwards wall lamp	
			02 Pendant	
			33 Bollard h. 46 cm	
			44 Bollard h. 118 cm	
		Diffuser	.	Transparent
		Example	300 . 00 G	

### POLE 3 LIGHTS

300	---	T3	Finishing	G Black	●
			P Black/Green	●	
			S Black/Copper	●	
			U White	●	
		Pole style	PF5 pole h. 207 cm*		
			PF6 pole h. 245 cm*		
		Diffuser	.	Transparent	
		Example	300 . PF5 T3 G		

\* post and head complete height

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
●	E27	25 W	Ø 6 x 12cm


## AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF5/PF6	176
00108G	Corner bracket	177
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176



# Polos

design by Landa R&D



WALL LAMP


BOLLARD

**EN** Polos is the ideal product for lighting public and private outdoor spaces. A pole with a minimal and essential aesthetics, a synthesis of light and form. The body is made of EN47100 die-cast and AW6060 extruded aluminium, in the bollard version it reaches a height of 92 cm, available in Graphite, Grey and Oxide finishes. Functional, essential, Polos is excellent and resistant even in particularly extreme outdoor settings. Also available in a wall-mounted version.

**IT** Polos è il prodotto ideale per l'illuminazione di spazi esterni pubblici e privati. Un palo dall'estetica minimale ed essenziale, una sintesi di luce e forma. Il corpo è in alluminio pressofuso EN47100 ed estruso AW6060, nella versione bollard, raggiunge un'altezza di 92 cm, disponibile con finiture di color Grafite, Grigio e Ossido. Funzionale, essenziale, Polos è ottimo e resistente anche in ambientazioni outdoor particolarmente estreme. Disponibile anche la versione a parete.

# Polos\_1

 IP64  
*wall*
 IP65  
 ERL  
 CE  
*bollard*



upwards wall lamp  
cod. 10

bollard  
cod. 035

bollard  
cod. 070

bollard  
cod. 090

## MATERIALS

Body	Die-cast aluminium EN47100 and extruded aluminium AW6060
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | BOLLARD

4032---

Finishing	H	Grey	
	L	Graphite	
	V	Oxide	
<hr/>			
Installation	10	Upwards wall lamp	
	035	Bollard h. 35 cm	
	070	Bollard h. 67 cm	
	090	Bollard h. 92 cm	
<hr/>			
Diffuser	.	Transparent	

Example      4032 . 070 V

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES

Code	Description	Page
00A405	Root Mounting Kit h. 47 cm	177
00A405.01P	Anchor bolt	177
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176



# Polos\_2



upwards wall lamp  
cod. 10

bollard  
cod. 035

bollard  
cod. 070

bollard  
cod. 090

## MATERIALS

Body	Die-cast aluminium EN47100 and extruded aluminium AW6060
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | BOLLARD

4022 ---

Finishing	H	Grey	
	L	Graphite	
	V	Oxide	
<hr/>			
Installation	10	Upwards wall lamp	
	035	Bollard h. 35 cm	
	070	Bollard h. 67 cm	
	090	Bollard h. 92 cm	
<hr/>			
Diffuser	.	Transparent	

Example      4022 . 035 V

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm


## AVAILABLE ACCESSORIES

Code	Description	Page
00A405	Root Mounting Kit h. 47 cm	177
00A405.01P	Anchor bolt	177
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176



# Rio

design by Landa R&D




WALL LAMP

**EN** Combining functionality and aesthetics in a classically inspired design, Rio is perfect for adding a touch of elegance to any outdoor environment. This wall lamp is available with both transparent and opal diffusers, offering versatility in light distribution and created atmosphere. Made of EN 47100 die-cast aluminium, Rio is designed to last, and is treated with a polyester powder coating to withstand the outdoor elements. With its compact dimensions and different finish options, black, black/green, black/silver, black/copper or white, it fits easily into different residential contexts, bringing a touch of discreet elegance.

**IT** Combinando funzionalità e estetica in un design di ispirazione classica, Rio è perfetta per aggiungere un tocco di eleganza a qualsiasi ambiente esterno. Questa lampada da parete è disponibile con diffusori sia trasparenti che opalini, offrendo versatilità nella distribuzione della luce e nell'atmosfera creata. Realizzata in alluminio pressofuso EN 47100, Rio è progettata per durare, è trattata infatti con una vernice a polvere di poliestere per resistere agli agenti esterni. Con le sue dimensioni compatte e le diverse opzioni di finitura - nero, nero/verde, nero/argento, nero/rame o bianco, si adatta facilmente a diversi contesti residenziali, portando un tocco di raffinatezza discreta.

140

# Rio



half wall lamp



aluminium top



copper top



Opal



Transparent

## MATERIALS

Body	Die-Cast aluminium EN47100
Diffuser	Polycarbonate
Finishing	Polyester powder paint

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm


## ORDER CODE

WALL LAMP	
425 ---	
Finishing	G Black  P Black/Green  R Black/Silver  S Black/Copper  U White 
Diffuser	transparent B Opal SEN Opal with Sensor 
Variant	Aluminium top A Copper top
Example	425 A G
Example	425 A SEN P (Optional Sensor)



# Romantica

design by Landa R&D



WALL LAMP

PENDANT

BOLLARD

POLE

**EN** The Romantica collection represents a refined fusion of classic elegance and modern details, designed to enrich outdoor environments with a touch of nostalgia. This series stands out for its versatility in design and functionality.

The lamps are made of EN47100 die-cast aluminium, known for its strength and durability, ideal for withstanding the outdoor elements for a long time. The polyester powder coating further protects each product, ensuring that the colour remains vivid and durable. You can choose between transparent diffusers, which project a bright, clear light, or opal diffusers, for a more diffuse and subtle lighting, allowing you to create the desired atmosphere in gardens, patios or along pathways.

Romantica comes not only in different forms – from elegant wall lamps that can be mounted to direct light upwards or downwards, to suspensions like jewels in the open air – but also offers bollards and poles in a range of styles and heights. This modularity allows the lighting to be customised to the specific needs of the landscape. Variants with aluminium or copper caps add a further degree of customisation, making each configuration unique.

**IT** La collezione Romantica rappresenta una fusione raffinata tra eleganza classica e dettagli moderni, pensata per arricchire ambienti esterni con un tocco di nostalgia. Questa serie si distingue per la sua versatilità nel design e nella funzionalità.

Le lampade sono costruite in alluminio pressofuso EN47100, noto per la sua resistenza e durata, ideali per resistere a lungo agli elementi esterni. La finitura in polvere poliestere protegge ulteriormente ogni prodotto, assicurando che il colore rimanga vivido e resistente nel tempo. È possibile scegliere tra diffusori trasparenti, che proiettano una luce chiara e brillante, o opalini, per un'illuminazione più diffusa e delicata, permettendo così di creare l'atmosfera desiderata in giardini, patio o lungo i sentieri.

Romantica si presenta non solo in forme diverse – dalle eleganti lampade da parete che possono essere montate per dirigere la luce verso l'alto o il basso, a sospensioni come gioielli all'aria aperta – ma offre anche bollard e pali in vari stili e altezze. Questa modularità permette di personalizzare l'illuminazione in base alle specifiche esigenze del paesaggio. Le varianti con cappelli in alluminio o rame aggiungono un ulteriore grado di personalizzazione, rendendo ogni configurazione unica.






# Romantica







aluminium top



copper top

upwards wall lamp  
cod. 00downwards wall lamp  
cod. 01pendant  
cod. 02Bollard  
cod. 33Bollard  
cod. 44

1 light head

Pole  
cod. PF4Pole  
cod. PF7Pole  
cod. PE7Pole cod.  
PF5/PF6Pole cod.  
PF8Pole cod.  
PE8Pole cod.  
PR4Pole cod.  
PR5/PR6Pole cod.  
PR7

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | PENDANT | BOLLARD

350	Finishing	G Black	
		P Black/Green	
		R Black/Silver	
		S Black/Copper	
		U White	
	Installation	00 Upwards wall lamp	
		01 Downwards wall lamp	
		02 Pendant	
		33 Bollard h. 54 cm	
		44 Bollard h. 119 cm	
	Variant	.	Aluminium top
		A	Copper top
Example	350 A 00 G		

\* post and head complete height

## POLE 1 LIGHT

350 --

Finishing	G Black	
	P Black/Green	
	R Black/Silver	
	S Black/Copper	
	U White	
Pole style	PF4 pole 1L h. 156 cm *	
	PF5 pole 1L h. 212 cm *	
	PF6 pole 1L h. 250 cm *	
	PF7 pole 1L h. 192 cm *	
	PF8 pole 1L h. 250 cm *	
	PE7 pole 1L h. 192 cm *	
	PE8 pole 1L h. 250 cm *	
	PR4 pole 1L h. 136 cm *	
	PR5 adjustable h. 126-191 cm *	
	PR6 adjustable h. 145-229 cm *	
	PR7 adjustable h. 151-216 cm *	
Variant	.	Aluminium top
	A	Copper top

Example 350 A PF5 G

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF4/PF5/PF6	177
00APF8	Anchor bolt for poles PF7/PF8/PE7/PE8	177
00APR6	Anchor bolt for poles PR5/PR6	177
00APR8	Anchor bolt for poles PR7/PR8	177
00108G	Corner bracket	176
0404M004	Single connection IP68	176
0404M003	Loop in loop out IP68	176






# Romantica



aluminium top



copper top

2 lights head  
cod. T23 lights head  
cod. T3Pole cod.  
PF6Pole cod.  
PF8Pole cod.  
PE8Pole cod.  
PR8Pole cod.  
PR7Pole cod.  
PR8

Body	Die-cast aluminium EN47100
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

POLE 2 OR 3 LIGHTS	
350	Finishing
G	Black
P	Black/Green
R	Black/Silver
S	Black/Copper
U	White
	Lights
T2	2 lights
T3	3 lights
	Pole style
PF6	pole h. 256 cm *
PF8	pole h. 256 cm *
PE8	pole h. 256 cm *
PR6	pole h. 151/235 cm *
PR7	pole h. 157/222 cm *
PR8	pole h. 187/252 cm *
	Variant
.	Aluminium top
A	Copper top
	Example
350 A PF6 T3 G	

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 15 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF6	177
00APF8	Anchor bolt for poles PF8/PE8	177
00APR6	Anchor bolt for poles PR6	177
00APR8	Anchor bolt for poles PR7/PR8	177
0404M004	Single connection IP68	176
0404M003	Loop in loop out IP68	176

\* post and head complete height






# Romantica\_1






aluminium top



copper top

upwards wall lamp  
cod. 00downwards wall lamp  
cod. 01pendant  
cod. 02Bollard  
cod. 33Bollard  
cod. 44

1 light head

Pole  
cod. PF7Pole cod.  
PF4Pole cod.  
PF8Pole cod.  
PE8

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Opal polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | PENDANT | BOLLARD

350	Finishing	G Black	●
	P Black/Green	●	
	R Black/Silver	●	
	S Black/Copper	●	
	U White	○	
	Source lamp	E27	
	LH LED		
	Installation	00 Upwards wall lamp	
		01 Downwards wall lamp	
		02 Pendant	
		33 Bollard h. 54 cm	
		44 Bollard h. 119 cm	
	Variant	. Aluminium top	
		A Copper top	
	Example	350 A 00 LH G	

## POLE 1 LIGHT

350	Finishing	G Black	●
	P Black/Green	●	
	R Black/Silver	●	
	S Black/Copper	●	
	U White	○	
	Source lamp	E27	
	LH LED		
	Pole style	PF4 pole 1L h. 156 cm *	
		PF7 pole 1L h. 192 cm *	
		PF8 pole 1L h. 250 cm *	
		PE8 pole 1L h. 250 cm *	
	Variant	. Single colour	
		A Copper top	
	Example	350 A PF8 LH G	

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 15 W	Ø 6 x 15cm
	LH	LED 12 W	3000 K   1100 lm   Ra80

## AVAILABLE ACCESSORIES

Code	Description	Page
00APF6	Anchor bolt for poles PF4	177
00APF8	Anchor bolt for poles PF7/PF8/PE8	177
00APR8	Anchor bolt for poles PR8	177
00108G	Corner bracket	176
0404M004	Single connection IP68	176
0404M003	Loop in loop out IP68	176

\* post and head complete height



# Romantica\_1



aluminium top



copper top

2 lights head  
cod. T23 lights head  
cod. T3Pole cod.  
PF8Pole cod.  
PE8Pole cod.  
PR8

## MATERIALS

Body	Die-cast aluminium EN47100
Diffuser	Opal polycarbonate
Finishing	Polyester powder paint

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 15 W	Ø 6 x 15cm
	LH	LED 12 W	3000 K   1100 lm   Ra80

## ORDER CODE

POLE 2 OR 3 LIGHTS	
350	B
Finishing	
G	Black 
P	Black/Green 
R	Black/Silver 
S	Black/Copper 
U	White 
Source lamp	
E27	
LH	LED
Lights	
T2	2 lights
T3	3 lights
Pole style	
PF8	pole h. 256 cm *
PE8	pole h. 256 cm *
PR8	pole h. 187/252 cm *
Variant	
.	Aluminium top
A	Copper top
Example	
350 A PF8 T3 LH G	


## AVAILABLE ACCESSORIES

Code	Description	Page
00APF8	Anchor bolt for poles PF8/PE8	177
00APR8	Anchor bolt for poles PR8	177
0404M004	Single connection IP68	176
0404M003	Loop in loop out IP68	176

\* post and head complete height

# Sirio

design by Landa R&D



WALL LAMP

PENDANT


BOLLARD

POLE


**EN** The design of the Sirio range evokes the clean, futuristic lines of a spaceship, with its tapered, conical shape seeming to project upwards, almost ready for take-off. This modern, futuristic appearance makes Sirio an ideal choice for those who wish to add a distinctive, contemporary touch to their outdoor space. This series features mounting options ranging from simple downward-facing wall sconces, suspensions, and bollards to lighting poles that can support up to three lights, offering a scalable solution for different urban or garden scenarios. The EN 47100 die-cast aluminium structure guarantees durability and resistance to the outdoor elements, while the opal polycarbonate diffuser optimises light distribution, creating a welcoming and well-lit environment.

**IT** Il design della linea Sirio evoca le linee pulite e futuristiche di una navicella spaziale, con la sua forma conica e affusolata che sembra proiettarsi verso l'alto, quasi pronta per il decollo. Questo aspetto moderno e avveniristico fa di Sirio una scelta ideale per chi desidera aggiungere un tocco distintivo e contemporaneo al proprio outdoor. Questa serie è caratterizzata da opzioni di montaggio che vanno dalle semplici applique da parete verso il basso, sospensione, bollard fino ai pali di illuminazione che possono supportare fino a tre luci, offrendo una soluzione scalabile per diversi scenari urbani o giardini. La struttura in alluminio pressofuso EN 47100 garantisce durata e resistenza agli elementi, mentre il diffusore in policarbonato opale ottimizza la distribuzione della luce, creando un ambiente accogliente e ben illuminato.


# Sirio




downwards wall lamp  
cod. 01




bollard  
cod. P1.12




bollard  
cod. P2.12



Pole | 1 light  
cod. P1



Pole | 2 lights  
cod. P2



Pole | 3 lights  
cod. P3

## MATERIALS


Body	Die-cast aluminium EN47100
Diffuser	Opal polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### WALL LAMP | PENDANT | BOLLARD

150	Finishing	G Black
		L Graphite
		U White
	Installation	01 Downwards wall lamp
		02 Pendant
		P1.12 bollard 1L
		P1.12 bollard 2L
		P1 pole 1L
		P2 pole 2L
		P3 pole 3L
	Diffuser	. Opal

Example 150 . 01 G




base dimensions

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 12cm


## AVAILABLE ACCESSORIES

Code	Description	Page
00108G	Corner bracket	176



# Titano

design by Landa R&D




BOLLARD

**EN** Titano is a floor luminaire available in 4 different heights (45-75-100-125 cm), which can be easily integrated and installed in any type of outdoor environment. A simple shape for a practical and formal pole, robust and weatherproof. The optical emission is diffuse, precise, and uniform, also thanks to the transparent polycarbonate diffuser. Titano is available with an AISI 316L stainless steel body or in the EN AW6060 extruded aluminium version with the possibility of a Graphite and Oxide finish.

**IT** Titano è un apparecchio da terra disponibile in 4 differenti altezze (45-75-100-125 cm), facilmente integrabile e installabile in ogni tipologia di ambiente esterno. Una forma semplice per un paletto pratico e formale, robusto e inattaccabile dagli agenti atmosferici. L'emissione ottica è diffondente, precisa e uniforme, anche grazie al diffusore in policarbonato trasparente. Titano è disponibile con corpo in acciaio inox AISI 316L o nella versione in alluminio estruso EN AW6060 e possibilità di finitura Grafite e Ossido.

# Titano\_1



bollard  
cod. 045

bollard  
cod. 075

bollard  
cod. 100

bollard  
cod. 125

## MATERIALS

Body	Stainless steel aisi316L and extruded aluminium AW6060
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

BOLLARD		
824 ---	Finishing	L Graphite
	V Oxide	●
Installation	045	Bollard h. 45 cm
	075	Bollard h. 75 cm
	100	Bollard h. 100 cm
	125	Bollard h. 125 cm
Diffuser	.	Transparent
Example	824 . 100 V	

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
LED	E27	LED 25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES

Code	Description	Page
00A400	Root Mounting Kit h.47 cm	177
00A400.01P	Anchor bolt	177
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176



# Titano\_2



## MATERIALS

Body	Stainless steel aisi316L and extruded aluminium AW6060
Diffuser	Transparent polycarbonate
Finishing	Polyester powder paint

## ORDER CODE

### BOLLARD

825---

Finishing	L	Graphite	●
V	Oxide	●	
<hr/>			
Installation	045	Bollard h. 45 cm	
	075	Bollard h. 75 cm	
	100	Bollard h. 100 cm	
	125	Bollard h. 125 cm	
<hr/>			
Diffuser	.	Transparent	

Example    825 . 100 L

## ELECTRIFICATION


Bulb	Base type	Max wattage	Bulb dimension
LED	E27	LED 25 W	Ø 6 x 15cm

## AVAILABLE ACCESSORIES

Code	Description	Page
00A400	Root Mounting Kit h. 47 cm	177
00A400.01P	Anchor bolt	177
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176



# Titano Inox



## MATERIALS

Body	Stainless steel Aisi316L
Diffuser	Transparent polycarbonate

## ELECTRIFICATION

Bulb	Base type	Max wattage	Bulb dimension
	E27	LED 25 W	Ø 6 x 15cm

## ORDER CODE

BOLLARD	
822	_ _ Z
Installation	045 Bollard h. 45 cm
	075 Bollard h. 75 cm
	100 Bollard h. 100 cm
	125 Bollard h. 125 cm
Diffuser	. Transparent
Example	822 . 100 Z


## AVAILABLE ACCESSORIES

Code	Description	Page
00A400	Root Mounting Kit h. 47 cm	177
00A400.01P	Anchor bolt	177
0404M003	Loop in loop out IP68	176
0404M004	Single connection IP68	176




# Pole

design by Landa R&D






# Pole



33

44




# Pole\_PF

167




## AVAILABLE ACCESSORIES

Code	Description
00APF6	Anchor bolt
00CRP_	Banner stand
Finishing	
G	Black
P	Black/Green
R	Black/Silver
S	Black/Copper
U	White




cod. 00CRP



cod. 00APF6

# Pole\_PF



PF7

PF8

PF9





## AVAILABLE ACCESSORIES

Code	Description
00APF8	Anchor bolt
00CRP_	Banner stand
G	Black
P	Black/Green
R	Black/Silver
S	Black/Copper
U	White


Finishing



cod. 00CRP




cod. 00APF8



PE7

PE8


PE9




## AVAILABLE ACCESSORIES

Code	Description
00PF8	Anchor bolt
00CRP_	Banner stand
G	Black
P	Black/Green
R	Black/Silver
S	Black/Copper
U	White

### Finishing



cod. 00CRP



cod. 00APF8

# Pole\_PR



## AVAILABLE ACCESSORIES


*Code*

*Description*

PR4

00CRP

Banner stand



## AVAILABLE ACCESSORIES


*Code*

*Description*

00CRP\_



Banner stand

Finishing	G	Black	●
	P	Black/Green	●
	R	Black/Silver	●
	S	Black/Copper	●
	U	White	●




*cod. 00CRP*

# Pole\_PR




## AVAILABLE ACCESSORIES

Code	Description
00APR6	Anchor bolt
00CRP	Banner stand
Finishing	
G	Black
P	Black/Green
R	Black/Silver
S	Black/Copper
U	White



cod. 00CRP





cod. 00APR6

# Pole\_PR



PR7

PR8




## AVAILABLE ACCESSORIES


Code	Description
<b>00APR8</b>	Anchor bolt
<b>00CRP_</b>	Banner stand
Finishing	
G	Black
P	Black/Green
R	Black/Silver
S	Black/Copper
U	White



cod. 00CRP



cod. 00APR8







**ACCESSORIES**

# Accessories

Code

Description



00108G

Corner bracket



00596-

Finishing

G	Black	
L	Graphite	
V	Oxide	
P	Black/Green	
R	Black/Silver	
S	Black/Copper	

Corner bracket



00KR175U

Refractor



00CRP

Banner stand



0404M003

Loop-in loop-out IP68



0404M004

Single connection IP68



0404M009

Single connection IP68



0404M010

Single connection IP68



0404M011

Single connection IP68

<i>Code</i>	<i>Description</i>	
00DEC	Degreasing liquid	
00A_	Anchor bolt	
<i>Finishing</i>		
	<b>170.01P</b>	
<b>PF6</b>	PF4/PF5/PF6	
<b>PF8</b>	PF7/PF8/PF9/PE7/PE8/PE9	
<b>PL6</b>	P1/P2/P3	
<b>PR6</b>	PR5/PR6	
<b>PR8</b>	PR7/PR8	
00A400	Root mounting kit	
00A400.01P	Anchor bolt	
00A405	Root mounting kit	
00A405.01P	Anchor bolt	




## INFORMATION

# how to read the catalogue

product name  
*nome prodotto*

Morphis

LANDALIGHTING



**EN** The shape of old lanterns, typical of the outdoor lighting tradition for Morphis: the classic transported into the contemporary. Diffused light and an extra-clear polycarbonate diffuser. A modular system for illumination of pathways and outdoor paths, available for wall suspension, collar, and aluminium pole applications. In different heights and 6 colour variants.

**IT** La forma delle vecchie lanterne, tipiche della tradizione illuminotecnica da esterni per Morphis: il classico trasportato nella contemporaneità. Una luce diffusa e un diffusore in policloruro di carbonio extra chiaro. Un'apparecchiatura per illuminazione strade di accesso e vicoli esterni, disponibile per applicazioni a muro, sospensione, collar, e con pale in alluminio di differenti altezze e disponibile in 6 varianti colore.

HEADPOST | WALL LAMP | PENDANT | BOLLARD | POLE

LANDAL

family abacus  
*abaco di famiglia*

product name  
*nome prodotto*


certifications  
*certificazioni*

 <p><b>Morphis Wall_1</b></p> <p>88</p>	 <p>certifications <i>certificazioni</i></p> <p>89</p>														
<p><b>MATERIALS</b></p> <table border="1"> <tr> <td>Body</td> <td>Die-cast aluminum ENA700</td> </tr> <tr> <td>Diffuser</td> <td>Polycarbonate</td> </tr> <tr> <td>Finishing</td> <td>Polyester powder paint</td> </tr> </table> <p><b>ELECTRIFICATION</b></p> <table border="1"> <tr> <td>Bulb</td> <td>E27</td> </tr> <tr> <td>Bulb type</td> <td>Max wattage</td> </tr> <tr> <td></td> <td>LED 25 W</td> </tr> <tr> <td></td> <td>Ø 8 x 15cm</td> </tr> </table>		Body	Die-cast aluminum ENA700	Diffuser	Polycarbonate	Finishing	Polyester powder paint	Bulb	E27	Bulb type	Max wattage		LED 25 W		Ø 8 x 15cm
Body	Die-cast aluminum ENA700														
Diffuser	Polycarbonate														
Finishing	Polyester powder paint														
Bulb	E27														
Bulb type	Max wattage														
	LED 25 W														
	Ø 8 x 15cm														
<p><b>ORDER CODE</b></p> <p><b>WALL LAMP</b></p> <p>VS -</p> <table border="1"> <tr> <td>Finishing</td> <td>G Black</td> </tr> <tr> <td>L Graphite</td> </tr> <tr> <td>P Black/Oxen</td> </tr> <tr> <td>R Black/Silver</td> </tr> <tr> <td>S Black/Copper</td> </tr> <tr> <td>Y Oxide</td> </tr> </table> <p>Diffuser</p> <table border="1"> <tr> <td>Transparent</td> <td>D Opal</td> </tr> <tr> <td></td> <td>DSEN Opal with Sensor</td> </tr> </table> <p>Example: VS G</p> <p>Example: VS SENP (Optional Sensor)</p> <p><b>L A N D A</b></p>		Finishing	G Black	L Graphite	P Black/Oxen	R Black/Silver	S Black/Copper	Y Oxide	Transparent	D Opal		DSEN Opal with Sensor			
Finishing	G Black														
L Graphite															
P Black/Oxen															
R Black/Silver															
S Black/Copper															
Y Oxide															
Transparent	D Opal														
	DSEN Opal with Sensor														


drawing quoted in cm  
*disegno quotato in cm*

technical information  
*informazioni tecniche*

# Installation



**RECOMMENDED CONNECTION**  
CONNESSIONE CONSIGLIATA



**ALTERNATIVELY SELF-AMALGAMATING TAPE CONNECTION**  
CONNESSIONE ALTERNATIVA CON NASTRO AUTOAGGLOMERANTE

**EN** The LED lamps are electronic devices and hence sensitive to current surges. For this reason we recommend installing a suitable protective equipment (SPD) so as to protect the equipment from the potential damage.

Should the glass break, the product cannot be used and you should contact the manufacturer for its replacement.

If the external cable of this appliance is damaged, it must be replaced by the manufacturer in order to avoid dangers. For wiring the terminal you should use a suitable terminal approved to EN 60998-2-1 or EN 60998-2-2 installed in a wiring box with adequate degree of protection IP68.

The LED module contained in this luminaire it must be substituted exclusively of the manufactured, or personnel qualified equivalent.

**IT** Le lampade a LED sono apparecchiature elettroniche e quindi sensibili alle sovratensioni, per questo motivo si consiglia l'installazione nell'impianto di un dispositivo di protezione adeguato (SPD) così da proteggere gli apparecchi dal rischio di danneggiamento.

In caso di rottura del vetro il prodotto non può essere utilizzato, contattare il fornitore per la sua sostituzione. Se il cavo flessibile esterno di questo apparecchio viene danneggiato, deve essere sostituito dal costruttore al fine di evitare pericoli. Per il cablaggio dell'apparecchio si dovrà utilizzare un'idonea morsettiera omologata EN60998-2-1 o EN60998-2-2 installata in una scatola di cablaggio adeguata con grado di protezione IP68.

Il modulo LED contenuto in questo apparecchio di illuminazione deve essere sostituito esclusivamente dal costruttore, o da personale qualificato equivalente.

# Sensor product

183



## SPECIFICATIONS

Detection range:	160°
Power supply:	230-240 V
Power frequency:	50/60Hz
Reach:	1-8 m (0), adjustable
Time setting:	10 sec to 12 min
Light control:	2-2000 LUX
Diffuser:	Opal polycarbonate



Morphis



Rio



Maiorca

# index by code

62	100	lampara_1
64	100	lampara_2
154	150	sirio
84	175	morphis_2
88	175	morphis wall_1
86	176	morphis_3
82	177	morphis_1
130	300	pisa
114	301	oslo
30	320	amalfi_mini
34	321	amalfi_short
32	322	amalfi
36	323	amalfi_maxi
56-58	330	firenze
76-78	340	monaco
144-146	350	romantica
148-150	350	romantica_1
40-42	360	augusta
118	370	parigi mini
120	371	parigi_1
122	372	parigi_2
124	373	parigi maxi_1
126	374	parigi maxi_2
100	390	nizza_2
98	391	nizza_1
104	400	orion_1
106	401	orion_2
92-94	405	neway
46	410-411	brick light
48	412-413	brick light inox
52	420	cipro
72	421	maiorca
140	425	rio

# index by code

185

<b>108</b>	800	orion inox_1
<b>110</b>	801	orion inox_2
<b>162</b>	822	titano inox
<b>158</b>	824	titano_1
<b>160</b>	825	titano_2
<b>136</b>	4022	polos_2
<b>134</b>	4032	polos_1
<b>68</b>	4652	lyras 80.1

# Family abacus

	wall lamps	wall recessed	pendants	bollards	poles	sensor
amalfi	•			•	•	
augusta	•		•	•	•	
brick light		•				
cipro	•					
firenze	•		•	•	•	
lampara	•		•	•	•	
lyras	•					
maiorca	•					•
monaco	•		•	•	•	
morphis	•		•	•	•	•
neway	•			•		
nizza	•		•	•	•	
orion	•			•		
oslo	•		•	•	•	
parigi	•		•	•	•	
pisa	•		•	•	•	
polos	•			•		
rio	•					•
romantica	•		•	•	•	
sirio	•		•	•	•	
titano				•		

# General information

187

## PROTECTION GRADE GRADO DI PROTEZIONE

### IP 43

---

*Protected against penetration of solid bodies Ø>1 mm and protected against rain  
Protetto contro la penetrazione dei colpi solidi Ø>1 mm e contro la pioggia*

### IP 44

---

*Protected against penetration of solid bodies Ø>1 mm and protected against water sprays  
Protetto contro la penetrazione dei colpi solidi Ø>1 mm e contro gli spruzzi d'acqua*

### IP 65

---

*Luminaire dust-tight and protected against water jets  
Apparecchio stagno alla polvere e protetto da getti di acqua*

### IP 66

---

*Luminaire dust-tight and protected against powerful water jets  
Apparecchio stagno alla polvere e protetto dalle onde*

### IP 67

---

*Luminaire dust-tight and sealed against temporary immersion  
Apparecchio stagno alla polvere e all'immersione temporanea*

# Quality certifications

CE

### CE

---

*Indicates that the product is certified according to European standards  
Indica che il prodotto è certificato secondo le norme europee*

EAC


### EAC

---


*Indicates that the product conforms to all technical regulations of the evaluation procedures of the Eurasian Customs Union  
Indica che il prodotto si adegua a tutte le normative tecniche delle procedure di valutazione dell'Unione doganale eurasiatica*

# Finishes

## POLYESTER POWDER PAINT VERNICIATURA CON POLVERI DI POLIESTERE




G Black  
Nero




L Graphite  
Grafito



S Black/copper  
Nero/rame



H Grey  
Grigio



R Black/silver  
Nero/argento



U White  
Bianco



P Black/green  
Nero/verde



V Oxide  
Oxido



Z Stainless steel AISI 316L  
Inox AISI 316L

# Terms & conditions

189

## GENERAL

Buyer means the person, firm or company who purchases Goods from the company.  
Company means Landa Illuminotecnica S.p.A.. via Rosmini 13/15, 25065 Lumezzane (BS), Italy.  
Contract means the Contract between the Buyer and the Company for the sale and purchase of Goods.  
Goods means the Goods which the Company is to supply in accordance with these conditions.

## BASIC OF SALE

The Company shall sell and the Buyer shall purchase the Goods in accordance with these conditions, which shall govern the Contract to the exclusion of any other terms and conditions which the Buyer purports to apply under any purchase order, confirmation order, specification or other document.  
No variation to these conditions shall be binding unless agreed in writing by the Company.  
Any typographical, clerical or other error or omission in any sales literature, quotation, price list, acceptance of offer, invoice or other document or information issued by the Company shall be subject to correction without liability on the part of the Company.  
Goods supplied may vary in detail from illustrations, drawings, measurements and descriptions set out in the Company sales literature, which are approximate and for guidance only and will not form part of the Contract. Colour finishes will be maintained as accurately as possible but matching cannot be guaranteed. All terminology used in the Company's sales literature is subject to these conditions.

## ORDERS

No order submitted by the Buyer shall be deemed accepted by the Company unless and until confirmed in writing by the Company  
The Buyer shall be responsible to the Company for ensuring the accuracy of the terms of any order submitted by the Buyer, and for giving the Company any necessary information relating the Goods within a sufficient time to enable Company to perform the Contract in accordance with its terms.  
No Goods may be returned to the Company without the Company's prior written consent and must be returned in their original packaging to ensure no damage is sustained during transit. The Buyer shall be liable for the cost of returning the Goods and for any damage to the Goods prior to receipt by the Company of such returned Goods.

## PRICE OF GOODS

The price of the Goods shall be the price listed in the Company's published price list in EURO currency.  
Unless otherwise agreed in writing between the Buyer and the Company, all prices are given by the Company on an ex-works basis, and where the Company agrees to deliver the Goods otherwise than at the Company's premises. The Buyer shall be liable to pay the Company's charges for transport.

## WARRANTIES

Outdoor lighting fixtures are guaranteed against defects in material or workmanship for a period of two years following the date of delivery ex-works.  
No warranty is granted in connection with faults resulting from improper use, application, normal wear and tear, external influences or use of non-original replacements parts, damage resulting from transportation.  
The Company recommends that the installation of outdoor lighting fixtures is made by skilful person and that the enclosed assembly instructions are followed and kept for further future maintenance.  
The Company will not assume responsibility for corrosion or other resulting damage to the Goods where they are installed in areas in which fertilizer or salt are present, either in the air or in the soil or where Goods are installed near to chemical plants etc with emissions of heavily polluted air.  
The Buyer undertakes to inform his customers about the regular maintenance of the products. In particular for the products in stainless steel AISI 316, by means of the technical sheets included in his catalogue, the distributor will inform his customer regarding the specific products (among which also those available from the Company aimed to remove possible colour spots) liable to keep the features of the products unaltered. Claims should be promptly submitted in a written form to the Company together with copy of the purchase invoice and stating the delivery date, description of the faults and quantity of faulty products. Products that are proved to be defective in material or workmanship will be repaired, replaced by the Company within a reasonable period after the claim. Returns of faulty Goods will be accepted by the Company only upon written authorization, adequately despatched and packed with transport prepaid. Extra costs borne by the Buyer in consequence of the faults of the products will not be carried by the Company, if not previously agreed in written form.  
The Company will not assume any responsibility in the following cases:  
improper assembly, use or maintenance of the products and their incorrect conservation.  
This guarantee shall not apply to products that have been altered, improperly used or installed or repaired without prior written authorization from the Company. If quality and performance have become less due to the application of accessories not approved by the Company. This guarantee deletes and replaces any other further responsibility arisen from the products supplied; in particular the Buyer shall have no right to claim for damages reimbursement (indirect or consequent damages included or profit losses) reduction of prices or resolution of the Contract.





LANDA®

Technicals: Landa S.p.A.  
Concept & Graphic Design: ASB\COMUNICAZIONE  
Print: ColorArt

Landa Illuminotecnica S.p.A. reserves itself the faculty to change or to modify, without advance notice, the dimensions and the technical characteristics of the products indicated in this catalogue, due to operative necessities to improve the functionality or updating with law regulation.

*Landa Illuminotecnica S.p.A. si riserva la facoltà di variare o modificare, senza preavviso, le dimensioni e le caratteristiche tecniche dei prodotti indicati in questo catalogo in funzione delle necessità operative, per migliorarne la funzionalità o in adeguamento a normativa di legge.*

LANDA ILLUMINOTECNICA S.p.A  
Via Rosmini, 13/15  
25065 Lumezzane  
Brescia

+39 0308920966  
info@landa.it



CATCLASSIE